9-2320-211-34 P/991

TM 9-2320-211-34P

TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST (INCLUDING DEPOT MAINTENANCE ALLOWANCES)

TRUCK, CHASSIS: 5-TON, 6x6

M39, M39A2, M40, M40A1, M40A2, M40A1C, M40A2C, M61, M61A1, M61A2, M63, M63A1, M63A2, M63C, M63A1C, M63A2C, M63A1D, M63A2D, M139A1, M139A2, M139C, M139A2C, M139D, M139A2D, M139F, M139A1F, M139A2F; TRUCK, CARGO: M41, M41A2, M54, M54A1, M54A2, M54A1C, M54A2C, M55, M55A1, M55A2; TRUCK, DUMP: M51, M51A1, M51A2; TRUCK, TRACTOR: M52, M52A1, M52A2; TRUCK, TRACTOR, WRECKER: M246, M246A1, M246A2; TRUCK, VAN, EXPANSIBLE: M291A1, M291A2, M291A1C, M291A2C, M291A1D, M291A2D; TRUCK, WRECKER, MEDIUM: M62, M62A2, M543, M543A1, M543A2; TRUCK, BRIDGING: M139, M328A1, M328A2; TRUCK, LOGGING, M748A1, M748A2.

This copy is a reprint which includes current pages from Changes 1 and 2.

HEADQUARTERS, DEPARTMENT OF THE ARMY

APRIL 1972

READEX FICHE best copy available

D 101:11

CHANGE

NO C 2

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, D.C., *23 November 1989*

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE ALLOWANCES) FOR TRUCK, CHASSIS: 5-TON, 6 X 6 M39, M39A2, M40, M40A1, M40A2, M40A1C, M40A2C, M61, M61A1, M61A2, M63, M63A1, M63A2, M63C, M63A1C, M63A2C, M63A1D, M63A2D, M139A1, M139A2, M139C, M139A2C, M139D, M139A2D, M139F, M139A1F, M139A2F; TRUCK, CARGO: M41, M41A2, M54, M54A1, M54A2, M54A1C, M54A2C, M55, M55A1, M55A2; TRUCK, DUMP: M51, M51A1, M51A2; TRUCK, TRACTOR: M52, M52A1, M52A2; TRUCK, TRACTOR, WRECKER: M246, M246A1, M246A2; TRUCK, VAN, EXPANSIBLE: M291A1, M291A2, M291A1C, M291A2C, M291A1D, M291A2D; TRUCK, WRECKER, MEDIUM: M62, M62A2, M543, M543A1, M543A2; TRUCK, BRIDGING: M139, M328A1, M328A2; TRUCK, LOGGING, M748A1, M748A2.

TM 9-2320-211-34P, April 1972 is changed as follows:

1. Remove old pages and insert new pages as indicated below.
2. File this change sheet in front of the publication for reference purposes.

REMOVE PAGES	INSERT PAGES
2-7 and 2-8	2-7 and 2-8
3-13 and 3-14	3-13 and 3-14

By Order of the Secretary of the Army:

CARL E. VUONO
General, United States Army
Chief of Staff

Official:

WILLIAM J. MEEHAN II
Brigadier General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-38-R, (Block 0212), requirements for Truck, Cargo, 5-ton, 6 x 6, Multifuel, M39-series.

TECHNICAL MANUAL
No. 9-2320-211-34P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *12 April 1972*

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST (INCLUDING DEPOT MAINTENANCE ALLOWANCES)

TRUCK, CHASSIS: 5-TON, 6x6, M39, M39A2, M40, M40A1, M40A2, M40A1C, M40A2C, M61, M61A1, M61A2, M63, M63A1, M63A2, M63C, M63A1C, M63A2C, M63A1D, M63A2D, M139A1, M139A2, M139C, M139A2C, M139D, M139A2D, M139F, M139A1F, M139A2F; TRUCK, CARGO: M41, M41A2, M54, M54A1, M54A2, M54A1C, M54A2C, M55, M55A1, M55A2; TRUCK, DUMP: M51, M51A1, M51A2; TRUCK, TRACTOR: M52, M52A1, M52A2; TRUCK, TRACTOR, WRECKER: M246, M246A1, M246A2; TRUCK, VAN, EXPANSIBLE: M291A1, M291A2, M291A1C, M291A2C, M291A1D, M291A2D; TRUCK, WRECKER, MEDIUM: M62, M62A2, M543, M543A1, M543A2; TRUCK, BRIDGING: M139, M328A1, M328A2; TRUCK, LOGGING, M748A1, M748A2.

			Paragraph	Page
SECTION	I.	INTRODUCTION		
		Scope	1-1	1-1
		General	1-2	1-1
		Explanation of columns	1-3	1-1
		Special information	1-4	1-2
		How to locate repair parts	1-5	1-4
		Abbreviations	1-6	1-4
		Federal supply codes for manufacturers	1-7	1-4
		Reporting of equipment publications improvements	1-8	1-9
SECTION	II.	REPAIR PARTS LIST		
	Group 01	ENGINE		
	0100	Engine Assembly		2-1
	02	CLUTCH		
	0202	Clutch Release Mechanism		2-2
	03	FUEL SYSTEM		
	0304	Air Cleaner		2-4
	0306	Tanks, Lines, Fittings, Headers		2-7
	0312	Accelerator, Throttle or Choke Controls		2-10
	04	EXHAUST SYSTEM		
	0401	Muffler and Pipes		2-14
	05	COOLING SYSTEM		
	0501	Radiator		2-19

---

*This manual supersedes TM 9-2320-211-35P, 19 May 1964.

Paragraph Page

06 ELECTRICAL SYSTEM

0601 Generator, Alternator
0602 Generator Regulator 2-23
0606 Engine Safety Controls 2-23
0607 Instrument or Engine Control Panel 2-24
0608 Miscellaneous Items 2-29
0609 Lights 2-33
0610 Sending Units and Warning Switches 2-41
0611 Horn, Siren 2-42
0612 Batteries, Storage (Wet or Dry) 2-43
0613 Hull or Chassis Wiring Harness 2-45
0615 Radio Interference Suppression

07 TRANSMISSION

0700 Transmission Assembly 2-49
0701 Transmission Shafts 2-51
0703 Transmission Clutch and Clutch Controls 2-54
0704 Transmission Top Cover Assembly 2-55

08 TRANSFER AND FINAL DRIVE ASSEMBLIES

0801 Power Transfer and Final Drive Assemblies 2-60
0802 Clutch and Clutch Controls 2-68
0803 Transfer Controls 2-70

09 PROPELLER, PROPELLER SHAFTS

10 FRONT AXLE

1002 Differential 2-80
1004 Steering and Leaning Wheel Mechanism 2-88

11 REAR AXLE

1100 Rear Axle Assembly 2-92
1101 Housing, Beam, Housing Covers, Plugs, Seals 2-93
1102 Differential 2-94

12 BRAKES

1201 Hand Brakes 2-94
1202 Service Brakes 2-98
1204 Hydraulic Brake System 2-100
1206 Mechanical Brake System 2-112
1208 Air Brake System 2-113
1209 Air Compressor Assembly 2-119
1211 Trailer Brake Connections and Controls 2-120

13 WHEELS AND TRACKS

1311 Wheel Assembly 2-124
1313 Tires and Tubes 2-128

Group 14 STEERING

1401 Mechanical Steering Gear 2-129
1407 Power Steering Gear Assembly 2-132
1410 Hydraulic Pump Assembly 2-138
1411 Hoses, Lines, Fittings 2-140
1412 Hydraulic and Air Cylinders 2-146
1413 Tanks, Reservoirs 2-148
1414 Steering System Valves 2-149

15 FRAME AND TOWING ATTACHMENTS

1501 Frame Assembly 2-151
1503 Pintles and Towing Attachments 2-156
1504 Spare Wheel Carrier 2-158
1506 Fifth Wheel 2-164

16 SPRINGS AND SHOCK ABSORBER

1604 Shock Absorber Equipment 2-173
1605 Torque and Stabilizer Rods 2-173

Paragraph Page

Group 18 BODY, CAB & HOOD

1801 Body, Cab and Hood Assemblies 2-174
1802 Fenders, Running Boards with Mounting and Attaching Parts, Windshield, Glass 2-181
1805 Cab Floor 2-192
1806 Upholstery Seats 2-192
1808 Stowage Boxes 2-194
1810 Cargo and Dump Body 2-197
1812 Special Purpose Bodies 2-211

20 HOIST, WINCH, POWER CONTROL UNIT, AND POWER TAKEOFF

2001 Hoist, Winch Assembly 2-247
2002 Power Control Unit Assembly 2-337
2004 Power Takeoff Assembly 2-342

22 ACCESSORY ITEMS

2201 Canvas, Rubber, or Plastic Items 2-358
2202 Accessory Items 2-360
2210 Data Plates and Instruction Holders 2-365

33 SPECIAL PURPOSE KITS

3301 Reusable Shipping Containers 2-369
3303 Winterization Kits 2-372

47 GAGES (NON-ELECTRICAL)

4701 Instruments (Speed and Distance) 2-409

SECTION III SPECIAL TOOLS LISTS

Group 26 TOOLS

2604 Special Tools 3-1

SECTION IV. FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX 4-1

LIST OF ILLUSTRATIONS

Number	Title	Page
1	Engine and container assembly	3-6
2	Engine front mounts—diesel	3-7
3	Unassigned	3-8
4	Engine rear mounts	3-9
5	Clutch release mechanism and linkage	3-10
6	Air cleaner assembly (diesel and multifuel)	3-11
7	Air cleaner assembly—gasoline	3-12
8	Fuel tank assembly	3-13
9	Anti-dieseling choke and hand throttle controls	3-14
10	Throttle linkage	3-15
11	Exhaust pipe—muffler and attaching parts (gasoline)	3-16
12	Exhaust pipe—tailpipes and attaching parts	3-17
13	Vertical exhaust stack (multifuel and diesel)	3-18
14	Radiator (diesel)	3-19
15	Radiator (gasoline)	3-20
16	Generator regulator	3-21
17	Low air pressure switch	3-21
18	Instrument panel	3-22
19	Instrument cluster	3-23
20	Directional signal control	3-24
21	Headlight—beam selector switch	3-25
22	Headlight assembly	3-26
23	Blackout headlight assembly	3-27
24	Marker light assembly special lighting	3-28
25	Stoplight—taillight assembly	3-29
26	Stoplight—taillight assembly left	3-30
27	Turn signal and blackout marker	3-31
28	Front composite light (special light)	3-32
29	Front turn signal light (special light)	3-33
30	Composite taillight (special light)	3-34
31	Floodlight assembly	3-35
32	Dome light assembly	3-36
33	Fuel quantity transmitter	3-37
34	Horn button	3-38
35	Air horn assembly	3-39
36	Batteries and related parts	3-40
37	Receptacle assembly battery slave	3-41
38	Front wiring harness	3-42
39	Rear wiring harness	3-43
40	Transmission and container assy	3-44
41	Transmission and container assembly	3-45
42	Transmission case and attaching parts	3-46
43	Transmission countershaft and idler shaft with gears—gasoline and multifuel	3-47
44	Transmission countershaft and idler shaft with gears—diesel	3-48
45	Transmission input shaft and main shaft with gears	3-49
46	Transmission clutch housing	3-50
47	Transmission shifter housing cover and lever	3-51
48	Transmission shifter housing and related parts	3-52
49	Transmission twin poppet valve assembly	3-53
50	Transfer and container assembly	3-54
51	Transfer assembly mounting parts	3-55
52	Transfer case plug, covers and gaskets front view	3-56
53	Transfer case, covers and gaskets rear view	3-57
54	Transfer input and intermediate shafts	3-58
55	Input and output shifter shafts	3-59
56	Transfer output shafts and related parts	3-60
57	Declutch control piping	3-61
58	Transfer controls	3-62
59	Propeller shaft, transmission to transfer	3-63
60	Propeller shaft assembly transfer to front axle	3-64
61	Propeller shaft-transfer to center bearing assembly	3-65
62	Propeller shaft assemblies transfer to forward rear axle and center bearing to forward rear axle	3-66

LIST OF ILLUSTRATIONS—Continued

Number	Title	Page
63	Propeller shaft assemblies—forward rear to rear axle	3-67
64	Front axle assembly	3-68
65	Front axle housing assembly	3-69
66	Differtial carrier assembly	3-70
67	Differential carrier and covers	3-71
68	Differential case and gears	3-72
69	Differential hypoid drive shaft and bearings	3-73
70	Differential helical drive pinion and bearings	3-74
71	Steering knuckle and related parts	3-75
72	Front axle shaft with universal joint assembly	3-76
73	Rear axle assembly	3-77
74	Rear axle shaft and related parts	3-78
75	Rear axle housing and related parts	3-78
76	Parking lever assembly	3-79
77	Parking brake cable and related parts	3-80
78	Parking brake drum and shoe	3-81
79	Service brakes	3-82
80	Wheel cylinder and related parts	3-83
81	Master cylinder assembly	3-83
82	Hydraulic air cylinder	3-84
83	Hydraulic lines	3-85
84	Brake pedal and linkage	3-86
85	Front air lines	3-87
86	Air lines (rear)	3-88
87	Air reservoir and safety valve	3-89
88	Air compressor assembly	3-89
89	Air governor assembly	3-90
90	Trailer connections	3-90
91	Trailer coupling assembly	3-91
92	Trailer brake control and related parts	3-92
93	Wheel with ring assembly	3-93
94	Front wheel hub and brakedrum	3-93
95	Rear axle hub assy, drum and related parts	3-94
96	Tire and inner tube, pneumatic	3-94
97	Tire valve extension	3-95
98	Steering wheel	3-96
99	Steering lever and bracket	3-97
100	Drag link assembly	3-97
101	Tie rod assembly	3-98
102	Steering gear assembly (1 of 3)	3-99
	Steering gear assembly (2 of 3)	3-100
	Steering gear assembly (3 of 3)	3-101
103	Hydraulic pump assembly	3-102
104	Power steering piping—diesel and multifuel	3-103
105	Power cylinder assembly (Component of fig. 102)	3-103
106	Reservoir assembly and related parts	3-104
107	Relief valve assembly (component of fig. 102)	3-104
108	Steering gear hydraulic control valve assembly (component of fig. 102)	3-105
109	Frame assembly	3-105
110	Front lifting shackles and bumper	3-106
111	Rear lifting shackle and bumper	3-107
112	Pintle hook assembly and mounting bracket	3-108
113	Pintle mounting installation	3-109
114	Spare wheel carrier and tire lock	3-110
115	Tire carrier	3-111
116	Tire carrier	3-112
117	Carrier and fuel tank projector decks	3-113
118	Tire carrier	3-114
119	Spare tire mounting	3-114
120	Fifth wheel assembly (1 of 2).	3-115
120	Fifth wheel assembly—exploded view (2 of 2)	3-116
121	Fifth wheel approach plates	3-117
122	Leveling jack assembly	3-117

LIST OF ILLUSTRATIONS—Continued

Number	Title	Page
123	Front spring assembly and related parts	3-118
124	Rear spring and related parts	3-119
125	Rear spring components—exploded view	3-120
126	Rear spring seat and bearing	3-121
127	Shock absorbers and related parts	3-122
128	Torque rod and related parts	3-123
129	Hood assembly and related parts	3-124
130	Cab door assembly	3-125
131	Vent, cowl hook and windshield attaching parts	3-126
132	Machine gun mounts and cap assembly	3-127
133	Left running board and related parts	3-128
134	Right running board and related parts	3-129
135	Left fender assembly and parts	3-130
136	Right fender assembly and related parts	3-131
137	Windshield assembly	3-132
138	Wheel splash guard	3-133
139	Cab floor board	3-133
140	Driver's seat assembly	3-134
141	Companion and crane operator's seat	3-135
142	Tool box assembly	3-136
143	Bracket assembly	3-137
144	Bracket pioneer tool mounting	3-137
145	Bracket reinforcing pioneer	3-138
146	Hanger frame tool box and pioneer tool bracket	3-139
147	Box assembly tool	3-140
148	Loading roller	3-140
149	Cargo body	3-141
150	Bow assembly	3-142
151	Gate, rack and seat assembly	3-143
152	Compartment and lander assembly	3-144
153	Bridge transport body back lock shaft	3-144
154	Dump truck body and related parts	3-145
155	Dump truck shield assembly	3-145
156	Dump truck tailgate assembly	3-146
157	Dump truck hoist assembly	3-146
158	Dump truck body controls	3-147
159	Cargo body taillight brackets	3-148
160	Cargo body short frame brackets	3-149
161	Cargo short body mounting brackets	3-150
162	Cable reel and splash guard assembly	3-151
163	Air conditioner and related parts	3-152
164	Heater and exhaust system	3-153
165	Heater fuel lines	3-154
166	Right rear door assembly	3-155
167	Left rear door assembly	3-156
168	Side door assembly	3-157
169	Side wall assembly	3-158
170	Counter balance assembly	3-159
171	Door assembly end panel	3-160
172	Rear wall assembly	3-160
173	Body mounting and related parts	3-161
174	Underframe and related parts	3-162
175	Van body emergency lamp harness	3-163
176	Van body battery connection cable assembly	3-164
177	Van body rear wall emergency light switch and related parts	3-165
178	Van body three way switch box cover and related parts	3-165
179	Van body clearance light cable assembly	3-166
180	Van body telephone post, box and related items	3-167
181	Van body ceiling cable retaining clamp and related parts	3-167
182	Van body end panel door retaining rod	3-168
183	Rear wall expansible van cover	3-169
184	Van body rear door bumper	3-170
185	Van body lock and safety chain installation	3-171

LIST OF ILLUSTRATIONS—Continued

Number	Title	Page
186	Van body fire extinguisher mounting bracket	3-172
187	Van body end panel and stowage retainer	3-173
188	Van body lifting bracket	3-174
189	Van body power gate main frame assembly, clutch assembly and related parts	3-175
190	Van body power gate lifting frame assembly, cylinder assembly and related parts	3-176
191	Van body lift gate closing cylinder and tubing	3-177
192	Van body power gate lifting cylinder assembly	3-178
193	Van body power gate assembly, pump and bracket assembly and related parts	3-179
194	Van body power gate control, kickout valve assembly and related parts	3-180
195	Van body hydraulic system	3-181
196	Van body power gate drive, electrical drive and related parts	3-182
197	Van body control rod assembly kickout hook and related parts	3-183
198	Van body control assembly, socket assembly and related parts	3-183
199	Van body power gate platform assembly bar and related parts	3-184
200	Gondola seat assembly	3-185
201	Wrecker truck body oil can mounting bracket	3-185
202	Oil tank assembly, wrecker body crane	3-186
203	Oil can mounting bracket, wrecker body oil reserve and related parts	3-187
204	Rear tie down bracket assembly, left hand and right hand	3-188
205	Wrecker truck body bracket assembly fire extinguisher	3-189
206	Front bumper vice mounting bracket medium wrecker	3-190
207	Van electrical system	3-191
208	Front winch assembly	3-192
209	Front winch drum and end frame	3-193
210	Front winch drum shaft gear, drive worm	3-194
211	Roller assembly and related parts	3-195
212	Sheave and trolley assembly	3-196
213	Front winch tension sheave frame and lever	3-197
214	Front winch propeller shaft assembly	3-198
215	Rear winch assembly	3-199
216	Rear winch drum shaft gear, drive worm and gear case	3-200
217	Rear winch drum end frame and shaft	3-200
218	Trolley assembly	3-201
219	Rear winch tensioner assembly	3-202
220	Rear winch upper and lower roller	3-202
221	Rear winch side roller	3-203
222	Winch drive shaft housing	3-203
223	Winch air cylinder	3-203
224	Rear winch drive shaft pillow block	3-204
225	Rotochamber assembly	3-205
226	Vacuum control valve	3-205
227	Cylinder assembly	3-206
228	Cylinder assembly and related parts	3-206
229	Hydraulic hoist control valve adapter	3-207
230	Hydraulic control valve	3-208
231	Hydraulic hoist pump	3-209
232	Dump body control rod shaft bracket	3-210
233	Rod assembly dump control box connecting hand lever assembly and control	3-211
234	Dump control box rod and power takeoff control and shafts	3-212
235	Dump truck body and hoist assembly	3-212
236	Boom hoist hydraulic oil motor	3-213
237	Hydraulic oil pump	3-213
238	Crane base plate	3-214
239	Pivot assembly	3-215
240	Pivot post pinion	3-216
241	Pivot post drive pinion idler gear	3-217
242	Swing motor assembly	3-218
243	Boom and shipper	3-219
244	Boom and crane block sheaves	3-220
245	Upper roller shipper assembly	3-221
246	Boom crowd cylinder	3-222
247	Boom lift cylinder	3-223
248	Cable drum drive worm case and oil motor	3-224
249	Cable drum drive shaft and gear	3-225

LIST OF ILLUSTRATIONS—Continued

Number	Title	Page
250	Cable drum housing and related parts	3-226
251	Relief valve	3-227
252	Swivel valve assembly	3-227
253	Brake valve	3-228
254	Control valve band	3-229
255	Boom assembly (partial)	3-230
256	Boom assembly (partial)	3-231
257	Boom elevating cylinder assembly	3-231
258	Vehicle winch mounting	3-232
259	Hoist winch	3-233
260	Hoist winch	3-234
261	Extension cylinder assembly	3-235
262	Hydraulic pump assembly	3-236
263	Crane swing and hoist winch motor assembly	3-237
264	Swinger gear case assembly	3-238
265	Valve bank assembly, crane	3-239
266	Control box assembly	3-240
267	Bevel gear case assembly	3-241
268	Drive assembly	3-242
269	Boom roller assembly	3-243
270	Hydraulic tubing (M543)	3-244
271	Power divider assembly (1 of 3), (2 of 3), (3 of 3)	3-245, 3-246, 3-247
272	Power divider winch governor and related parts	3-251, 3-252, 3-248
273	Power divider shafts	3-249
274	Transmission power take off assembly (1 of 3), (2 of 3), (3 of 3)	3-250
275	Transfer power takeoff assembly (M62 and M543)	3-253
276	Transfer power takeoff	3-254
277	Power takeoff controls	3-255
278	Cargo curtain and paulin	3-256
279	Cab top assembly	3-257
280	Gondola frame and top cover	3-258
281	Tarpaulin cover and curtain rod	3-259
282	Windshield wiper and rear view mirror and related parts	3-260
283	Right and left mirror assembly	3-261
284	Right and left mirror assembly	3-262
285	Van body reflector assembly	3-263
286	Dropside cargo truck reflector assembly	3-263
287	Bridge truck reflector assembly	3-264
288	Wrecker reflector assembly	3-265
289	Dump truck reflector assembly	3-266
290	Long cargo body truck reflector assembly	3-267
291	Tractor reflector assembly	3-268
292	Cargo body reflector assembly	3-269
293	Identification and instruction plates	3-270
294	Fuel control valve assembly	3-271
295	Control box assembly	3-272
296	Indicator control assembly	3-273
297	Fuel pump assembly	3-274
298	Fuel filter assembly	3-274
299	Personnel heater kit (hot water) gas models	3-275
300	Battery box heater kit gas models	3-276
301	Powerplant heater components gas models	3-277
302	Powerplant heater cover, hood, louvre and grille canvas set	3-278
303	Multifuel personnel heater (1 of 4), (2 of 4), (3 of 4), (4 of 4)	3-279,3-280,3-281,3-282
304	Multifuel powerplant heater assembly (1 of 5), (2 of 5), (3 of 5), (4 of 5), (5 of 5)	3-283,3-284,3-285,3-286,3-287
305	Deep-water fording components air cleaner extension	3-288
306	Water fording components tailpipe extension	3-289
307	Water fording components air and vent lines	3-290
308	Electric brake components	3-291
309	Speedometer and tachometer shafts and related parts	3-292
310	Special tools (1 of 5), (2 of 5), (3 of 5), (4 of 5), (5 of 5)	3-293,3-294,3-295,3-296,3-297

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the 5-Ton, 6 x 6 Truck.

1-2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. Repair Parts—Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support and depot maintenance level in figure and item number sequence.

b. Special Tools, Test and Support Equipment—Section III. A list of special tools, Test, and Support equipment authorized for the performance of maintenance at the direct support, general support and depot level.

c. Federal Stock Number and Reference Index—Section IV. A list of Federal stock numbers in ascending numerical sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

1-3. Explanation of Columns

The following provides an explanation of columns in the tabular list in section II and III.

a. Source, Maintenance, and Recoverability Codes (SMR), Column 1.

(1) Source code, indicates the section status and source for the listed item. Source codes used are—

Code	*Explanation*
P	Repair Parts, Special Tools and Test Equipment supplied from GSA / DSA, or Army supply system, and authorized for use at indicated maintenance categories.
P2	Repair Parts, Special Tools and Test Equipment which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P9	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC Logistic System and which are not subject to the provisions of AR 380-41.
P10	Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC Logistic System.
M	Repair Parts, Special Tools and Test Equipment which are not procured or stocked, as such, in the supply system but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies that are not procured or stocked because the failure rate is normally below that of the applicable end item of component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair Parts which are not procured or stocked. The requirement for such items will be filled by the next higher assembly or component.
X2	Repair Parts, Special Tools, and Test Equipment which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage, if not obtainable through cannibalization or salvage, the item may be requisitioned with exception data, from the end item manager, for immediate use.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above the DS and GS level or returned to depot supply level.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above, except those coded X1.

(2) Maintenance Code, indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are—

Code	*Explanation*
C	Crew of Operator Maintenance
O	Organization Maintenance
F	Direct Support Maintenance
H	General Support Maintenance
D	Depot Maintenance

(3) Recoverability Code, indicates whether unserviceable items should be returned for recovery or salvage. Recoverability Codes are—

Code	*Explanation*
R	Applied to repair parts, (assemblies and components) special tools and test equipment which are considered economically reparable at Direct and General Support Maintenance levels. When the item is no longer economically reparable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.
S	Repair Parts, Special Tools, Test Equipment and assemblies which are economically reparable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically reparable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	Higher dollar value recoverable repair parts, special tools, and test equipment which are subject to special handling and are issued on an exchange basis. Such items will be evacuated to the depot for overhaul or final disposition. Communications-Electronics and Missile Support items will be repaired / overhauled only at depots.
U	Repair Parts, Special Tools and Test Equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value or reusable casings or castings.

NOTE

When no code is indicated in the recoverability column, the part will be considered non-recoverable.

b. Federal Stock Number (FSN, Column 2. This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description, Column 3. This column indicates the Federal item name and any additional description of the item required. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses. Repair parts quantities included in the kits, sets, within one functional group are shown in front of the repair part name. Material required for manufacture or fabrication is identified.

d. Unit of Measure (U/M), Column 4. A 2 character alphabetic abbreviation indicating the amount or quantity of the item, upon which the allowances are based, e.g., ft., ea., pr., etc.

e. Quantity Incorporated in Unit, Column 5. This column indicates the quantity of the item used in the Assembly Group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e.g., shims, spacers, etc.).

f. 30-Day DS / GS Maintenance Authorization, Columns 6, and 7.

(1) The Repair Parts List includes asterisk entries in separate columns—one for Direct Support (DS) and one for General Support (GS)—as appropriate to indicate the total range of repair parts authorized for use at that category or required to be removed or disassembled during the performance of authorized maintenance operations. They will be requisitioned initially on an "as required" basis. The repair parts authorized at the DS / GS levels will be those authorized for the maintenance mission at these levels. Requirements for repair part stockage and for distribution to supported units will be based on demand and determined in accordance with AR 710-2.

(2) Special Tools or Test, Measurement and Diagnostic Equipment (TMDE) and other support equipment peculiar to an item are listed with quantities in the appropriate density—spread—allowance columns.

g. 1-Year Allowances Per 100 Equipments / Contingency Planning Purposes, Column 8. This column indicates, opposite each item, the quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

h. Depot Maintenance Allowance Per 100 Equipments, Column 9. This column indicates opposite each item, the quantity authorized for depot maintenance of 100 equipments. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

i. Illustration, Column 10. This column is divided as follows:

(1) *Figure Number, Column 10a.* Indicates the figure number of illustration in which the item is shown.

(2) *Item Number, Column 10b.* Indicates the callout number used to reference the item in the illustration.

1-4. Special Information

a. Identifications of the usable on codes included in column 3 of this publication are—

Code	*Used on*
A	All Models
AA	Vehicles with R6602 Gas Engine
AB	Vehicles with LDS-465-1A multifuel engines
AC	Vehicles with ENDT 673 Mack Diesel Engines

Code	*Used on*
AD	All 5 ton with Winches
AE	All 5 ton with Soft Top Cabs
AF	EF, DE, DF, EA, EB, EC, IA, IB, IC, ID, BD, FJ, HA
AG	JA, TA, All Tractors and M246 and M246A2
AH	All Trucks Cargo
AK	All Dump Trucks
BC	M139F W / W
BD	M543 W / W
BE	M139 W / W
BD	M40 W / W
BG	M40 W / W
BH	M748A2 W / W
CA	M41 W / O / W
CB	M41 W / W
CC	M51A2 W / O / W
CD	M51A2 W / W
CE	M291A2 W / O / W
CF	M291A2C W / O / W
CG	M291A2D W / O / W
DA	M51 W / O / W
DB	M51 W / W
DC	M328A2 W / W
DE	M52A2 W / O / W
DF	M52A2 W / O / W
EA	M52 W / O / W
EB	M52 W / W
EC	M52 W / O / W
EF	M246A2 W / W
EG	M55A2 W / O / W
FA	M54 W / O / W
FB	M54 W / W
FE	M54A2 W / O / W
FG	M54A2 W / W
FH	M55A2 W / W
FJ	M543A2 W / W
HA	M62 W / W
HB	M139A2F W / W
IA	M139 W / W
JA	M246 W / W
LA	M139C W / O / W
MA	M139D W / O / W
RA	M55 W / W
TA	M55 W / W
ZA	M55 W / O / W
ZB	M54A2C W / O / W
ZC	M54A2C W / W
1A	M52A1 W / W
1B	M52A1
1C	M54A1 W / W
1D	M54A1
1K	M543A1
1G	M543A1C

b. The basis of issue for authorized special tools and test equipment should be based on the number of end items of equipment supported and the number of maintenance personnel, allocated to perform the required maintenance operations.

c. Because of changes made during production of the engines covered in this manual, effective change points, by engine serial number are listed following the description of the part where applicable.

d. The following publications pertain to the 5-ton; 6x6 truck and its components:

TM 9-1825B	Field and depot maintenance manual for electrical equipment (Auto-Lite).
TM 9-1825E	Electrical Equipment (Bendix-Scintilla).
TM 9-1827A	Power brake systems (Bendix-Westinghouse) (TO 19-75CAAB-1).
TM 9-1828A	Fuel pumps (TO 19-75CCB-1) Electrical equipment (Bendix-sintilla).
TM 9-2320-211-10	Operator's manual for: Chassis, truck: 5-ton 6 x 6, M39, M40, M40C, M61, M63, M63C, M139, M139C, M139D, M139F and M139A2F; Truck, cargo: 5-ton, 6 x 6, M41, M54, M54A1, M55, Truck, dump: 5-ton, 6 x 6, M51, Truck; Tractor, Wrecker: 5-ton, 6 x 6, M246 Truck, Wrecker.
TM 9-2320-211-20	Organizational maintenance manual for: Chassis, Truck: 5-Ton, 6 x 6, M39, M40, M40C, M61, M63, M63C, M139, M139C, M139D, M139F, and M139A2F, Truck, Cargo: 5-Ton, 6 x 6, M41, M54, M54A, M55, Truck, Dump: 5-Ton, 6 x 6, M52, M52A1, Truck, Tractor Wrecker: 5-Ton, 6 x 6, M246; Truck, Wrecker: Medium, 5-Ton, 6 x 6, M62 and M543
TM 9-2320-211-20P	Organizational Maintenance repair parts and special tool list for: Chassis, Truck: 5-Ton, 6 x 6, M39, M40, M40C, M61, M63, M63C, M139, M139C, M139D, M139F and M139A2F: Truck, Cargo: 5-Ton, 6 x 6, M41, M54, M54A1, and M55; Truck Dump: 5-Ton, 6 x 6, M51, Truck, Tractor, Wrecker: 5-Ton, 6 x 6, M52, M52A1, Truck, Tractor, Wrecker, 5-Ton, 6 x 6, M246; Truck, Wrecker Medium, 5-Ton, 6 x 6, M62 and M543.
TM 9-2320-211-34	Field and depot maintenance manual for: Chassis, Truck: 5-Ton, 6 x 6, M39, M40, M40C, M61, M63, M63C, M139, M139C, M139D, and M139F; Truck M63C, M139, M139C, M139, M139F: Truck, Cargo: 5-Ton, 6 x 6, M52, M52A1, Truck, Tractor, Wrecker: 5-Ton, 6 x 6, M246; Truck, Wrecker, Medium 5-Ton, 6 x 6, M62 and M543 (less Engine).
TM 9-2805-203-35P	Field and depot maintenance repair parts and special tool list for engine assembly w / accessories (Continental W / all accessories R-6602) and clutch (Rockford model 15 TM).
TM 9-2815-207-35	DS, GS, and depot maintenance manual and repair parts list for Engine, assembly w / accessories (2815-980-7092) (Mack 11GBA 12006P1), (2815-087-2273) (Mack 11GBA 12206AP1) and (2815-045-

	6865) (Mack 11GBA 12206BP1) (Mack models ENDT-673 and clutch (Rockford model 15TM).
TM 9-2815-210-35	DS, GS, and depot maintenance manual: Engine, diesel (multifuel): turbocharged, fuel injected, water cooled 6 cylinder assembly, 2815-076-5998 (Military model LDS-465-1); engine, diesel (multifuel): fuel injected water cooled, 6 cylinder assembly 2815-010-5170 (military model LD 465-1); engine, diesel (multifuel: turbocharged; fuel injected, water cooled, 6 cylinder assembly 2815-911-3644 (military model LDS 465-1A); engine, diesel (multifuel): turbocharged, fuel injected, water cooled, 6 cylinder assembly 2815-808-7998 (military model LDS 465-2).
TM 9-2815-210-35P	Direct support, general support, and depot maintenance repair parts and special tool list for Engine, diesel (multifuel): turbocharged, fuel injected, water cooled, 6-cylinder, assembly 2815-076-5998 (Military model LDS 465-1) and engine, diesel (multifuel): fuel injected, water cooled, 6 cylinder, assembly 2815-010-5170 (Military model LD 465-1) and engine, diesel (multifuel): fuel injected, water cooled, 6-cylinder assembly 2815-911-3644 (Military model LDS 465-1A) and clutch (Rockford model 15TM).
TM 9-2920-247-34	Direct support, general support, and depot maintenance manual (including repair parts) for generator assembly (2920-737-4750) (Electric Autolite model GHA-4802 UT) and (2920-903-9534) (Electric Autolite model GHA-4804 JUT)
TM 9-2920-214-35	Field and depot maintenance manual (including field and depot maintenance repair parts). Generator assembly (2920-735-5736) (Delco-Remy Model No. 1117495).

1-5. How to Locate Repair Parts

a. When Federal stock number or reference number is unknown:

(1) *First.* Using the table of contents, determine the functional subgroup within which the repair part belongs. This is necessary since illustrations are prepared for functional subgroups and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the functional subgroup to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listing, find the functional subgroup to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When Federal stock number or reference is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number or reference number. This index in ascending FSN sequence followed by a list of reference numbers in ascending alphanumeric sequence, cross-referenced to the illustration figure number and item number.

(2) *Second.* Using the Repair Parts Listing, find the functional subgroup of the repair part and illustration figure and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

1-6. Abbreviations

Abbreviations	*Explanation*
W /	with
WO / W	without winch
W / W	with winch

1-7. Federal Supply Codes for Manufacturers

Code	*Manufacturers*
00624	Aeroquip Corp. Aircraft Division Jackson Plant 300 S. East Ave. Jackson, Mich., 49203
01276	Aeroquip Corp. Industrial Division 1225 W. Main St. Van Wert, Ohio, 45891
01843	Americal Bosch Div. of American Bosch Arma Corp. 3664 Main St. Springfield, Mass., 01107
02280	American Hoist and Derrick Co. 63 Robert St. Paul, Minn., 55107
02413	American LaFrance Division Sterling Precision Corp. Elmira, N.Y.
02892	Hydreco of General Signal Corp. Kalamazoo, Mich.
02978	Continental Motors Corp. Military Division 205 Market St. Muskegon, Mich., 49443
03476	Texoma Industries Inc. P. O. Box 1026 Sherman, Tex., 75090
03533	Crane Carrier Division of CCI Corp. 1150 N. Peoria Tulsa Okla., 74106
04636	Austin-Western Works Baldwin-Lima-Hamilton Corp. Construction Equipment Division Aurora, Ill. Baldwin-Lima-Hamilton Corp. Construction Equipment Division Aurora Plant 1952 Barrows St. Aurora, Ill., 60506
04741	White Motor Co. Autocar, Division Lincoln Hwy. Exton, Pa., 19341

Code	*Manufacturer*
05415	Baker Division Otis Elevator Co. 8000 Baker Cleveland, Ohio, 44102
05748	Barnes Mfg. Co. 651 North Main St. P.O. Box 346 Mansfield, Ohio, 44901
06213	Unit Crane and Shovel Corp. Bay City Division 2611 Center Ave. Bay City, Mich., 48706
06388	Bearings Mfg. Co. 1003 Kolmar Ave., Chicago, Ill. 60651
06721	Power Controls Division Midland Ross Corp. 490 South Chestnut St., Owosso, Mich., 48867
06840	Bendix Corp. The Fisher Bldg. Detroit, Mich., 48202
06848	Bendix Corporation South Bend, Ind., 46620
06853	Bendix-Westinghouse Automotive Air Brake Co. Elyria, Ohio
07426	Pacific Mercury Electronics Inc. Sepulveda, Calif.
07505	Blackhawk Mfg. Co. Division of Applied Power Industries In. P.O. Box 2870 11333 W. National Ave. Milwaukee, Wis., 53227
07524	Dover Corp Blackmer Pump Div. 1809 Century Ave. S.W. Grand Rapids, Mich., 49509
08018	Borg-Warner Corp. 200 South Michigan Chicago, Ill. 60604
08162	Bower Roller Bearing Division of Federal-Mogul Corp. 3040 Hart Detroit, Mich., 48214
08288	Military Supply Standards
08315	Highway Products Inc, 789 Stow Kent Ohio, 44240
08484	Breeze Corporations Inc. 700 Liberty Ave., Union, N.J., 07083
08683	Brockway Motor Trucks Division of Mack Trucks Inc. 106 Central Ave. Cortland, N.Y., 13046
09367	Allis Chalmers Mfg. Co. Harvey, Ill.
09386	Budd Co. The Automotive Division 12141 Charlevoix, Detroit, Mich.
09394	Hummel Technical Products Co. Inc. 90 West New York, N.Y. 10006
10001	Naval Ordnance Command System Washington, D.C.
10988	Mectron Industries Inc. 9857 Remer Street South El Monte, Calif., 91733
11083	Caterpillar Tractor Co. Peoria, Ill., 61602
11743	Checker Motors Corp. 2016 Pitcher St. Kalamazoo, Mich., 49007
12204	Chrysler Corporation 341 Massachusetts Ave. Highland Park, Mich., 48203
12356	Cincinnati Milling Machine Co. The 4701 Marburg Ave. Cincinnati, Ohio, 45209
12603	Clark Equipment Corp. Buchanan, Mich., 49107
14351	Continental Motor Corp. Muskegon, Mich.
16662	Lift Parts Mfg. Inc. P.O. Box 66297 Chicago, Ill. 60666
16712	DeLaval Turbine Inc. 853 Nottingham Way Trenton, N.J., 08602
16764	Delco-Remy, Division of General Motors Anderson, Ind.
18163	Dole Valve Co. 6201 Oakton St. Morton Grove, Ill., 60053
18265	Donaldson Co. Inc. 1400 West 94th St. Minneapolis, Minn., 55431
18876	Army Missile Command Redstone Arsenal, Ala.
19200	Frankford Arsenal Philadelphia, Pa.
19203	Picatinney Arsenal Dover, N.J.
19206	Watervliet Arsenal Watervliet, N.Y.
19207	Army Tank-Automotive Command Warren, Mich., 48090
19422	Demarkus Louis Corp. 1210 E. Ferry St., Buffalo, N.Y.
19725	Probe Industries Inc. P.O. Box 3766 Oak Park, Mich.
19728	Electric Auto-lite Co. Toledo, Ohio
20361	Elwell-Parker Electric Co. 4205 St. Clair Ave. Cleveland, Ohio
21292	Fabco Mfg. Co. 1249 67th Street Oakland, Calif., 94608
21450	Ordanance Corps Engineering Standards Rock Island Arsenal Rock Island, Ill.
21910	Federal Motor Truck Division of Napco Industries Inc. 1600 S. 2nd St., Minneapolis, Minn., 55440
23040	Ford Motor Co. Parts and Accessories Operation Dearborn, Mich.
23382	FWD Corp. E. 12th and Auto Clintonville, Wis., 54929

Code	*Manufacturer*
24076	Garwood Industries Inc. 32500 Van Born Rd. Wayne, Mich., 48186
24161	Gates Rubber Co. 999 South Broadway, Denver, Colo., 80217
24446	General Electric Co. Schenectady, N.Y., 12305
24617	General Motors Corp. 3044 Grand Blvd. Detroit, Mich., 48202
26009	Gray Marine Motor Co. 205 Market St. Muskegon, Mich., 49443
26512	Crumman Aircraft Engineering Corp. 609 S. Oyster Bay Rd. Bethpage, Long Island, N.Y., 11714
26901	Hallett Mfg. Co. Ash At Regent Inglewood, Calif., 90301
27315	Harnischfeger Corp. W. National Ave. Milwaukee, Wis., 53246
27996	Heil Co. The 3042 W. Montana Milwaukee, Wis., 53201
28265	Hercules Engine Co. Canton, Ohio
29092	Colt Industries Inc. Holly Carburetor Div. 11955 E. Nine Mile Rd. Warren, Mich., 48090
29215	Homestead Valve Mfg. Co. P.O. Box 348 Coraopolis, Pa., 15108
29510	International Harvester Libertyville, Ill. 60048
29690	Huges-Keenan Div. of United States Air Conditioning Corp. P.O. Box 360 Delaware, Ohio, 43015
30076	Hyster Co. P.O. Box 2902 Portland, Ore., 97208
30244	Cleveland Electronics, Inc. 2000 Highland Rd. Twinsburg, Ohio, 44087
30327	Imperial-Eastman Corp. 6300 W. Howard St. Chicago, Ill., 60648
30612	Allischalmers Mfg. Co. Material Handling Div. P.O. Box 471 Harvey, Ill., 60426
30760	Ingersoll-Rand Co. 11Broadway New York, N.Y., 10004
31007	International Harvester Chicago, Ill., 60611
31245	Iowa Mfg. Co. 916 16th St. N.E. Cedar Rapids, Iowa, 52402
33323	Kenworth Motor Truck Corp. Seattle, Wash. Pacific Car and Foundry Co. Kenworth Truck Co. Division 8801 E. Marginal Way Seattle, Wash., 98108
33333	Noref Code Assigned and Prolumgated by Directorate of Cataloging Defense Logistics Services Center Battle Creek, Mich.
36024	Libby Welding Co. Inc. 2201 Manchester Kansas City, Mo.
38443	Marlin-Rockwell Corp. Janiestown N.Y., 14701
38460	Marmon-Herrington Co. Inc. P.O. Box 331 Oak Hill, W. Va., 25901
40342	Midland-Ross Corp. Cleveland, Ohio, 44113
41197	Modine Mfg. Co. 1500 Dekoven Ave. Racine, Wis., 53401
43334	New Departure Division of General Motors Corp. Sandusky, Ohio
43952	Norberg Mfg. Co. P.O. Box 383 Milwaukee, Wis., 53201
44940	Studebaker Corporation, Onan Div. Minneapolis, Minn.
45152	Oshkosh Motor Truck Inc. 2300 Oregon St. Oshkosh, Wis., 54901
46522	Hupp Corporation Cleveland Division 1135 Ivanhoe Rd. Cleveland, Ohio, 44110 Perfection Industries Inc. Cleveland, Ohio
50513	White Motor Corp. Diamond Reo Truck Div. 1331 S. Washington Lansing, Mich., 48920
52676	SKF Industries Inc. Front St. and Erie Ave. Philadelphia Pa., 19132
53591	Schwitzer Corp. 1125 Massachusettes Ave. Indianapolis, Ind. 46207
57733	Stewart Wamer Corp. 1826 Diversey Pkwy. Chicago, Ill. 60614
58275	Studebaker of Canada Hamilton, Ontario
60038	Timken Roller Bearing Canton, Ohio
60145	Tokheim Corp. 1602 Wabash Ave. Fort Wayne, Ind., 46801
60528	Pullman Inc. Trailmobile Division 31st. and Robertson Avenues Cincinnati, Ohio, 45209
61038	Vickers Inc. Tulsa, Okla.
61864	United-Carr Inc. Suite 4600 Prudential Center Boston, Mass., 02199
62983	Vickers Inc. Division of Sperry Rand Corp. P.O. Box 302 Troy, Mich., 48084
63097	Viking Pump Co. Cedar Falls, Iowa, 50613
63477	Wagner Electric Corp. 6400 Plymouth Ave. St. Louis, Mo., 63133

Code	Manufacturer
63734	Ward LaFrance Truck Co. Elmira Heights, N.Y., 14903
63810	Warner Electric Brake and Clutch Co. 449 Gardner St. South Beloit, Ill., 61080
64104	Waukesha Motor Co. P.O. Box 379 Waukesha, Wis., 53187
64484	Welch Scientific Co. The The 7300 Linder Ave. Skokie, Ill. 60076
65282	White Motor Co. P.O. Box 5757 Cleveland, Ohio, 44101
65909	Kaiser Jeep Corp 940 N. Core Toledo, Ohio, 43601
66935	York Division of Borg-Warner Corp. Grantely Road York, Pa., 17405
70040	AC Spark Plug Div. of General Motors Corp. 1300 N. Dort Hgwy. Flint, Mich., 48556
70270	Alemite Corp. Chicago, Ill.
70330	King Bee Mfg. Co. 3302 South Nebraska St. Marion, Ind., 46952
70350	Amerian Body and Trailer Inc. 1500 Exchange Oklahoma City, Okla., 73101
70408	American Telephone and Telegraph 120 Broadway New York, N.Y., 10038
70411	Anderson Brass Co. 100 S. Campbell Ave. Detroit, Mich., 48209
70413	Anti-Friction Bearing Mfg. Association Inc. 60 E. 42nd New York, N.Y., 10017
70434	Anchor Coupling Col. Inc. Church and Fourth St. Libertyville, Ill., 60048
70993	Bond foundry and Machine Co. 302 S. Penn St. Manheim Pa., 17545
71183	Bryant Electric Co. 1421 State Bridgeport Conn., 06602
71282	Budd. Co. The 2450 Hunting Park Ave Philadelphia, Pa.
71669	General Electric Co. Switch gear and Control Division of Apparatus Group Philadelphia, Pa.
71843	Porter H K Co. Fabricated Metals Division Cleveland Forge Works Cleveland, Ohio Porter H K Co. Inc. Fabricated Metals Products Division Cleveland Forge Works 3220 E 79th St. Cleveland, Ohio, 44104
72217	Connecticut Telephone and Electric Corp. of Meriden 38 Elm St. Meriden, Conn., 06450
72260	Corbitt Co. Inc. 1630 Parham Henderson, N.C., 27536
72413	Firestone Industrial Products Co. Inc. Noblesville, Ind.
72447	Dand Corp. Toledo, Ohio, 43601
72530	Deluxe Products Corp. 1201 Michigan Blvd. Racine, Wis., 53402
72582	Detroit Diesel Engine Div. of General Motors Corp. 13400 W. Outer Dr. Detroit, Mich. 48239
72619	Dialight Corp. 60 Stewart Ave. Brooklyn, N.Y., 11237
72850	Bendix Corp. The Eclipse-Machine Division, Elmira, N.Y. Bendix Corp The Motor Components Division, 18th St. and Oakwood Ave. Elmira, N.Y., 14903
72962	Eleastic Stop Nut Corp. of America 2330 Vauxhall Road Union N.J., 07083
73325	Hyster Co. 1800 North Adams St. Peoria, Ill., 61601
73331	Guide Lamp Division of General Motors Corp. 2915 Pendelton Ave. Anderson, In., 46011
73471	Continental Motors Corp Aircraft Engine Division 205 Market St. Muskegon, Mich., 49443
73680	Garlock Inc. Palmyra, N.Y., 14522
73830	Gerstenslager Co. 1425 E. Bowman Wooster, Ohio
74080	Hayes Industries Inc. Wildwood Ave. Jackson, Mich.
74410	Holland Hitch Co. 430 W. 18th St. Holland, Mich., 49423
74865	Chrysler Corp Marine and Ind. Eng. Div. 840 Huron Blvd. Marysville, Mich., 48040
74925	Industrial Lamp Corp 14th and Blain Street Elkhart, Ind., 46512
75337	Kingston Products Corp. 1412 N. Webster St. Kokomo, Ind. 46901
75377	Kurz and Root Co. 414 E. Winnebago St. Appleton, Wis., 54912
76040	Mack Truck Inc. Allentown, Pa.
76260	Mechanics, Universal Joint Division of Borg-Warner Corp. 2020 Harrison Ave. Rockford, Ill., 61101
76280	M B Co. New Holstein, Wis., 53061

Code	*Manufacturer*
76680	National Seal Division of Federal-Mogul-Bower Bearings Inc. Redwood City, Calif.
76700	Nelson Muffler Corp. P.O. Box 189 Stoughton, Wis., 53589
77060	Packard Electric-Div. of GM Corp. 408 Dana St. Warren, Ohio, 44481
77068	Bendix Corp the Pacific North Hollywood, Calif.
77200	Pesco Products Division of Borg-Warner Corp 24700 N. Miles Road Bedford, Ohio 44104
77241	Perfection Cobey Co. East and Wood St. Galion, Ohio, 44833
77640	Ross Gear and Tool Co. East Hartford, Conn, 06108
77820	Bendix Corp the Electrical Components Div. Sherman Ave, Sidney, N.Y., 13838
77910	Shakespeare Products Division of Shapespeare Co. Inc. 241 E. Kalamazoo Ave. Kalamazoo, Mich., 49001
77948	The Singer Co. 30 Rockefeller Plaza New York, N.Y., 10020
78385	South Wind Div. of Steward Warner Corp. 1514 Dover St. Indianapolis, Ind., 46207
78468	Tiffin Art Metal Co. P.O. Box 768 Tiffin, Ohio, 44883
78500	North American Rockwell Corp. Rockwell Standard Bldg. Detroit, Mich., 48231
78550	Timpte Inc. 5990 N. Washington St. Denver Colo., 80216
78570	Titeflex Inc. Springfield, Mass.
79136	Waldes Kohinoor Inc. 47-16 Austel Place Long Island City, N. Y., 11101
79150	Dana Corp-Victor Div. Chicago, Ill., 60690
79234	Webster RA Co. Los Angeles, Calif.
79419	Watson HS Co. 1316 67th Emeryville, Calif., 94608
79466	York Shipley Inc. P.O. Box 349 York, Pa., 14705
79470	The Weatherhead Corp East 131st St. Cleveland, Ohio, 44108
79500	Westinghouse Electric Corps Gateway Center P. O. Box 2278 Pittsburgh, Pa., 15230
79807	Wrought Washer Mfg. Co. 210050 Bay St. Milwaukee Wis., 53207
80048	Vickers Hydraulic St. Louis, Mo.
80058	Joint Electronic Type Designation system
80064	Naval Ships System Command
80201	Chicago Rawhide Mfg. Co. 1301 Elston Ave. Chicago, Ill. 60622
80226	AP Parts Corp. 1801 Spielbusch Ave. Toledo, Ohio, 43601
80244	General Services Administration Federal Supply Service Washington, D.C., 20406
80324	Pope Machine Co. Inc. Seattle, Wash.
80372	Marine Corps Washington, D.C.
80751	U.S. Industries Inc. 250 Park Ave. New York, N.Y.
81118	Eaton Mfg. Co, Cleveland Ohio Eaton Yale and Towne Inc. 100 Erie View Plaza Cleveland, Ohio, 44114
81168	Linear Inc. Philadelphia, Pa.
81221	Neapco Products Inc. Queen and Bailey Sts. Pottstown, Pa., 19464
81263	Kingston Products Corp Douglas Division 141 Railroad St. Bronson, Mich. 49028
81316	Portsmouth Naval Shipyard Portsmouth, N.H.
81336	Chief of Engineers Graveley Point, Va.
81348	Federal Specifications—GSA
81349	Military Specifications—DSA
81351	Army Specifications
81547	Aluminum Co. of America Ring Bldg. Washington, D.C., 20036
81646	Ideal Corporation 435 Liberty Ave. Brooklyn, N.Y., 11207
81795	Wayne Mfg. Co. Pomona, Calif.
82278	Ionia Mfg. Co. Ionia, Mich., 48846
82338	Commercial Shearing and Stamping Co. Chicago, Ill.
82577	Hughes Aircraft Co., Centinella and Teale Culver City, Calif., 90230
82647	Metals and Controls Inc. Control Products Group 34 Forest St. Attleboro, Mass., 02703 Metals and Controls Inc. Spencer Products Attleboro, Mass.
83299	Eaton Yale and Town Inc. Materials Handling Division 11000 Roosevelt Blvd. Philadelphia, Pa., 19115
85265	Durmetallic Corp. 2104 Factory St. Kalamazoo, Mich., 49001

Code	*Manufacturer*
86579	Precision Rubber Products Corp 3110 Oakridge Drive Dayton, Ohio, 45417
88080	Cooper Bessemer Corp 150 Lincoln Grove City, Pa.
89345	International Harvester Co. Fort Wayne, Ind. International Harvester Co. Motor Truck Division 2701 Beuter Road Fort Wayne, Ind., 46803
89619	Mack Trucks Inc., Montvale N.J. Mack Trucks Inc. Government Sales Division 2200 Hamilton St. Allentown, Pa., 18105
89749	Clark Equipment Co. Industrial Truck Div. Battle Creek, Mich.
90031	Raymond Corp. The 131 Madison St. Green, N.Y., 13778
90407	M-R-S Mfg. Co. P.O. Box 199, Flora, Miss., 39071
91024	Coach and Car Equipment Corp. 1951 Arthur Ave. Elk Grove Village, Ill., 60007
91340	Met-Pro Inc. 5th Mitchel Lansdale, Pa.
92392	Allis-Chalmers Mfg. Co., Defense Materials Department P.O. Box 512 Milwaukee, Wis., 53201
92541	Monogram Industries Inc. 8557 Higuera Street Culver City, Calif., 90231
92679	International Harvester Co. Melrose Park, Ill. International Harvester Co. Construction Equipment Division 10400 W. North Ave. Melrose Park, Ill. 60160
92865	Minnesota Automotive Inc. 502 Paterson Ave. Mankato, Minn., 56001
93568	Consolidated Diesel Electric Co. Division of Condec Corp., Post Road Old Greenwich Conn., 06870
93742	Fermont Division Dynamics Corp of America 141 North Ave Bridgeport, Conn., 06606
94222	South Chester Corp. Chester, Pa.
94990	Motorala Inc. Government Electronics Division Aerospace Center 8201 East McDowell Road Scottsdale, Ariz., 85252
95019	Buckeye Rubber Prod. Lima, Ohio, 45802
96906	Military Standards Promulgated by Standardization Division Directorate of Logistic Serivces, DSA
97025	Rasch and Baughman Co. 8910 Alpine Detroit, Mich.
97577	Mechanics Universal Joint Division of Borg-Warner Corp Memphis Plant 1248 Warford St. Memphis, Tenn., 38108
97907	Earthmoving Equipm Div. Hudson, Ohio, 44236
98237	Hydraulics Publications Inc. 812 Huron Cleveland, Ohio
98441	Stratoflex Inc. 220 Roberts Cut-off P.O. Box 10398 Fort Worth, Texas, 76114
98625	Aeroquip Corp. Marman Division 11214 Exposition Blvd. Los Angeles, Calif., 90064
98890	Baldwin-Lima-Hamilton Corp. Construction Equipment Division Lima Plant, Main and Willis Streets Lima, Ohio, 45804
99066	American Bosch Arma Corp. 900 Old Country Road Garden City, N.Y. 11532
99408	Studebaker Corp. 635 South Main St. South Bend, Ind., 46618
99584	General Dynamics Corp Pomona Division P.O. Box 2507 Pomona, Calif., 91766 General Dynamics Division of General Dynamics Corp Pomona, Calif.
99657	Marotta Valve Corp Boonton Ave. Boonton N.J. P.O. Box 330 Boonton, N.J., 07005

1-8. Reporting of Equipment Publications Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, U.S. Army Tank-Automotive Command, ATTN: AMSTA-MAP, Warren, Mich. 48090.

SECTION II

REPAIR PARTS LIST

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		GROUP 01—ENGINE													
		0100—ENGINE ASSEMBLY													
		Note. See Group 3301 for Listing of Engine Container Parts													
P-F-T	2805-973-4975	ENGINE AND CONTAINER: gasoline model R-6602 5703526 (19207)	AA	EA	1	*	*	*	*	*	*	20	20	1	1
P-F-T	2805-724-9335	ENGINE: gasoline model R-6602 10883507 (19207)	AA	EA	1	*	*	*	*					1	2
P-F-T	2815-781-7871	ENGINE AND CONTAINER: diesel model ENDT-673 5704120 (19207)	AC	EA	1	*	*	*	*	*	*	20	20	1	1
P-F-T	2815-045-6865	ENGINE: diesel model ENDT-673 11640281 (19207)	AC	EA	1	*	*	*	*	*	*			1	2
P-F-T	2815-239-5819	ENGINE AND CONTAINER: multifuel model LDS-465-1A 5704350 (19207)	AB	EA	1	*	*	*	*	*	*	20	20	1	1
P-F-T	2815-457-1982	ENGINE: multifuel model LDS-465-1A 11610187 (19207)	AB	EA	1	*	*	*	*	*	*			1	2
P-F	5305-725-4137	SCREW, CAP, HEXAGON: engine front support MS90726-169 (96906)	A	EA	4	*	*	*	*	*	*	6	10	2	1
P-F	2805-737-6200	SUPPORT: front (gas) 7876200	AA	EA	1	*	*	*	*	*	*	6	10	2	2
P-F	2815-937-3082	SUPPORT: front (diesel) 10931942 (19207)	AC	EA	1	*	*	*	*	*	*	6	10	2	2
P-F	2805-135-8987	SUPPORT: front (multifuel) 10938246	AB	EA	1	*	*	*	*	*	*	6	10	2	2
P-F	5310-225-6408	NUT, SELF-LOCKING: front support MS51922-53 (96906)	A	EA	4	*	*	*	*	*	*	6	10	2	3
P-F	5305-741-7124	SCREW, MACHINE: engine rear support 7417124 (19207)	A	EA	2	*	*	*	*	*	*	6	10	4	1
P-F	5305-716-8176	SCREW, CAP, HEXAGON HEAD: engine rear support MS90726-122 (96906)	A	EA	4	*	*	*	*	*	*	6	10	4	2
P-F	2510-040-2314	SUPPORT, ENGINE BLOCK: rear 8330333 (19207)	A	EA	2	*	*	*	*	*	*	6	10	4	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0100—ENGINE ASSEMBLY—Continued													
P-F	5340-741-7123	MOUNT, RESILIENT: rear engine support 7417123 (19207)	A	EA		*	*	*	*	*	*		10	4	4
P-F	5310-062-4954	NUT, SELF-LOCKING: engine support screw MS21045-8 (96906)	A	EA	6	*	*	*	*	*	*	6	10	4	5
		GROUP 02—CLUTCH													
		0202—CLUTCH RELEASE MECHANISM													
P-O	2540-752-0971	PAD, PEDAL, CLUTCH: 7520971 (19207)	A	EA	1	*	*	*	*	*	*	6	10	5	1
P-O	2530-740-9448	STEM, PEDAL, CLUTCH: 7409448 (19207)	A	EA	1	*	*	*	*	*	*	3	5	5	2
P-O	5340-752-0964	BUMPER, RUBBER: clutch pedal stem 7520964 (19207)	A	EA	1	*	*	*	*	*	*	6	10	5	3
P-O	5310-950-0039	NUT, SELF-LOCKING: clutch pedal MS21044N6 (96906)	A	EA	4	*	*	*	*	*	*	4	10	5	4
P-O	2520-734-8744	LEVER, CLUTCH PEDAL: 7348744 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	5
P-O	5305-269-2808	SCREW, CAP, HEXAGON: clutch pedal lever MS90726-65 (96906)	A	EA	1	*	*	*	*	*	*	4	10	5	6
P-O	5315-616-5530	KEY, WOODRUFF: pedal and linkage shafts MS35756-15 (96906)	A	EA	3	*	*	*	*	*	*	4	10	5	7
P-O	2520-734-8746	SHAFT, STRAIGHT: pedal linkage 7348746 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	8
P-O	5305-269-2809	SCREW, CAP, HEXAGON: pedal shaft lever MS90726-66 (96906)	A	EA	2	*	*	*	*	*	*	4	10	5	9
P-O	7520-040-2248	LEVER: pedal shaft 7376155 (19207)		EA	1	*	*	*	*	*	*	2	5	5	10
P-O	2520-734-8743	LEVER, REMOTE CONTROL: release shaft 7348743 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	11
P-O	2520-734-8747	SHAFT, CLUTCH RELEASE: 7416059 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	12
P-O	2520-737-6156	SLEEVE, CLUTCH RELEASE, WITH BEARING: 7376156 (19207)	A	EA	1	*	*	*	*	*	*	6	10	5	13
X1		PLUG: clutch release sleeve MS49005-2 (96906)	A		1									5	14
P-O	5310-045-3296	WASHER, LOCK: clutch release sleeve MS35338-43 (96906)	A	EA	1	*	*	*	*	*	*	4	10	5	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0202—CLUTCH RELEASE MECHANISM—Continued													
X1		PAD: clutch release sleeve 10883340 (19207)	A		2									5	16
P-O	5340-734-8748	CLIP, SPRING TENSION: clutch release sleeve 7348748 (19207)	A	EA	2	*	*	*	*	*	*	4	10	5	17
P-O	5305-984-6209	SCREW, MACHINE: clutch release sleeve MS35206-262 (96906)	A	EA	1	*	*	*	*	*	*	4	10	5	18
X1		SLEEVE: clutch release 10883389 (19207)	A		1									5	19
P-O	3110-186-5037	BEARING BALL, THRUST: clutch release sleeve 7348742 (19207)	A	EA	1	*	*	*	*	*	*	6	10	5	20
P-O		SCREW, MACHINE: release shaft yoke 5214807 (19207)	A	EA	2	*	*	*	*	*	*	4	10	5	21
P-O	5310-209-0965	WASHER, LOCK: release shaft yoke MS35338-47 (96906)	A	EA	2	*	*	*	*	*	*	4	10	5	22
P-O	2520-734-6742	YOKE, SHIFTER CLUTCH: 7346742 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	23
P-O	2520-661-9586	WASHER, THRUST: release yoke shaft 5226033 (19207)	A	EA	2	*	*	*	*	*	*	4	10	5	24
P-O	2520-097-4893	LINKAGE: remote lever control adjusting 8735505 (19207)	A	EA	1	*	*	*	*	*	*	6	20	5	25
P-O	5340-550-8089	CLEVIS, ROD END: adjusting linkage 104039 (24617)	A	EA	1	*	*	*	*	*	*	2	5	5	26
P-O	5310-732-0560	NUT, PLAIN, HEXAGON: adjusting linkage rod MS51968-14 (96906)	A	EA	2	*	*	*	*	*	*	4	10	5	27
X1		ROD: adjusting linkage 10883202 (19207)	A		1									5	28
P-O	5340-692-6060	CLEVIS, ROD END, ASSEMBLY, ADJUSTABLE: 7373234 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	29
P-O	2520-692-6059	SPRING, HELICAL, COMPRESSION: adjustable clevis 7373229 (19207)	A	EA	1	*	*	*	*	*	*	6	20	5	30
P-O	3110-294-1834	BEARING, BALL: adjustable clevis 7373347 (19207)	A	EA	1	*	*	*	*	*	*	4	10	5	31
P-O	5340-739-7542	CLEVIS, ROD END: adjusting linkage 7397542 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	32

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0202—CLUTCH RELEASE MECHANISM—Continued													
P-O	5315-737-3224	**PIN, GROOVED, HEADED:** adjustable clevis 7373224 (19207)	A	EA	1	*	*	*	*	*	*	4	10	5	33
P-O	5315-842-3154	**PIN, STRAIGHT, HEADED:** pedal shaft lever MS35810-36 (96906)	A	EA	1	*	*	*	*	*	*	4	10	5	34
P-O	5315-839-5822	**PIN, COTTER:** pedal shaft lever MS24665-353 (96906)	A	EA	1	*	*	*	*	*	*	4	10	5	35
P-O	5305-269-2811	**SCREW, CAP, HEXAGON:** clutch pedal lever MS90726-67 (96906)	A	EA	1	*	*	*	*	*	*	4	10	5	36
P-O	5340-422-2072	**BRACKET, ANGLE:** pedal retracting spring 10871490 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	37
P-O	5360-740-9447	**SPRING, HELICAL, EXTENSION:** pedal retracting 7409447 (19207)	A	EA	1	*	*	*	*	*	*	6	20	5	38
P-O	2520-407-6750	**PLATE, RETAINING CLUTCH:** 10871489 (19207)	A	EA	1	*	*	*	*	*	*	2	5	5	39
		GROUP 03—FUEL SYSTEM													
		0304—AIR CLEANER													
P-O	5305-988-1727	**SCREW, MACHINE:** air filter indicator MS35206-283 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	6	1
P-O	2940-909-2453	**FILTER, INDICATOR, AIR:** metal 8712057 (19207)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	2
P-O	2940-918-9641	**FILTER, INDICATOR, AIR:** plastic	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	2
P-O	2940-972-2596	**FILTER INDICATOR, AIR:** MA-198 (05083)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	2
P-O	5310-809-3078	**WASHER, LOCK:** filter indicator MS27183-11 (96906)	AB, AC	EA	2	*	*	*	*	*	*	4	10	6	3
P-O	4730-266-0532	**ADAPTER, STRAIGHT PIPE:** filter hose 118748 (21450)	AB, AC	EA	1	*	*	*	*	*	*	4	10	6	4
P-O	5310-088-1251	**NUT, SELF-LOCKING:** filter, indicator MS51922-1 (96906)	AB, AC	EA	2	*	*	*	*	*	*	4	10	6	5
P-O	2940-972-2606	**HOSE ASSEMBLY, RUBBER:** air restriction filter 36RUA346P6 (76040)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	6
P-O	4730-090-0832	**CONNECTOR:** filter hose MS39159-3 (96906)	AB, AC	EA	1	*	*	*	*	*	*	4	10	6	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0304—AIR CLEANER—Continued													
P-O	4730-277-8750	ADAPTER, STRAIGHT PIPE: tube to filter hose MS39179-1 (96906)	AB, AC	EA	1	*	*	*	*	*	*	4	10	6	8
P-O	5325-835-7289	GROMMET, RUBBER: filter hose connector MS35490-75 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	9
P-O	4710-899-7893	TUBING, PLASTIC: air cleaner 865779 (19207)	AB, AC	EA	1	*	*	*	*	*	*	4	10	6	10
P-O	4730-950-6134	CLAMP HOSE: plastic tubing MS21920-41 (96906)	AB, AC	EA	2	*	*	*	*	*	*	4	10	6	11
P-O	5310-959-7600	NUT, SELF-LOCKING: tubing clamp MS51922-5 (96906)	AB, AC	EA	2	*	*	*	*	*	*	4	10	6	12
P-O	4730-912-9114	ELBOW, BRASS: rubber hose MS39184-1 (96906)	AB, AC	EA	2	*	*	*	*	*	*	2	5	6	13
P-O	2940-972-2608	HOSE ASSEMBLY, RUBBER: air cleaner tube to compressor 36RUA349P31 (76040)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	14
P-O	4730-720-1398	CLAMP, HOSE: air inlet and outlet hose 7048625 (19207)	AB, AC	EA	8	*	*	*	*	*	*	4	10	6	15
P-O	2940-018-5296	HOSE PREFORMED: turbocharger inlet 10938335 (19207)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	16
P-O	2990-972-2600	TUBE, TURBOCHARGER INLET: turbosupercharger inlet hose 19MDX327 (76040)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	17
P-O	4720-973-3994	HOSE, NONMETALLIC: ZZH428 (81348)	AB, AC	EA	3	*	*	*	*	*	*	6	20	6	18
P-O	4730-933-2928	CONNECTOR: plastic tubing MS39181-1 (96906)	AB, AC	EA	1	*	*	*	*	*	*	4	10	6	19
P-O	2940-972-2602	TUBE, AIR CLEANER OUTLET: to turbocharger 19MDX329 (76040)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	20
X2-O		CLAMP: air cleaner tube hose 83AX579-2 (76040)	AB, AC	EA	1	*	*	*	*	*	*			6	21
P-O	5305-068-0506	SCREW, CAP, HEXAGON HEAD: air cleaner tube clamp MS90726-6 (96906)	AB, AC	EA	2	*	*	*	*	*	*	4	10	6	22
P-O	2940-972-2603	TUBE, AIR CLEANER OUTLET: 19MDX330 (76040)	AB, AC	EA	1	*	*	*	*	*	*	6	20	6	23
P-O	2940-911-5631	FILTER ASSEMBLY, AIR: 7737120 (19207)	AB,AC	EA	1	*	*	*	*	*	*	20	20	6	24
P-O	5305-269-3209	SCREW, CAP, HEXAGON: cap (6), body (4) MS90725-58 (96906)		EA	10	*	*	*	*	*	*	4	10	6	25

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0304—AIR CLEANER—Continued													
P-O	5310-543-5101	WASHER, FLAT: cap (6), cover (4) MS35338-27 (96906)		EA	10	*	*	*	*	*	*	4	10	6	26
X1		CAP: 7737482 (19207)			1									6	27
X1		GASKET: cap to cover 7737126 (19207)			1									6	28
X1		COVER: air cleaner body 7737482 (19207)			1									6	29
P-O	5310-732-0558	NUT, HEXAGON: cap (6) body (4) MS51967-8 (96906)		EA	10	*	*	*	*	*	*	4	10	6	30
P-O	2940-974-9669	FILTER ELEMENT, INTAKE: 8E2H97VS (18170)		EA	1	*	*	*	*	*	*	6	20	6	31
X1		BODY: air cleaner 7737124 (19207)			1									6	32
X1		GASKET: cover to body 7737127 (19207)			1									6	33
P-O	2940-911-5658	COVER: air cleaner body 10931909 (19207)		EA	1	*	*	*	*	*	*	2	5	6	34
X1		BRACKET, MOUNTING: 11593197 (19207)			1									6	35
P-O	2940-740-9304	CLEANER, AIR ASSEMBLY: gasoline 7409304 (19207)	AA	EA	1	*	*	*	*	*	*	20	20	7	1
P-O	2940-740-9305	CUP, OIL: air cleaner body 7409305 (19207)		EA	1	*	*	*	*	*	*	6	20	7	2
P-O	2940-740-9303	CLAMP, AIR CLEANER: oil cup 7409303 (19207)		EA	1	*	*	*	*	*	*	4	10	7	3
P-O	5306-272-6558	BOLT, EYE: oil cup clamp 139507H (31007)		EA	1	*	*	*	*	*	*	4	10	7	4
P-O	2940-740-9306	GASKET: oil cup 7409306 (19207)		EA	1	*	*	*	*	*	*	6	20	7	5
P-O	2940-740-9144	BAND, MOUNTING, ASSEMBLY: air cleaner body 7409144 (19207)		EA	2	*	*	*	*	*	*	4	10	7	6
P-O	5305-984-6680	SCREW, CAP, HEXAGON: mounting band MS35206-300 (96906)		EA	2	*	*	*	*	*	*	4	10	7	7
P-O	5310-012-0399	NUT, PLAIN SQUARE: mounting band 120399 (12204)		EA	2	*	*	*	*	*	*	4	10	7	8
P-O	5310-080-6004	WASHER, PLAIN: mounting band MS15795-214 (96906)		EA	4	*	*	*	*	*	*	4	10	7	9
P-O	5310-637-9541	WASHER, LOCK: air cleaner mounting band MS35338-46 (96906)		EA	4	*	*	*	*	*	*	4	10	7	10

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0304 - AIR CLEANER - Continued													
P-O	5305-269-2802	SCREW, CAP, HEXAGON: mounting band MS90726-59 (96906)		EA	4	•	•	•	•	•	•	4	10	7	11
X1		ELEMENT ASSEMBLY, AIR CLEANER FILTER: 11604545 (19207)			1									7	12
X1		BODY: air cleaner DN-P10672 (84243)			1									7	13
P-O	4730-908-6293	CLAMP, HOSE: carburetor air intake hose MS35842-15 (96906)		EA	2	•	•	•	•	•	•	4	10	7	14
P-O	2940-740-9300	HOSE, PREFORMED: air cleaner to carburetor 7409300 (19207)		EA	1	•	•	•	•	•	•	6	20	7	15
P-O	5305-600-8993	SCREW, SHOULDER: air hose inlet 181608 (10001)		EA	4	•	•	•	•	•	•	4	10	7	16
P-O	2910-740-9309	INLET, AIR HOSE: to carburetor 7409309 (19207)		EA	1	•	•	•	•	•	•	6	20	7	17
P-O	2910-740-9307	GASKET: carburetor to air hose inlet 7409307 (19207)		EA	1	•	•	•	•	•	•	6	20	7	18
P-O	5310-088-0553	NUT, SELF-LOCKING HEXAGON: air hose inlet MS21044-N5 (96906)		EA	4	•	•	•	•	•	•	4	10	7	19
		Non-Illustrated													
P-O	5305-269-3211	SCREW, CAP, HEXAGON: mounting bracket MS90725-6 (96906)	AB, AC	EA	2	•	•	•	•	•	•	4	10		
P-O	5310-637-9541	WASHER, LOCK: mounting bracket MS35338-46 (96906)	AB, AC	EA	2	•	•	•	•	•	•	4	10		
P-O	5310-732-0558	NUT, HEXAGON: mounting bracket MS51967-8 (96906)	AB, AC	EA	2	•	•	•	•	•	•	4	10		
		0306 - TANKS, LINES AND FITTINGS													
P-O	2910-901-9686	TANK, FUEL, ENGINE, LEFT: 78 gallon 10883593 (19207)	AA	EA	1	•	•	•	•	•	•	•	•	8	1
P-O	2910-719-1233	TANK, FUEL, ENGINE: 7191233 (19207)	BE, IA LA, MA	EA	1	•	•	•	•	•	•	•	•	8	1
P-O	2910-740-9420	TANK, FUEL, ENGINE: RIGHT: 55 gallon 7409420 (19207)	AA	EA	2	•	•	•	•	•	•	•	•	8	1
P-O	2910-972-2612	TANK, FUEL, ENGINE: 78 gallon 10931906 (19207)	AC	EA	1	•	•	•	•	•	•	•	•	8	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0306 - TANKS, LINES AND FITTINGS - Continued													
P-O	2910-972-2613	TAND, FUEL, ENGINE: 55 gallon 10931907 (19207)	AC	EA	2	•	•	•	•	•	•	•	•	8	1
P-O	2910-073-0148	TANK, FUEL, ENGINE, LFT: 55 gallon 10928346 (19207)	AB	EA	1	•	•	•	•	•	•	•	•	8	1
P-O	2910-073-0149	TANK, FUEL, ENGINE, LEFT: 78 gallon 10938369-2 (19207)	AB	EA	1	•	•	•	•	•	•	•	•	8	1
P-O	2910-141-9758	CAP, FUEL TANK, WITH CHAIN: filler MS35645-1 (96906)	A	EA	1	•	•	•	•	•	•	•	•	8	2
P-O	5330-684-7851	GASKET: filler cap MS35643-1 (96906)	A	EA	1	•	•	•	•	•	•	•	•	8	3
P-O	2910-752-9138	SLEEVE, FUEL TANK, FILLER: MS90908-1 (96906)	A	EA	1	•	•	•	•	•	•	•	•	8	4
P-O	5305-984-6193	SCREW, MACHINE: vent cover MS35206-245 (96906)	AA, AC	EA	12	•	•	•	•	•	•	•	•	8	5
P-O		SCREW, RECESS HEADED: self-sealing intank pump 11069358-2 (19207)	AB	EA	12	•	•	•	•	•	•	•	•	8	5.1
P-O	5310-753-9073	WASHER, SHOULDERED AND RECESSED: vent cover 709422 (19207)	AA,AC	EA	12	•	•	•	•	•	•	•	•	8	6
P-O	2910-740-9402	COVER, VENT: 7409402 (19207)	AA, AC	EA	1	•	•	•	•	•	•	•	•	8	7
P-O	2910-01-286-7755	TERMINAL ASSEMBLY: 12368371 (19207)	AB	EA	1	•	•	•	•	•	•	•	•	8	7.1
P-O	2910-00-148-1612	PUMP, SUBMERGEN: 10947344 (10001)	AB	EA	1	•	•	•	•	•	•	•	•	8	7.2
P-O	5330-735-1315	GASKET: vent cover 7351315 (19207)	AA, AC	EA	1	•	•	•	•	•	•	•	•	8	8
P-O	2910-269-3464	GASKET: intank pump 10917063 (19207)	AB	EA	1	•	•	•	•	•	•	•	•	8	8.1
P-O	4730-088-8665	PLUG, PIPE: drain MS49005-10 (96906)	A	EA	1	•	•	•	•	•	•	•	•	8	9
P-O	5305-269-2815	SCREW, CAP, HEXAGON: strap (2 used with 55-78 gallon tanks) MS90726-71 (96906)	A	EA	4	•	•	•	•	•	•	•	•	8	10
P-O	5310-950-0039	NUT, SELF-LOCKING: strap (2 used with 55 and 78 gallon tanks) MS21044N6 (96906)	A	EA	8	•	•	•	•	•	•	•	•	8	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	(3) Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0306—TANKS, LINES AND FITTINGS—Continued													
P-O	2910-740-9419	STRAP, FUEL TANK: (2 used with 55 and 78 gallon tanks) 7409419 (19207)	A	EA	4	*	*	*	*	*	*	*	*	8	12
		Non-Illustrated													
P-O	2910-569-2681	VALVE, CONTROL FLUID: fuel tank selector SK1031 (70411)	IA, IB	EA	1	*	*	*	*	*	*	*	*		
P-O	2910-737-6147	CONTROL ASSEMBLY, MANIFOLD: gasoline shut-off valve 7376147 (19207)	AA	EA	3	*	*	*	*	*	*	*	*		
P-O	2910-911-5636	VALVE ASSEMBLY: miniature float 8737816 (19207)	CC, CD, DE, DF, FE, FG FH, EG, IK, TB, CE, CF, CG, HB,	EA	1	*	*	*	*	*	*	10	10		
P-O	2910-974-7581	REDUCER, FUEL FLOW: overflow 63AX1221 (76040)	AC	EA	1	*	*	*	*	*	*	4	10		
P-O	2910-974-7611	VALVE, FUEL SHUT-OFF: emergency 700GC19 (76040)	AC	EA	1	*	*	*	*	*	*	6	10		
P-O	4820-741-1064	COCK, PLUG: fuel line shut-off 7411064 (19207)	DA, DB, EA, EB, HA, JA	EA	1	*	*	*	*	*	*	2	5		
P-O	5330-808-0794	PACKING, PREFORMED: emergency shut-off valve MS28778-8 (96906)	AC	EA	1	*	*	*	*	*	*	10	20		
P-O	5340-809-1492	CLAMP, LOOP: fuel lines MS21333-100 (96906)	DA, DB EB, EC,	EA	7	*	*	*	*	*	*	10	10		
		0311—ENGINE STARTING AIDS													
		NON-ILLUSTRATED													
P-O	2910-269-3464	GASKET: fuel pump 10917063 (19207)	AB	EA	1	*	*	*	*	*	*	10	100		
P-O	4730-289-1254	ADAPTER, STRAIGHT, PIPE TO TUBE: gasoline intake fuel pump outlet 137407 (24617)	AB	EA	1	*	*	*	*	*	*	6	10		
P-F	5920-105-9932	PARTS KIT, ENGINE FUEL: (IN TANK FUEL PUMP) 5704031 (19207)	AB	EA	1	*	*	*	*	*	*	10	20		
P-F	5920-855-4260	FUSE, CARTRIDGE: (Component of Parts Kit, FSN 5920-105-9932) F02B125V2AS (81349)	AB	EA	1	*	*	*	*	*	*	10	40		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure no.	(b) Item No.
		0312—ACCELERATOR AND THROTTLE CONTROLS													
P-O	5315-236-8357	PIN: anti-dieseling control cable MS24665-368 (96906)	AA, AC	EA	1	*	*	*	*	*	*	6	10	9	1
P-O	2910-699-8476	SPRING, HELICAL, COMPRESSION: anti-dieseling control cable 8332670 (19207)	AA, AC	EA	1	*	*	*	*	*	*	6	10	9	2
P-O	2910-699-8475	RETAINER, SPRING: anti-dieseling control cable (Used with carburetor FSN 2910-562-0441) 8332669 (19207)	AA, AC	EA	1	*	*	*	*	*	*	6	10	9	3
P-O	5325-011-7965	GROMMET, RUBBER: push-pull, control cable 117965 (24617)	AA, AC	EA	1	*	*	*	*	*	*	10	10	9	4
P-O	5310-975-2075	NUT, PLAIN, HEXAGON: anti-dieseling, choke, and throttle controls MS35691-21 (96906)	AA, AC	EA	3	*	*	*	*	*	*	4	10	9	5
P-O	5310-637-9541	WASHER, LOCK: anti-dieseling, choke and throttle controls MS35338-46 (96906)	AA, AC	EA	3	*	*	*	*	*	*	4	10	9	6
P-O	2590-693-0667	CONTROL ASSEMBLY, PUSH-PULL: anti-dieseling (Used with Carburetor FSN 2910-562-0441) 8332668 (19207)	AA, AC	EA	1	*	*	*	*	*	*	3	5	9	7
P-O	2590-752-0597	CONTROL ASSEMBLY, PUSH-PULL: anti-dieseling (Used with Carburetor FSN 2910-737-5469 and 2910-832-7282) 7520597 (19207)	AA,AC	EA	1	*	*	*	*	*	*	3	5	9	8
P-O	2590-911-5628	CONTROL: assy. throttle gas engine 10933816 (19207)	AA, AC	EA	1	*	*	*	*	*	*	3	5	9	9
P-O	2590-740-9267	CONTROL: choke w / knob assy 7409267 (19207)	AA,AC	EA	1	*	*	*	*	*	*	3	5	9	9
P-O	5325-060-0976	GROMMET, RUBBER: throttle control cable MS35490-7 (96906)		EA	1	*	*	*	*	*	*	10	10	9	10
P-O	5310-959-7600	NUT, SELF-LOCKING: throttle control clip MS51922-5 (96906)	AA, AC	EA	1	*	*	*	*	*	*	4	10	9	11
P-O	2910-532-3160	COLLAR, THROTTLE CONTROL: [illegible]323160 (19207)	AA, AC	EA	1	*	*	*	*	*	*	3	5	9	12
P-O	5305-993-1849	SCREW, MACHINE: throttle control collar MS35207-259 (96906)	AA, AC	EA	1	*	*	*	*	*	*	4	10	9	13
X2-O		CLIP: throttle control cable 570348 (21450)	AA, AC	EA	1	*	*	*	*	*	*			9	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0312—ACCELERATOR AND THROTTLE CONTROLS—Continued													
P-O	5305-068-0506	SCREW, CAP, HEXAGON: throttle control clip MS90726-6 (96906)	AA, AC	EA	1	*	*	*	*	*	*	4	10	9	15
X2-O		BRACKET: anti-dieseling control cable 49R285 (76040)	AA, AC	EA	1	*	*	*	*	*	*			9	16
P-O	2910-740-9271	ROD, THROTTLE ASSEMBLY: cross shaft to carburetor 7409271 (19207)	A	EA	1	*	*	*	*	*	*	6	10	10	1
P-O	3040-371-5584	BALL, JOINT: carburetor rod (2), lever rod (2) 109415 (21450)	A	EA	4	*	*	*	*	*	*	3	5	10	2
P-O	5310-971-7989	NUT, PLAIN, HEXAGON: carburetor rod (2), lever rod (2) MS35691-5 (96906)	A	EA	4	*	*	*	*	*	*	4	10	10	3
X1		ROD: carburetor ball joint 10883235 (19207)	A		1									10	4
P-O	2540-741-3422	SHAFT ASSEMBLY, CROSS THROTTLE: 7409273 (19207)	A	EA	1	*	*	*	*	*	*	6	10	10	5
P-O	2540-752-9238	LINK: left cross shaft 7529238 (19207)	A	EA	1	*	*	*	*	*	*	2	5	10	6
P-O	5310-877-5796	NUT, SELF-LOCKING: ball joint MS21044N4 (96906)	A	EA	4	*	*	*	*	*	*	4	10	10	7
P-O	5315-276-5160	PIN, GROOVED, HEADLESS: cross shaft link MS35671-30 (96906)	AA	EA	2	*	*	*	*	*	*	4	10	10	8
X1		BRACKET: left cross shaft 7529237 (19207)	AA		2									10	9
P-O	4730-050-4203	FITTING, LUBRICATION: left and right cross shaft bracket MS15001-1 (96906)	AA	EA	2	*	*	*	*	*	*	10	10	10	10
X1		SHAFT: throttle cross shaft 10883234 (19207)	AA		1									10	11
P-O	2590-752-9235	LEVER, REMOTE CONTROL right cross shaft 7529235 (19207)	AA	EA	1	*	*	*	*	*	*	4	8	10	12
P-O	5310-950-0039	NUT, SELF-LOCKING: cross shaft clamp (1), accelerator pedal stop (1), cross shaft clip (1) MS21044N6 (96906)	AA	EA	3	*	*	*	*	*	*	4	10	10	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0312—ACCELERATOR AND THROTTLE CONTROLS—Continued													
X2-O		BRACKET: cross shaft 10883238 (19207)	AA	EA	1	*	*	*	*	*	*	4	10	10	14
P-O	5305-269-2803	SCREW, CAP, HEXAGON HEAD: cross shaft bracket clamp MS90726-60 (96906)	AA	EA	2	*	*	*	*	*	*	4	10	10	15
P-O	5340-740-9266	CLIP, THROTTLE CONTROL: 7409266 (19207)	AA	EA	1	*	*	*	*	*	*	4	10	10	16
P-O	5360-753-9129	SPRING, HELICAL, EXTENSION: anti-dieseling valve control (Used with Carburetor, FSN 2910-737-5469 and Carburetor, FSN 2910-832-7282) 7539129 (19207)	AA	EA	1	*	*	*	*	*	*	6	10	10	17
P-O	2910-699-8476	SPRING, HELICAL, COMPRESSION: return, anti-dieseling valve control (Used with Carburetor, FSN 2910-562-0441) 8332670 (19207)	AA	EA	1	*	*	*	*	*	*	6	10	10	17
P-O	2540-737-3265	CLIP: cross shaft 7373265 (19207)	AA	EA	1	*	*	*	*	*	*	4	10	10	18
P-O	5310-627-6128	WASHER, LOCK: cross shaft clip MS35335-21 (96906)	AA	EA	2	*	*	*	*	*	*	4	10	10	19
X2-O		ROD: lever ball joints 10883236 (19207)	AA	EA	1	*	*	*	*	*	*			10	20
P-O	5315-839-2325	PIN, COTTER: accelerator pedal lever MS24665-132 (96906)	AA	EA	2	*	*	*	*	*	*	4	10	10	21
P-O	5310-080-6004	WASHER, FLAT: accelerator pedal lever and stop MS27183-14 (96906)	AA	EA	4	*	*	*	*	*	*	4	10	10	22
P-O	2590-753-9135	BELL CRANK: pedal connecting link to cross shaft joint 1539135 (19207)	AA	EA	1	*	*	*	*	*	*	6	10	10	23
P-O	2540-115-2565	PEDAL, CONTROL, ASSEMBLY: 7397798 (19207)	AA	EA	1	*	*	*	*	*	*	4	8	10	24
P-O	2540-753-9114	PEDAL, CONTROL: accelerator 7539114 (19207)	AA	EA	1	*	*	*	*	*	*	6	10	10	25
P-O	2540-753-9130	BRACKET: accelerator pedal 7539130 (19207)	AA	EA	1	*	*	*	*	*	*	3	5	10	26
P-O	5315-338-1621	PIN, STRAIGHT, HEADED: accelerator pedal bracket 7539131 (19207)	AA	EA	1	*	*	*	*	*	*	4	10	10	27

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0312—ACCELERATOR AND THROTTLE CONTROLS—Continued													
P-O	5305-984-7341	SCREW, MACHINE: accelerator pedal bracket MS35191-273 (96906)	AA	EA	2	*	*	*	*	*	*	4	10	10	28
P-O	5310-877-5797	NUT, SELF-LOCKING: accelerator pedal bracket MS21044N3 (96906)	AA	EA	2	*	*	*	*	*	*	4	10	10	29
P-O	5310-732-0559	NUT, PLAIN, HEXAGON: accelerator pedal stop MS51968-8 (96906)	AA	EA	1	*	*	*	*	*	*	4	10	10	30
P-O	5305-269-2811	SCREW, CAP, HEXAGON: accelerator pedal stop MS90726-67 (96906)	AA	EA	1	*	*	*	*	*	*	4	10	10	31
P-O	5315-842-3044	PIN, COTTER: accelerator pedal connecting link MS24665-283 (96906)	AA	EA	2	*	*	*	*	*	*	4	10	10	32
P-O	2540-753-9112	CONNECTING LINK, RIGID: accelerator pedal to bell crank 7539112 (19207)	AA,AC	EA	1	*	*	*	*	*	*	2	5	10	33
P-O	2540-753-9112	CONNECTING LINK RIGID: accelerator pedal to bell crank 10938299 (19207)	AB	EA	1	*	*	*	*	*	*	2	5	10	33
P-O	2910-753-9133	BRACKET, ACCELERATOR: bell crank 7539133 (19207)		EA	1	*	*	*	*	*	*	2	5	10	34
P-O	5305-267-8974	SCREW, CAP, HEXAGON: bell crank bracket MS90726-8 (96906)	AA	EA	1	*	*	*	*	*	*	4	10	10	35
		Non-Illustrated													
P-O	2590-017-9779	CONTROL, ASSEMBLY, PUSH-PULL: 10938437 (19207)	A	EA	1	*	*	*	*	*	*	3	5		
P-O	2590-911-5628	CONTROL ASSEMBLY, PUSH-PULL: multifuel 10938316-1 (19207)	AB	EA	1	*	*	*	*	*	*	3	5		
P-O	2590-912-3110	CONTROL ASSEMBLY, PUSH-PULL: throttle 10938357 (19207)	AB	EA	1	*	*	*	*	*	*	3	5		
P-O	2590-944-6210	CONTROL ASSEMBLY, PUSH-PULL: engine stop 10938316-2 (19207)	AA, AB	EA	1	*	*	*	*	*	*	3	5		
P-O	2590-971-5023	CONTROL ASSEMBLY, PUSH-PULL: engine stop 21QBX155 (76040)	AA, AB	EA	1	*	*	*	*	*	*	3	5		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0312—ACCELERATOR AND THROTTLE CONTROLS—Continued													
P-O	2590-971-5024	CONTROL ASSEMBLY, PUSH-PULL: engine stop 21QBX156 (76040)	AA, AB	EA	1	*	*	*	*	*	*	3	5		
P-O	2590-999-8590	CONTROL ASSEMBLY, PUSH-PULL: engine stop 10938316-3 (19207)	AB	EA	1	*	*	*	*	*	*	3	5		
P-O	2990-131-6151	CONTROL ASSEMBLY, PUSH-PULL: engine stop 10938316-4 (19207)	AA, AB	EA	1	*	*	*	*	*	*	3	5		
		GROUP 04—EXHAUST SYSTEM													
		0401—MUFFLER AND PIPES													
P-O	5305-269-2807	SCREW, CAP, HEXAGON: tail pipe extension MS90726-64 (96906)	AA	EA	16	*	*	*	*	*	*	6	800	11	1
P-O	2990-040-2333	EXTENSION: exhaust pipe 8331956 (19207)	AA	EA	1	*	*	*	*	*	*	15	20	11	2
P-O	2990-734-8828	GASKET: muffler to tail pipe flange 7348828 (19207)	AA	EA	2	*	*	*	*	*	*	15	200	11	3
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: exhaust system MS21044N6 (96906)	AA	EA	20	*	*	*	*	*	*	6	10	11	4
P-O	2990-741-1095	BRACKET, TAIL PIPE: 7411095 (19207)	AA	EA	1	*	*	*	*	*	*	10	20	11	5
P-O	5306-692-7171	SCREW, CAP, HEXAGON: exhaust clamp and link 8332741 (19207)	AA	EA	6	*	*	*	*	*	*	6	10	11	6
P-O	5310-732-0559	NUT, PLAIN, HEXAGON: retaining strap (4), clamp (2) MS51968-8 (96906)	AA	EA	6	*	*	*	*	*	*	6	10	11	7
P-O	5340-447-4726	CLAMP, RETAINING: muffler and tail pipe 7001893 (19207)	AA	EA	4	*	*	*	*	*	*	15	20	11	8
P-O	2990-658-9563	CLAMP, EXHAUST PIPE: undercarriage 8408438 (19207)	AA	EA	1	*	*	*	*	*	*	15	20	11	8
P-O	2990-734-8839	PIPE, EXHAUST: muffler to extension 7348839 (19207)	DA, DB, EA, EB, EC,	EA	1	*	*	*	*	*	*	15	20	11	9
P-O	2990-734-8838	PIPE, EXHAUST TAIL 7348838 (1920)	GB	EA	1	*	*	*	*	*	*	15	20	11	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
P-O	2990-741-1093	PIPE, TAIL: muffler to extension 7411093 (19207)	FB, BG, FA	EA	1	*	*	*	*	*	*	15	20	11	9
P-O	2990-741-1096	PIPE, EXHAUST: muffler to extension 7411096 (19207)	BD, HA	EA	1	*	*	*	*	*	*	15	20	11	9
P-O	2990-591-7696	PIPE, TAIL: muffler to extension 7411097 (19207)	RA, IA JA,BE	EA	1	*	*	*	*	*	*	15	20	11	9
P-O	2990-734-8826	CLAMP: exhaust pipe 7348826 (19207)	AA	EA	2	*	*	*	*	*	*	15	20	11	10
P-O	2990-741-3235	CONNECTING LINK, RIGHT: muffler hanger bracket 7413235 (19207)	AA	EA	2	*	*	*	*	*	*	15	20	11	11
P-O	2990-741-1057	BRACKET, EXHAUST PIPE: front and rear muffler support 7411057 (19207)	CA, CB, DA, DB, EA, EB, EC, FA, FB, HA, BD	EA	2	*	*	*	*	*	*	15	20	11	12
P-O	5340-741-1094	BRACKET, DOUBLE ANGLE: rear muffler hanger 7411094 (19207)	BG	EA	1	*	*	*	*	*	*	15	20	11	12
P-O	5305-269-2808	SCREW, CAP, HEXAGON HEAD: clamp MS90726-65 (96906)	AA	EA	5	*	*	*	*	*	*	15	20	11	13
P-O	2990-734-8834	PIPE, EXHAUST: manifold to muffler 7348834 (19207)	AA	EA	1	*	*	*	*	*	*	15	20	11	14
P-O	5310-639-3363	NUT, PLAIN, HEXAGON: exhaust pipe to muffler 596550 (21450)	AA	EA	8	*	*	*	*	*	*	6	10	11	15
P-O	5310-734-8837	WASHER, PLAIN: exhaust pipe 7348837 (19207)	AA	EA	8	*	*	*	*	*	*	6	10	11	16
P-O	5307-737-6343	STUD, PLAIN: exhaust pipe to muffler 7376343 (19207)	AA	EA	8	*	*	*	*	*	*	6	10	11	17
P-O	2990-734-8833	GASKET: exhaust pipe to exhaust manifold 7348833 (19207)	AA	EA	1	*	*	*	*	*	*	15	200	11	18
P-O	2990-291-7475	GASKET: exhaust pipe to muffler flange 7348827 (19207)	AA	EA	1	*	*	*	*	*	*	15	200	11	19
P-O	2990-734-8829	MUFFLER, EXHAUST: 7348829 (19207)	AA	EA	1	*	*	*	*	*	*	20	30	11	20
P-O	2990-294-2257	MUFFLER, EXHAUST: 7974710 (19207)	EB, XA, JA FA,EA,EC	EA	1	*	*	*	*	*	*	20	30	11	20
P-O	5305-269-2808	SCREW, CAP, HEXAGON: exhaust pipe MS90726-65 (96906)	AC, AB	EA	3	*	*	*	*	*	*	6	10	12	1
P-O	2990-972-2610	PIPE, EXHAUST: tail extension 10899445 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	20	12	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0401—MUFFLER AND PIPES—Continued													
P-O	2990-225-8326	GASKET: front exhaust pipe 10938351 (19207)	AB, AC	EA	1	*	*	*	*	*	*	20	200	12	3
P-O	2990-972-2611	PIPE, EXHAUST: 10899439 (19207)	AB,AC	EA	1	*	*	*	*	*	*	15	20	12	4
P-O	2990-972-2594	PIPE, EXHAUST: 10899440 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	20	12	4
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: exhaust pipe MS21044N6 (96906)	AB, AC	EA	3	*	*	*	*	*	*	6	10	12	5
P-O	5305-269-2808	SCREW, CAP, HEXAGON HEAD: exhaust pipe hanger MS90726-65 (96906)	AB, AC	EA	12	*	*	*	*	*	*	6	10	12	6
P-O	2990-741-1060	HANGER: tailpipe 7411060 (19207)	AB, AC	EA	1	*	*	*	*	*	*	10	20	12	7
P-O	2990-741-1059	HANGER, TAIL PIPE: 7411059 (19207)	AB,AC	EA	1	*	*	*	*	*	*	10	20	12	7
P-O	2990-741-3235	CONNECTING LINK, RIG: exhaust pipe 7413235 (19207)	AB, AC	EA	2	*	*	*	*	*	*	10	10	12	8
P-O	2990-734-8826	CLAMP: exhaust pipe 7348826 (19207)	AB, AC	EA	6	*	*	*	*	*	*	15	20	12	9
P-O	5310-732-0559	NUT, PLAIN, HEXAGON: exhaust pipe MS51968-8 (96906)	AB, AC	EA	12	*	*	*	*	*	*	6	10	12	10
P-O	2990-291-7475	GASKET: exhaust pipe 7348827 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	200	12	11
P-O	2990-972-2605	CLAMP, ASSEMBLY: front exhaust pipe 48RUA297 (76040)	AB, AC	EA	1	*	*	*	*	*	*	15	20	12	12
P-O	5305-269-2807	SCREW, CAP, HEXAGON HEAD: exhaust pipe clamp MS90726-64 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	12	13
P-O	2990-734-8826	CLAMP: exhaust pipe 119076H (31007)	AB, AC	EA	2	*	*	*	*	*	*	15	20	12	14
P-O	5310-950-0039	NUT, HEXAGON: exhaust pipe MS21044N6 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	12	15
P-O	2990-056-4798	PIPE, EXHAUST: front 10938264 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	20	12	16
P-O	2990-925-3968	PIPE, EXHAUST: extension (diesel and multifuel) 10938491 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	20	13	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0401—MUFFLER AND PIPES—Continued													
P-O	5306-947-2327	BOLT, U: exhaust pipe (diesel and multifuel 11593178 (19207)	AB, AC	EA	1	*	*	*	*	*	*	6	10	13	2
P-O	5306-944-6989	BOLT, U: shield to bracket (diesel and multifuel) 10938497 (19207)	AB, AC	EA	2	*	*	*	*	*	*	6	10	13	3
P-O	2990-925-3967	SHIELD ASSEMBLY: (diesel and multifuel) 10938495 (19207)	AB, AC	EA	1	*	*	*	*	*	*	6	10	13	4
P-O	2990-925-3966	SADDLE CLAMP, EXHAUST: (diesel and multifuel) 10938496 (19207)	AB, AC	EA	2	*	*	*	*	*	*	15	20	13	5
P-O	2990-944-6981	PIPE, EXHAUST: (multifuel) 10938490 (19207)	AB	EA	1	*	*	*	*	*	*	15	20	13	6
P-O		PIPE, EXHAUST: (diesel) 11608909 (19207)	AC	EA	1	*	*	*	*	*	*	15	20	13	6
P-O	5340-947-2396	COUPLING, CLAMP, GROOVE: exhaust pipe to adapter (diesel and multifuel) MS27116-17B (96906)	AB, AC	EA	1	*	*	*	*	*	*	4	10	13	7
X2-O		ADAPTER: exhaust pipe to turbocharger 11608765 (19207)	AB	EA	1	*	*	*	*	*	*			13	8
P-O	5330-899-4481	GASKET: adapter to turbocharger 10889768 (19207)	AB	EA	1	*	*	*	*	*	*	15	200	13	9
P-O	5310-952-1872	NUT, SELF-LOCKING, HEXAGON: mounting bracket (diesel and multifuel) MS21045-C-8 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	10	13	10
P-O	5306-225-9093	BOLT, MACHINE: support bracket (diesel and multifuel) MS90726-38 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	13	11
P-O	5340-237-3936	BRACKET: exhaust support (diesel and multifuel) 10938492 (19207)	AB, AC	EA	1	*	*	*	*	*	*	3	5	13	12
P-O	5310-088-1251	NUT, SELF-LOCKING HEXAGON: saddle U bolts (diesel and multifuel) MS51922-1 (96906)	AB, AC	EA	6	*	*	*	*	*	*	6	10	13	13
P-O	5310-067-9507	NUT, SELF-LOCKING HEXAGON: support bracket (diesel and multifuel) MS51922-37 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	10	13	14

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0401—MUFFLER AND PIPES—Continued													
P-O	5305-999-8691	SCREW, CAP, HEXAGON HEAD: support bracket (diesel and multifuel) 10938486 (19207)	AB, AC	EA	1	*	*	*	*	*	*	6	10	13	15
X2-O		SCREW, CAP, HEXAGON: mounting bracket MS90726-123 (96906)	AB, AC	EA	1	*	*	*	*	*	*			13	16
P-O	5310-809-3079	WASHER: mounting bracket (diesel and multifuel) MS27183-19 (96906)	AB, AC	EA	5	*	*	*	*	*	*	6	10	13	17
X2-O		BRACKET: exhaust pipe (diesel and multifuel) 11608820 (19207)	AB, AC	EA	1	*	*	*	*	*	*			13	18
P-O	2990-925-3975	SADDLE CLAMP, EXHAUST: exhaust stack (diesel and multifuel) 11593179 (19207)	AB, AC	EA	1	*	*	*	*	*	*	6	10	13	19
P-O	2990-121-6184	SPRING, HELICAL COMPRESSION: mounting bracket (diesel and multifuel) 11608819 (19207)	AB, AC	EA	2	*	*	*	*	*	*	6	10	13	20
		Non-Illustrated													
P-O	2990-073-0150	PIPE, EXHAUST: tail 10931954-1 (19207)	DE, DF	EA	1	*	*	*	*	*	*	15	20		
P-O	2990-073-0151	PIPE, EXHAUST: tail 10931954-2 (19207)	DE, DF	EA	1	*	*	*	*	*	*	15	20		
P-O	2990-073-0152	PIPE, EXHAUST: front (multifuel) 10938367 (19207)	AB	EA	1	*	*	*	*	*	*	15	20		
P-O	2990-225-8325	GASKET: exhaust pipe extension (multifuel) 10899444 (19207)	AB	EA	1	*	*	*	*	*	*	15	200		
P-O	2990-225-8326	GASKET: front exhaust pipe (multifuel) 10938351 (19207)	AB	EA	1	*	*	*	*	*	*	15	200		
P-O	2990-291-7475	GASKET: front exhaust pipe to tailpipe (multifuel) 7348827 (19207)	AB	EA	1	*	*	*	*	*	*	15	200		
P-O	2990-385-7997	PIPE, EXHAUST: assembly 8404205 (19207)	LA, MA	EA	1	*	*	*	*	*	*	15	20		
P-O	2990-649-9484	PIPE, EXHAUST: extension, tail pipe 7059574 (19207)	EA, EB, EC	EA	1	*	*	*	*	*	*	15	20		
P-O	2990-734-8826	CLAMP: exhaust pipe (multifuel) 119076H (31007)	AB	EA	6	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0501—RADIATOR													
P-O	2930-741-1061	CAP, RADIATOR WITH CHAIN: 7411061 (19207)	AB,AC	EA	1	*	*	*	*	*	*	10	40	14	1
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: radiator MS21044N6 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	10	14	2
P-O	5310-080-6004	WASHER, FLAT: radiator MS27183-14 (96906)	AB, AC	EA	4	*	*	*	*	*	*	6	10	14	3
P-O	2930-832-7014	SPRING, HELICAL, COMPRESSION: radiator support rod 8327014 (19207)	AB, AC	EA	2	*	*	*	*	*	*	6	10	14	4
P-O-R	2930-169-5759	RADIATOR, ENGINE COOLING: 11640319 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	20	14	5
P-O-R	2930-972-2597	RADIATOR, ENGINE COOLING: (diesel) 3MFAX559 (76040)	AC	EA	1	*	*	*	*	*	*	15	20	14	5
P-O	5310-975-2075	NUT, PLAIN HEXAGON: radiator MS35691-21 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	14	6
P-O	5340-737-5657	ROD, CLEVIS END: radiator support 7375657 (19207)	AB, AC	EA	1	*	*	*	*	*	*	3	5	14	7
P-O	5315-815-8840	PIN: radiator support rod MS35810-34 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	10	14	8
P-O	5315-842-3044	PIN, COTTER: radiator support rod MS24665-283 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	10	14	9
X2-O		BRACKET: radiator support rod 80MFX278 (76040)	AB, AC	EA	1	*	*	*	*	*	*			14	10
P-O	2930-064-3926	HOSE, PREFORMED: radiator inlet 11MFX2356 (76040)	AC	EA	1	*	*	*	*	*	*	15	20	14	11
P-O	4730-720-1398	CLAMP, HOSE: radiator MS35842-5 (96906)	AC	EA	6	*	*	*	*	*	*	15	20	14	12
P-O	2930-974-7408	HOSE, PREFORMED: radiator 11MFX1294 (76040)	AB, AC	FT	V	*	*	*	*	*	*	15	20	14	13
P-O	2930-972-2601	TUBE, RADIATOR OUTLET: radiator 10931941 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	20	14	14
X2-O		ASBESTOS: radiator outlet hose 27-W-929-800 (70040)	AB, AC	EA	1	*	*	*	*	*	*			14	15
P-O	5310-950-0039	NUT, SELF-LOCKING: hose clamp screw MS21044N6 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	10	14	16
X2-O		CLAMP: radiator outlet hose 10899438 (19207)	AB, AC	EA	1	*	*	*	*	*	*			14	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint , allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0501—RADIATOR—Continued													
P-O	5305-269-2803	SCREW, CAP, HEXAGON: radiator hose clamp MS90726-60 (96906)	AB, AC	EA	1	*	*	*	*	*	*	6	10	14	18
P-O	2930-064-3925	HOSE, PREFORMED: radiator outlet 8712140 (19207)	AB, AC	EA	1	*	*	*	*	*	*	15	20	14	19
P-O	2930-021-6853	HOSE, PREFORMED: multifuel outlet 10938255 (19207)	AB	EA	1	*	*	*	*	*	*			14	19
P-O	2815-937-3082	SUPPORT, FRONT ENGINE: radiator 10931942 (19207)	AB, AC	EA	1	*	*	*	*	*	*	3	5	14	20
P-O	5310-820-6653	WASHER, LOCK: radiator support MS35338-50 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	14	21
P-O	5305-727-5677	SCREW, CAP, HEXAGON: radiator support MS90726-162 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	14	22
P-O	5315-839-5822	PIN, COTTER: radiator support blind rivet MS24665-353 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	14	23
P-O	5310-842-1490	NUT, PLAIN, BLIND RIVET: radiator support MS35692-37 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10	14	24
P-O	5340-799-5228	SPACER, SLEEVE: radiator support 10883212 (19207)	AC, AB	EA	2	*	*	*	*	*	*	6	10	14	25
P-O	2930-737-5658	SPRING, HELICAL, COMPRESSION: radiator support 7375658 (19207)	AC, AB	EA	2	*	*	*	*	*	*	6	10	14	26
X2-O		SPACER: radiator 44RU1693 (76040)	AC, AB	EA	2	*	*	*	*	*	*			14	27
P-O	4820-849-1220	COCK, DRAIN: radiator MS35782-5 (96906)	AC, AB	EA	2	*	*	*	*	*	*	4	8	14	28
P-O	5330-599-5658	WASHER, NONMETALLIC: radiator inlet neck 5262210 (19207)	AC, AB	EA	1	*	*	*	*	*	*	6	10	14	29
		Non-Illustrated													
P-O	2930-177-7846	SHIELD, DUST, RADIATOR: 10871414 (19207)	AA	EA	1	*	*	*	*	*	*	6	10		
P-O	2930-236-0562	SHIELD, DUST, RADIATOR: 10938462 (19207)	AC	EA	1	*	*	*	*	*	*	6	10		
P-O	4720-051-0663	HOSE, RUBBER: multifuel ZZH428 (81348)	AB	IN.	V	*	*	*	*	*	*	15	20		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0501—RADIATOR—Continued													
P-O	4730-909-8627	CLAMP HOSE: upper radiator hose (2) and lower hose (1) MS35842-3 (96906)	AB, DF	EA	3	*	*	*	*	*	*	10	20		
P-F	2805-741-8965	KIT, INSULATOR: front support mounting 7418965 (19207) Consisting of:	AA	EA	1	*	*	*	*	*	*	10	20		
	5305-725-0140	1-SCREW, CAP MS90726-139 (96906) 1-INSULATOR 109943 (31007)													
P-O-R	2930-737-5656	RADIATOR ASSEMBLY: gasoline engine 7375656 (19207)	AA	EA	1	*	*	*	*	*	*	15	20	15	1
P-O	2930-741-1061	CAP, RADIATOR WITH CHAIN: filler 7411061 (19207)	AA	EA	1	*	*	*	*	*	*	10	40	15	2
P-O	5330-599-5658	WASHER, NONMETALLIC: filler cap 5262210 (19207)	AA	EA	1	*	*	*	*	*	*	6	10	15	3
P-O	5310-950-0039	NUT, SELF-LOCKING HEXAGON: radiator stay rod MS21044N6 (96906)	AA	EA	1	*	*	*	*	*	*	6	10	15	4
P-O	5310-080-6004	WASHER, FLAT: radiator stay rod MS27183-14 (96906)	AA	EA	4	*	*	*	*	*	*	6	10	15	5
P-O	2930-832-7014	SPRING, HELICAL, COMPRESSION: radiator support rod 8327014 (19207)	AA	EA	2	*	*	*	*	*	*	6	10	15	6
P-O	5340-737-5657	CLEVIS, ROD END: radiator support rod 7375657 (19207)	AA	EA	1	*	*	*	*	*	*	3	5	15	7
P-O	5315-815-8840	PIN, STRAIGHT, HEADED: support rod MS35810-34 (96906)	AA	EA	1	*	*	*	*	*	*	6	10	15	8
P-O	5315-842-3044	PIN, COTTER: support rod MS24665-283 (96906)	AA	EA	1	*	*	*	*	*	*	6	10	15	9
P-O	4730-278-2064	CLAMP, HOSE: radiator hose 502922 (21450)	AA	EA	6	*	*	*	*	*	*	15	20	15	10
M-O		HOSE, RUBBER: radiator inlet, 42½ inches long 107622R1 (31007) Fabricate From:	AA	EA	1	*	*	*	*	*	*	15	20	15	11
P-O	4720-223-8735	HOSE, NONMETALLIC: 26C29400 (81337)		IN.	V									15	11
P-O	4820-849-1220	COCK, DRAIN: radiator MS35782-5 (96906)	AA	EA	2	*	*	*	*	*	*	4	8	15	12
P-O		HOSE: radiator outlet 7376183 (19207)	AA	EA	1	*	*	*	*	*	*	10	20	15	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0501—RADIATOR—Continued													
P-O	2930-237-6154	TUBE: radiator water inlet pump to cylinder head 102049R-1 (31007)	AA	EA	1	*	*	*	*	*	*	10	10	15	14
P-O	4720-737-6182	HOSE, PREFORMED: radiator outlet molded 102060R1 (31007)	AA	EA	1	*	*	*	*	*	*	15	20	15	15
P-O	2805-737-6200	SUPPORT ASSEMBLY, MOUNTING: radiator 7376200 (19207)	AA	EA	1	*	*	*	*	*	*	3	5	15	16
P-O	5310-820-6653	WASHER, LOCK: radiator support MS35338-50 (96906)	AA	EA	5	*	*	*	*	*	*	6	10	15	17
P-O	5305-727-5677	SCREW, CAP, HEXAGON: radiator support MS90726-162 (96906)	AA	EA	5	*	*	*	*	*	*	6	10	15	18
P-O	5310-062-4954	NUT SELF-LOCKING, HEXAGON: radiator support MS21045-8 (96906)	AA	EA	2	*	*	*	*	*	*	6	10	15	19
P-O	5310-809-5998	WASHER, FLAT: radiator mounting plate MS27183-18 (96906)	AA	EA	2	*	*	*	*	*	*	6	10	15	20
P-O	2930-737-5658	SPRING, HELICAL, COMPRESSION: mounting support 7375658 (19207)	AA	EA	2	*	*	*	*	*	*	6	10	15	21
P-O	2990-752-9294	SHIM: radiator mounting support 7529294 (19207)	AA	EA	2	*	*	*	*	*	*	6	10	15	22
P-O	2930-080-7637	SHIELD, RUBBER, RADIATOR: 10871411 (19207)	AA	EA	1	*	*	*	*	*	*	6	10		
P-O	2930-919-2875	MOUNTING, RADIATOR: 10946886 (19207)	AA	EA	1	*	*	*	*	*	*	6	10		
P-O	4730-014-2435	NUT, INVERTED, TUBE COUPLING: compressor to water pump water lines 142435 (24617)	AA	EA	4	*	*	*	*	*	*	3	5		
P-O	5340-911-5634	BUSHING, RUBBER: gasoline engine radiator mounting 8737966 (19207)	AA	EA	2	*	*	*	*	*	*	10	20		

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0602—GENERATOR REGULATOR													
		Electrical Tool Kit, FSN 5180-876-9336, authorized by TO & E will be utilized for applicable replacement parts not specified in this group.													
P-O	5305-995-3442	SCREW, MACHINE: mounting bracket 7539652 (19207)	A	EA	4	*	*	*	*	*	*	6	10	16	1
P-O	5310-045-3296	WASHER, LOCK: mounting bracket MS35338-43 (96906)	A	EA	4	*	*	*	*	*	*	6	10	16	2
P-O	2920-737-6366	BRACKET, MOUNTING: generator regulator 7376366 (19207)	A	EA	2	*	*	*	*	*	*	3	5	16	3
X2-O		NUT, PLAIN, HEXAGON: mounting bracket 7397794 (19207)	A	EA	4	*	*	*	*	*	*			16	4
X2-O		SCREW, MACHINE: mounting bracket 425594 (21450)	A	EA	4	*	*	*	*	*	*			16	5
P-O-R	2920-800-7218	REGULATOR, ENGINE GENERATOR: 11631857 (19207)	A	EA	1	*	*	*	*	*	*	15	20	16	6
		0606—ENGINE SAFETY CONTROLS													
		Electrical Tool Kit, FSN 5180-876-9336, authorized by TO & E, will be utilized for applicable replacement parts not specified in this group.													
P-O	5930-097-4266	SWITCH, PRESSURE: low air 7728482 (19207)	A	EA	1	*	*	*	*	*	*	10	10	17	1
		Non-Illustrated													
P-O	5930-776-2673	SWITCH, PRESSURE: stoplight, air with cable and connector, assembly 7762673 (19207)	A	EA	1	*	*	*	*	*	*	10	10		
P-O	5925-894-8015	CIRCUIT BREAKER: electric power system MS39063-1 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5945-504-8993	SOLENOID, ELECTRICAL: override engine governor 10876165 (19207)	BD	EA	1	*	*	*	*	*	*	15	20		
P-O	5925-737-4945	BREAKER, CIRCUIT: reverse current 7374945 (19207)	A	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No.
		0607—INSTRUMENT PANEL													
		Electrical Tool Kit, FSN 5180-876-9336, authorized by TO & E, will be utilized for applicable replacement parts not specified in this group.													
		NOTE: For repair of electrical components refer to Kit, FSN 5935-570-1380, subgroup 0613.													
P-O	5930-307-8856	SWITCH, LIGHT: MS51113-1 (96906)	A	EA	1	*	*	*	*	*	*	4	10	18	1
P-O	5310-013-0082	WASHER, LOCK: circuit breaker MS35337-23 (96906)	A	EA	2	*	*	*	*	*	*	6	10	18	2
P-O	5310-934-9754	NUT, PLAIN, HEXAGON: circuit breaker MS35650-382 (96906)	A	EA	2	*	*	*	*	*	*	6	10	18	3
P-O	5310-088-0553	NUT, SELF-LOCKING: panel brace MS21044N5 (96906)	A	EA	3	*	*	*	*	*	*	6	10	18	4
P-O	5310-087-7493	WASHER, FLAT: panel brace nut (3) steering column bracket screw (3) MS2718-13 (96906)	A	EA	6	*	*	*	*	*	*	6	10	18	5
P-O	5930-699-9438	SWITCH, ROTARY IGNITION: MS39060-2 (96906)	A	EA	1	*	*	*	*	*	*	6	10	18	6
P-O	5930-898-0500	SWITCH, ROTARY WITH SCREW AND WASHER: flood light (1), fuel selector (1), warning light (1) MS39060-1 (96906)	A	EA	3	*	*	*	*	*	*	6	10	18	7
P-O	5325-753-9255	RECEPTACLE, TURN LOCK FASTENER: instrument cluster 7533778 (19207)	A	EA	4	*	*	*	*	*	*	4	8	18	8
P-O	2510-408-2499	SUPPORT, PANEL, INSTRUMENT: 7397848 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	9
P-O	5305-269-2803	SCREW, CAP, HEXAGON: panel support MS90726-60 (96906)	A	EA	2	*	*	*	*	*	*	6	10	18	10
P-O	5310-080-6004	WASHER, FLAT: panel support MS27183-14 (96906)	A	EA	2	*	*	*	*	*	*	6	10	18	11
P-O	5310-950-0039	NUT, SELF-LOCKING: panel support MS21044N6 (96906)	A	EA	2	*	*	*	*	*	*	6	10	18	12
X2-O		PANEL, INSTRUMENT: gas 10883309 (19207)	AA	EA	1	*	*	*	*	*	*			18	13
X2-O		10931997 (19207) diesel	AC											18	13
X2-O		10938210 (19207) multifuel	AB											18	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0607—INSTRUMENT PANEL—Continued													
X2-O		BRACKET: map compartment door 7397851 (19207)	A	EA	2	*	*	*	*	*	*			18	14
X2-O		SCREW, MACHINE: map compartment 164475 (21450)	A	EA	14	*	*	*	*	*	*			18	15
P-O	2540-459-3194	BOX: map compartment 7397850 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	16
P-O	2510-737-3340	DOOR: map compartment 7373340 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	17
P-O	5310-877-5797	NUT, SELF-LOCKING: map box (10) and door (2), panel light switch bracket (2) MS21044N3 (96906)	A	EA	14	*	*	*	*	*	*	6	10	18	18
X2-O		PANEL ASSEMBLY, INSTRUMENT CLUSTER: 8376484 (19207)	A	EA	1	*	*	*	*	*	*			18	19
P-O	6220-538-1088	LEVER, SWITCH: floodlight (1) (M62, M139, M139C, 139D, M543) fuel selector (1) (M51, M52, M52A1, M61, M62, M543) warning light (1) (M62, M246, M543) ignition switch (1), light switch (3) 5381088 (19207)		EA	7	*	*	*	*	*	*	6	10	18	20
P-O	6615-603-6280	PLUG: valve control hole 432478 (21450)	A	EA	1	*	*	*	*	*	*			18	21
X2-O		PLUG: switch button hole 192769 (21450)	A	EA	1	*	*	*	*	*	*			18	22
P-O	2540-057-1642	CABLE ASSEMBLY, AUXILIARY: 7418959 (19207)		EA	1	*	*	*	*	*	*	4	10	18	23
P-O	2530-040-2218	BRACKET ASSEMBLY: upper steering column jacket 7351016 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	24
X2-O		BRACKET: upper steering column jacket 10883341 (19207)	A	EA	1	*	*	*	*	*	*			18	25
P-O	5306-225-9089	SCREW, CAP, HEXAGON: upper steering column bracket MS90726-34 (96906)	A	EA	6	*	*	*	*	*	*	6	10	18	26
P-O	5340-752-1480	BUSHING, RUBBER: upper steering column jacket 7409171 (19207)	A	EA	1	*	*	*	*	*	*	6	10	18	27
P-O	5306-317-3096	BOLT, ASSEMBLED WASHER: upper steering column bracket clamp 596453 (21450)	A	EA	2	*	*	*	*	*	*	6	10	18	28
X2-O		CLAMP: upper steering column bracket 7521477 (19207)	A	EA	1	*	*	*	*	*	*			18	29

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0607—INSTRUMENT PANEL—Continued													
X2-O		PIN: upper steering column guide 7521463 (19207)	A	EA	1	*	*	*	*	*	*			18	30
P-O	6250-741-8960	LAMPHOLDER AND CLAMP: panel light 7418960 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	31
X2-O		SCREW: light switch mounting bracket 169754 (21450)	A	EA	2	*	*	*	*	*	*			18	32
P-O	5340-176-0868	BRACKET, ANGLE: panel light switch 7059461 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	33
P-O	5306-042-5859	SCREW, MACHINE: panel mounting 425859 (21450)	A	EA	4	*	*	*	*	*	*	6	10	18	34
P-O	2590-177-8220	RECEPTACLE, POWER, AUXILIARY: 7363002 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	35
P-O	5305-042-3522	SCREW, ASSEMBLED WASHER: auxiliary power receptacle 423522 (21450)	A	EA	4	*	*	*	*	*	*	6	10	18	36
P-O	5355-708-8745	KNOB ASSEMBLY: windshield wiper valve 7088745 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	37
P-O	5305-989-7435	SCREW, MACHINE: light switch MS35207-264 (96906)	A	EA	4	*	*	*	*	*	*	6	10	18	38
P-O	5310-045-3296	WASHER, LOCK: light switch MS35338-43 (96906)	A	EA	4	*	*	*	*	*	*	6	10	18	39
X2-O		NUT, PLAIN, HEXAGON: windshield wiper valve 7539694 (19207)	A	EA	1	*	*	*	*	*	*			18	40
P-O	5310-081-8087	NUT, SELF-LOCKING: auxiliary power receptacle MS21044N06 (96906)	A	EA	4	*	*	*	*	*	*	6	10	18	41
P-O	2540-753-9695	VALVE ASSEMBLY, PRESSURE REGULATING: windshield wiper 7539695 (19207)	A	EA	1	*	*	*	*	*	*	6	10	18	42
P-O	2510-407-5089	BRACE, PANEL, INSTRUMENT: 10883310 (19207)	A	EA	1	*	*	*	*	*	*	3	5	18	43
P-O	5925-776-2620	CIRCUIT BREAKER: 7762620 (19207)	A	EA	1	*	*	*	*	*	*	6	10	18	44
P-O	5305-958-4359	SCREW, MACHINE: circuit breaker MS35207-246 (96906)	A	EA	2	*	*	*	*	*	*	6	10	18	45
P-O	5310-285-1616	WASHER, FLAT: wiring harness B7960-2617-6 (82817)	A	EA	1	*	*	*	*	*	*	6	10	19	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0607—INSTRUMENT PANEL—Continued													
P-O	2590-333-1590	HARNESS ASSEMBLY, INSTRUMENT: indicating lights 8376501 (19207)	A	EA	1	*	*	*	*	*	*	4	10	19	2
P-O	5310-167-0836	WASHER, FLAT: wiring harness connectors 8896953 (18876)	A	EA	5	*	*	*	*	*	*	6	10	19	3
P-O	5307-752-6594	STUD, EXTENSION: gage to cables 7526594 (19207)	A	EA	5	*	*	*	*	*	*	6	10	19	4
P-O	6210-776-0412	LIGHT, PANEL: used on old type panel with 1-7/8 inch hole 7760412 (19207)	A	EA	3	*	*	*	*	*	*	15	20	19	5
P-O	6210-295-0006	LIGHT, PANEL: used on new type panel with 1 inch hole 1582082 (24617)	A	EA	2	*	*	*	*	*	*	15	20	19	5
P-O	6240-019-0877	LAMP, INCANDESCENT: high beam indicator light (1), instrument panel light (2) (Used with light FSN 6210-776-0412 and light FSN 6210-776-0418) MS15570-1251 (96906)	A	EA	3	*	*	*	*	*	*	15	20	19	6
P-O	6240-266-9940	LAMP, INCANDESCENT: clear high beam indicator light (1), instrument light (2) (Use with light, FSN 6220-026-4761 and light FSN 6210-174-1375) MS25231-1829 (96906)	A	EA	3	*	*	*	*	*	*	25	40	19	6
P-O	6210-738-4388	LENS, INDICATOR LIGHT: high beam indicator light (1), panel light (2) 7384388 (19207)	A	EA	3	*	*	*	*	*	*	6	10	19	7
P-O	6210-299-5564	LENS, LIGHT: high beam indicator (used with light, FSN 6210-174-1375) 7358622 (19207)	A	EA	1	*	*	*	*	*	*	6	10	19	7
P-O	2510-089-3775	PANEL: cluster 7971605 (19207)	A	EA	1	*	*	*	*	*	*	3	5	19	8
P-O	6685-936-2139	INDICATOR, TEMPERATURE: MS24543-1 (96906)	A	EA	1	*	*	*	*	*	*	6	10	19	9
P-O	2590-508-4592	COVER, INSTRUMENT PANEL LIGHT: (used with light, FSN 6210-776-0412) 7384392 (19207)	A	EA	2	*	*	*	*	*	*	3	5	19	10
P-O	6680-933-3600	INDICATOR, LIQUID QUANTITY: MS24544-2 (96906)	A	EA	1	*	*	*	*	*	*	6	10	19	11
P-O	6620-335-9508	INDICATOR, PRESSURE, OIL: 60 p.s.i. (used with transmitter 6685-335-9509) 7954230 (19207)	A	EA	1	*	*	*	*	*	*	6	10	19	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0607—INSTRUMENT PANEL—Continued													
P-O	6625-321-6365	METER, ARBITRARY SCALE: MS24532-2 (96906)	A	EA	1	*	*	*	*	*	*	6	10	19	13
P-O	6685-515-3478	GAGE, PRESSURE, DIAL: air (used with hose, FSN 2530-319-6002) 7954512 (19207)	A	EA	1	*	*	*	*	*	*	6	10	19	14
P-O	2590-693-4173	COVER: high beam indicator light (used with light, FSN 6210-776-0418) 7384389 (19207)	A	EA	1	*	*	*	*	*	*	4	8	19	15
P-O	5325-757-1963	STUD, TURNLOCK FASTENER: panel mounting 7526590 (19207)	A	EA	4	*	*	*	*	*	*	6	10	19	16
P-O	5305-889-3002	SCREW, MACHINE: high beam indicator light (2) panel lights (4) MS35206-242 (96906)	A	EA	6	*	*	*	*	*	*	6	10	19	17
P-O	5310-045-3299	WASHER, LOCK: high beam indicator light (2) panel lights (4) MS35338-42 (96906)	A	EA	6	*	*	*	*	*	*	6	10	19	18
P-O	5310-752-6591	PUSH ON NUT: cluster panel mounting stud 7526591 (19207)	A	EA	4	*	*	*	*	*	*	6	10	19	19
P-O	6210-174-1375	LIGHT, INDICATOR: high beam 24V (used on new type panel with 1 inch hole) 7358619 (19207)	A	EA	1	*	*	*	*	*	*	6	10	19	20
P-O	6210-776-0418	LIGHT, INDICATOR: high beam, 24V (used on old type panel with 1-7/8 inch hole) 7760418 (19207)	A	EA	1	*	*	*	*	*	*	6	10	19	20
		Non-Illustrated													
P-O	2510-693-0611	SEAL, RUBBER, SPECIAL: map compartment door 7373339 (19207)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	2510-752-6596	SHIELD, PANEL LIGHT: 7526596 (19207)	A	EA	2	*	*	*	*	*	*	4	10		
P-O	2510-753-9519	CASE: gage, with resistor 7539519 (19207)	A	EA	4	*	*	*	*	*	*	3	5		
P-O	2520-040-2303	SPACER, SLEEVE: brake lock 8330243 (19207)	HA,JA,BD	EA	1	*	*	*	*	*	*	6	10		
P-O	2530-735-5592	SWITCH ASSEMBLY: micro brake lock 7355592 (19207)	HA,JA,BD	EA	1	*	*	*	*	*	*	6	10		
P-O	2530-874-3284	LOCK ASSEMBLY, BRAKE MICRO: used with vehicles having Douglas connector 10913198 (19207)	JA,HA,XA	EA	1	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		INSTRUMENT PANEL—Continued Non-Illustrated—Continued													
P-O	2530-886-5872	LOCK ASSEMBLY, BRAKE, MICRO: used with vehicles having Packard connectors 10913199 (19207)	HA,XA,JA, BD	EA	1	*	*	*	*	*	*	4	10		
P-O	2920-133-9629	SWITCH, ENGINE, STARTERS: 11640178 (19207)	AA,AC	EA	1	*	*	*	*	*	*	25	50		
P-O	2920-714-6128	SWITCH, ENGINE, STARTER: 8720190 (19207)	CC,CD,DE, DF,FG,FH, EG,FJ	EA	1	*	*	*	*	*	*	25	50		
P-O	5310-732-0560	NUT, PLAIN, HEXAGON: MS51968-14 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5325-753-9255	RECEPTACLE: instrument cluster to panel fastener 7539255 (19207)	A	EA	4	*	*	*	*	*	*	4	8		
P-O	5930-296-6318	SWITCH, TOGGLE: solenoid override MS39061-1 (96906)	BD	EA	1	*	*	*	*	*	*	6	10		
P-O	5930-296-6319	SWITCH TOGGLE: cold start 24V MS39061-2 (96906)	AB,AC	EA	1	*	*	*	*	*	*	6	10		
P-O	5930-322-9617	SWITCH, ROTARY: (3 used on M62, M543) (2 used on M139, M139C) (1 used on M246) 7355562 (19207)		EA	3	*	*	*	*	*	*	6	10		
P-O-R	5930-791-1561	SWITCH ROTARY: without cables, fuel selector 8380700 (19207)	AB,AC	EA	1	*	*	*	*	*	*	6	10		
P-O	2920-796-2655	PARTS KIT, WIRING, ENGINE: ignition switch used with switch FSN 5930-699-9438 to replace switch FSN 5930-776-0409 5702401 (19207) Consisting of:	A	EA	1	*	*	*	*	*	*	10	20		
	2520-772-6808	1-BRACKET 7726808 (19207) 1-CABLE ASSEMBLY 7033742 (19207) 1-HARNESS ASSEMBLY 8687079 (19207) 1-HARNESS ASSEMBLY 8687080 (19207) 1-INSTRUCTION SHEET													
		0608—MISCELLANEOUS ITEMS													
		Electrical Tool Kit, FSN 5180-876-9336, authorized by T O & E, will be utilized for applicable replacement parts not specified in this group.													
P-O	6240-419-3185	LAMP: turn signal indicator MS25231-1873 (96906)	A	EA		*	*	*	*	*	*	10	20	20	1
P-O	5850-076-8992	LENS, LIGHT: directional signal handle 24-129 (77977)		EA	1	*	*	*	*	*	*	4	8	20	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0608—MISCELLANEOUS ITEMS—Continued													
P-O	2590-808-6072	CONTROL, ASSEMBLY, DIRECTIONAL: waterproof 11613632-1 (19207)	A	EA	1	*	*	*	*	*	*	6	10	20	2
P-O	5945-789-3706	FLASHER, SOLID STATE 11613631 (19207)	A	EA		*	*	*	*	*	*			20	2
P-O	5305-988-1723	SCREW, MACHINE: dimmer switch MS35206-279 (96906)	A	EA	2	*	*	*	*	*	*	6	10	21	1
P-O	5310-209-0786	WASHER, LOCK: dimmer switch MS35335-33 (96906)	A	EA	2	*	*	*	*	*	*	6	10	21	2
P-O	5930-092-9511	SWITCH, ELECTRICAL: headlight dimmer 7728788 (19207)	A	EA	1	*	*	*	*	*	*	6	10	21	3
		Non-Illustrated													
P-F	2540-752-5172	PLUG, INTERVEHICULAR: 7525172 (19207)	EA,EB,EC, IA,IB	EA	1	*	*	*	*	*	*	4	8		
P-F	2590-504-9033	LEAD, ELECTRICAL: hot slip ring 10876168 (19207)	BD	EA	2	*	*	*	*	*	*	4	10		
P-F	2590-504-9035	LEAD, ELECTRICAL: slip ring ground 10876167 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-F	2590-536-4828	CABLE & CONNECTOR ELECTRICAL: switch to connector assembly (used with switch, FSN 5930-563-7318) 171567R91 (31007)	DA,DB,EA, EB,EC,HA, IA,IB,BD	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-693-4182	CABLE, LOW PRESSURE: 7762726 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-772-8814	HARNESS, INTERVEHICULAR: 7728815 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-O	5340-809-1492	CLAMP, LOOP: MS21333-100 (96906)	HA,JA,BD	EA	1	*	*	*	*	*	*	4	10		
P-O	5340-988-1162	CLAMP, LOOP: MS21333-113 (96906)	EA,EB,EC, IA,IB	EA	1	*	*	*	*	*	*	4	10		
P-O	5935-666-1513	CONNECTOR, PLUG, ELECTRICAL: intervehicular cable male 7731427 (19207)	EA,EB,EC, IA,IB	EA	1	*	*	*	*	*	*	4	10		
P-O	5935-846-3884	CONNECTOR, RECEPTACLE, ELECTRICAL: intervehicular cable (1 used on M52 and M52A1) MS75021-2 (96906)	AA	EA	2	*	*	*	*	*	*	4	10		
P-O	5975-322-9865	FERRULE, ELECTRICAL CONDUCTOR: with braided bond strap SC-6Z-3817 (80063)	A	EA	4	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0608—MISCELLANEOUS ITEMS—Continued													
M-O		CABLE & CONNECTOR, ELECTRICAL: fuel selector to connector assembly (used with Switch, FSN 5930-563-7318) 171210R91 (31007) Fabricate from:	DA,DB,EA, EB,EC,HA, BD,IA,IB	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-693-3730	CONNECTOR ASSEMBLY, CABLE: 7982398 (19207)		EA	1										
P-O	5935-776-0599	CONNECTOR, PLUG, ELECTRICAL: 7760599 (19207)		EA	1										
P-O	6145-772-0853	WIRE, ELECTRICAL: 15C2165170 (80244)		FT	V										
M-O		CABLE & CONNECTOR, ELECTRICAL: switch to connector 171566R91 (31007) Fabricate from:	A	EA	1	*	*	*	*	*	*	4	10		
P-O	5935-034-8009	CONNECTOR, PLUG, ELECTRICAL: 8338565 (19207)		EA	1										
P-O	5935-776-0599	CONNECTOR, PLUG, ELECTRICAL: 7760599 (19207)		EA	1										
P-O	5970-833-8562	INSULATOR BUSHING: 8338562 (19207)		EA	4										
P-O	5935-833-8561	SHELL ELECTRICAL CONNECTOR: male 8338561 (19207)		EA	2										
P-O	5940-399-6676	TERMINAL LUG: 8338564 (19207)		EA	3										
P-O	6145-772-0853	WIRE, ELECTRICAL: 15C2165170 (80244)		FT	V										
M-O		CABLE, & CONNECTOR, ELECTRICAL: switch to connector assembly (used with Switch, FSN 5930-563-7318) 171568R91 (31007) Fabricated from:	DA,DE,EA, EB,EC,HA, BD,IA,IB	EA	1	*	*	*	*	*	*	4	10		
P-O	5935-629-9241	CONNECTOR, PLUG, ELECTRICAL: 7760598 (19207)		EA	1										
P-O	5935-833-8561	SHELL ELECTRICAL CONNECTOR: 8338561 (19207)		EA	2										
P-O	5970-833-8562	INSULATOR BUSHING: 8338562 (19207)		EA	3										
P-O	5940-399-6676	TERMINAL LUG: 8338564 (19207)		EA	4										
P-O	6145-772-0853	WIRE, ELECTRICAL: 15C2165170 (80244)		FT	V										

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0608—MISCELLANEOUS ITEMS—Continued													
P-O	5935-570-1060	KIT, REPAIR, DOUGLAS: 24V system 5701060 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	20	40		
	5310-771-3296	16-WASHER MS35338-43 (96906)													
	5940-057-2929	125-FERRULE MS27148-2 (96906)													
	5940-057-2930	50-FERRULE 572930 (21450)													
	5940-057-2931	30-FERRULE 7762689 (19207)													
	5977-504-8994	3-BRUSH 10876362 (19207)	BD												
	6145-299-4411	V-WIRE 15C2213-100 (80244)													
	6145-772-0853	V-WIRE MILC 13486 (81349)													
	9150-234-5198	1-CUTTING FLUID VVC846 (81348)	EA,EB,EC, IA,IB												
		6-GROMMET 3C2208-1-13 (81348)													
		3-GROMMET 6Z1667-42 (80063)													
		2-GROMMET 6Z1667-44 (80063)													
		30-GROMMET 6Z1667-46 (80063)													
		50-GROMMET 6Z1667-47 (80063)													
P-O	5935-570-1380	KIT, REPAIR, BENDIX: 24V system 5701380 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	20	40		
	5310-752-7639	10-WASHER 7527639 (19207)													
	5310-752-7640	5-WASHER 7527640 (19207)													
	5310-771-6721	10-WASHER 7716721 (19207)													
	5325-338-1274	2-GROMMET 7524564 (19207)													
	5330-514-4458	2-RETAINER 7716718 (19207)													
	5330-514-4460	2-RETAINER 7716715 (19207)													
	5330-514-4461	2-RETAINER 7527642 (19207)													
	5330-514-4462	2-RETAINER 7716716 (19207)													
	5330-641-4336	5-GASKET MS52000-8 (96906)													
	5330-641-4338	5-GASKET MS52000-4 (96906)													
	5340-090-5426	2-BUSHING 5291610 (24617)													
	5340-514-4454	2-BUSHING 7527646 (19207)													
	5340-514-4455	1-BUSHING 7716696 (19207)													
	5340-514-4456	1-BUSHING 7716699 (19207)													
	5340-514-4457	1-BUSHING 7716697 (19207)													
	5340-641-8645	1-BUSHING 7527647 (19207)													
	5340-772-2323	2-BUSHING 7722323 (19207)													
	5340-752-7628	1-BUSHING 7527628 (19207)													
	5340-772-2322	1-BUSHING 7722322 (19207)													
	5340-772-2343	1-BUSHING 7722343 (19207)													

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0608—MISCELLANEOUS ITEMS—Continued													
	5340-854-3089	2-BUSHING 7347577 (19207)													
	5935-259-3143	50-CONTACT 7527652 (19207)													
	5935-333-3088	2-NUT 7723306 (19207)													
	5935-333-9414	3-NUT 7723308 (19207)													
	5935-376-2241	5-GASKET 7984072 (19207)													
	5935-396-0068	5-GASKET 358503 (19207)													
	5935-491-8194	50-CONTACT 7527653 (19207)													
	5935-593-6442	5-GASKET 7358501 (19207)													
	5935-636-6876	50-CONTACT 7527654 (19207)													
	5935-752-7630	1-GROMMET 7527630 (19207)													
	5935-752-7648	50-CONTACT 7527648 (19207)													
	5935-752-7649	50-CONTACT 7527649 (19207)													
	5935-752-7651	50-CONTACT 7527651 (19207)													
	5935-752-7655	50-CONTACT 7527655 (19207)													
	5935-771-6523	2-CONTACT 7716523 (19207)													
	5935-771-6525	6-CONTACT 7716525 (19207)													
	5935-771-6526	8-CONTACT 7716526 (19207)													
	5935-772-2344	2-INSERT 10-40817-10 (77280)													
	5935-772-3307	2-NUT 7723307 (19207)													
	5935-772-3309	3-NUT 7723309 (19207)													
	5970-224-5277	1-INSULATING COMPOUND MILI 8660 (81349)													
	5975-752-7644	2-NUT 7527644 (19207)													
	5975-697-6991	2-NUT 7527643 (19207)													
	5975-697-7860	2-NUT 7716633 (19207)													
	5975-771-6634	4-NUT 7716634 (19207)													
	5975-697-7769	2-NUT 7527645 (19207)													
	5977-504-8994	3-BRUSH 10876362 (19207)													
	5999-368-4852	2-CONTACT 7716522 (19207)													
	5999-771-6524	6-CONTACT 7716524 (19207)													
	5999-771-6527	8-CONTACT 7716527 (19207)													
		0609—LIGHTS													
		Electrical Tool Kit, FSN 5180-876-9336, authorized by T O & E, will be utilized for applicable replacement parts not specified in this group.													
P-O	6220-696-0324	HEADLIGHT ASSEMBLY: 8332127 (19207)	A	EA	2	*	*	*	*	*	*	6	10	22	1
P-O	5325-752-5365	GROMMET, RUBBER: headlight mount 7525365 (19207)	A	EA	1	*	*	*	*	*	*	6	10	22	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609—LIGHTS—Continued													
P-O	5340-735-0577	MOUNT, RESILIENT: lamp plate 7350577 (19207)	A	EA	1	*	*	*	*	*	*	4	8	22	3
P-O	6220-753-9550	RING: lamp mounting 7539550 (19207)	A	EA	1	*	*	*	*	*	*	4	8	22	4
P-O	6240-504-0981	LAMP, INCANDESCENT: clear 451988 (21450)	A	EA	1	*	*	*	*	*	*	25	50	22	5
P-O	6240-696-0249	LAMP, INCANDESCENT: amber colored headlight (used on vehicles in areas where regulations require the use of amber headlights) 8334009 (19207)	A	EA	1	*	*	*	*	*	*			22	5
P-O	6220-300-9908	DOOR ASSEMBLY, HEADLIGHT: 7525936 (19207)	A	EA	1	*	*	*	*	*	*	4	8	22	6
P-O	5305-984-6214	SCREW, MACHINE: lamp door MS35206-267 (96906)	A	EA	3	*	*	*	*	*	*	6	20	22	7
P-O	5340-732-0642	RING, RETAINING: headlight door 7320642 (19207)	A	EA	3	*	*	*	*	*	*	6	20	22	8
X1		DOOR: headlight 7529215 (19207)	A		1									22	9
P-O	6220-353-0941	SEAL, RUBBER, SPECIAL: headlight door 7375024 (19207)	A	EA	1	*	*	*	*	*	*	6	20	22	10
P-O	6220-447-3477	SPRING, LENS, HEADLIGHT: door seal 7712833 (19207)	A	EA	5	*	*	*	*	*	*	10	20	22	11
P-O	5305-735-0582	SETSCREW: lamp retaining ring 7350582 (19207)	A	EA	3	*	*	*	*	*	*	6	20	22	12
P-O	5340-695-9727	RING, RETAINING: lamp 7350581 (19207)	A	EA	1	*	*	*	*	*	*	6	20	22	13
P-O	6220-512-9219	RING ASSEMBLY: lamp retaining (used with autolite headlight) 8735610 (19207)	A	EA	3	*	*	*	*	*	*	4	10	22	13
P-O	5305-989-7434	SCREW, MACHINE: lamp plate mounting MS35207-263 (96906)	A	EA	8	*	*	*	*	*	*	6	10	22	14
P-O	5310-045-3296	WASHER: lamp plate MS35338-43 (96906)	A	EA	8	*	*	*	*	*	*	6	20	22	15
P-O	5305-016-0046	SCREW, MACHINE: 160046 (21450)	A	EA	16	*	*	*	*	*	*	6	20	22	16
P-O	5310-045-3296	WASHER, LOCK: MS35338-43 (96906)	A	EA	16	*	*	*	*	*	*	6	20	22	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0609—LIGHTS--Continued													
P-O	6220-776-0505	HEADLIGHT ASSEMBLY: shielded blackout 7760505 (19207)	A	EA	1	*	*	*	*	*	*	4	10	23	1
P-O	5325-752-5365	GROMMET, RUBBER: light body 7525365 (19207)	A	EA	1	*	*	*	*	*	*	4	8	23	2
P-O	2520-776-5214	BODY ASSEMBLY: light 7765214 (19207)	A	EA	1	*	*	*	*	*	*	4	10	23	3
P-O	6220-283-9906	LAMP UNIT, HEADLIGHT: 573435 (21450)	A	EA	1	*	*	*	*	*	*	23	50	23	4
P-O	6220-695-1107	DOOR, BLACKOUT LAMP: 7525940 (19207)	A	EA	1	*	*	*	*	*	*	4	8	23	5
P-O	5305-614-3423	SCREW, MACHINE: lamp door MS35265-43 (96906)	A	EA	3	*	*	*	*	*	*	6	20	23	6
P-O	6220-693-4175	SPRING, RETAINING: headlight unit 7320711 (19207)	A	EA	3	*	*	*	*	*	*	6	20	23	7
P-O	5305-068-0504	SCREW: mounting bracket MS90726-3 (96906)	A	EA	4	*	*	*	*	*	*	6	20	23	8
P-O	2590-753-9545	BRACKET, MOUNTING, HEADLIGHT: blackout 7375699 (19207)	A	EA	1	*	*	*	*	*	*	4	8	23	9
P-O	5310-637-9541	WASHER, LOCK: body mounting MS35338-46 (96906)	A	EA	1	*	*	*	*	*	*	6	20	23	10
P-O	5310-056-3395	NUT, PLAIN, HEXAGON: body mounting MS35649-2382 (96906)	A	EA	1	*	*	*	*	*	*	6	20	23	11
P-O	5310-959-7600	NUT, PLAIN, HEXAGON: mounting bracket MS51922-5 (96906)	A	EA	4	*	*	*	*	*	*	6	20	23	12
P-O	5310-350-2655	WASHER: mounting bracket 5294507 (19207)	A	EA	1	*	*	*	*	*	*	6	20	23	13
P-O	6220-577-3434	LIGHT, MARKER: special lighting MS35243-1 (96906)	A	EA	2	*	*	*	*	*	*	6	10	24	1
P-O	6220-299-7425	LENS, AMBER: MS35421-1 (96906)	A	EA	1	*	*	*	*	*	*	4	8	24	2
P-O	6240-019-0877	LAMP, INCANDESCENT: MS15570-1251 (96906)	A	EA	1	*	*	*	*	*	*	20	30	24	3
X2-O		BRACKET, MARKER LIGHT: 11649244 (19207)	A	EA	2	*	*	*	*	*	*			24	4
P-O	5310-889-2528	WASHER, LOCK: protector box and bracket MS45904-68 (96906)	A	EA	4	*	*	*	*	*	*	6	10	24	5
P-O	5310-959-7600	NUT, SELF-LOCKING: mounting bracket MS51922-5 (96906)	A	EA	4	*	*	*	*	*	*	6	20	24	6
X2-O		BOX, PROTECTOR: 10945889 (19207)	A	EA	2	*	*	*	*	*	*			24	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cat-gry	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609—LIGHTS—Continued													
P-O	5310-274-8891	NUT, SELF-LOCKING: mounting brackets (8), lampholders (8) MS20365-832C (96906)	A	EA	16	*	*	*	*	*	*	6	20	24	8
P-O	5305-267-8973	SCREW, CAP, HEXAGON: mounting brackets MS90726-4 (96906)	A	EA	4	*	*	*	*	*	*	6	20	24	9
P-O	5305-984-6192	SCREW, MACHINE: bracket mounting MS35206-244 (96906)	A	EA	8	*	*	*	*	*	*	6	20	24	10
P-O	5305-059-4568	SCREW, MACHINE: lampholders mounting MS35190-253 (96906)	A	EA	8	*	*	*	*	*	*	6	20	24	11
P-O	6220-337-6471	STOPLIGHT-TAILLIGHT: right MS51330-1 (96906)	A	EA	1	*	*	*	*	*	*	6	10	25	1
X1		BODY: right 7529242 (19207)	A		1									25	2
P-O	6240-019-0877	LAMP, INCANDESCENT: MS15570-1251 (96906)	A	EA	2	*	*	*	*	*	*	25	50	25	3
P-O	5330-297-7106	PACKING, PREFORMED: door 7320658 (19207)	A	EA	1	*	*	*	*	*	*	6	10	25	4
P-O	6220-752-6018	DOOR ASSEMBLY WITH SCREWS: 7526018 (21450)	A	EA	1	*	*	*	*	*	*	2	5	25	5
P-O	6220-669-5623	STOPLIGHT-TAILLIGHT: left MS51329-1 (96906)	A	EA	1	*	*	*	*	*	*	6	10	26	1
P-O	6220-752-6020	DOOR ASSEMBLY WITH SCREWS: 7526020 (19207)	A	EA	1	*	*	*	*	*	*	2	5	26	2
P-O	5330-297-7106	PACKING PREFORMED: door 7320658 (19207)	A	EA	1	*	*	*	*	*	*	6	10	26	3
P-O	6240-019-0877	LAMP, INCANDESCENT: taillight MS15570-1251 (96906)	A	EA	1	*	*	*	*	*	*	25	50	26	4
P-O	6240-044-6914	LAMP, INCANDESCENT: stoplight MS35478-1683 (96906)	A	EA	2	*	*	*	*	*	*	25	50	26	5
P-O	6220-500-0437	LIGHT, MARKER, CLEARANCE: blackout parking and warning MS53047-1 (96906)	A	EA	2	*	*	*	*	*	*	6	10	27	1
X1		BODY: light 7529242 (19207)	A		1									27	2
P-O	2590-693-4176	CONNECTOR: turn signal and marker light 5939734 (24617)	A	EA	1	*	*	*	*	*	*	4	8	27	3
P-O	5340-586-1834	GROMMET: connector plate 7526022 (19207)	A	EA	1	*	*	*	*	*	*	6	10	27	4
P-O	5325-752-6002	GROMMET, RUBBER: body 7526002 (19207)	A	EA	1	*	*	*	*	*	*	6	10	27	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0609—LIGHTS—Continued													
X1		PLATE: connector mounting 7526003 (19207)	A		1									27	6
P-O	6220-545-8618	SOCKET AND WIRING ASSEMBLY: blackout marker, park and warning 8376369 (19207)	A	EA	1	*	*	*	*	*	*	4	10	27	7
P-O	6240-044-6914	LAMP, INCANDESCENT: blackout marker light MS35478-1683 (96906)	A	EA	1	*	*	*	*	*	*	10	20	27	8
P-O	5330-297-7106	PACKING, PREFORMED: light door 7320658 (19207)	A	EA	1	*	*	*	*	*	*	6	10	27	9
P-O	6220-752-6030	DOOR ASSEMBLY: 7526030 (19207)	A	EA	1	*	*	*	*	*	*	2	5	27	10
P-O	6240-019-0877	LAMP, INCANDESCENT: MS15570-1251 (96906)	A	EA	2	*	*	*	*	*	*	25	50	27	11
P-O	5305-012-1832	SCREW, MACHINE: socket mounting 121832 (31007)	A	EA	4	*	*	*	*	*	*	6	10	27	12
X1		EYELET: socket mounting 7412946 (19207)	A		4									27	13
P-O	5325-732-0686	GROMMET, RUBBER: socket mounting 7526006 (19207)	A	EA	4	*	*	*	*	*	*	6	10	27	14
P-O	5306-042-3568	BOLT, ASSEMBLED WASHER: 423568 (21450)	A	EA	4	*	*	*	*	*	*	6	10	27	15
P-O	5306-225-9087	SCREW, CAP, HEXAGON: light mounting MS90726-32 (96906)	A	EA	4	*	*	*	*	*	*	6	10	28	1
P-O	5310-889-2527	WASHER, LOCK: light mounting MS45904-72 (96906)	A	EA	4	*	*	*	*	*	*	6	10	28	2
X2-O		HOOD: light protector 11658687 (19207)	A	EA	2	*	*	*	*	*	*			28	3
P-O	6220-880-1624	LIGHT ASSEMBLY: front 11614156 (19207)	A	EA	2	*	*	*	*	*	*	4	10	28	4
X1		BODY: front light 11639541 (19207)			1									28	5
P-O	6240-019-3093	LAMP, INCANDESCENT: MS15570-623 (96906)	A	EA	1	*	*	*	*	*	*	25	50	28	6
P-O	5330-463-0200	GASKET: light door 11639519-1 (19207)	A	EA	1	*	*	*	*	*	*	6	10	28	7
P-O	6220-179-4325	DOOR ASSEMBLY WITH SCREWS: 11639546 (19207)	A	EA	1	*	*	*	*	*	*	4	8	28	8
P-O	6240-044-6914	LAMP, INCANDESCENT: MS35478-1683 (96906)	A	EA	1	*	*	*	*	*	*	25	50	28	9

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609—LIGHTS—Continued													
P-O	6240-019-0877	LAMP, INCANDESCENT: MS15570-1251 (96906)	A	EA	1	*	*	*	*	*	*	25	50	28	10
P-O	5305-068-0502	SCREW, CAP, HEXAGON: protective hood mounting MS90725-6 (96906)	A	EA	8	*	*	*	*	*	*	6	10	28	11
P-O	2590-178-1036	BOX, PROTECTOR: light 7397758 (19207)	A	EA	2	*	*	*	*	*	*	2	5	28	12
P-O	5325-682-1614	GROMMET, RUBBER: protector box MS35490-8 (96906)	A	EA	8	*	*	*	*	*	*	6	10	28	13
P-O	5310-088-1251	NUT, SELF-LOCKING: light protector hood MS51922-1 (96906)	A	EA	8	*	*	*	*	*	*	6	10	28	14
P-O	5310-809-4058	WASHER, FLAT: light protector hood MS27183-10 (96906)	A	EA	8	*	*	*	*	*	*	6	10	28	15
P-O	5310-889-2528	WASHER, LOCK: protector box MS45904-68 (96906)	A	EA	8	*	*	*	*	*	*	6	10	28	16
P-O	5310-088-1251	NUT, SELF-LOCKING: light mounting MS51922-1 (96906)	A	EA	4	*	*	*	*	*	*	6	10	29	1
P-O	5310-809-4058	WASHER, FLAT: light mounting MS27183-10 (96906)	A	EA	4	*	*	*	*	*	*	6	10	29	2
X2-O		HOOD: light protector 11658687 (19207)	A	EA	2	*	*	*	*	*	*			29	3
P-O	6240-044-6914	LAMP, INCANDESCENT: MS35478-1683 (96906)	A	EA	1	*	*	*	*	*	*	25	50	29	4
X2-O		GASKET: lens 11620983 (19207)	A	EA	1	*	*	*	*	*	*			29	5
X2-O		LENS, AMBER: 11620987-1 (19207)	A	EA	1	*	*	*	*	*	*			29	6
P-O	2590-178-1036	BOX, PROTECTOR: light hood 7397758 (19207)	A	EA	2	*	*	*	*	*	*	4	8	29	7
P-O	5325-682-1614	GROMMET: protector box MS35490-8 (96906)	A	EA	2	*	*	*	*	*	*	6	10	29	8
P-O	5310-959-7600	NUT, SELF-LOCKING: protector hood mounting MS51922-5 (96906)	A	EA	8	*	*	*	*	*	*	6	10	29	9
P-O	5310-889-2528	WASHER, LOCK: protector hood mounting MS45904-68 (96906)	A	EA	8	*	*	*	*	*	*	6	10	29	10
P-O	5305-068-0502	SCREW, CAP, HEXAGON: protector hood mounting MS90725-6 (96906)	A	EA	8	*	*	*	*	*	*	6	10	29	11
P-O	6220-880-1625	TAILLIGHT ASSEMBLY, COMPOSITE: 11614157 (19207)	A	EA	2	*	*	*	*	*	*	6	10	30	1

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609—LIGHTS—Continued													
P-O	6220-179-4324	DOOR, ASSEMBLY, WITH SCREWS: 11639535 (19207)	A	EA	1	*	*	*	*	*	*	2	5	30	2
P-O	5330-462-0907	GASKET: composite taillight 11639519-2 (19207)	A	EA	1	*	*	*	*	*	*	6	10	30	3
P-O	6240-019-0877	LAMP, INCANDESCENT: MS15570-1251 (96906)	A	EA	2	*	*	*	*	*	*	15	25	30	4
P-O	6240-044-6914	LAMP, INCANDESCENT: MS35478-1683 (96906)	A	EA	1	*	*	*	*	*	*	15	25	30	5
P-O	6240-019-3093	LAMP, INCANDESCENT: MS15570-623 (96906)	A	EA	1	*	*	*	*	*	*	15	25	30	6
X1		BODY ASSEMBLY: light 11639520 (19207)	A		1									30	7
X2-O		BRACKET: light mounting (left) 11649243-1 (19207)	A	EA	1	*	*	*	*	*	*			30	8
X2-O		BRACKET: light mounting (right) 11649243-2 (19207)	A	EA	1	*	*	*	*	*	*			30	8
P-O	5306-225-9087	SCREW, CAP, HEXAGON: light mounting MS90726-32 (96906)	A	EA	8	*	*	*	*	*	*	6	10	30	9
P-O	5310-889-2527	WASHER, LOCK: light mounting MS45904-72 (96906)	A	EA	8	*	*	*	*	*	*	6	10	30	10
P-O	6220-878-7301	FLOOD LIGHT, ELECTRIC: (with mounting bracket) (use adapter Kit, 6230-868-5651, when replacing Floodlight, FSN 6220-735-4163) MS51320-1 (96906)	HA,JA,BD, FJ,EF	EA	3	*	*	*	*	*	*	6	10	31	1
P-O	5310-639-1497	WASHER, FLAT: light to mounting bracket 2W1-24-36-64 (43999)	HA,JA,BD FJ,EF	EA	4	*	*	*	*	*	*	6	10	31	2
P-O	5310-809-5998	WASHER, FLAT: light mounting MS27183-18 (96906)	HA,JA,BD FJ,EF	EA	4	*	*	*	*	*	*	6	10	31	3
P-O	6240-295-2421	LAMP, INCANDESCENT: flood light 7416874 (19207)	HA,JA,BD FJ,EF	EA	1	*	*	*	*	*	*	10	25	31	4
P-O	5340-741-6869	SPRING, RETAINING: lamp 7416869 (19207)	HA,JA,BD FJ,EF	EA	4	*	*	*	*	*	*	6	10	31	5
P-O	6220-738-5905	DOOR ASSEMBLY, FLOODLIGHT: 7385905 (19207)	HA,JA,BD, FJ,EF	EA	1	*	*	*	*	*	*	2	5	31	6
P-O	6220-338-1083	LIGHT, DOME: 110V white 7092279 (19207)	CE,CF,CG	EA	6	*	*	*	*	*	*	10	15	32	1
P-O	6220-338-1086	LIGHT, DOME: 110V blue 7092284 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	32	1
P-O	6220-500-3185	LENS, LIGHT: 110V white 8328122 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	32	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0609—LIGHTS—Continued													
P-O	6220-025-3697	LENS, LIGHT: 110V blue 89985 (19975)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	32	2
P-O	6240-269-0958	LAMP, INCANDESCENT: white 75A115V (08108)	CE,CF,CG	EA	1	*	*	*	*	*	*	15	30	32	3
P-O	6240-143-3059	LAMP, INCANDESCENT: blue bleckout MS15586-5 (96906)	CE,CF,CG	EA	1	*	*	*	*	*	*	10	20	32	3
		Non-Illustrated													
P-O	2510-737-2776	BRACKET: taillight mounting 7372776 (24076)	CA,CB	EA	2	*	*	*	*	*	*	2	5		
P-O	2510-737-6620	BRACKET, MOUNTING, LIGHT: left headlight 7376620 (19207)	A	EA	1	*	*	*	*	*	*	2	5		
P-O	2510-737-6621	BRACKET, MOUNTING, LIGHT: right headlight 7376621 (19207)	A	EA	1	*	*	*	*	*	*	2	5		
P-O	2510-753-9543	BRACKET: light mounting 7539543 (19207)	A	EA	2	*	*	*	*	*	*	2	5		
P-O	2590-338-1673	STUD, THREADED, WITH INSULATOR: headlight plate to bracket (issue until stock depleted, then use Mount FSN 5340-735-0577) 7539560 (19207)	A	EA	8	*	*	*	*	*	*	6	10		
P-O	2590-735-0593	SOCKET: service parking and signal light 7350593 (19207)	A	EA	2	*	*	*	*	*	*	2	5		
P-F	2590-504-9060	RING, INSULATING: 10876149 (19207)	BD	EA	3	*	*	*	*	*	*	4	8		
P-F	2590-794-8206	RING, COLLECTOR, CRANE: 10876128 (19207)	BD	EA	1	*	*	*	*	*	*	4	8		
P-O	4030-270-5436	HOOK, CHAIN: reach latch 506889 (21450)	BD,HA	EA	2	*	*	*	*	*	*	6	10		
P-O	4710-289-2913	PIPE: 44P12-90 (80244)	HA,JA,BD FJ,EF	EA	V	*	*	*	*	*	*	2	5		
P-O	5310-012-0614	NUT, PLAIN, HEXAGON: MS35650-102 (96906)	A	EA	2	*	*	*	*	*	*	6	10		
P-O	5330-178-4669	SEAL, PLAIN, ENCASED: swivel valve light wire connection 7409759 (19207)	HA,JA,BD EF,FJ	EA	1	*	*	*	*	*	*	4	8		
P-O	6220-737-2775	COVER, LAMP: taillight bracket 104057R1 (31007)	CA,CB	EA	2	*	*	*	*	*	*	2	5		
P-O	6220-545-8618	SOCKET AND WIRING: park and warning light 8376369 (19207)	A	EA	2	*	*	*	*	*	*	2	5		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0609—LIGHTS—Continued													
P-O	6220-832-7131	GASKET: collector 8327131 (19207)	HA,JA,BD FJ,EF	EA	1	*	*	*	*	*	*	4	8		
P-F	6240-403-0956	SUPPORT ASSY: warning signal lamp 10883483 (19207)	A												
P-O	6240-999-7805	LIGHT, WARNING, AMBER: 104029R92 (31007)	HA,JA,BD FJ,EF	EA	1	*	*	*	*	*	*	6	10		
P-O	6240-999-7806	LAMP-UNIT, AMBER: warning signal light 10944453-1 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	6250-741-8960	LAMPHOLDER AND CLAMP: inspection light 7418960 (19207)	HA,JA,BD FJ,EF	EA	1	*	*	*	*	*	*	*	4	8	
		0610—SENDING UNITS AND WARNING SWITCHES Electrical Tool Kit, FSN 5180-876-9336, authorized by T O & E, will be utilized for applicable replacement parts not specified in this group.													
P-O	5305-013-2100	SCREW, MACHINE: fuel tank transmitter (5 used on M39, M40, M41, M54, M55, M63, M139, M139C, M139D, M246) 132100 (21450)	DA,DB,EA,EB, EC,HA,BD	EA	10	*	*	*	*	*	*	6	10	33	1
P-O	5310-753-9073	WASHER, SHOULDERED AND RECESSED: fuel tank transmitter (5 used on M39, M40, M41, M54, M55, M63, M139, M139C, M139D, M246) 7409422 (19207)	DA,DB,EA, EB,EC, HA,BD	EA	10	*	*	*	*	*	*	6	10	33	2
P-O	6680-515-3458	TRANSMITTER, LIQUID QUANTITY: fuel tank (1 used on M39, M40, M41, M54, M55, M63, M139, M139C, M139D, M246) 1517596 (70040)	DA,DB,EA,EB, EC,HA,BD	EA	2	*	*	*	*	*	*	6	10	33	3
P-O	2910-753-9072	GASKET: fuel tank transmitter (1 used on M39, M40, M41, M54, M55, M63, M139, M139C, M139D, M246) A498844 (40095)	DA,DB,EA,EB, EC,HA,BD	EA	2	*	*	*	*	*	*	15	30	33	4
		Non-Illustrated													
P-O	6620-634-8945	TRANSMITTER, PRESSURE, OIL: (used with indicator, FSN 6685-335-9503) 8329141 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	6680-226-4574	TRANSMITTER, LIQUID QUANTITY: fuel tank 8376491 (19207)	CC,CD,DE,DF, FE,FG,FH,EG, FJ	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0610—SENDING UNITS AND WARNING SWITCHES—Continued													
P-O	6685-814-5271	TRANSMITTER, TEMPERATURE, WATER: MS24537-1 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
		0611—HORN SIREN													
P-O	2590-612-2181	COVER, HORN BUTTON: (Component of Horn Button Parts Kit, FSN 2590-606-8504) 7351271 (19207)	A	EA	1	*	*	*	*	*	*	6		34	1
P-O	2590-384-0570	BUTTON, HORN CONTACT: (Component of Horn Button Parts Kit, FSN 2590-606-8504) 6184126 (19207)	A	EA	1	*	*	*	*	*	*	6		34	2
P-O	2590-215-4048	CONTACT, ELECTRICAL: (Component of Horn Button Parts Kit, FSN 2590-606-8504) 5214327 (19207)	A	EA	1	*	*	*	*	*	*	6		34	3
P-O	2590-253-7229	SPRING, HELICAL, COMPRESSION: (Component of Horn Button Parts Kits, FSN 2590-606-8504) 5214326 (19207)	A	EA	1	*	*	*	*	*	*	6		34	4
P-O	2590-374-0826	CONTACT, ELECTRICAL: (Component of Horn Button Parts Kit, FSN 2590-606-8504) 5214325 (76040)	A	EA	1	*	*	*	*	*	*	6		34	5
P-O	2590-737-3216	PLATE, BASE, HORN BUTTON: (Component of Horn Button Parts Kit, FSN 2590-606-8504) 7373216 (19207)	A	EA	1	*	*	*	*	*	*	4		34	6
P-O	2590-752-1492	CABLE ASSEMBLY: steering column 7521492 (19207)	A	EA	1	*	*	*	*	*	*	4		34	6
P-O	5310-833-8567	WASHER: cable shell 8338567 (19207)	A	EA	1	*	*	*	*	*	*	6		34	8
P-O	5935-572-9180	SHELL: cable 8338566 (19207)	A	EA	1	*	*	*	*	*	*	4		34	9
P-O	5340-693-4174	BUSHING, RUBBER: cable shell (Component of Horn Button Parts Kit, FSN 2590-606-8504) 7521491 (19207)	A	EA	1	*	*	*	*	*	*	6		34	10
P-O	5310-735-1273	WASHER, SHOULDERED: cable insulator (Component of Horn Button Parts Kit, FSN 2590-606-8504) 7351273 (19207)	A	EA	1	*	*	*	*	*	*	4		34	11
P-O	2590-253-7230	SPRING, HELICAL COMPRESSION: (Component of Horn Button Parts Kit, FSN 2590-606-8504) 5214324 (19207)	A	EA	1	*	*	*	*	*	*	6		34	12
X1		INSULATOR: cable (Component of Horn Button Parts Kit, FSN 2590-606-8504) 5214427 (19207)	A		1									34	13

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0611—HORN SIREN—Continued													
P-O		**SCREW, MACHINE:** contact plate MS35495-93 (96906)	A	EA	3	*	*	*	*	*	*	6	10	34	14
P-O	5945-741-069	**SOLENOID, HORN ASSEMBLY:** 7410691 (19207)	A	EA	1	*	*	*	*	*	*	6	10	35	1
P-O	2590-900-164	**HORN, ELECTRICAL, AIR:** MS51301-1 (96906)	A	EA	1	*	*	*	*	*	*	4	10	35	2
P-O	2920-706-1110	**BRACKET, MOUNTING:** (used with Horn FSN 2590-752-6286) (50513-16863) 7061110 (19207)	A	EA	1	*	*	*	*	*	*	2	5	35	3
P-O	5305-267-8974	**SCREW, CAP, HEXAGON:** mounting bracket MS90726-8 (96906)	A	EA	2	*	*	*	*	*	*	6	10	35	4
P-O	5310-877-5796	**NUT, SELF-LOCKING:** mounting bracket MS21044N4 (96906)	A	EA	2	*	*	*	*	*	*	6	10	35	5
P-O	2590-606-8504	**PARTS KIT, HORN BUTTON:** 5702506 (19207) Consisting of:	A	EA	1	*	*	*	*	*	*	6	10		
	2590-612-2181	1-COVER 7351271 (19207)												34	1
	2590-384-0570	1-BUTTON 6184126 (19207)												34	2
	2590-215-4048	1-CONTACT 5214327 (19207)												34	3
	2590-253-7229	1-SPRING 5214326 (19207)												34	4
	2590-374-0826	1-CONTACT 5214325 (76040)												34	5
	2590-737-3216	1-PLATE 7373216 (19207)												34	6
	5340-693-4174	1-BUSHING 7521491 (19207)												34	10
	5310-735-1273	1-WASHER 7351273 (19207)												34	11
	2590-253-7230	1-SPRING 5214324 (19207)												34	12
		1-INSULATOR 5214427 (19207)												34	13
	2590-735-1272	1-GASKET 7351272 (19207)												N/	
		0612—BATTERIES, STORAGE (WET OR DRY)													
P-O	5940-549-6583	**TERMINAL LUG:** MS75004-2 (96906)	A	EA	2	*	*	*	*	*	*	6	10	36	1
P-O	5306-050-1924	**BOLT, MACHINE:** negative and positive terminal lugs 501924 (21450)	A	EA	4	*	*	*	*	*	*	6	10	36	2
P-O	5306-021-3548	**BOLT, MACHINE:** negative and positive terminal lugs 7378201 (19207)	A	EA	4	*	*	*	*	*	*	6	10	36	3
X1		**TERMINAL LUG, NEGATIVE:** 548090 (21450)	A		2									36	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0612--BATTERIES, STORAGE (WET OR DRY)—Continued													
P-O	5310-043-1904	NUT, PLAIN, HEXAGON: cable terminal lugs 431904 (21450)	A	EA	4	*	*	*	*	*	*	6	10	36	5
X2-O		NUT, PLAIN, HEXAGON: negative and positive terminal lugs 432769 (21450)	A	EA	4	*	*	*	*	*	*			36	6
P-O	6140-776-2738	LEAD, STORAGE BATTERY: interconnecting and positive leads (11 feet) 7762738 (19207)	A	FT	V	*	*	*	*	*	*	4	10	36	7
P-O	6145-805-3354	WIRE, ELECTRICAL: storage battery lead M13486-1-12 (81349)	A	EA	V	*	*	*	*	*	*	4	10	36	8
P-O	5970-705-6639	INSULATION SLEEVING, ELECTRICAL: wire to terminal lug 7056639 (19207)	A	EA	V	*	*	*	*	*	*	4	10	36	9
P-O	5940-113-8191	TERMINAL LUG: wire MS25036-127 (96906)	A	EA	6	*	*	*	*	*	*	6	10	36	10
P-O	5940-549-6581	TERMINAL LUG, POSITIVE: MS75004-1 (96906)	A	EA	2	*	*	*	*	*	*	6	10	36	11
X1		TERMINAL LUG, POSITIVE: 583708 (21450)	A		2									36	12
P-O	6140-776-2737	LEAD, STORAGE BATTERY: positive 7762737 (19207)	A	EA	1	*	*	*	*	*	*	4	10	36	13
P-O	5310-950-0039	NUT, SELF-LOCKING: battery lead to ground (1) and box thumb screw (2) MS21044N6 (96906)	A	EA	3	*	*	*	*	*	*	6	10	36	14
P-O	5306-042-5604	BOLT, ASSEMBLED WASHER: positive battery lead to ground 425604 (21450)	A	EA	1	*	*	*	*	*	*	6	10	36	15
P-O	2590-040-2187	RETAINER, BATTERY: MS53046-3 (96906)	A	EA	1	*	*	*	*	*	*	6	10	36	16
P-O-U	6140-057-2554	BATTERY, STORAGE: MS35000-3 (96906)	A	EA	2	*	*	*	*	*	*	10	20	36	17
P-O	2590-753-9504	BATTERY BOX: 7539504 (19207)	A	EA	1	*	*	*	*	*	*	2	5	36	18
P-O	5310-088-0553	NUT, SELF-LOCKING: box support clamp MS21044N5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	36	19
P-O	6140-737-3211	CLAMP: box support to box 7373211 (19207)	A	EA	2	*	*	*	*	*	*	4	8	36	20

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0612—BATTERIES, STORAGE (WET OR DRY)—Continued													
P-O	5310-264-4085	WASHER, SPRING TENSION: box support clamp mounting 7372766 (19207)	A	EA	2	*	*	*	*	*	*	6	10	36	21
P-O	5306-225-9088	BOLT, MACHINE: box support clamp MS90726-33 (96906)	A	EA	2	*	*	*	*	*	*	4	8	36	22
P-O	5310-627-6128	WASHER, LOCK: box thumb screw MS35335-21 (96906)	A	EA	2	*	*	*	*	*	*	6	10	36	23
P-O	5305-335-4665	THUMBSCREW: battery box 7373236 (19207)	A	EA	2	*	*	*	*	*	*	6	10	36	24
P-O	5306-739-7754	BOLT ASSEMBLY, HOOK: battery retainer 7397754 (19207)	A	EA	5	*	*	*	*	*	*	6	10	36	25
P-O	5310-732-0558	NUT, PLAIN, HEXAGON: retainer hook bolt MS51967-8 (96906)	A	EA	5	*	*	*	*	*	*	6	10	36	26
P-O	2590-693-4180	RECEPTACLE ASSEMBLY: battery slave 7731421 (19207)	A	EA	1	*	*	*	*	*	*	4	8	37	1
P-O	2590-737-3246	GROMMET: cab floor panel	A	EA	2	*	*	*	*	*	*	6	10	37	2
		0613—HULL OR CHASSIS WIRING HARNESS Electrical Tool Kit, FSN 5180-876-9336, authorized by T O & E, will be utilized for applicable replacement parts not specified in this group.													
P-F	2590-073-3163	GROMMET RUBBER COATED: 7397775 (19207)	A	EA	1	*	*	*	*	*	*	4	10	38	1
X2-F		LEAD: 7351275 (19207)	A	EA	1	*	*	*	*	*	*			38	2
P-F	5935-900-6281	ADAPTER, CONNECTOR: MS27147-1 (96906)	A	EA	2	*	*	*	*	*	*	4	10	38	3
P-F	5925-741-1479	CIRCUIT BREAKER: ignition switch, horn and generator regulator and headlight switch 7351197 (19207)	A	EA	3	*	*	*	*	*	*	8	10	38	4
P-F	2590-739-7744	RETAINER: 7397744 (19207)	A	EA	1	*	*	*	*	*	*	4	10	38	5
P-F	5305-016-4403	SCREW, TAPPING, THREAD FORMING: circuit breakers 164403 (21450)	A	EA	6	*	*	*	*	*	*	6	10	38	6
P-F	5310-959-7600	NUT, SELF-LOCKING: harness retainer and clamps MS51922-5 (96906)	A	EA	21	*	*	*	*	*	*	6	10	38	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0613—HULL OR CHASSIS WIRING HARNESS—Continued													
P-F	5305-068-0506	SCREW, CAP, HEXAGON: harness retainer and clamps MS90726-6 (96906)	A	EA	18	*	*	*	*	*	*	6	10	38	8
P-F	5340-057-3039	CLAMP LOOP: CMDX2-3PT573039 (81348)	A	EA	1	*	*	*	*	*	*	6	10	38	9
P-F	5340-057-3030	CLAMP, LOOP: CMDX2-3PT 573030 (19207)	A	EA	3	*	*	*	*	*	*	6	10	38	10
P-F	5340-057-3042	CLAMP, LOOP: 573042 (21450)	A	EA	11	*	*	*	*	*	*	6	10	38	11
P-F	2590-737-3246	BUSHING, RUBBER COATED: 7373246 (19207)	A	EA	2	*	*	*	*	*	*	4	10	38	12
P-F	2590-060-7236	WIRING HARNESS, CHASSIS: front branched 10938204 (19207)	AA	EA	1	*	*	*	*	*	*	8	10	38	13
P-F	2590-445-6635	WIRING HARNESS, CHASSIS: branched front 10931914 (19207)	AC	EA	1	*	*	*	*	*	*	8	10	38	13
P-F	2590-911-5653	WIRING HARNESS CHASSIS: branched front 10938276 (19207)	AB	EA	1	*	*	*	*	*	*	8	10	38	13
P-F	5940-833-0342	CLAMP, LOOP: 8330342 (19207)	A	EA	5	*	*	*	*	*	*	6	10	38	14
P-F	2920-952-1989	CABLE ASSEMBLY: generator to generator regulator 8328370 (19207)	A	EA	1	*	*	*	*	*	*	4	10	38	15
P-F	2920-972-2598	CABLE ASSEMBLY, SPECIAL PURPOSE: MS51334-6 (96906)	1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	4	10	38	15
P-F	2920-965-6859	CABLE ASSEMBLY SPECIAL PURPOSE A2 VEHICLE SERIES		EA	1	*	*	*	*	*	*	4	10	38	15
P-F	5340-523-2255	CLAMP, LOOP: 7397785 (19207)	A	EA	1	*	*	*	*	*	*	4	10	38	16
P-F	5310-950-0039	NUT, SELF-LOCKING: generator regulator cable clamp MS21044N6 (96906)	A	EA	1	*	*	*	*	*	*	6	10	38	17
P-F	5305-269-2803	SCREW, CAP, HEXAGON: generator regulator cable clamp MS90726-60 (96906)	A	EA	1	*	*	*	*	*	*	6	10	38	18
X2-F		LEAD: 736008 (21450)	A	EA	1	*	*	*	*	*	*			38	19
P-F	5340-854-6730	CLAMP, LOOP: MS21333-124 (96906)	A	EA	2	*	*	*	*	*	*	4	10	38	20
X2-F		LEAD: 736005 (21450)	A	EA	1	*	*	*	*	*	*			38	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0613—HULL OR CHASSIS WIRING HARNESS—Continued													
P-F	2590-693-4185	WIRING HARNESS, CHASSIS: rear 8333247 (19207)	OB,CA,CB	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-693-4186	WIRING HARNESS, CHASSIS: rear 8333248 (19207)	DA,DB	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-089-4782	WIRING HARNESS, BRANCHED: rear 10938089 (19207)	EA,EB,EC, 1A,1B	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-693-4191	WIRING HARNESS, CHASSIS: rear 8333253 (19207)	BE,IA	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-693-4192	WIRING HARNESS, CHASSIS: rear 8333254 (19207)	JA	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-089-4785	WIRING HARNESS, BRANCHED: rear 10938111 (19207)	HA,BD	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-693-4187	WIRING HARNESS, CHASSIS: rear main 8333249 (19207)	HA,BE,IA, MA,BD	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-693-4188	WIRING HARNESS, CHASSIS: rear 8333250 (19207)	BG,BF,FA, TA,RA, ZA,HA,BD,IC,ID,FB	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-224-7969	WIRING HARNESS, BRANCHED: rear 11608912 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	8	10	39	1
P-F	2590-911-7623	WIRING HARNESS, BRANCHED: rear 10938382 (19207)	DE,DF	EA	1	*	*	*	*	*	*	8	10	39	1
X2-F		WIRING HARNESS, BRANCHED: rear 11658691 (19207)	CC,CD	EA	1	*	*	*	*	*	*			39	1
P-F	2590-073-3163	GROMMET RUBBER COATED: 7397775 (19207)	A	EA	3	*	*	*	*	*	*	6	10	39	2
P-O	5305-068-0506	SCREW, CAP, HEXAGON: harness clamps MS90726-6 (96906)	A	EA	13	*	*	*	*	*	*	6	10	39	3
X2-O		CLAMP, LOOP: 8330338 (19207)	A	EA	1	*	*	*	*	*	*			39	4
P-O	5935-773-1428	COVER, ELECTRICAL: trailer receptacle (with hinge) 7731428 (19207)	A	EA	1	*	*	*	*	*	*	4	8	39	5
P-O	5305-267-8979	SCREW, CAP, HEXAGON: trailer receptacle cover MS90726-13 (96906)	A	EA	4	*	*	*	*	*	*	6	10	39	6
P-O	5310-959-7600	NUT, SELF-LOCKING: receptacle cover (4), harness clamps (13) MS51922-5 (96906)	A	EA	17	*	*	*	*	*	*	6	10	39	7
X2-O		CLAMP, LOOP: trailer receptacle branch 8330343 (19207)	A	EA	1	*	*	*	*	*	*			39	8
X2-O		CLAMP, LOOP: main branch 8330341 (19207)	A	EA	7	*	*	*	*	*	*			39	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0613—HULL OR CHASSIS WIRING HARNESS—Continued													
P-O	5340-057-3048	CLAMP, LOOP: CMDX2-3PT573048 (81348)	A	EA	1	*	*	*	*	*	*	4	10	39	10
X2-O		CLAMP, LOOP: 7059459 (19207)	A	EA	2	*	*	*	*	*	*			39	11
X2-O		CLAMP, LOOP: 8330337 (19207)	A	EA	1	*	*	*	*	*	*			39	12
		Non-Illustrated													
P-O	2590-561-6104	CONNECTOR AND LEAD ASSEMBLY: ignition switch to low pressure feed and filter 171211R91 (31007)		EA	1	*	*	*	*	*	*	4	10		
P-O	2590-561-6105	CONNECTOR AND LEAD ASSEMBLY: battery to ignition switch 171209R91 (31007)		EA	1	*	*	*	*	*	*	4	10		
P-O	2590-735-5938	BRACKET, POLARIZING RECEPTACLE: used with connectors FSN 5935-773-1429 and FSN 5935-306-2023 7355938 (19207)	BG,BF,CA, CB,DA,DB, FA,FB,RA, ZA,HA,BE, IA,LA,MA, JA,BD	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-739-7744	RETAINER, WIRING HARNESS: 313 (13515)		EA	2	*	*	*	*	*	*	4	8		
P-O	2590-972-2614	LEAD ELECTRICAL, BRANCHED: cold starting 10931908 (19207)	IA,IB,IC, ID	EA	1	*	*	*	*	*	*	4	8		
P-O	5925-740-1949	CIRCUIT BREAKER: electric power system C9115-3-15 (82647)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	5925-740-9996	CIRCUIT BREAKER: flood light (optional with Breaker, FSN 5925-752-6909) 106142R91 (31007)	HA,BE,IA, LA,MA,JA, BD	EA	1	*	*	*	*	*	*	4	8		
P-O	5925-752-6909	CIRCUIT BREAKER: automatic reset 105229R1 (31007)	HA,BE,IA, LA,MA,JA, BD	EA	1	*	*	*	*	*	*	4	8		
P-O	5930-776-2673	SWITCH, WITH CABLE AND CONNECTOR: 7762673 (19207)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	5935-699-7827	CONNECTOR, RECEPTACLE, ELECTRICAL: intervehicular 8376209 (19207)	EA,EB,EC, IA,IB	EA	2	*	*	*	*	*	*	4	8		
P-O	5940-050-6208	TERMINAL, LUG: magnetic switch to starter cable 506208 (21450)	A	EA	2	*	*	*	*	*	*	4	8		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0613—HULL OR CHASSIS WIRING HARNESS—Continued													
		Non-Illustrated—Continued													
P-O	5945-296-8464	FLASHER, THERMAL: 103646R91 (31007)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	5975-504-8992	CAP, ELECTRICAL: slip ring 10876367 (19207)	BD	EA	3	*	*	*	*	*	*	4	8		
P-O	5977-504-8967	HOLDER, ELECTRICAL, CONTACT BRUSH: slip ring plate support 10876136 (19207)	BD	EA	3	*	*	*	*	*	*	4	8		
P-O	6220-512-9219	RING ASSEMBLY, RETAINING: 8735610 (19207)	A	EA	2	*	*	*	*	*	*	4	8		
		GROUP 07—TRANSMISSION													
		0700—TRANSMISSION ASSEMBLY													
		Note. Refer to Group 3301 for Contained Assembly and its Components													
P-F-S	2520-971-5016	TRANSMISSION AND CONTAINER: diesel 5703065 (19207)	AC	EA	1	*	*	*	*	*	*	8	10	40	1
P-F-S	2520-971-5015	TRANSMISSION ASSEMBLY: diesel 11KBAX3158 (76040)	AC	EA	1	*	*	*	*	*	*			40	2
P-F-S	2520-973-4086	TRANSMISSION AND CONTAINER: gasoline and multifuel 5703527 (19207)	AA,AB	EA	1	*	*	*	*	*	*	8	10	41	1
P-F-S	2520-692-6179	TRANSMISSION, MECHANICAL: gas and multifuel 8333605 (19207)	AA,AB	EA	1	*	*	*	*	*	*			41	2
P-F	5305-269-3213	SCREW, CAP, HEXAGON: transmission MS90725-62 (96906)	A	EA	12	*	*	*	*	*	*	8	10	41	3
P-F	5310-637-9541	WASHER, LOCK: transmission MS35338-46 (96906)	A	EA	12	*	*	*	*	*	*	8	10	41	4
P-F	2520-692-6180	COVER ASSEMBLY, MAINSHAFT: transmission 8333613 (19207)	A	EA	1	*	*	*	*	*	*	2	5	42	1
P-F	5330-612-1188	SEAL, PLAIN, ENCASED: main shaft front bearing cover 8334012 (19207)	A	EA	1	*	*	*	*	*	*	24	100	42	2
P-F	2520-734-7592	GASKET: input shaft front bearing cover (Component of Gasket Set, FSN 2520-692-6183) 7347592 (19207)	A	EA	1	*	*	*	*	*	*	10		42	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0700—TRANSMISSION ASSEMBLY—Continued													
P-F	2520-040-2249	CASE: transmission 7376161 (19207)	A	EA	1	*	*	*	*	*	*	2	5	42	4
P-F	2520-734-7591	GASKET: main shaft rear bearing cover (Component of Gasket Set, FSN 2520-692-6183) 7347591 (19207)	A	EA	1	*	*	*	*	*	*	10		42	5
P-F	2520-397-6542	CAP, MAINSHAFT, REAR: transmission 8327036 (19207)	A	EA	1	*	*	*	*	*	*	2	5	42	6
P-F	5330-291-1654	SEAL, PLAIN ENCASED: rear mainshift cap 100066R91 (31007)	A	EA	1	*	*	*	*	*	*	24	100	42	7
P-F	5305-042-6417	SCREW, CAP, HEXAGON: rear mainshaft cap to case MS90725-113 (96906)	A	EA	8	*	*	*	*	*	*	6	10	42	8
P-F	5310-584-5272	WASHER, LOCK: mainshaft cap to case MS35338-48 (96906)	A	EA	8	*	*	*	*	*	*	6	10	42	9
P-F	2520-734-7713	COVER, ACCESS: countershaft rear bearing 7347713 (19207)	A	EA	1	*	*	*	*	*	*	2	5	42	10
P-F	2520-457-3453	GASKET: countershaft rear bearing cover (Component of Gasket Set, FSN 2520-692-6183) 7347593 (19207)	A	EA	1	*	*	*	*	*	*	10		42	11
P-O	2520-447-3406	GASKET: case cover (Component of Gasket Set, FSN 2520-692-6183) 5714787 (19207)	A	EA	2	*	*	*	*	*	*	20		42	12
P-O	2520-354-0771	COVER, ACCESS: case 5323473 (19207)	A	EA	2	*	*	*	*	*	*	2	5	42	13
P-O	5306-145-1069	BOLT SELF-LOCKING: access cover 7748663 (19207)	A	EA	6	*	*	*	*	*	*	6	10	42	14
P-O	4730-278-3357	PLUG, PIPE: oil drain 103881 (31007)	A	EA	1	*	*	*	*	*	*	6	10	42	15
P-O	4730-737-5248	PLUG, PIPE: case 7375248 (19207)	A	EA	1	*	*	*	*	*	*	6	10	42	16
P-F	5330-532-9061	GASKET: countershaft front bearing (Component of Gasket Set, FSN 2520-692-6183) 8333624 (19207)	A	EA	1	*	*	*	*	*	*	10		42	17
P-F	5310-637-9541	WASHER, LOCK: mainshaft cover to case MS35338-46 (96906)	A	EA	7	*	*	*	*	*	*	6	10	42	18
P-F	5305-269-3213	SCREW, CAP, HEXAGON: mainshaft cover to case MS90725-62 (96906)	A	EA	7	*	*	*	*	*	*	6	10	42	19
P-F	5307-206-1485	STUD, PLAIN: main shaft front cover 8333626-2 (19207)	A	EA	6	*	*	*	*	*	*	6	10	N/I	

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0700—TRANSMISSION ASSEMBLY—Continued													
P-F	2520-692-6183	GASKET SET: transmission 8333711 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	10	100		
	2520-734-7592	1-GASKET input shaft front bearing cover 7347592 (19207)												42	3
	2520-734-7591	1-GASKET mainshaft rear bearing cover 7347591 (19207)												42	5
	2520-457-3453	1-GASKET countershaft rear bearing cover 7347593 (19207)												42	11
	2520-447-3406	2-GASKET case cover 8327322 (19207)												42	12
	5330-532-9061	1-GASKET countershaft front bearing 8333624 (19207)												42	17
	2520-318-4310	1-GASKET transmission to clutch housing 8333623 (19207)												46	4
	2520-752-0957	1-GASKET inspection hole cover 7520957 (19207)												46	7
	5330-734-7590	1-GASKET gear shift housing cover 7347590 (19207)												47	16
	5330-040-2253	1-GASKET gear shift housing 7376172 (19207)												48	17
		0701—TRANSMISSION SHAFTS													
P-H	3110-117-0695	BEARING, ROLLER, CYLINDRICAL: countershaft 707625 (21450)	AA,AB	EA	1				*	*	*	4	10	43	1
P-H	5340-734-6786	RING RETAINING: snap input gear 7346786 (19207)	AA,AB	EA	1				*	*	*	6	10	43	2
P-H	2520-734-7520	GEAR, HELICAL: countershaft (Component of gear kit, helical FSN 2620-051-5306) 7347520 (19207)	AA,AB	EA	1				*	*	*	4	10	43	3
P-H	5340-734-6785	RING: fourth speed 70322R1 (31007)	AA,AB	EA	1				*	*	*	4	10	43	4
P-H	2520-734-6778	GEAR, HELICAL: fourth speed 7346778 (19207)	AA,AB	EA	1				*	*	*	4	10	43	5
P-H	2520-734-6777	GEAR, HELICAL: third speed 7346777 (19207)	AA,AB	EA	1				*	*	*	4	10	43	6
P-H	2520-734-6749	SPACER, SLEEVE: counter shaft 7346749 (19207)	AA,AB	EA	1				*	*	*	4	10	43	7
P-H	2520-294-6770	GEAR, HELICAL: second speed 7346776 (19207)	AA,AB	EA	1				*	*	*	4	10	43	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0701—TRANSMISSION SHAFTS—Continued													
P-H	5315-011-8002	KEY, WOOD RUFF: countershaft MS35756-114 (96906)	AA,AB	EA	4				*	*	*	4	10	43	9
P-H	2520-734-7714	COUNTER SHAFT: transmission 7347714 (19207)	AA,AB	EA	1				*	*	*	4	10	43	10
P-H	3110-155-6741	BEARING, BALL, ANNULAR: countershaft 100096R91 (31007)	AA,AB	EA	1				*	*	*	4	10	43	11
P-H	5310-734-6779	NUT, PLAIN, BLIND RIVET: countershaft 7346779 (19207)	AA,AB	EA	1				*	*	*	4	10	43	11
P-H	5315-298-1498	PIN, COTTER: countershaft, nut MS24665-362 (96906)	AA,AB	EA	1				*	*	*	4	10	43	13
P-H	2520-734-6750	SHAFT, RELEASE GEAR: idler shaft 7346750 (19207)	AA,AB	EA	1				*	*	*	4	10	43	14
P-H	3110-112-6565	ROLLER ASSEMBLY, JOURNAL BEARING: idler shaft 708242 (21450)	AA,AB	EA	2				*	*	*	4	10	43	15
P-H	2520-734-7712	GEAR: reverse idler shaft 7347712 (19207)	AA,AB	EA	1				*	*	*	4	10	43	16
P-H	3110-117-0695	BEARING ROLLER CYLINDRICAL: countershaft 707625 (21450)	AC	EA	1				*	*	*	4	10	44	1
P-H	5340-734-6786	RING RETAINING: snap input gear counter 7346786 (19207)	AC	EA	1				*	*	*	6	10	44	2
P-H	3020-971-5018	GEAR HELICAL: countershaft 8712207 (19207)	AC	EA	1				*	*	*	4	10	44	3
P-H	5340-734-6785	RING: fourth speed 70322R1 (31007)	AC	EA	1				*	*	*	4	10	44	4
P-H	2520-971-5021	GEAR, HELICAL: fourth speed 8712209 (19207)	AC	EA	1				*	*	*	4	10	44	5
P-H	2520-971-5017	GEAR, HELICAL: third speed 8712211 (19207)	AC	EA	1				*	*	*	4	10	44	6
P-H	2520-734-6749	SPACER, SLEEVE: counter shaft 7346749 (19207)	AC	EA	1				*	*	*	4	10	44	7
P-H	2520-294-6770	GEAR: second speed 7346776 (19207)	AC	EA	1				*	*	*	4	10	44	8
P-H	5315-011-8002	KEY, WOODRUFF: countershaft gear MS35756-114 (96906)	AC	EA	4				*	*	*	4	10	44	9
P-H	2520-734-7714	COUNTERSHAFT: transmission 7347714 (19207)	AC	EA	1				*	*	*	4	10	44	10
P-H	3110-155-6741	BEARING, BALL, ANNULAR: countershaft 100096R91 (31007)	AC	EA	1				*	*	*	4	10	44	11

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0701—TRANSMISSION SHAFTS—Continued													
P-H	5310-734-6779	NUT, PLAIN, BLIND RIVET: countershaft 7346779 (19207)	AC	EA	1				*	*	*	6	10	44	12
P-H	5315-298-1498	PIN, COTTER: countershaft nut MS24665-362 (96906)	AC	EA	1				*	*	*	6	10	44	13
P-H	2520-734-6750	SHAFT, RELEASE GEAR: idler shaft 7346750 (19207)	AC	EA	1				*	*	*	4	10	44	14
P-H	3110-112-6565	ROLLER ASSEMBLY, JOURNAL BEARING: idler shaft 708242 (21450)	AC	EA	2				*	*	*	4	10	44	15
P-H	2520-734-7712	GEAR: reverse idler shaft 7347712 (19207)	AC	EA	1				*	*	*	4	10	44	16
P-H	5340-734-6738	RING, RETAINING: gear bearing 7346738 (19207)	A	EA	1				*	*	*	6	10	45	1
P-H	3110-155-6433	BEARING BALL ANNULAR: gear shaft 712293 (21450)	A	EA	1				*	*	*	4	10	45	1
P-H	2520-692-6181	GEAR, DRIVE, TRANSMISSION: gasoline and multifuel (Component of gear kit, Helical, FSN 2620-051-5306) 8333622 (19207)	AA,AB	EA	1				*	*	*	4	10	45	3
P-H	2520-971-5019	GEARSHAFT, HELICAL: diesel 8712208 (19207)	AC	EA	1				*	*	*	4	10	45	3
P-H	3110-227-3401	ROLLER, BEARING: synchronizer 7346747 (19207)	A	EA	14				*	*	*	4	10	45	4
P-H	2520-734-7588	SYNCHRONIZER: fourth and fifth speed gear 7347588 (19207)	A	EA	1				*	*	*	4	10	45	5
P-H	5340-734-6784	RING, RETAINING: fourth speed gear thrust washer 7346784 (19207)	A	EA	1				*	*	*	6	10	45	6
P-H	3120-090-5968	BEARING, WASHER, THRUST: fourth speed gear 7346746 (19207)	A	EA	1				*	*	*			45	7
P-H	2520-734-6781	GEAR HELICAL: fourth speed gasoline and multifuel 7346781 (19207)	AA,AB	EA	1				*	*	*	4	10	45	8
P-H	2520-971-5020	GEAR, HELICAL: mainshaft fourth speed diesel 8712210 (19207)	AC	EA	1				*	*	*	4	10	45	8
P-H	5315-292-4731	PIN, STRAIGHT, HEADED: fourth speed gear sleeve 7346744 (19207)	A	EA	1				*	*	*	6	10	45	9
P-H	2520-857-9659	BEARING, SLEEVE: fourth speed gear 10921763 (19207)	A	EA	1				*	*	*	4	10	45	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0701—TRANSMISSION SHAFTS—Continued													
P-H	2520-734-6780	GEAR: third speed gasoline and multifuel 7346780 (19207)	AA,AB	EA	1				*	*	*	4	10	45	11
P-H	2520-971-5022	GEAR, HELICAL: mainshaft third speed diesel 8712206 (19207)	AC	EA	1				*	*	*	4	10	45	11
P-H	5340-734-6787	RING, RETAINING: second and third speed clutch gear 7346787 (19207)	A	EA	1				*	*	*	6	10	45	12
P-H	2520-734-7587	SYNCHRONIZER: second and third speed gear 7347587 (19207)	A	EA	1				*	*	*	4	10	45	13
P-H	2520-734-6748	GEAR, TRANSMISSION: second and third speed clutch 7346748 (19207)	A	EA	1				*	*	*	4	10	45	14
P-H	2520-734-6741	GEAR, HELICAL: second speed 7346741 (19207)	A	EA	1				*	*	*	4	10	45	15
P-H	2520-562-0430	SHAFT, MAIN, TRANSMISSION: 7376164 (19207)	A	EA	1				*	*	*	4	10	45	16
P-H	2520-734-6740	GEAR, SPUR: first speed and reverse 7346740 (19207)	A	EA	1				*	*	*	4	10	45	17
P-H	5315-167-1814	PIN, COTTER: main shaft 590185 (21450)	A	EA	1				*	*	*	6	10	45	18
P-H	5310-262-6121	NUT, SLOTTED, HEXAGON: companion flange 5141287 (19207)	A	EA	1				*	*	*	6	10	45	19
P-H	2520-734-7596	FLANGE: companion 7347596 (19207)	A	EA	1				*	*	*	3	5	45	20
P-H	2520-734-7595	SLINGER: transmission main shaft 7347595 (19207)	A	EA	1				*	*	*	4	10	45	21
X2-H		RING: main shaft 8711338 (19207)	A	EA	1				*	*	*			45	22
P-H	3110-155-6760	BEARING, BALL, ANNULAR: main shaft 102231R91 (31007)	A	EA	1				*	*	*	4	10	45	23
P-H	2620-051-5306	GEAR KIT, HELICAL 5703995 (19207) Consisting of:	AA,AB	EA	1				*	*	*	10	20		
	2520-734-7520	1-GEAR, HELICAL 7347520 (19207)												43	3
	2520-692-6181	1-GEAR, DRIVE 8333622 (19207)												45	3
		0703—TRANSMISSION CLUTCH AND CLUTCH CONTROLS													
P-F	5330-737-6584	GASKET: housing to engine flywheel housing 7376584 (19207)	A	EA	1	*	*	*	*	*	*	15	100	46	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0703—TRANSMISSION CLUTCH AND CLUTCH CONTROLS—Continued													
P-F	2520-734-8769	HOUSING, CLUTCH: 7348769 (19207)	A	EA	1	*	*	*	*	*	*	2	5	46	2
P-O	5340-752-0976	PLUG, EXPANSION: lever shaft hole 7520976 (19207)	A	EA	1	*	*	*	*	*	*	6	10	46	3
P-F	2520-318-4310	GASKET: transmission to clutch housing (Component of Gasket Set, FSN 2520-692-6183) 8333623 (19207)	A	EA	1	*	*	*	*	*	*	10		46	4
P-O	4730-278-4216	ELBOW, PIPE: clutch release shaft 7337759 (19207)	A	EA	2	*	*	*	*	*	*	*	10	46	5
P-O	4730-288-8497	CUP GREASE: clutch release shaft 112465 (12204)	A	EA	2	*	*	*	*	*	*	4	10	46	6
P-O	2520-752-0957	GASKET: inspection hole cover (Component of Gasket Set, FSN 2520-692-6183) 7520957 (19207)	A	EA	1	*	*	*	*	*	*	15		46	7
P-O	2520-752-0956	COVER PLATE, ACCESS: inspection hole 7520956 (19207)	A	EA	1	*	*	*	*	*	*	2	5	46	8
P-O	5306-637-4914	BOLT, MACHINE: cover plate MS35297-34 (96906)	A	EA	6	*	*	*	*	*	*	6	10	46	9
P-O	5310-407-9566	WASHER, LOCK: cover plate MS35338-45 (96906)	A	EA	6	*	*	*	*	*	*	6	10	46	10
P-O	5330-286-6815	SEAL, PLAIN ENCASED: lever shaft hole 500021 (21450)	A	EA	1	*	*	*	*	*	*	10	20	46	11
P-F	5310-010-3030	NUT, PLAIN, HEXAGON: transmission clutch housing MS35690-1024 (96906)	A	EA	7	*	*	*	*	*	*	6	10	46	12
P-F	5310-010-3325	WASHER, LOCK: transmission clutch housing MS35338-12 (96906)	A	EA	7	*	*	*	*	*	*	6	10	46	13
P-F	5307-207-2642	STUD, PLAIN: clutch, housing 8333625 (19207)		EA	7	*	*	*	*	*	*	6	10	46	14
		0704—TRANSMISSION TOP COVER ASSEMBLY													
P-O	5355-350-2457	KNOB: gear shift hand lever A167632 (19207)	A	EA	1	*	*	*	*	*	*	4	10	47	1
P-F	2520-040-2243	LEVER: gear shifter 7376092 (19207)	A	EA	1	*	*	*	*	*	*	3	5	47	2
P-F	2520-737-6173	BOOT, DUST AND MOISTURE: gear shift lever 7376173 (19207)	A	EA	1	*	*	*	*	*	*	6	10	47	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0704—TRANSMISSION TOP COVER ASSEMBLY—Continued													
P-F	5340-699-8459	RING, RETAINING: shift lever support spring 7521095 (19207)	A	EA	1	*	*	*	*	*	*	6	10	47	4
P-F	2520-692-6075	SPRING, HELICAL COMPRESSION: gear shift hand lever extension 7521102 (19207)	A	EA	1	*	*	*	*	*	*	6	10	47	5
P-F	2520-752-1096	SEAT: hand lever support spring 7521096 (19207)	A	EA	1	*	*	*	*	*	*	4	8	47	6
P-F	5315-033-6002	PIN, STRAIGHT, HEADLESS: shifter shaft interlock 7347594 (19207)	A	EA	1	*	*	*	*	*	*	6	10	47	7
P-F	2520-040-2244	RETAINER: shifter lever 7376093 (19207)	A	EA	1	*	*	*	*	*	*	8	10	47	8
P-F	5305-018-0147	SCREW, CAP, HEXAGON: shifter housing MS35297-87 (96906)	A	EA	6	*	*	*	*	*	*	6	10	47	9
P-F	5310-209-0965	WASHER, LOCK: shifter housing MS35338-47 (96906)	A	EA	6	*	*	*	*	*	*	6	10	47	10
P-F	2520-040-2251	COVER: shifter housing 7376165 (19207)	A	EA	1	*	*	*	*	*	*	6	10	47	11
P-F	5310-834-8734	NUT, PLAIN, HEXAGON: reverse and first gear finger MS35691-37 (96906)	A	EA	1	*	*	*	*	*	*	6	10	47	12
P-F	5310-584-5272	WASHER, LOCK: reverse and first gear finger MS35338-48 (96906)	A	EA	1	*	*	*	*	*	*	6	10	47	13
P-F	5315-033-6003	PIN, GROOVED HEADED: reverse and first speed shift finger plunger 7346737 (19207)	A	EA	2	*	*	*	*	*	*	6	10	47	14
P-F	2520-397-6543	SHIFT FINGER: reverse and first gear 7367167 (19207)	A	EA	1	*	*	*	*	*	*	8	10	47	15
P-F	5330-734-7590	GASKET: gear shift housing cover (Component of Gasket Set, FSN 2520-692-6183) 7347590 (19207)	A	EA	1	*	*	*	*	*	*	15		47	16
P-F	5306-637-1862	BOLT, SHOULDER: reverse and first gear shift finger 7376162 (19207)	A	EA	1	*	*	*	*	*	*	6	10	47	17
P-F	5310-800-0695	WASHER, LOCK: shifter housing MS35335-39 (96906)	A	EA	1	*	*	*	*	*	*	6	10	47	18
P-F	5305-737-6095	SET SCREW: shift lever retainer 7376095 (19207)	A	EA	1	*	*	*	*	*	*	6	10	47	19

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0704—TRANSMISSION TOP COVER ASSEMBLY—Continued													
P-F	5305-269-3213	SCREW, CAP, HEXAGON: housing MS90725-62 (96906)	A	EA	14	*	*	*	*	*	*	6	10	48	1
P-F	5310-637-9541	WASHER, LOCK: housing MS35338-46 (96906)	A	EA	14	*	*	*	*	*	*	6	10	18	2
P-F	3110-183-9164	BALL, BEARING: shifter housing MS19060-26 (96906)	A	EA	3	*	*	*	*	*	*	6	10	48	3
P-F	2520-606-3047	SPRING, HELICAL COMPRESSION: shift rod 7000259 (19207)	A	EA	3	*	*	*	*	*	*	6	10	48	4
P-F	2520-457-3523	SHIFTER FORK: reverse and first speed shifter rod 7347518 (19207)	A	EA	1	*	*	*	*	*	*	8	10	48	5
P-F	2520-219-5067	ROD, SHIFT, REVERSE: reverse and first speed 7376094 (19207)	A	EA	1	*	*	*	*	*	*	8	10	48	6
P-F	2520-734-7598	SHIFTER FORK: second and third speed shifter shaft 7347598 (19207)	A	EA	1	*	*	*	*	*	*	8	10	48	7
P-F	2520-734-6730	SHAFT, TRANSMISSION: second and third speed gear 7346730 (19207)	A	EA	1	*	*	*	*	*	*	8	10	48	8
P-F	2520-457-0447	INTERLOCK: idler shaft 7347715 (19207)	A	EA	2	*	*	*	*	*	*	8	10	48	9
P-F	2520-734-6731	SHAFT, TRANSMISSION: fourth and fifth speed gear 7346731 (19207)	A	EA	1	*	*	*	*	*	*	8	10	48	10
P-F	2520-734-7599	SHIFTER FORK: fourth and fifth speed gear 7347599 (19207)	A	EA	1	*	*	*	*	*	*	8	10	48	11
P-F	5305-270-7339	SETSCREW: shifter shaft fork and bracket A214774 (21450)	A	EA	5	*	*	*	*	*	*	6	10	48	12
P-F	2520-734-6735	BRACKET, TRANSMISSION: second and third speed 7346735 (19207)	A	EA	1	*	*	*	*	*	*	4	8	48	13
P-F	2520-734-6734	BRACKET, TRANSMISSION: reverse and first speed shifting shaft 7346734 (19207)	A	EA	1	*	*	*	*	*	*	1	8	48	14
P-O	4820-726-4719	VALVE ASSEMBLY, AIR: 5196397 (19207)	A	EA	1	*	*	*	*	*	*	4	10	48	15
P-F	2520-040-2254	HOUSING: transmission 7376174 (19207)	A	EA	1	*	*	*	*	*	*	4	10	48	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0704—TRANSMISSION TOP COVER ASSEMBLY—Continued													
P-F	5330-040-2253	GASKET: gear shift housing (Component of Gasket Set FSN 2520-692-6183 7376172 (19207)	A	EA	1	*	*	*	*	*	*	15		48	17
P-O	5340-810-0611	PLUG, EXPANSION: reverse and first speed shifting rod hole MS35648-6 (96906)	A	EA	3	*	*	*	*	*	*	6	10	48	18
P-F	5315-033-6003	PIN, GROOVED, HEADED: 7346737 (19207)	A	EA	1	*	*	*	*	*	*	6	10	48	19
P-F	2520-734-6732	SPRING, HELICAL COMPRESSION: reverse and first speed shift finger plunger 7346732 (19207)	A	EA	1	*	*	*	*	*	*	6	10	48	20
P-F	2520-392-3561	RETAINER, POPPET: finger plungerspring 2770M (50513)	A	EA	1	*	*	*	*	*	*	6	10	48	21
P-F	5305-071-2234	SCREW, CAP, HEXAGON: poppet valve MS90725-17 (96906)	A	EA	4	*	*	*	*	*	*	6	10	48	22
P-F	5305-267-8979	SCREW, CAP, HEXAGON: poppet valve MS90726-13 (96906)	A	EA	4	*	*	*	*	*	*	6	10	48	23
P-F	5310-550-1130	WASHER, LOCK: poppet valve MS35333-40 (96906)	A	EA	4	*	*	*	*	*	*	6	10	48	24
P-F	2520-832-7103	GASKET: mounting control valve 8327103 (19207)	A	EA	2	*	*	*	*	*	*	15	100	48	25
P-F	5330-579-7919	PACKING, PREFORMED: mounting control valve MS28775-217 (96906)	A	EA	2	*	*	*	*	*	*	15	40	48	26
P-F	2530-832-7013	VALVE ASSEMBLY TWIN POPPET: 8327013 (19207)	A	EA	1	*	*	*	*	*	*	8	10	49	1
X2-F		MANIFOLD: 8327108 (19207)	A	EA	1	*	*	*	*	*	*			49	2
P-F	4730-277-5684	ELBOW: manifold 121619 (21450)	A	EA	1	*	*	*	*	*	*	4	8	49	3
P-F	2520-413-8953	GASKET: manifold 8327106 (19207)	A	EA	4	*	*	*	*	*	*	15	100	49	4
P-F	5310-655-7149	WASHER, FLAT: spring MS15795-216 (96906)	A	EA	2	*	*	*	*	*	*	6	10	49	5
P-F	3950-260-4071	SPRING HELICAL, COMPRESSION: 8327105 (19207)	A	EA	2	*	*	*	*	*	*	6	10	49	6
P-F	5330-361-6781	SEAL, PLAIN: valve body N10919C (40342)	A	EA	2	*	*	*	*	*	*	6	12	49	7
P-F	4730-069-1187	ELBOW, PIPE TO TUBE: MS39182-3 (96906)	A	EA	3	*	*	*	*	*	*	4	8	49	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0704—TRANSMISSION TOP COVER ASSEMBLY—Continued													
P-F	3810-353-1982	BODY, POPPET VALVE: 8327020 (19207)	A	EA	2	*	*	*	*	*	*	2	5	49	9
P-F	5330-361-6780	SEAL, PLAIN ENCASED: valve plunger N11833 (40342)	A	EA	2	*	*	*	*	*	*	6	12	49	10
P-F	2520-832-7019	BODY, SHIFT: valve poppet upper half (Component of Poppet Valve Body Kit, FSN 2520-537-9885) 8327019 (19207)	A	EA	2	*	*	*	*	*	*	6		49	11
P-F	2530-699-8471	SPRING, HELICAL, COMPRESSION: poppet valve plunger 8329525 (19207)	A	EA	2	*	*	*	*	*	*	6	10	49	12
P-F	3810-353-1983	PLUNGER AND BALL, POPPET: shift body 8327021 (19207)	A	EA	2	*	*	*	*	*	*	8	10	49	13
X1		WASHER, FLAT: plunger 8327100 (19207)			2									49	14
P-F	4820-361-6782	RING, SNAP: plunger 8327101 (19207)	A	EA	2	*	*	*	*	*	*	6	10	49	15
P-F	5330-640-9613	PACKING, PREFORMED: tee fitting to shift body AN6227B7 (88044)	A	EA	2	*	*	*	*	*	*	6	10	49	16
P-F	4730-832-7107	TEE, FITTING: shift body 8327107 (19207)	A	EA	1	*	*	*	*	*	*	6	10	49	17
		Non-Illustrated													
P-O	5310-834-8732	NUT, HEXAGON: lever knob MS35691-33 (96906)	A	EA	1	*	*	*	*	*	*	4	10		
P-F	5315-040-2246	PIN STRAIGHT HEADLESS: rocker shift lever, used on old type transmission 7376096 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5340-050-1588	PLUG, EXPANSION: interlock hole 501588 (21450)	A	EA	1	*	*	*	*	*	*	8	10		
P-F	2520-537-9885	KIT, POPPET VALVE BODY: 8333404 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*		20		
	2520-832-7019	2-BODY 8327019 (19207)												49	11
	5330-530-2256	2-PACKING PREFORMED N11728AF (40342)												N/	
		2-WASHER N2352 (40342)												N/	

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		GROUP 08—TRANSFER AND FINAL DRIVE ASSEMBLIES													
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES													
		Note. See Group 3301 for Listing of Transfer Container Parts													
P-F-S	2520-089-3773	TRANSFER ASSEMBLY WITH CONTAINER: shipping and storage 5702826 (19207)	A	EA	1	*	*	*	*	*	*	10	20	50	1
P-F-S	2520-086-3375	TRANSFER ASSEMBLY WITH FLANGES: 7748580 (19207)	A	EA	1	*	*	*	*	*	*			50	2
P-F	2520-040-2255	SUPPORT: transfer assembly 7376177 (19207)	A	EA	1	*	*	*	*	*	*	4	10	51	1
P-F	5305-940-9517	SCREW, CAP, HEXAGON: support MS51106-421 (96906)	A	EA	3	*	*	*	*	*	*	6	10	51	2
P-F	5310-531-9120	WASHER, FLAT: support 7418962 (19207)	A	EA	3	*	*	*	*	*	*	6	10	51	3
P-F	5340-741-1068	MOUNT, RESILIENT: support 7411068 (19207)	A	EA	6	*	*	*	*	*	*	4	10	51	4
P-F	2520-737-6240	SUPPORT, TRANSFER CASE: 7376240 (19207)	BG,BF,CA,CB, DA,DB,FA,FB, HA,BE,IA,ED	EA	3	*	*	*	*	*	*	4	10	51	5
P-F	5310-275-2049	NUT, SELF-LOCKING, HEXAGON: transfer support MS20365-8200 (96906)	A	EA	6	*	*	*	*	*	*	6	10	51	6
P-F	5320-018-9510	RIVET, SOLID: transfer support 189510 (21450)	A	EA	9	*	*	*	*	*	*	6	10	51	7
P-F	5305-044-5503	SCREW, CAP, HEXAGON: support MS90725-160 (96906)	A	EA	7	*	*	*	*	*	*			51	8
P-F	5310-012-1574	WASHER, LOCK: support MS35338-31 (96906)	A	EA	7	*	*	*	*	*	*	6	10	51	9
P-F	2520-040-2256	SUPPORT: 7376178 (19207)	A	EA	1	*	*	*	*	*	*	4	10	51	10
X1		GASKET: input shaft rear bearing cover . (Component of Gasket Set FSN 2520-734-6775) 7375291 (78500)	A		1									52	1
P-F	5310-584-5272	WASHER, LOCK: rear bearing MS35338-48 (96906)	A	EA	4	*	*	*	*	*	*	6	10	52	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	2520-734-6760	COVER, PLATE, ACCESS: rear bearing 7346760 (19207)	BG,BF,CA,CB, DA,DB,EA,EC, FA,FB,GA,GB, BE,1A	EA	1	*	*	*	*	*	*	2	5	52	3
P-F	5305-053-8993	SCREW, CAP, HEXAGON HEAD: rear bearing cover MS90725-112 (96906)	A	EA	2	*	*	*	*	*	*	6	10	52	4
P-F	5310-209-0965	WASHER, LOCK: access plate cover MS35338-47 (96906)	BG,BF,CA,CB DA,DB,EA,EC, FA,FB,BE	EA	12	*	*	*	*	*	*	6	10	52	5
P-F	5306-226-4827	SCREW, CAP, HEXAGON HEAD: access cover plate case MS90728-34 (96906)	BG,BF,CA, CB,DA,DB,EA, EC,FA,FB,BE	EA	6	*	*	*	*	*	*	6	10	52	6
P-F	2520-734-6757	SUPPORT, TRANSFER CASE: rear bearing 7347657 (19207)	A	EA	1	*	*	*	*	*	*	4	10	52	7
P-F	5330-236-6604	SEAL, PLAIN ENCASED: transfer case support MS51911-48-2 (96906)	A	EA	1	*	*	*	*	*	*	6	100	52	8
P-F	5305-071-1788	SCREW, CAP, HEXAGON HEAD: transfer case support MS90728-87 (96906)	A	EA	6	*	*	*	*	*	*	6	10	52	9
X1		SHIM: .003 rear output shaft rear bearing (Component of Kit, Repair Transfer, FSN 2520-737-5247) 7375297 (19207)	A		3									52	10
X1		SHIM: .005 rear output shaft rear bearing (Component of Kit, Repair, Transfer, FSN 2520-737-5247) 2803N1470 (78500)	A		3									52	10
X1		SHIM: .030 rear output shaft rear bearing (Component of Kit, Repair, Transfer, FSN 2520-737-5247) 2803P1472 (78500)	A		1									52	10
P-F	5305-071-2072	SCREW, CAP, HEXAGON HEAD: rear bearing cover MS90728-116 (96906)	A	EA	2	*	*	*	*	*	*	6	10	52	11
P-F	2520-734-6759	COVER, TRANSFER CASE: 7346759 (19207)	A	EA	1	*	*	*	*	*	*	3	5	52	12
P-F	2520-734-6751	SHIM, TRANSFER CASE: 0.003 rear bearing, (Component of Kit, Repair, Transfer, FSN 2520-737-5247) 7346751 (19207)	A	EA	3	*	*	*	*	*	*	15		52	13
P-F	2520-734-6752	SHIM, TRANSFER CASE: 0.005 rear bearing (Component of Kit, Repair, Transfer, FSN 2520-737-5247) 7346752 (19207)	A	EA	4	*	*	*	*	*	*	15		52	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	2520-734-6753	SHIM, TRANSFER CASE: 0.030 rear bearing (Component of Kit, Repair, Transfer, FSN 2520-737-5247) 7346753 (19207)	A	EA	1	*	*	*	*	*	*	15		52	13
P-F	5315-699-8460	PIN, STRAIGHT HEADLESS: rear bearing retainer 7521237 (19207)	A	EA	1	*	*	*	*	*	*	6	10	52	14
P-O	4730-954-1281	PLUG: transfer case MS49005-4 (96906)	A	EA	1	*	*	*	*	*	*	8	10	52	15
P-O	4730-045-9835	PLUG, PIPE, MAGNETIC: drain MS49006-14 (96906)	A	EA	1	*	*	*	*	*	*	8	10	52	16
P-F	2520-741-1067	CASE ASSEMBLY, TRANSFER: 7411067 (19207)	A	EA	1	*	*	*	*	*	*	3	5	53	1
X1		HOUSING: transfer case 7375245 (19207)	A		1									53	2
X1		GASKET: transfer, case cover (Component of Gasket Set, FSN 2520-734-6775) 7375246 (19207)	A		1									53	3
P-F	5315-010-0360	PIN: transfer case 100360 (24617)	A	EA	1	*	*	*	*	*	*	6	10	53	4
X1		COVER: transfer case 8758286 (19207)	A		1									53	5
P-F	4820-287-6119	VALVE, AIR PRESSURE RELIEF: 43-8575-045-010 (81336)	A	EA	1	*	*	*	*	*	*	6	10	53	6
X2-F		PIN: transfer case cover 7521442 (19207)	A	EA	1	*	*	*	*	*	*			53	7
P-F	5305-022-4048	SCREW, CAP, HEXAGON HEAD: cover FFS85 (81348)	A	EA	19	*	*	*	*	*	*	6	10	53	8
P-F	5310-209-0965	WASHER, LOCK: cover MS35338-47 (96906)	A	EA	19	*	*	*	*	*	*	6	10	53	9
P-F	5310-880-7745	NUT, PLAIN HEXAGON: cover to housing MS51968-11 (96906)	A	EA	19	*	*	*	*	*	*	6	10	53	10
P-F	5306-208-7375	BOLT, MACHINE: high and low range shifter shaft 1DX506 (78500)	A	EA	1	*	*	*	*	*	*	6	10	53	11
X2-F		PLATE: housing 7346761 (19207)	A	EA	1	*	*	*	*	*	*			53	12
P-F	5305-558-4181	SCREW, CAP, HEXAGON: plate to housing MS90728-59 (96906)	A	EA	4	*	*	*	*	*	*	6	10	53	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	2520-292-0046	GASKET: top cover 7375294 (78500)	A	EA	1	*	*	*	*	*	*	15	100	53	14
P-F	5305-734-6774	BOLT, MACHINE: shifter shaft detent ball spring 7346774 (19207)	A	EA	1	*	*	*	*	*	*	6	10	53	15
X2-F		WASHER: shaft detent ball spring MS3533-27 (96906)	A	EA	1	*	*	*	*	*	*			53	16
P-F	2520-563-5523	GASKET: input shaft front bearing cover (Component of Gasket Set, FSN 2520-734-6775) 7375292 (19207)	A	EA	1	*	*	*	*	*	*	15		53	17
P-F	2520-734-6758	COVER ASSEMBLY WITH OIL SEAL: front bearing 7346758 (19207)	A	EA	1	*	*	*	*	*	*	3	5	53	18
P-F	2520-035-5457	CAP, INPUT, SHAFT, FRONT: transfer case cover TD3866V568 (78500)	A	EA	1	*	*	*	*	*	*	3	5	53	19
P-F	5310-209-0965	WASHER, LOCK: input cap to cover MS35338-47 (96906)	A	EA	16	*	*	*	*	*	*	6	10	53	20
P-F	5305-071-1788	SCREW, CAP, HEXAGON HEAD: input cap to cover MS90728-87 (96906)	A	EA	16	*	*	*	*	*	*	6	10	53	21
P-F	5330-291-1654	SEAL, PLAIN ENCASED: rear bearing cover 100066R91 (31007)	A	EA	2	*	*	*	*	*	*	20	200	53	22
P-F	2520-563-5524	GASKET: front axle output shaft gear case (Component of Gasket Set, FSN 2520-734-6775) 7375293 (78500)	A	EA	1	*	*	*	*	*	*	15		53	23
P-F	2520-927-9388	HOUSING, FRONT TRANSMISSION: cover 8758324 (19207)	A	EA	1	*	*	*	*	*	*	3	5	53	24
X1		CASE: front output shaft TD3875D316 (81336)	A		1									53	25
P-F	2520-734-6756	CYLINDER ASSEMBLY, TRANSFER: declutch shifter fork 7346756 (19207)	A	EA	1	*	*	*	*	*	*	8	10	53	26
P-O	4730-014-3970	PLUG, PIPE: front output case filler 143970 (21450)	A	EA	1	*	*	*	*	*	*	6	10	53	27
P-F	5315-059-0184	PIN, COTTER: shaft MS24665-361 (96906)	A	EA	1	*	*	*	*	*	*	6	10	54	1
P-F	5310-492-9631	NUT, SLOTTED, HEXAGON: shaft 5143813 (76040)	A	EA	1	*	*	*	*	*	*	6	10	54	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	5310-188-4199	WASHER, FLAT: shaft 15235 (76894)	A	EA	1	*	*	*	*	*	*	6	10	54	3
P-F	2520-734-6802	FLANGE, COMPANION WITH SLINGER: input shaft 7346802 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	4
P-F	2520-734-7596	FLANGE: shaft 7347596 (19207)	A	EA	1	*	*	*	*	*	*	3	5	54	5
P-F	2520-734-7595	SLINGER: shaft 7347595 (19207)	A	EA	1	*	*	*	*	*	*	6	10	54	6
P-F	3110-555-5337	BEARING, BALL, ANNULAR: input shaft, front 5311GQ6A7 (38443)	A	EA	1	*	*	*	*	*	*	6	10	54	7
P-F	5340-033-6014	SPACER, RING: low range gear 7375253 (19207)	A	EA	1	*	*	*	*	*	*	6	10	54	8
P-F	3110-155-6755	BEARING, BALL, ANNULAR: input shaft A161589 (19207)	A	EA	4	*	*	*	*	*	*	8	10	54	9
P-F	2520-737-5252	SPACER, SLEEVE: low range gear (1), shaft (1) 7375252 (19207)	A	EA	2	*	*	*	*	*	*	6	10	54	10
P-F	2520-953-9909	GEAR, HELICAL: low range 7748587 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	11
P-F	2520-734-6755	COLLAR: shifter clutch 7346755 (19207)	A	EA	1	*	*	*	*	*	*	6	10	54	12
P-F	2520-953-9907	SHAFT, SHOULDERED: 7748585 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	13
P-F	2520-064-6372	GEAR, HELICAL: high range 7748588 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	14
P-F	5310-033-6015	WASHER, FLAT: high range gear bearing 7375254 (19207)	A	EA	1	*	*	*	*	*	*	6	10	54	15
P-F	3110-155-6742	BEARING, BALL, ANNULAR: shaft A229587 (21450)	A	EA	1	*	*	*	*	*	*	8	10	54	16
P-F	5340-737-5285	RING, RETAINING: rear bearing 7375285 (19207)	A	EA	1	*	*	*	*	*	*	6	10	54	17
X2-F		SCREW, MACHINE: shaft 428997 (21450)	A	EA	4	*	*	*	*	*	*			54	18
P-F	2520-737-5251	WASHER, THRUST: intermediate shaft 7375251 (19207)	A	EA	2	*	*	*	*	*	*	6	10	54	19
P-F	3110-195-0458	CUP, TAPERED ROLLER BEARING: shaft, bearing 7376471 (19207)	A	EA	2	*	*	*	*	*	*	6	10	54	20
X1		BEARING, TAPERED ROLLER: shaft 712210 (21450)	A		2									54	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	2520-033-6017	GEAR, HELICAL: high range intermediate shaft 7346766 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	22
P-F	2520-734-6772	SHAFT, INTERMEDIATE: 7346772 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	23
P-F	5315-850-7038	KEY, WOODRUFF: intermediate shaft MS35756-105 (96906)	A	EA	2	*	*	*	*	*	*	6	10	54	24
P-F	2520-734-6765	GEAR, HELICAL: low range 7346765 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	25
P-F	5340-737-5284	RING, RETAINING: intermediate shaft 7375284 (19207)	A	EA	1	*	*	*	*	*	*	6	10	54	26
P-F	2520-734-6767	GEAR, HELICAL: intermediate shaft 7346767 (19207)	A	EA	1	*	*	*	*	*	*	8	10	54	27
P-F	2520-737-5289	FORK, DECLUTCH: front axle output shaft 7375289 (19207)	A	EA	1	*	*	*	*	*	*	8	10	55	1
P-F	2520-734-6803	SHAFT: front axle shifter declutch 7346803 (19207)	A	EA	1	*	*	*	*	*	*	8	10	55	2
P-F	2520-737-5282	PACKING, PREFORMED: front axle declutch shifter 7375282 (19207)	A	EA	1	*	*	*	*	*	*	8	10	55	3
P-F	5310-188-4195	WASHER, FLAT: front axle declutch shifter 1263 (76894)	A	EA	1	*	*	*	*	*	*	6	10	55	4
P-F	2520-734-6756	CYLINDER, AIR TRANSFER: declutch shifter fork 7346756 (19207)	A	EA	1	*	*	*	*	*	*	8	10	55	5
X1		RING: cylinder piston 8758296 (19207)	A		2									55	6
X1		WASHER, PLAIN: spring retainer MSP-4X2314 (26009)	A		1									55	7
X1		RETAINER: cylinder piston 8758291 (19207)	A		2									55	8
X1		SPRING HELICAL: piston 8758293 (19207)	A		2									55	9
X1		PISTON: air cylinder 8758295 (19207)	A		1									55	10
P-F	2520-832-8235	SEAL: air shift cylinder piston 8758294 (19207)	A	EA	2	*	*	*	*	*	*	15	30	55	11
P-F	2520-832-7774	GASKET: air shift cylinder piston 10913209 (19207)	A	EA	2	*	*	*	*	*	*	15	30	55	12
X1		TUBE: cylinder piston 8758292 (19207)	A		1									55	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	2520-176-8384	COVER, SHIFT CYLINDER: 8758298 (19207)	A	EA	1	*	*	*	*	*	*	3	5	55	14
P-F	5310-145-2085	WASHER, KEY: cylinder shift cover 8327009 (19207)	A	EA	4	*	*	*	*	*	*	6	10	55	15
P-F	5305-071-2231	SCREW CAP HEXAGON: cylinder shift cover MS90725-20 (96906)	A	EA	4	*	*	*	*	*	*	6	10	55	16
X1		NUT, PLAIN: shaft 503356 (21450)	A		1									55	17
X1		WASHER: shaft 446212 (31007)	A		1									55	18
P-F	5330-286-6815	SEAL PLAIN ENCASED: high and low range shifter shaft 500021 (21450)	A	EA	1	*	*	*	*	*	*	10	100	55	19
P-F	2520-591-5827	SHAFT, GEAR SHIFT FORK: 7998650 (19207)	A	EA	1	*	*	*	*	*	*	8	10	55	20
X2-F		BALL, DETENT: gear shift fork shaft 104291 (21450)	A	EA	1	*	*	*	*	*	*			55	21
P-F	5315-276-7703	PIN, STRAIGHT, HEADED: high and low range shifter shaft, detent ball 5143782 (19207)	A	EA	1	*	*	*	*	*	*	6	10	55	22
P-F	2520-692-6089	SPRING, HELICAL COMPRESSION: high and low range shifter shaft detent ball 7521387 (19207)	A	EA	1	*	*	*	*	*	*	6	10	55	23
P-F	5305-695-7174	SETSCREW: transfer input and output shifter shafts 7521390 (19207)	A	EA	1	*	*	*	*	*	*	6	10	55	24
P-F	2520-953-9908	SHIFTER, FORK: high and low range 7748586 (19207)	A	EA	1	*	*	*	*	*	*	8	10	55	25
P-F	5305-752-1391	SETSCREW: transfer input and output shifter shafts 7521391 (19207)	A	EA	1	*	*	*	*	*	*	6	10	55	26
P-F	5315-059-0184	PIN, COTTER: shaft MS24665-361 (96906)	A	EA	1	*	*	*	*	*	*	8	10	56	1
P-F	5310-492-9631	NUT, SLOTTED, HEXAGON: 5143813 (76040)	A	EA	1	*	*	*	*	*	*	6	10	56	2
P-F	5310-188-4199	WASHER, FLAT: output, shaft 15235 (76894)	A	EA	1	*	*	*	*	*	*	6	10	56	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	2520-734-6802	FLANGE, COMPANION WITH SLINGER: output, shaft 7346802 (19207)	A	EA	1	*	*	*	*	*	*	4	10	56	4
P-F	2520-734-7596	FLANGE: shaft 7347596 (19207)	A	EA	1	*	*	*	*	*	*	4	10	56	5
P-F	2520-734-7595	SLINGER, OIL: output shaft 7347595 (19207)	A	EA	1	*	*	*	*	*	*	6	10	56	6
P-F	5340-737-6622	SPACER, RING: bearing 7376622 (19207)	A	EA	1	*	*	*	*	*	*	6	10	56	7
P-F	5340-737-5288	RING, RETAINING: bearing shaft 7375288 (19207)	A	EA	2	*	*	*	*	*	*	6	10	56	8
P-F	3110-144-8547	BEARING, BALL, ANNULAR: sprag 700084 (19207)	A	EA	1	*	*	*	*	*	*	6	10	56	9
P-F	5340-033-6009	SPACER, RING: sprag 7375260 (19207)	A	EA	1	*	*	*	*	*	*	6	10	56	10
P-F	2520-741-7951	SPRAG ASSEMBLY: 7417951 (19207)	A	EA	1	*	*	*	*	*	*	8	10	56	11
X1		RING: race 8758290 (19207)	A		2									56	12
P-F	2520-040-2237	RACE: 7375290 (19207)	A	EA	2	*	*	*	*	*	*	4	10	56	13
P-F	2520-563-5521	SPRAG ASSEMBLY: race 7375286 (19207)	A	EA	2	*	*	*	*	*	*	4	10	56	14
P-F	5310-737-5257	WASHER, TRANSFER, CASE: drive sprag race 7375257 (19207)	A	EA	1	*	*	*	*	*	*	4	10	56	15
P-F	2520-741-7951	RACE, DRIVE SPRAG: 7417951 (19207)	A	EA	1	*	*	*	*	*	*	4	10	56	16
P-F	2520-737-5258	SPACER SLEEVE: output shaft gear 7375258 (19207)	A	EA	1	*	*	*	*	*	*	6	10	56	17
P-F	3110-100-0603	CUP, TAPERED, ROLLER BEARING: output shaft gear 173105 (24617)	A	EA	1	*	*	*	*	*	*	6	10	56	18
P-F	3110-100-3636	CONE AND ROLLERS, TAPERED: output shaft gear 173106 (24617)	A	EA	1	*	*	*	*	*	*	6	10	56	19
P-F	2520-734-6768	GEAR, HELICAL: rear axle output shaft 7346768 (19207)	A	EA	1	*	*	*	*	*	*	8	10	56	20
P-F	5315-850-7038	KEY, WOODRUFF: shaft MS35756-105 (96906)	A	EA	2	*	*	*	*	*	*	6	10	56	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0801—POWER TRANSFER AND FINAL DRIVE ASSEMBLIES—Continued													
P-F	2520-301-7741	SHAFT: rear axle 8332554 (19207)	A	EA	1	*	*	*	*	*	*	8	10	56	22
P-F	3110-143-7524	CONE AND ROLLERS, TAPERED: 7376097 (19207)	A	EA	1	*	*	*	*	*	*	8	10	56	23
P-F	3110-100-0960	CUP, TAPERED ROLLER BEARING: 712179 (21450)	A	EA	1	*	*	*	*	*	*	8	10	56	24
P-F	5340-737-5287	RING, RETAINING: front bearing 7375287 (19207)	A	EA	1	*	*	*	*	*	*	6	10	56	25
P-F	2520-734-6771	SHAFT, TRANSFER CASE: front axle 7346771 (19207)	A	EA	1	*	*	*	*	*	*	8	10	56	26
P-F	2520-734-6764	GEAR, HELICAL: output shaft 7346764 (19207)	A	EA	1	*	*	*	*	*	*	8	10	56	27
P-F	2520-734-6769	COLLAR, SHIFTER: sprag 7346769 (19207)	A	EA	1	*	*	*	*	*	*	8	10	56	28
		0802—CLUTCH AND CLUTCH CONTROLS													
P-O	4730-069-1187	ELBOW, ASSEMBLY, PIPE TO TUBE: MS39182-3 (96906)	A	EA	2	*	*	*	*	*	*	4	10	57	1
P-O	5340-365-7338	ELBOW: coupling nut 504256 (82722)	A	EA	2	*	*	*	*	*	*	4	10	57	2
P-O	4730-293-7108	SLEEVE, COMPRESSION: elbow to coupling nut MS39197-3 (96906)	A	EA	5	*	*	*	*	*	*	4	10	57	3
P-O	4730-278-8825	NUT, TUBE COUPLING: air line connector MS39196-3 (96906)	A	EA	5	*	*	*	*	*	*	4	10	57	4
P-O	2520-040-2304	LINE: elbow assembly to air line connector 8330259 (19207)	A	EA	1	*	*	*	*	*	*	6	10	57	5
P-O	5340-896-1094	CLAMP, LOOP: air line to transfer 573036 (21450)	A	EA	3	*	*	*	*	*	*	6	10	57	6
P-O	4730-277-5684	ELBOW, PIPE: hose assembly to line 121619 (21450)	A	EA	1	*	*	*	*	*	*	4	10	57	7
P-O	2520-832-7000	HOSE ASSEMBLY, RUBBER: flexible air transmission valve 8327000 (19207)	A	EA	1	*	*	*	*	*	*	8	10	57	8
P-O	4730-540-2576	ELBOW, ASSEMBLY, PIPE TO TUBE: rubber hose assembly 504365 (24617)	A	EA	1	*	*	*	*	*	*	4	10	57	9
P-O	4730-278-3832	ELBOW: rubber hose to coupling nut MS39184-3 (96906)	A	EA	1	*	*	*	*	*	*	4	10	57	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No.
		0802—CLUTCH AND CLUTCH CONTROLS--Continued													
P-O	5305-068-0506	SCREW, CAP, HEXAGON: loop clamp MS90726-6 (96906)	A	EA	3	*	*	*	*	*	*	6	10	57	11
P-O	5310-959-7600	NUT, SELF-LOCKING: loop clamp screw MS51922-5 (96906)	A	EA	3	*	*	*	*	*	*	6	10	57	12
P-O	4730-277-5553	ELBOW, PIPE: hose to transfer MS51952-2 (96906)	A	EA	1	*	*	*	*	*	*	4	10	57	13
P-O	4720-318-0974	HOSE ASSEMBLY, NON-METALLIC: air hose to transfer 8330260 (19207)	A	EA	1	*	*	*	*	*	*	8	10	57	14
P-O	4730-832-7012	CONNECTOR, AIR LINE: 8327012 (19207)	A	EA	2	*	*	*	*	*	*	4	10	57	15
P-O	2530-832-7011	HOSE ASSEMBLY, RUBBER: air forward and reverse transmission to transfer case 8327011 (19207)	A	EA	1	*	*	*	*	*	*	8	10	57	16
X2-O		PLATE: clamp to transfer 8327010 (19207)	A	EA	1	*	*	*	*	*	*			57	17
		Non-Illustrated													
P-F	2520-832-7018	LOCK: bearing retaining washer bolt 8327018 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	4710-277-3527	TUBE, COPPER: transfer declutch piping 230523 (62508)	A	FT	V	*	*	*	*	*	*	6	10		
P-F	5305-042-8997	SCREW, CAP, HEXAGON HEAD: transfer case 7521338 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	2520-737-5247	KIT, REPAIR, TRANSFER: 7375247 (19207) Consisting of:	A	EA	1	*	*	*	*	*	*	15	100		
		3-SHIM: 0.003 rear output shaft rear bearing 7375297 (19207)												52	10
		3-SHIM: 0.005 rear output shaft rear bearing 2803N1470 (78500)												52	10
		1-SHIM: 0.030 rear output bearing shaft 2803P1472 (78500)												52	10
		3-SHIM: 0.003 rear bearing cover 7346751 (19207)												52	13
		4-SHIM: 0.005 rear bearing cover 7346752 (19207)												52	13
		1-SHIM: 0.030 rear bearing cover 7346753 (19207)												52	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		0802—CLUTCH AND CLUTCH CONTROLS—Continued													
		Non-Illustrated—Continued													
P-F	2520-734-6775	GASKET SET: power transfer 7346775 (19207)	A	EA	1	*	*	*	*	*	*	15	100		
		Consisting of:													
		1-GASKET: input shaft rear bearing cover 7375291 (78500)												52	1
		1-GASKET: transfer case cover 7375246 (19207)												53	3
	2520-563-5523	1-GASKET: front bearing cover 7375292 (19207)												53	17
	2520-563-5524	1-GASKET: output shaft gear case 7375293 (19207)												53	25
		0803—TRANSFER CONTROLS													
P-F	5315-842-3154	PIN CLEVIS: link rod MS35810-36 (96906)	A	EA	4	*	*	*	*	*	*	4	8	58	1
P-F	2520-740-9544	LINK ROD ASSEMBLY: transfer case control 7409544 (19207)	A	EA	1	*	*	*	*	*	*	3	5	58	2
P-F	5315-839-5822	PIN, COTTER: clevis pin MS24665-353 (96906)	A	EA	4	*	*	*	*	*	*	6	10	58	3
P-F	2520-740-9542	LEVER, CONNECTING: left hand and right hand bellcrank motion 7409542 (19207)	A	EA	2	*	*	*	*	*	*	3	5	58	4
P-F	5310-982-4908	NUT, SELF-LOCKING: support to bracket MS21045-6 (96906)	A	EA	10	*	*	*	*	*	*	6	10	58	5
P-F		WASHER: 7974676 (19207)	A	EA	2	*	*	*	*	*	*	6	10	58	6
P-F	5305-269-2809	SCREW, CAP, HEXAGON: MS90726-66 (96906)	A	EA	2	*	*	*	*	*	*	6	10	58	7
P-F	2520-740-9546	LINK ROD ASSEMBLY: left hand control to hand lever 8332233 (19207)	A	EA	1	*	*	*	*	*	*	3	5	58	8
P-F	5310-809-8533	WASHER, PLAIN: control shaft MS27183-23 (96906)	A	EA	1	*	*	*	*	*	*	6	10	58	9
P2-F	2520-864-3016	LEVER ASSEMBLY: hand shift control 8332237 (19207)	A	EA	1	*	*	*	*	*	*	3	5	58	10
P-F	2530-312-0539	BUSHING: hand lever 8332655 (19207)	A	EA	1	*	*	*	*	*	*	4	8	58	11
X1-F		LEVER, HAND: 10871433 (19207)	A	EA	1							2		58	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0803—TRANSFER CONTROLS—Continued													
P-F	5315-849-9857	PIN, COTTER: control lever shaft MS24665-421 (96906)	A	EA	1	*	*	*	*	*	*	6	10	58	13
P-F	2520-740-9547	SHAFT: control lever 7409547 (19207)	A	EA	1	*	*	*	*	*	*	3	5	58	14
P-F	2520-740-9539	BRACKET: control shaft support 7409539 (19207)	A	EA	1	*	*	*	*	*	*	3	5	58	15
P-F	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	A	EA	2	*	*	*	*	*	*	6	10	58	16
P-F	2520-859-5967	RETAINER: cross bracket 7409543 (19207)	A	EA	1	*	*	*	*	*	*	4	8	58	17
P-F	5310-061-7325	NUT, SELF-LOCKING: cross bracket MS21045-4 (96906)	A	EA	1	*	*	*	*	*	*	6	10	58	18
P-F	5305-269-2805	SCREW, CAP, HEXAGON: support to bracket MS90726-62 (96906)	A	EA	6	*	*	*	*	*	*	6	10	58	19
P-F	2510-421-3958	SUPPORT: transfer control 11664482 (19207)	A	EA	1	*	*	*	*	*	*	3		58	20
P-F	2520-177-7907	SHAFT, CROSS: transfer control motion 10871438 (19207)	A	EA	1	*	*	*	*	*	*	3	5	58	21
P-F	5315-616-5526	KEY, WOODRUFF: cross shaft MS35456-8 (96906)	A	EA	2	*	*	*	*	*	*	4	8	58	22
P-F	2520-230-0229	BRACKET ASSEMBLY: cross shaft support 8332654 (19207)	A	EA	1	*	*	*	*	*	*	3	5	58	23
P-F	5305-068-0506	SCREW, CAP, HEXAGON: support bracket MS90726-6 (96906)	A	EA	1	*	*	*	*	*	*	6	10	58	24
		GROUP 09—PROPELLER AND PROPELLER SHAFTS													
		0900—PROPELLER SHAFTS													
P-O	2520-901-9691	PROPELLER SHAFT WITH UNIVERSAL JOINT: assembly, transmission to transfer, optional with shaft, FSN 2520-040-2339 10885788 (19207)	A	EA	1	*	*	*	*	*	*	8	10	59	1
P-O	2520-734-8841	FLANGE, PROPELLER SHAFT: transmission to transfer shaft 7348841 (19207)	A	EA	2	*	*	*	*	*	*	4	10	59	2
P-O	2520-692-6161	YOKE, UNIVERSAL JOINT: propeller shaft assembly 8332661 (19207)	A	EA	2	*	*	*	*	*	*	6	20	59	3

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0900—PROPELLER SHAFTS—Continued													
P-O	5310-741-2306	WASHER, KEY: universal joint yoke 7412306 (19207)	A	EA	2	*	*	*	*	*	*	6	10	59	4
P-O	5330-734-8848	FELT, MECHANICAL PREFIXED: yoke stud 7348848 (19207)	A	EA	1	*	*	*	*	*	*	6	10	59	5
X2-2		RETAINER: universal joint yoke 7348843 (19207)	A	EA	1	*	*	*	*	*	*			59	6
P-O	2520-734-8847	YOKE STUD: journal assembly 7348847 (19207)	A	EA	1	*	*	*	*	*	*	6	20	59	7
P-O	5306-737-6150	BOLT, MACHINE: propeller shaft flange 7376150 (19207)	A	EA	16	*	*	*	*	*	*	6	20	59	8
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON HEAD: shaft flange MS21044N6 (96906)	A	EA	16	*	*	*	*	*	*	6	20	59	9
P-O	2520-901-9682	PROPELLER SHAFT WITH UNIVERSAL JOINT ASSEMBLY: transfer to front axle, optional with shaft, FSN 2520-040-2340 8712095-1 (19207)	A	EA	1	*	*	*	*	*	*	6	20	60	1
P-O	5306-240-0794	BOLT, MACHINE: universal joint 5301613 (19207)	A	EA	8	*	*	*	*	*	*	6	20	60	2
P-O	5310-950-0039	NUT, SELF-LOCKING HEXAGON: companion flange MS21044N6 (96906)	A	EA	16	*	*	*	*	*	*	6	20	60	3
P-O	2520-734-8878	FLANGE COMPANION, UNIVERSAL JOINT: propeller shaft transfer to front axle 7348878 (19207)	A	EA	2	*	*	*	*	*	*	6	20	60	4
P-O	5306-737-6150	BOLT, MACHINE: propeller shaft flange 7376150 (19207)	A	EA	16	*	*	*	*	*	*	6	20	60	5
P-O	2520-734-8880	YOKE ASSEMBLY, PROPELLER: slip universal joint, transfer to front axle 7348880 (19207)	A	EA	1	*	*	*	*	*	*	6	20	60	6
P-O	4730-018-9566	PLUG, PIPE: yoke G1251 (24617)	A	EA	1	*	*	*	*	*	*	8	20	60	7
P-O	5310-734-8882	WASHER, SPLIT: slip, yoke 7348882 (19207)	A	EA	2	*	*	*	*	*	*	6	20	60	8
P-O	5330-734-8881	WASHER: slip, yoke 7348881 (19207)	A	EA	1	*	*	*	*	*	*	6	20	60	9
P-O	2520-700-2402	CAP, DUST, PROPELLER SHAFT: transfer to front axle slip yoke 7002402 (19207)	A	EA	1	*	*	*	*	*	*	6	20	60	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No
		0900—PROPELLER SHAFTS—Continued													
X2-O		SHAFT: universal joint assembly MJ-42-5705 (76260)	A	EA	1	*	*	*	*	*	*			60	11
P-O	2520-656-0323	CENTER BEARING DRIVE ASSEMBLY: 10871093 (19207)	A	EA	1	*	*	*	*	*	*	6	20	61	1
P-O	5305-235-5213	SCREW, CAP, HEXAGON HEAD: 586452 (21450)	A	EA	4	*	*	*	*	*	*	6	20	61	2
P-O	2530-741-1135	SHIELD, DUST: fitting 7411135 (19207)	A	EA	2	*	*	*	*	*	*	6	10	61	3
P-O	4730-018-9566	PLUG, PIPE: fitting G1251 (24617)	A	EA	1	*	*	*	*	*	*	6	10	61	4
P-O	4730-050-4208	RETAINER: flange 7411134 (19207)		EA	2	*	*	*	*	*	*			61	5
P-F	5310-741-1138	FELT, MECHANICAL PREFORMED: fitting 29710H (31007)	A	EA	2	*	*	*	*	*	*	6	10	61	6
P-O	3110-741-1133	PLATE, RETAINING, BEARING: carrier 7411133 (19207)	A	EA	2	*	*	*	*	*	*	6	20	61	7
P-O	2520-741-1130	GASKET: plate 7411130 (19207)	A	EA	2	*	*	*	*	*	*	8	100	61	8
P-O	2520-561-8623	SPACER, BEARING, PROPELLER SHAFT: 7411136 (19207)	A	EA	2	*	*	*	*	*	*	6	20	61	9
P-O	5310-842-1490	NUT, PLAIN, BLIND RIVET: carrier housing MS35692-37 (96906)	A	EA	6	*	*	*	*	*	*	6	20	61	10
P-O	5315-816-1794	PIN, COTTER: nut, rivet MS24665-285 (96906)	A	EA	6	*	*	*	*	*	*	6	20	61	11
P-O	5310-809-5998	WASHER, FLAT: center bearing MS27183-18 (96906)	A	EA	6	*	*	*	*	*	*	6	20	61	12
P-O	2520-741-1137	SPRING, HELICAL, COMPRESSED: center bearing 7411137 (19207)	A	EA	6	*	*	*	*	*	*	6	20	61	13
P-O	2520-741-1129	CARRIER HOUSING: center bearing 7411129 (19207)	A	EA	2	*	*	*	*	*	*	2	5	61	14
P-O	3110-787-6523	BEARING, BALL, ANNULAR: center 700428 (21450)	A	EA	1	*	*	*	*	*	*	6	20	61	15
P-O	2520-459-5248	HOUSING CENTER BEARING: 7411131 (19207)	A	EA	1	*	*	*	*	*	*	2	5	61	16
P-O	5310-732-056	NUT, PLAIN, HEXAGON: mounting plate MS51968-14 (96906)	A	EA	6	*	*	*	*	*	*	6	20	61	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0900—PROPELLER SHAFTS—Continued													
P-O	5310-067-9507	NUT, SELF-LOCKING HEXAGON: MS51922-37 (96906)	A	EA	4	*	*	*	*	*	*	6	20	61	18
P-O	5310-209-5115	WASHER, LOCK: mounting plate MS35335-37 (96906)	A	EA	6	*	*	*	*	*	*	6	20	61	19
P-O	2520-741-1132	PLATE MOUNTING BEARING: drive assembly 7411132 (19207)	A	EA	1	*	*	*	*	*	*	3	5	61	20
P-O	5305-761-4227	SCREW, CAP, HEXAGON HEAD: mounting plate MS90726-111 (96906)	A	EA	4	*	*	*	*	*	*	6	10	61	21
P-O	5306-741-1127	BOLT, MACHINE: special, center bearing 7411127 (19207)	A	EA	6	*	*	*	*	*	*	6	10	61	22
P-O	4730-050-4208	FITTING, LUBRICATION: flange MS15003-1 (96906)		EA	1	*	*	*	*	*	*	6	10	61	23
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: bolt, cap MS21044N6 (96906)	A	EA	16	*	*	*	*	*	*	6	10	61	24
P-O	2520-734-7596	FLANGE: center bearing assembly 7347596 (19207)	A	EA	1	*	*	*	*	*	*	4	10	61	25
X2-O		NUT: flange 5143813 (19207)	A	EA	1	*	*	*	*	*	*			61	26
P-O	5315-298-1498	PIN, COTTER: flange nut MS24665-362 (96906)	A	EA	1	*	*	*	*	*	*	6	20	61	27
P-O	2520-904-8107	PROPELLER SHAFT WITH UNIVERSAL JOINT: transfer to pillow block optional with shaft, FSN 2520-040-2343 8712097 (19207)	RA,TA,ZA, IA,BE,LA, MA,JA	EA	1	*	*	*	*	*	*	8	20	61	28
P-O	2520-040-2338	SHAFT ASSEMBLY: propeller pillow block to forward rear axle with universal joint, optional with shaft FSN 2520-904-4557 8332238 (19207)	TA,RA,ZA,	EA	1	*	*	*	*	*	*	8	20	61	28
P-O	2520-904-4557	SHAFT ASSEMBLY, PROPELLER: pillow block to forward rear axle with universal joint assembly, optional with shaft, FSN 2520-040-2338 8712094-3 (19207)	TA,RA,ZA,	EA	1	*	*	*	*	*	*	8	20	61	28
P-O	5306-737-6151	BOLT, MACHINE: shaft pillow block 7376151 (19207)	RA,IA,	EA	2	*	*	*	*	*	*	6	20	61	29
P-O	5306-737-6150	BOLT, MACHINE: cap, propeller shaft flange 7376150 (19207)	A	EA	8	*	*	*	*	*	*	6	20	61	30
P-O	5310-637-9541	WASHER, LOCK: yoke, universal MS35338-46 (96906)	A	EA	2	*	*	*	*	*	*	6	20	61	31

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0900—PROPELLER SHAFTS—Continued													
P-O	2520-734-8884	FLANGE COMPANION UNIVERSAL JOINT: transfer to pillow block 7348884 (19207)	A	EA	2	*	*	*	*	*	*	6	20	61	32
X2-O		SHAFT: propeller 42-5788 (76260)	A	EA	1	*	*	*	*	*	*			61	33
P-O	2520-734-8892	SHAFT, ASSEMBLY: propeller, transfer to forward rear axle with universal joint 7348892 (19207)	BE,IA,LA, MA,DA,DB, EA,EB,EC, IA,IB,DE, DF	EA	1	*	*	*	*	*	*	8	20	62	1
P-O	2520-040-2342	PROPELLER SHAFT: with universal joint, transfer to forward rear axle, optional with shaft, FSN 2520-904-8105 8332247 (19207)	BE,IA,LA, MA,DA,DB EA,EB,EC, IA,IB,DE, DF	EA	1	*	*	*	*	*	*	8	20	62	1
P-O	2520-040-2341	SHAFT: propeller transfer to forward rear axle with universal joint assembly, optional with shaft, FSN 2520-904-8106 8332246 (19207)	OB,BG,BE, CA,CB,FA, FB,BD,HA, IC,ID	EA	1	*	*	*	*	*	*	8	20	62	1
P-O	2520-904-8106	SHAFT, PROPELLER WITH UNIVERSAL JOINT: transfer to forward rear axle, with universal joint assembly, optional with shaft, FSN 2520-040-2341 8712094-2 (19207)	OB,BG,BF, CA,CB,FA, FB,BD,HA, IC,ID	EA	1	*	*	*	*	*	*	8	20	62	1
P-O	5310-950-0039	NUT, SELF-LOCKING HEAD: universal joint flange MS21044N6 (96906)	A	EA	8	*	*	*	*	*	*	6	20	62	2
P-O	2520-734-8884	FLANGE: companion, universal joint 7348884 (19207)	A	EA	2	*	*	*	*	*	*	4	10	62	3
P-O	5310-637-9541	WASHER, LOCK: bearing journal MS35338-46 (96906)	A	EA	2	*	*	*	*	*	*	6	20	62	4
P-O	5306-737-6151	BOLT, MACHINE: bearing journal 7376151 (19207)	TA,RA,ZA, BE,IA,LA, MA,JA	EA	12	*	*	*	*	*	*	10	20	62	5
P-O	5306-737-6150	BOLT, MACHINE: universal joint flange 7376150 (19207)	A	EA	2	*	*	*	*	*	*	6	10	62	6
X2-O		SHAFT: PL6317 (76260)	A	EA	1	*	*	*	*	*	*			62	7
P-O	3805-355-2100	RETAINER: propeller shaft 7348886 (19207)	A	EA	1	*	*	*	*	*	*	6	10	62	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0900—PROPELLER SHAFTS—Continued													
P-O	5310-741-2306	WASHER: retaining, slip yoke felt 7412306 (19207)	A	EA	2	*	*	*	*	*	*	6	10	62	9
P-O	5310-734-8891	WASHER: slip yoke felt 7348891 (19207)	A	EA	1	*	*	*	*	*	*	6	10	62	10
P-O	2520-734-8890	YOKE, UNIVERSAL JOINT: with dust plug assembly 7348890 (19207)	A	EA	1	*	*	*	*	*	*	6	20	62	11
P-O	4730-018-9566	PLUG, PIPE: universal joint yoke 117243 (21450)	A	EA	1	*	*	*	*	*	*	6	10	62	12
P-O	2520-901-9684	SHAFT, PROPELLER: forward rear to rear rear axle with universal joint assembly, optional with shaft, FSN 2520-318-0983 8712095-3 (19207)	BE,IA,LA,MA	EA	1	*	*	*	*	*	*	8	20	63	1
P-O	2520-901-9683	SHAFT, PROPELLER: forward rear to rear rear axle, with universal joint assembly, optional with shaft, FSN 2520-318-0982 8712095-2 (19207)	OB,BG,BF,CA,CB,DA,DB,EA,EB,EC,FA,FB,TA,RA,ZA,HA,JA,IA,IB,IC,ID	EA	1	*	*	*	*	*	*	8	20	63	1
P-O	2520-318-0982	SHAFT, PROPELLER: forward rear to rear rear axle with universal joint assembly optional with shaft, FSN 2520-901-9683 8332248 (19207)	OB,BG,BF,PA,CA,CB,DA,DB,EA,EB,EC,IA,IB,FA,FB,IC,ID,TA,RA,ZA,HA,XA,JA,BD	EA	1	*	*	*	*	*	*	8	20	63	1
P-O	2520-318-0983	SHAFT PROPELLER: with universal joint, forward rear to rear rear axle assembly optional with shaft FSN 2520-901-9685 8332249 (19207)	BE,IA,LA,MA,BC	EA	1	*	*	*	*	*	*	8	20	63	1
P-O	5310-950-0039	NUT, SELF-LOCKING HEXAGON: universal joint journal bearing MS21044N6 (96906)	A	EA	16	*	*	*	*	*	*	6	10	63	2
P-O	2520-734-8878	FLANGE, COMPANION, UNIVERSAL JOINT: propeller shaft 7348878 (19207)	A	EA	2	*	*	*	*	*	*	6	10	63	3
P-O	5306-737-6150	BOLT: universal joint journal bearing 7376150 (19207)	A	EA	16	*	*	*	*	*	*	6	20	63	4
P-O	2520-734-8880	YOKE, UNIVERSAL JOINT: propeller shaft 7348880 (19207)	A	EA	1	*	*	*	*	*	*	6	20	63	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No
		0900—PROPELLER SHAFTS—Continued													
P-O	5310-734-8882	WASHER: propeller shaft 7348882 (19207)	RA,TA,ZA, IA,BE,LA, MA,JA	EA	2	*	*	*	*	*	*	6	20	63	6
P-O	5330-734-8881	WASHER: propeller shaft 7348881 (19207)	A	EA	1	*	*	*	*	*	*	6	20	63	7
P-O	2520-700-2402	CAP, DUST, PROPELLER SHAFT: 7002402 (19207)	A	EA	1	*	*	*	*	*	*	6	10	63	8
P-O	2520-457-6660	CAP, DUST, PROPELLER: transmission to transfer universal joint 7375261 (19207)	A	EA	2	*	*	*	*	*	*	6	10	63	8
X2-O		SHAFT: propelier MJ-42-5705 (76260)	A	EA	1	*	*	*	*	*	*			63	9
		Non-Illustrated													
P-O	2520-293-5131	PORPELLER SHAFT ASSEMBLY: dump control 8330487 (19207)	AK	EA	1	*	*	*	*	*	*	*	*		
P-O	5310-033-6007	WASHER, FLAT: universal joint spacing 7346986 (19207)	A	EA	4	*	*	*	*	*	*	6	10		
P-O	8305-264-6153	FELT, SHEET: universal joint slip yoke washer 7348843 (19207)	A	FT	V	*	*	*	*	*	*	6	10		
P-O	2520-457-6660	CAP DUST, PROPELLER: transmission to transfer universal joint 7375261 (19207)		EA	2	*	*	*	*	*	*	6	10		
P-O	2520-039-7131	PARTS KIT, UNIVERSAL JOINT: to forward rear axle, used with shafts, FSN 2520-040-2342 FSN 2520-040-2338, FSN 2520-734-8892, and FSN 2520-904-4557 also transfer to forward rear axle, FSN 2520-040-2341, FSN 2520-904-8106 7412638 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	10	40		
	2520-521-4479	4-PLATE 5214479 (19207)													
	5306-270-7387	8-BOLT 5214483 (19207)													
		4-CAP 5-70-49 (78080)													
		1-JOURNAL 6-5-168X (78080)													
		4-BEARING 6-6-58X (78080)													

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		0900—PROPELLER SHAFTS—Continued													
		Non-Illustrated—Continued													
P-O	2520-040-1159	KIT, REPAIR: forward rear to rear rear axle with universal joint, used with shafts, FSN 2520-901-9683, FSN 2520-741-1126 and FSN 2520-318-0982 7348885 (19207)	A	EA	V	*	*	*	*	*	*	10	40		
		Consisting of:													
	2520-499-8944	8-DEFLECTOR A291580 (19207)													
	2520-530-1357	2-PLATE 5301357 (19207)													
	2520-734-8876	4-GASKET 7348876 (19207)													
	4730-050-4208	2-FITTING MS15003-1 (96906)													
	4730-309-0095	1-VALVE 7042827 (19207)													
	5306-425-0003	4-BOLT 5291734 (19207)													
	5306-734-8887	4-BOLT 734887 (19207)													
		4-WASHER 6 x 216 (76260)													
		1-JOURNAL 112-8100 (76260)													
		4-BEARING 113-8200 (76260)													
		2-WIRE 7932J (76260)													
P-O	2520-734-8885	KIT, REPAIR: pillow block to forward rear axle, used with shafts, FSN 2520-904-4557 and FSN 2520-734-8892, FSN 2520-040-2338, and FSN 2520-040-2342, transfer to forward rear axle, used with shafts, FSN 2520-734-8892, FSN 2520-904-8106, FSN 2520-040-2342 and FSN 2520-040-2341 7348885 (19207)	A	EA	V	*	*	*	*	*	*	10	40		
		Consisting of:													
	2520-530-1357	2-PLATE 5301357 (19207)													
	2520-734-8876	4-GASKET 7348876 (19207)													
	4730-050-4208	2-FITTING MS15003-1 (96906)													
	4730-309-0095	1-VALVE 7042827 (19207)													
	5306-425-0003	4-BOLT 5291734 (19207)													
	5306-734-8887	4-BOLT 7348887 (19207)													
		4-WASHER 6 x 216 (76260)													
		2-WIRE 7932J (76260)													
		1-JOURNAL 112-8100 (76260)													
		4-BEARING 113-8200 (76260)													
		8-SHIELD 5291580 (19207)													
P-O	2520-912-3668	PARTS KIT, UNIVERSAL JOINT: used with propeller shaft, transmission to transfer, FSN 2520-901-9681 and propeller shaft, transfer to pillow block, FSN 2520-904-8107, and propeller shaft, transfer to front axle, FSN 2520-901-9682 8332623 (19207)	A	EA	V	*	*	*	*	*	*	10	40		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No.
		0900—PROPELLER SHAFTS—Continued													
		Non-Illustrated—Continued													
		Consisting of:													
	2520-530-1357	2-PLATE 5301357 (19207)													
	2520-734-8876	4-GASKET 7348876 (19207)													
	3439-792-8204	2-WELD WIRE 7422J (76260)													
	4730-050-4203	2-FITTING MS15001-1 (96906)													
	4730-050-4208	1-FITTING MS15003-1 (96906)													
	4730-278-3388	1-PLUG 117243 (21450)													
	5305-741-2316	4-SCREW 7412316 (19207)													
	5306-425-0003	4-BOLT 5291734 (19207)													
	5310-209-0965	4-WASHER MS 35338-47 (96906)													
		1-JOURNAL 112-7100 (76260)													
		4-BEARING 113-7200 (76260)													
		4-SHIELD 5291580 (19207)													
		GROUP 10—FRONT AXLE													
		1000—FRONT AXLE ASSEMBLY													
P-F-R	2520-734-6805	AXLE ASSEMBLY, FRONT: 7346805 (19207)	A (except M139)	EA	1	*	*	*	*	*	*	6	10	64	1
P-F-R	2520-200-1282	AXLE ASSEMBLY, FRONT: 8331201 (19207)	BE,IA,AZ,HB, LA,MA,BC	EA	1	*	*	*	*	*	*	6	10	64	1
P-F	2520-930-7864	HOUSING, AXLE: 8758345 (19207)	A	EA	1	*	*	*	*	*	*	3	5	65	1
X1		HOUSING: 8758343 (19207)	A		1									65	2
P-F	4820-726-4719	VALVE, AIR PRESSURE: front axle housing 5196397 (19207)	A	EA	2	*	*	*	*	*	*	10	30	65	3
P-F	5307-208-9245	STUD, PLAIN: front axle housing 7346810 (19207)	A	EA	18	*	*	*	*	*	*	6	10	65	4
P-O	5315-752-1651	PIN, SHOULDER, HEADLESS: axle housing 7521651 (19207)	A	EA	6	*	*	*	*	*	*	6	10	65	5
P-O	4730-954-1281	PLUG, PIPE: front axle housing MS49005-4 (96906)	A	EA	2	*	*	*	*	*	*	8	20	65	6
P-O	5330-839-9066	GASKET, ANNULAR: filler plug (Component of Gasket Set, FSN 2520-734-6806) MS35769-21 (96906)	A	EA	2	*	*	*	*	*	*	8	100	65	7
P-O	4730-968-6129	PLUG, PIPE, MAGNETIC: MS49006-10 (96906)	A	EA	1	*	*	*	*	*	*	8	20	65	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1000—FRONT AXLE ASSEMBLY—Continued													
P-O	4730-732-6126	PLUG, MACHINE THREAD: 7326126 (19207)	A	EA	1	*	*	*	*	*	*	8	20	65	9
		1002—DIFFERENTIAL													
P-F	2520-734-6821	DIFFERENTIAL DRIVING: axle 7346970 (19207)		EA	1	*	*	*	*	*	*	8	10	66	1
P-F	5330-734-6814	GASKET: housing to carrier (Component of Gasket Set, FSN 2520-734-6806) 7346814 (19207)		EA	1	*	*	*	*	*	*	8	100	66	2
P-F	5310-800-0695	WASHER, LOCK: differential carrier to housing MS35335-39 (96906)		EA	18	*	*	*	*	*	*	6	10	66	3
P-F	5310-820-6653	WASHER, LOCK: differential carrier to housing MS35338-50 (96906)		EA	18	*	*	*	*	*	*	6	10	66	4
P-F	5310-763-8905	NUT, PLAIN HEXAGON: differential carrier to housing MS51968-20 (96906)		EA	18	*	*	*	*	*	*	6	10	66	5
P-F	5305-269-3209	SCREW, CAP, HEXAGON: cover mounting MS90725-58 (96906)		EA	18	*	*	*	*	*	*	6	10	67	1
P-F	5310-637-9541	WASHER, LOCK: cover MS35338-46 (96906)		EA	18	*	*	*	*	*	*	6	10	67	2
P-F	2520-734-6820	COVER: differential carrier 7346820 (19207)		EA	1	*	*	*	*	*	*	2	5	67	3
P-F	2520-353-2616	GASKET: carrier top cover (Component of Gasket and Shim Set, FSN 2520-513-1443) 7535079 (19207)		EA	1	*	*	*	*	*	*	10		67	4
P-F	2520-378-7251	GASKET: carrier top cover 8409576 (19207)	LA, MA	EA	1	*	*	*	*	*	*	10	100	67	4
P-F	5305-282-3249	SET SCREW: AN565C816H16 (88044)		EA	1	*	*	*	*	*	*	6	10	67	5
P-F	5307-753-5226	STUD, PLAIN: bearing cage cover 7535226 (19207)		EA	6	*	*	*	*	*	*	6	10	67	6
P-F	5340-427-2282	BUSHING, TAPERED: housing and carrier stud 7346812 (19207)		EA	6	*	*	*	*	*	*	8	20	67	7
P-F	5315-597-2723	PIN, SHOULDER, HEADLESS: carrier bearing cap 7534717 (19207)		EA	4	*	*	*	*	*	*	6	10	67	8
X1		CAP, BEARING: 8758249 (19207)			2									67	9
P-F	5306-734-6817	BOLT, MACHINE: carrier cap 7346817 (19207)		EA	4	*	*	*	*	*	*	6	10	67	10
P-F	5305-042-6958	SCREW, CAP, HEXAGON HEAD: lock 426958 (21450)		EA	2	*	*	*	*	*	*	6	10	67	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(10) (b) Item No
		1002—DIFFERENTIAL—Continued													
P-F	2530-734-6819	LOCK: adjusting nut 7346819 (19207)		EA	2	*	*	*	*	*	*	6	10	67	12
P-F	2520-529-8430	LOCK, ADJUSTING, REAR: case bearing 5298430 (19207)	LA, MA	EA	2				*	*	*	8	20	67	12
P-F	2520-734-6899	GASKET: spur pinion shaft cover 7346899 (19207)		EA	1	*	*	*	*	*	*	10	100	67	13
X2-F		COVER: 7346898 (19207)		EA	1	*	*	*	*	*	*			67	14
P-F	4820-726-4719	VALVE, AIR PRESSURE: cover 5196397 (19207)		EA	8	*	*	*	*	*	*	10	20	67	15
P-F	2520-734-7548	CARRIER ASSEMBLY: 7347548 (19207)		EA	1	*	*	*	*	*	*	8	20	67	16
P-H	2520-734-6818	NUT, EXTERNALLY THREADED: bearing retainer 7346818 (19207)		EA	2				*	*	*	8	20	68	1
P-H	3110-100-0329	CUP, TAPERED ROLLER BEARING: differential bearing 151510Z (24617)		EA	2				*	*	*	15	30	68	2
P-H	3110-100-0645	CONE AND ROLLERS, TAPERED: differential case 142334 (24617)		EA	2				*	*	*	15	30	68	3
X2-H		CASE, DIFFERENTIAL: 8758252 (19207)		EA	2				*	*	*			68	4
P-H	3120-303-4977	WASHER, THRUST: differential gear (Component of Kit, Repair, FSN 2520-734-6959) 1229H1022 (78500)		EA	2				*	*	*	10		68	5
P-H	3120-383-4793	WASHER, THRUST: side gear 88016H (31007)	LA, MA	EA	2				*	*	*	6	40	68	5
P-H	2520-303-5007	GEAR, BEVEL: side differential gear (Component of Kit, Repair, FSN 2520-734-6959) 2234H190 (78500)		EA	2				*	*	*	10		68	6
P-H	2520-219-8227	GEAR, BEVEL: side differential 8409579 (19207)	LA, MA	EA	1				*	*	*	8	20	68	6
P-H	2520-734-6824	GEAR, HELICAL: differential case 7346824 (19207)		EA	1				*	*	*	10	20	68	7
P-H	2520-303-5074	SPIDER, DIFFERENTIAL: case (Component of Kit, Repair, FSN 2520-734-6959) 3278F84 (78500)		EA	1				*	*	*	10		68	8
P-H	2520-219-8231	SPIDER, DIFFERENTIAL: top carrier 8409583 (19207)	LA, MA	EA	1				*	*	*	8	20	68	8
P-H	5310-734-6823	NUT, PLAIN, BLIND RIVET: differential case 7346823 (19207)		EA	8				*	*	*	6	20	68	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1002—DIFFERENTIAL—Continued													
X2-H		GEAR, PINIOÑ: (Component of Kit, Repair, FSN 2520-734-6959) A2233J114 (78500)		EA	4				*	*	*			68	10
P-H	2520-219-8229	GEAR: top carriage spider 8409581 (19207)	LA, MA	EA	4				*	*	*	8	20	68	10
X2-H		BEARING: pinion gear 12255305 (78500)		EA	4				*	*	*			68	11
P-H	5310-285-9402	WASHER, SPRING TENSION: gear bearing (Component of Kit, Repair, FSN 2520-734-6959) 122901031 (78500)		EA	4				*	*	*	6		68	12
P-H	3120-383-4792	WASHER, THRUST: spider gear 88015H (31007)	LA, MA	EA	4				*	*	*	6	40	68	12
P-H	5306-734-6822	BOLT, MACHINE: differential case 7346822 (19207)		EA	8				*	*	*	6	10	68	13
P-H	5310-282-5661	NUT, PLAIN SLOTTED: shaft 7346093 (19207)		EA	2				*	*	*	6	10	69	1
P-H	2520-734-7596	FLANGE: front, differential 7347596 (19207)		EA	1				*	*	*	4	10	69	2
P-H	2520-563-8309	DEFLECTOR, DIRT AND MOISTURE: differential flange 7535048 (19207)		EA	1				*	*	*	6	20	69	3
P-H	2520-734-6897	COVER ASSEMBLY: 7346897 (19207)		EA	1				*	*	*	3	5	69	4
P-H	5330-236-6604	SEAL, PLAIN ENCASED: shaft cover MS (51911-48-2 (96906)		EA	2				*	*	*	10	200	69	5
P-H	1055-385-2862	SEAL, OIL: drive pinion bearing 5298452 (19207)	LA, MA	EA	2				*	*	*	20	40	69	5
P-H	5310-353-2427	NUT, PLAIN, OCTAGON: bevel pinion bearing adjusting nut 7346885 (19207)		EA	1				*	*	*	6	10	69	6
P-H	2520-215-7331	ADJUSTER: top carriage bearing 6260226 (19207)	LA, MA	EA	1				*	*	*	6	10	69	6
P-H	5310-700-7089	WASHER, KEY: hub bearing adjusting nut 5139123 (19207)		EA	1				*	*	*	6	10	69	7
P-H	5310-353-2297	NUT, PLAIN, OCTAGON: bevel pinion bearing 7009603 (19207)		EA	1				*	*	*	6	10	69	8
P-H	3110-100-0263	CONE AND ROLLERS, TAPERED: bevel pinion front bearing ST2040 (31007)		EA	1				*	*	*	15	30	69	9
P-H	3110-100-0321	CUP, TAPERED ROLLER BEARING: bevel pinion front bearing ST897 (31007)		EA	1				*	*	*	15	30	69	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1002—DIFFERENTIAL—Continued													
X1		GASKET: bevel pinion cage (Component of Gasket and Shim Set, FSN 2530-513-1443) 7346886 (19207)			1									69	11
P-H	5330-383-4655	CORK STRIP: pinion bearing gage 5298450 (19207)	LA,MA	EA	1				*	*	*	8	20	69	11
P-H	2520-734-5887	CAGE ASSEMBLY WITH CUP: bevel pinion bearing 7346887 (19207)		EA	1				*	*	*	15	30	69	12
X1		SHIM: 0.003 (Component of Gasket and Shim Set, FSN 2530-513-1443) 7346888 (19207)			1									69	13
X1		SHIM: 0.005 (Component of Gasket and Shim Set, FSN 2530-513-1443) 7346889 (19207)			5									69	13
X1		SHIM: 0.031 (Component of Gasket and Shim. Set, FSN 2530-513-1443) 7346890 (19207)			1									69	13
P-H	2520-383-4754	SHIM: pinion bearing 0.003 5298456 (19207)	LA,MA	EA	V				*	*	*	20	40	69	13
P-H	2520-331-0086	SHIM: pinion bearing 0.010 5298455 (19207)	LA,MA	EA	V				*	*	*	20	40	69	13
P-H	2520-378-7253	SHIM: pinion bearing 0.032 5298458 (19207)	LA,MA	EA	V				*	*	*	20	40	69	13
P-H	5315-054-0184	PIN, COTTER: shaft MS24665-361 (96906)		EA	2				*	*	*	15	30	69	14
X2-H		SCREW: differential drive shaft cover 445612 (21450)		EA	8				*	*	*			69	15
P-H	5310-584-5272	WASHER, LOCK: differential drive shaft cover MS35338-48 (96906)		EA	8				*	*	*	6	10	69	16
P-H	2520-692-6119	SPACER, BEVEL, PINION: bearing 0.367 8331549 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-692-6120	SPACER, BEVEL, PINION: bearing 0.371 8331550 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-692-6121	SPACER, BEVEL, PINION: bearing 0.375 8331551 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-692-6122	SPACER, BEVEL, PINION: bearing 0.379 8331552 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-692-6123	SPACER, BEVEL, PINION: bearing 0.383 8331553 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-692-6124	SPACER, BEVEL, PINION: bearing 0.387 8331554 (19207)		EA	V				*	*	*	10	30	69	17

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No.
		1002—DIFFERENTIAL—Continued													
P-H	2520-692-6125	SPACER, BEVEL, PINION: bearing 0.391 8331555 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-692-6126	SPACER, BEVEL, PINION: bearing 0.395 8331556 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-692-6127	SPACER, BEVEL, PINION: bearing 0.399 8331557 (19207)		EA	V				*	*	*	10	30	69	17
P-H	2520-529-8441	SPACER, SLEEVE: drive pinion 0.552 5298441 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2520-529-8442	SPACER, SLEEVE: drive pinion 0.525 5298442 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2520-529-8443	SPACER, SLEEVE: drive pinion 0.528 5298443 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2520-529-8445	SPACER, SLEEVE: drive pinion 0.534 5298445 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2520-529-8446	SPACER, SLEEVE: drive pinion 0.537 5298446 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2520-529-8447	SPACER, SLEEVE: 0.543 5298447 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2520-529-8448	SPACER, SLEEVE: drive pinion 0.540 5298448 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2520-630-0148	SPACER: pinion bearing 0.531 49418H (31007)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	2530-693-1896	SPACER: drive pinion 0.516 5298439 (19207)	LA,MA	EA	V				*	*	*	20	40	69	17
P-H	3110-100-0583	CUP, TAPERED ROLLER BEARING: bevel pinion front bearing ST982 (31007)		EA	1				*	*	*	15	30	69	18
P-H	3110-159-9390	CONE AND ROLLERS, TAPERED: bevel pinion front bearing 713537 (21450)		EA	1				*	*	*	15	30	69	19
P-H	2520-734-6892	SHAFT: through pinion gear 7346892 (19207)		EA	1				*	*	*	8	20	69	20
X-1		GEAR, PINION: differential drive shaft (Component of Gear Set, FSN 2520-692-6184) 129475R1 (34007)	LA,MA		1									69	21
X-1		GEAR, PINION: differential drive shaft (Component of Gear Set, FSN 2520-734-6881) All models except LA,MA 3890P354 (78500)			1									69	21
P-H	3110-195-0460	BEARING, ROLLER CYLINDRICAL: through front shaft 712148 (21450)		EA	1				*	*	*	8	20	69	22

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code — Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot-maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1002—DIFFERENTIAL—Continued												
P-H	3120-662-3370	WASHER, THRUST: through shaft bearing 7346894 (19207)	EA	1				*	*	*	6	10	69	23
X1		GASKET: through shaft cover (Component of Gasket and Shim Set, FSN 2530-513-1443) 7346896 (19207)		1									69	24
P-H	2520-734-6895	COVER ASSEMBLY: differential drive 7346895 (19207)	EA	1				*	*	*	3	5	69	25
P-H	5310-637-9541	WASHER, LOCK: cover assembly MS35338-46 (96906)	EA	8				*	*	*	6	10	69	26
P-H	5305-543-2419	SCREW, CAP, HEXAGON HEAD: cover MS90728-61 (96906)	EA	8				*	*	*	6	10	69	27
P-H	2520-734-6802	FLANGE, COMPANION: 7346802 (19207)	EA	1				*	*	*	3	5	69	28
X1		GEAR, BEVEL: (Component of Gear Set, FSN 2520-734-6881) All models except LA,MA 3889L272-A (78500)		1									70	1
X1		GEAR, BEVEL: (Component of Gear Set, FSN 2520-692-6184) LA,MA 129474R1 (31007)		1									70	1
P-H	2520-734-6883	BEARING, SLEEVE: bevel gear 7346883 (19207)	EA	1				*	*	*	8	20	70	2
P-H	3110-158-6011	BEARING, ROLLER, CYLINDRICAL: (with two retainment rings) 141262H (31007)	EA	2				*	*	*	8	20	70	3
P-H	5310-033-6012	WASHER, RECESSED: roller bearing 7346882 (19207)	EA	1				*	*	*	6	10	70	4
P-H	5315-276-5385	KEY, MACHINE: pinion gear 7534781 (19207)	EA	1				*	*	*	6	10	70	5
P-H	2520-734-6825	PINION, SPUR: all models except LA,MA 7346825 (19207)	EA	1				*	*	*	8	20	70	6
P-H	2520-219-8221	PINION: spur LA,MA 8409570 (19207)	EA	1				*	*	*	8	20	70	6
P-H	2530-734-6880	SHIM: spur, pinion cage 0.003 (Component of Gasket and Shim Set, FSN 2530-513-1443) 7346880 (19207)	EA	2				*	*	*	10		70	7
P-H	2520-734-6879	SHIM: spur pinion cage 0.005 (Component of Gasket and Shim Kit, FSN 2530-573-1443) 7346879 (19207)	EA	2				*	*	*	10		70	7

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1002—DIFFERENTIAL—Continued													
P-H	5330-734-6878	SHIM: spur pinion cage 0.031 (Component of Gasket and Shim Kit, FSN 2530-513-1443) 7346878 (19207)		EA	2				*	*	*	10		70	7
P-H	2520-734-6876	BEARING CAGE AND CUP: 7346876 (19207)		EA	1				*	*	*	15	30	70	8
P-H	3110-100-0608	CUP, TAPERED ROLLER BEARING: spur pinion 706430 (21450)		EA	2				*	*	*	15	30	70	9
P-H	3110-100-3647	CONE AND ROLLERS, TAPERED: spur pinion 705550 (21450)		EA	2				*	*	*	15	30	70	10
P-H	3110-350-5407	PLATE, RETAINING, BEARING: 7535063 (19207)		EA	1				*	*	*	2	5	70	11
P-H	5305-993-3555	SCREW, CAP, HEXAGON HEAD: retaining plate 7001668 (19207)		EA	3				*	*	*	6	10	70	12
P-H	2520-734-6877	COVER: bearing cage 7346877 (19207)		EA	1				*	*	*	3	5	70	13
P-H	5310-584-5272	WASHER, LOCK: cover to carrier MS35338-48 (96906)		EA	6				*	*	*	6	10	70	14
P-H	5310-732-0560	NUT, PLAIN, HEXAGON: cover to carrier MS51968-14 (96906)		EA	6				*	*	*	6	10	70	15
		Non-Illustrated													
P-H	2520-219-8219	RETAINER, OIL SEAL: top carrier drive pinion 8421875 (19207)	LA,MA	EA	2				*	*	*	6	10		
P-H	2520-219-8223	CASE, PLAIN HEAL: top carriage 8409574 (19207)	LA,MA	EA	1				*	*	*	3	5		
P-H	2520-219-8226	CASE, FLANGED HALF: drive bearing 8409578 (19207)	LA,MA	EA	1				*	*	*	3	5		
P-H	2520-324-2682	DIFFERENTIAL TOP CARRIAGE: matched case 5910277 (19207)	LA,MA	EA	1				*	*	*	8	20		
P-H	2520-324-2683	DIFFERENTIAL, CAP: carriage top 5910279 (19207)	LA,MA	EA	1				*	*	*	8	20		
P-H	2520-529-8457	SHIM: drive bevel 0.010 5298457 (19207)	LA,MA	EA	V				*	*	*	20	40		
P-H	2520-678-4159	GEAR SET, MATCHED: bevel and pinion 8711323 (19207)	LA,MA	EA	1				*	*	*	8	20		
P-H	5306-272-3760	BOLT, MACHINE: bearing cap A298428 (19207)	LA,MA	EA	4				*	*	*	6	10		
P-H	5306-359-0136	BOLT, INTERNALLY RELIEVED: carrier top 8409575 (19207)	LA,MA	EA	1				*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1002—DIFFERENTIAL—Continued													
		Non-Illustrated—Continued													
P-H	5306-385-2535	BOLT, MACHINE: top carriage 5298468 (19207)	LA,MA	EA	4				*.	*	*	6	10		
P-H	5310-274-8214	NUT, HEXAGON: propeller shaft companion flange 54556H (31007)	LA,MA	EA	1				*	*	*	6	10		
P-H	5310-800-0695	WASHER, LOCK: carrier top MS35335-39 (96906)	LA,MA	EA	12				*	*	*	6	10		
P-H	5310-820-6653	WASHER, LOCK: top carrier MS35338-50 (96906)	LA,MA	EA	12				*	*	*	6	10		
P-H	5320-709-9500	RIVET, SOLID: top carrier 52864V (31007)	LA,MA	EA	14				*	*	*	6	10		
P-H	2530-513-1443	GASKET AND SHIM SET: 7346807 (19207)		EA	1				*	*	*	20	100		
		Consisting of:													
	2520-353-2616	1-GASKET carrier top 7535079 (19207)												67	4
		1-GASKET bevel pinion cage 7346886 (19207)												69	11
		1-SHIM 0.003 pinion cage 7346888 (19207)												69	13
		5-SHIM 0.005 pinion cage 7346889 (19207)												69	13
		1-SHIM 0.0031 pinion cage 7346890 (19207)												69	13
		1-GASKET through shaft cover 7346896 (19207)												69	24
	2530-734-6880	2-SHIM spur pinion cage 0.003 7346880 (19207)												70	7
	2520-734-6879	2-SHIM spur pinion cage 0.005 7346879 (19207)												70	7
	5330-734-6878	1-SHIM spur pinion cage 0.031 7346878 (19207)												70	7
P-H	2520-692-6184	GEAR SET, AXLE: 8333753 (19207)	LA,MA	EA	1				*	*	*	10	40		
		Consisting of:													
		1-GEAR differential drive shaft 129475R1 (31007)												69	21
		1-GEAR drive pinion 129474R1 (31007)												70	1
P-F	2520-734-6806	GASKET SET: 7346806 (19207)		EA	V	*	*	*	*	*	*	20	100		
		Consisting of:													
	5330-839-9066	2-GASKET filler plug MS35769-21 (96906)												65 75	7 5
	5330-734-6814	1-GASKET carrier to housing 7346814 (19207)												66	2
	2530-734-6993	2-GASKET drive flange 7346993 (19207)												71 74	7 4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100-equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1002—DIFFERENTIAL—Continued Non-Illustrated—Continued													
P-H	2520-734-6881	GEAR SET: bevel all models except LA,MA 7346881 (19207)		EA	V				*	*	*	10	40		
		Consisting of:													
	2520-311-7875	1-GEAR shaft 3890P354 (78500)												69	21
		1-GEAR drive pinion 3889L272-A (78500)												70	1
P-H	2520-734-6959	KIT, REPAIR: gear set 7346959 (19207)		EA	V				*	*	*	10	40		
		Consisting of:													
	3120-303-4977	2-WASHER differential gear 1729H1022 (78500)												68	5
	2520-303-5007	2-GEAR side differential gear 2234H190 (78500)												68	6
	2520-303-5074	1-SPIDER differential case 3278F84 (78500)												68	8
		4-GEAR helical to bevel gear A2233J114 (78500)												68	10
	5310-285-94021	4-WASHER gear bearing 1229Q1031 (78500)												68	12
		1004—STEERING AND LEANING WHEEL MECHANISM													
P-O	2520-734-6991	FLANGE ASSEMBLY, DRIVE: 7346991 (19207)	A	EA	2	*	*	*	*	*	*	6	20	71	1
P-O	5340-734-6992	PLUG, EXPANSION: drive flange 7346992 (19207)	A	EA	1	*	*	*	*	*	*	6	20	71	2
P-O	5330-054-6865	PACKING, PREFORMED: 220984 (44674)	A	EA	1	*	*	*	*	*	*	6	20	71	3
P-O	5306-752-1631	BOLT, MACHINE: flange to hub 7521631 (19207)	A	EA	10	*	*	*	*	*	*	6	20	71	4
P-O	5310-584-5272	WASHER, LOCK: flange to hub MS35338-48 (96906)	A	EA	10	*	*	*	*	*	*	6	20	71	5
X1		FLANGE, DRIVE: 8758278 (19207)	A		1									71	6
P-O	2530-734-6993	GASKET: drive flange (Component of Gasket Set, FSN 2520-734-6806) 7346993 (19207)	A	EA	2	*	*	*	*	*	*	20		71	7
P-O	2520-740-9550	SEAL, PLAIN, ENCASED: hub bearing, inner front 7409550 (19207)	A	EA	2	*	*	*	*	*	*	20	200	71	8
P-O	2520-740-9551	DEFLECTOR, DIRT AND MOISTURE: front wheel brake drums 7409551 (19207)	A	EA	2	*	*	*	*	*	*	8	20	71	9
P-O	2530-734-6982	SPINDLE: wheel bearings 7346982 (19207)	A	EA	2	*	*	*	*	*	*	6	20	71	10
X1		SPINDLE: 8758276 (19207)			1									71	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1004—STEERING AND LEANING WHEEL MECHANISM—Continued													
P-O	5310-012-1983	NUT, PLAIN, HEXAGON: spindle stud 121983 (21450)	A	EA	10	*	*	*	*	*	*	6	20	71	12
P-O	5310-616-6354	WASHER, FLAT: spindle stud MS35335-38 (96906)	A	EA	10	*	*	*	*	*	*	6	20	71	13
P-F	3120-537-0614	BEARING, BRAKE: spindle 7346983 (19207)	A	EA	2	*	*	*	*	*	*	15	30	71	14
P-F	5310-033-6007	WASHER, FLAT: universal joint spacer outer 7346986 (19207)	A	EA	2	*	*	*	*	*	*	6	10	71	15
P-F	2530-734-6815	KNUCKLE ASSEMBLY: (left, with studs) 7346815 (19207)	A	EA	1	*	*	*	*	*	*	4	10	71	16
P-F	2530-734-6816	KNUCKLE ASSEMBLY: (right, with studs) 7346816 (19207)	A	EA	1	*	*	*	*	*	*	4	10	71	16
P-F	5307-734-6811	STUD, PLAIN: knuckle 7346811 (19207)	A	EA	12	*	*	*	*	*	*	8	20	71	17
X1		NUT, PLAIN: A225876 (19207)	A		2									71	18
X1		SCREW, MACHINE: A225875 (19207)	A		2									71	19
P-F	2520-177-7906	KNUCKLE: 8758352 (19207)	A	EA	1	*	*	*	*	*	*	4	8	71	20
P-F	5307-734-6900	STUD, PLAIN: knuckle to arm 7346900 (19207)	A	EA	4	*	*	*	*	*	*	4	8	71	21
P-F	2520-734-6977	GUARD: universal joint boot left 7346977 (19207)	A	EA	1	*	*	*	*	*	*	4	10	71	22
P-F	2530-734-6978	GUARD: universal joint boot, right 7346978 (19207)	A	EA	1	*	*	*	*	*	*	4	10	71	22
P-F	5310-820-6653	WASHER, LOCK: boot guard MS35338-50 (96906)	A	EA	7	*	*	*	*	*	*	6	10	71	23
P-F	5305-044-5503	SCREW, MACHINE: boot guard MS90725-160 (96906)	A	EA	6	*	*	*	*	*	*	6	10	71	24
P-F	5340-427-2282	BUSHING, TAPERED: steering knuckle and bearing 7346812 (19207)	A	EA	4	*	*	*	*	*	*	8	20	71	25
P-F	5310-800-0695	WASHER, FLAT: arm MS35335-39 (96906)	A	EA	4	*	*	*	*	*	*	6	10	71	26
P-F	5310-274-7721	NUT, PLAIN, HEXAGON: steering knuckle arm 7346813 (19207)	A	EA	4	*	*	*	*	*	*	6	10	71	27

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1004—STEERING AND LEANING WHEEL MECHANISM—Continued													
P-F	2530-734-6979	**ARM: steering knuckle** 7346979 (19207)	A (EXCEPT M139D)	EA	2	*	*	*	*	*	*	4	10	71	28
P-F	2530-927-9387	**ARM: steering knuckle** 7992575 (19207)	MA	EA	2	*	*	*	*	*	*	4	10	71	28
P-F	5307-734-6980	**STUD, BALL: arm** 7346980 (19207)	A	EA	2	*	*	*	*	*	*	6	10	71	29
P-F	5310-835-2140	**NUT, PLAIN: arm** MS35692-69 (96906)	A	EA	2	*	*	*	*	*	*	6	10	71	30
P-F	5315-298-1481	**PIN, COTTER: ball stud** MS24665-357 (96906)	A	EA	2	*	*	*	*	*	*	10	50	71	31
P-F	2530-312-0808	**SPACER: 0.125 (Component of Spacer Set, FSN 2520-734-6981)** 1244B548 (78500)	A	EA	2	*	*	*	*	*	*	10		71	32
X1		**SPACER: 0.135 (Component of Spacer Set, FSN 2520-734-6981)** 1244C549 (78500)	A		2									71	32
P-F	2530-312-0812	**SPACER, BEARING: 0.145 (Component of Spacer Set, FSN 2520-734-6981)** 1244D550 (78500)	A	EA	2	*	*	*	*	*	*	10		71	32
X1		**SPACER: 0.155 (Component of Spacer Set, FSN 2520-734-6981)** 1244E551 (78500)	A		2									71	32
P-F	2530-312-0815	**SPACER: 0.165 (Component of Spacer Set, FSN 2520-734-6981)** 1244F552 (78500)	A	EA	2	*	*	*	*	*	*	10		71	32
P-F	2530-734-6971	**SLEEVE ASSEMBLY:** 7346971 (19207)	A	EA	4	*	*	*	*	*	*	8	20	71	33
P-F	2530-288-1889	**BEARING, SLEEVE: bushing type** 7346972 (19207)	A	EA	1	*	*	*	*	*	*	8	20	71	34
X1		**SLEEVE, FLANGED:** 8758253 (19207)	A		1									71	35
P-F	5340-734-6976	**CLAMP ASSEMBLY: (loop, with nut) boot** 7346976 (19207)	A	EA	2	*	*	*	*	*	*	8	20	71	36
P-F	5310-707-1097	**NUT, PLAIN, HEXAGON: clamp** 7071097 (19207)	A	EA	1	*	*	*	*	*	*	6	10	71	37
X1		**CLAMP:** 8758265-1 (19207)	A		1									71	38
P-F	5305-752-1693	**SCREW, MACHINE: clamp** 7521693 (19207)	A	EA	2	*	*	*	*	*	*	6	10	71	39
P-F	2530-832-7123	**BOOT, DUST AND MOISTURE SEAL:** 8327123 (19207)	A	EA	2	*	*	*	*	*	*	10	40	71	40

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1004—STEERING AND LEANING WHEEL MECHANISM—Continued													
P-F	5310-880-7744	NUT, PLAIN, HEXAGON: outer boot clamp MS51967-5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	71	41
P-F	5305-948-4043	SCREW, MACHINE: ring MS35275-294 (96906)	A	EA	24	*	*	*	*	*	*	10	25	71	42
P-F	2520-734-6975	RING: boot clamp outer 7346975 (19207)	A	EA	2	*	*	*	*	*	*	6	20	71	43
P-F	2530-734-6974	PLATE: sleeve 7346974 (19207)	A	EA	2	*	*	*	*	*	*	6	20	71	44
P-O	4730-279-0358	FITTING: steering knuckle plate 504209 (21450)	A	EA	2	*	*	*	*	*	*	10	25	71	45
P-F	5305-725-4111	SCREW CAP HEXAGON HEAD: steering knuckle plate MS90726-165 (96906)	A	EA	8	*	*	*	*	*	*	6	20	71	46
P-F	2520-734-6985	SHAFT, AXLE AUTOMOTIVE: left short 7346985 (19207)	A	EA	1	*	*	*	*	*	*	8	20	72	1
P-F	2520-734-6984	SHAFT, AXLE AUTOMOTIVE: right long 7346984 (19207)	A	EA	1	*	*	*	*	*	*	8	20	72	1
X1		SHAFT: RZ-OJ102 (83324)			1									72	2
X1		PIN: shaft RZ-N52 (83324)	A		1									72	3
X1		PILOT: shaft RZ-J51 (83324)	A		1									72	4
X1		CAGE: shaft RZ-J31 (83324)	A		1									72	5
X1		RACE: cage RZ-OJ33-2 (83324)	A		1									72	6
X1		BALL: race RZ-BA3040 (83324)	A		6									72	7
P-F	5340-338-1857	RING, RETAINING: inner shaft retainer 8332701 (19207)	A	EA	1	*	*	*	*	*	*	6	10	72	8
P-F	5340-734-6990	RING, RETAINING: universal joint 7346990 (19207)	A	EA	1	*	*	*	*	*	*	6	10	72	8
P-F	2530-734-6989	PLATE, RETAINING, SHAFT: universal joint 7346989 (19207)	A	EA	2	*	*	*	*	*	*	6	10	72	9
P-F	5305-273-4949	SCREW, CAP, SOCKET HEAD: shaft retaining plate MS24677-48 (96906)	A	EA	6	*	*	*	*	*	*	6	10	72	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1004—STEERING AND LEANING WHEEL MECHANISM—Continued													
P-F	2520-692-6162	SPACER, UNIVERSAL JOINT: 8332702 (19207)	A	EA	2	*	*	*	*	*	*	6	20	72	11
P-F	2520-734-6987	SPACER, SLEEVE: universal joint 7346987 (19207)	A	EA	2	*	*	*	*	*	*	6	20	72	11
P-F	5305-734-6988	SET SCREW: sleeve spacer 7346988 (19207)	A	EA	2	*	*	*	*	*	*	6	10	72	12
X1		SHAFT: 8758348 (19207)	A		1									72	13
P-F	5310-033-6007	WASHER, FLAT: universal joint spacer outer 7346986 (19207)	A	EA	2	*	*	*	*	*	*	6	10	72	14
P-F	5330-286-7059	SEAL, PLAIN, ENCASED: shaft 500135 (21450)	A	EA	2	*	*	*	*	*	*	20	200	72	15
P-F	2520-734-6951	SEAL ASSEMBLY: 7346951 (19207)	A	EA	2	*	*	*	*	*	*	10	40	72	16
P-F	2520-734-6981	SPACER SET: trunnion socket bearing pin MPS513 (02413) Consisting of:	A	EA	1	*	*	*	*	*	*	10	40		
	2530-312-0808	2-SPACER 0.125 1244B548 (78500)													
		2-SPACER 0.135 1244C549 (78500)												71	32
	2530-312-0812	2-SPACER 0.145 1244D550 (78500)													
		2-SPACER 0.155 1244E551 (78500)													
	2530-312-0815	2-SPACER 0.165 1244F552 (78500)													
		GROUP 11—REAR AXLE													
		1100—REAR AXLE ASSEMBLY													
P-F-R	2520-200-1280	AXLE ASSEMBLY, AUTOMOTIVE: all models except BE, IA, HA, JA, BD, IK, FJ, BG, LA, MA, ZA, BO, HB 8327007 (19207)		EA	2	*	*	*	*	*	*	6	10	73	1
P-F-R	2520-200-1281	AXLE ASSEMBLY, AUTOMOTIVE: 8327216 (19207)	HA, JA, BG, BD, IK, FJ	EA	2	*	*	*	*	*	*	6	10	73	1
P-F-R	2530-734-6997	AXLE ASSEMBLY: automotive 7346997	EA, CB	EA	2	*	*	*	*	*	*	6	10	73	1
P-F-R	2520-741-1141	AXLE ASSEMBLY, AUTOMOTIVE: 7411141 (19207)	BE, IA, HB, LA, MA, BO	EA	2	*	*	*	*	*	*	6	10	73	1
P-F	2510-734-6952	PLATE: mounting bracket 7346952 (19207)	A	EA	2	*	*	*	*	*	*	2	5	73	2
P-F	2510-734-6998	BRACKET ASSEMBLY: axle housing 7979363 (19207)	A	EA	2	*	*	*	*	*	*	3	5	73	3
P-F		BOLT, MACHINE: mounting bracket 7346956 (19207)	A	EA	8	*	*	*	*	*	*	6	10	73	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1100—REAR AXLE ASSEMBLY—Continued													
P-F	2530-734-6953	BRACKET: mounting 7346953 (19207)	A	EA	2	*	*	*	*	*	*	3	5	73	5
P-F	2530-040-2271	BRACKET: angle hydraulic line 7409452 (19207)	A	EA	2	*	*	*	*	*	*	3	5	73	6
P-F	2530-734-6954	PLATE: bracket mounting 7346954 (19207)	A	EA	2	*	*	*	*	*	*	3	5	73	7
P-F	5310-734-6957	NUT, PLAIN, HEXAGON: bracket to plate 7979327 (19207)	A	EA	8	*	*	*	*	*	*	6	10	73	8
P-F		WASHER, LOCK: bracket to plate MS35338-113 (96906)	A	EA	8	*	*	*	*	*	*	6	10	73	9
P-F	2530-797-9224	BRACKET, ROD TORQUE: 7979224 (19207)	A	EA	2	*	*	*	*	*	*	3	5	73	10
P-F	5306-752-1631	BOLT, MACHINE: rear axle shaft 7521631 (19207)	A	EA	80	*	*	*	*	*	*	40	200	74	1
P-F	5310-584-5272	WASHER, LOCK: rear axle shaft MS35338-48 (96906)	A	EA	80	*	*	*	*	*	*	40	200	74	2
P-F	2520-734-6960	SHAFT: rear axle (Use on all models except BE, IA, LA, MA 3202J2610 (78500)	A	EA	4	*	*	*	*	*	*	4	8	74	3
P-F	5306-272-3747	SHAFT: rear axle 7346956 (19207)	IA, BE, LA, MA	EA	4	*	*	*	*	*	*	4	8	74	3
P-F	2530-734-6993	GASKET: drive flange (Component of Gasket Set, FSN 2520-734-6806) 22088314 (78500)	A	EA	4	*	*	*	*	*	*	10		74	4
		1101—HOUSING, COVERS AND PLUGS													
P-O	5315-752-1651	PIN, SHOULDER, HEADLESS 7521651 (19207)	A	EA	6	*	*	*	*	*	*	6	20	75	1
P-F	5307-208-9245	STUD, PLAIN: housing 7346810 (19207)	A	EA	36	*	*	*	*	*	*	10	40	75	2
P-O	4820-726-4719	VALVE, AIR PRESSURE RELIEF: side cover 5196397 (19207)	A	EA	2	*	*	*	*	*	*	8	20	75	3
P-O	4730-732-6126	PLUG, MACHINE THREAD: 7326126 (19207)	A	EA	2	*	*	*	*	*	*	8	20	75	4
P-O	5330-839-9066	GASKET: (Component of Gasket Set, FSN 2520-734-6806) MS35769-21 (96906)	A	EA	2	*	*	*	*	*	*	10		75	5
P-O	4730-273-7512	PLUG, PIPE, MAGNETIC: housing drain 502398 (78500)	A	EA	21	*	*	*	*	*	*	8	20	75	6
X1		HOUSING AXLE: 8758344 (19207)	A		1									75	7

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1102—DIFFERENTIAL (SEE GROUP 1002 FOR COMPONENTS AND KIT SETS													
		GROUP 12—BRAKES													
		1201—HAND BRAKES													
P-O	2530-040-2401	LEVER ASSEMBLY: hand brake 8365663 (19207)	A	EA	1	*	*	*	*	*	*	4	8	76	1
P-O	5355-359-0405	KNOB: lever 8343624 (19207)	A	EA	1	*	*	*	*	*	*	6	10	76	2
X1		SPRING, HELICAL, COMPRESSION: housing 8374954 (19207)	A		1									76	3
X1		BALL: housing 169108 (21450)	A		1									76	4
X1		HOUSING: brake lever 8343629 (19207)	A		1									76	5
X1		LEVER: 8374950 (19207)	A		1									76	6
X1		PIN: 8343628 (19207)	A		1									76	7
X1		BRACKET: 8374952 (19207)	A		2									76	8
X1		SPACER: 8343635 (19207)	A		2									76	9
X1		BRACKET: 8343630 (19207)	A		2									76	10
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: brackets to lever MS21044N6 (96906)	A	EA	1	*	*	*	*	*	*	6	10	76	11
P-O	5310-081-4219	WASHER, FLAT: bracket to lever MS27183-12 (96906)	A	EA	1	*	*	*	*	*	*	6	10	76	12
P-O	5315-842-3044	PIN, COTTER: MS24665-283 (96906)	A	EA	1	*	*	*	*	*	*	6	10	76	13
P-O	2530-740-9361	BRACKET, ANGLE: 7409361 (19207)	A	EA	1	*	*	*	*	*	*	2	5	76	14
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: angle bracket to lever MS21044N6 (96906)	A	EA	2	*	*	*	*	*	*	6	10	76	15
P-O	5305-269-2801	SCREW, CAP, HEXAGON HEAD: angle bracket to lever MS90726-58 (96906)	A	EA	2	*	*	*	*	*	*	6	10	76	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1201—HAND BRAKES—Continued													
P-O	3040-240-9254	CONNECTING LINK, RIGID: adjusting rod 8343631 (19207)	A	EA	1	*	*	*	*	*	*	2	5	76	17
P-O	2530-930-1543	ROD, ADJUSTING: connecting link to lever screw 8374951 (19207)	A	EA	1	*	*	*	*	*	*	2	5	76	18
X1		SCREW: adjusting rod to lever 104934R1 (31007)	A		1									76	19
X1		TUBE: bracket screw 10883128 (19207)	A		2									76	20
P-O	5305-269-2818	SCREW, CAP, HEXAGON HEAD: brackets to lever MS90726-74 (96906)	A	EA	2	*	*	*	*	*	*	6	10	76	21
P-O	5315-741-5746	PIN, BRAKE ROD: 7415746 (19207)	A	EA	1	*	*	*	*	*	*	6	10	76	22
X1		RIVET: bracket to lever 8701439 (19207)	A		1									76	23
P-O	5340-682-1762	RING, RETAINING: 587555 (21450)	A	EA	1	*	*	*	*	*	*	6	10	76	24
P-O	5310-625-5756	WASHER, FLAT: MS15795-812 (96906)	A	EA	1	*	*	*	*	*	*	6	10	76	25
X1		SPACER: 8343634 (19207)	A		1									76	26
P-O	2530-179-3637	SPACER, LEVER, BRAKE: 8343637 (19207)	A	EA	2	*	*	*	*	*	*	4	8	76	27
P-O	5340-696-0411	CLEVIS, ROD END BRAKE: 8333013 (19207)	A	EA	1	*	*	*	*	*	*	2	5	77	1
P-O	5305-269-2805	SCREW, CAP, HEXAGON HEAD: clamp bracket MS90726-62 (96906)	A	EA	6	*	*	*	*	*	*	6	10	77	2
P-O	2530-999-8591	BRACKET, CLAMP: cable end 10883130 (19207)	A	EA	1	*	*	*	*	*	*	2	5	77	3
P-O	5310-732-0558	NUT, PLAIN, HEXAGON: clamp bracket MS51967-8 (96906)	A	EA	10	*	*	*	*	*	*	6	10	77	4
P-O	5305-269-2806	SCREW, CAP, HEXAGON HEAD: cable clamp MS90726-63 (96906)	A	EA	4	*	*	*	*	*	*	6	10	77	5
P-O	5310-809-4058	WASHER, FLAT: cable clamp MS27183-10 (96906)	A	EA	8	*	*	*	*	*	*	6	10	77	6
P-O	5305-068-0505	SCREW, CAP, HEXAGON HEAD: cable clamp MS90726-5 (96906)	A	EA	5	*	*	*	*	*	*	6	10	77	7
P-O	5310-959-7600	NUT, PLAIN: MS51922-5 (96906)	A	EA	5	*	*	*	*	*	*	6	10	77	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1201—HAND BRAKES—Continued													
P-O	2530-740-9372	CONNECTING LINK, RIGID: cable clamp 7409372 (19207)	A	EA	3	*	*	*	*	*	*	3	5	77	9
P-O	5340-282-7521	CLAMP, LOOP: parking brake cable MS21333-40 (96906)	A	EA	1	*	*	*	*	*	*	4	8	77	10
P-O	5340-740-9366	CLAMP: parking brake cable (use strap, FSN 5340-512-1948 when stock is exhausted) 7409366 (19207)	A	EA	2	*	*	*	*	*	*	4	8	77	11
P-O	5310-740-9369	NUT, SINGLE BALL SEAT: cable end 7409369 (19207)	A	EA	1	*	*	*	*	*	*	6	10	77	12
P-O	5310-732-0558	NUT, PLAIN, HEXAGON: cable end MS51967-8 (96906)	A	EA	1	*	*	*	*	*	*	6	10	77	13
P-O	2530-741-3485	BRACKET, CABLE CLAMP 7413485 (19207)	A	EA	1	*	*	*	*	*	*	3	5	77	14
P-O	2530-740-9365	CABLE: hand brake 7409365 (19207)	A	EA	1	*	*	*	*	*	*	6	8	77	15
P-O	2530-052-3687	PLATE, WEAR, PARKING: parking brake cable 10883131 (19207)	A	EA	1	*	*	*	*	*	*	3	5	77	16
P-O	2530-052-3683	CLAMP, PARKING BRAKE: brake cable 10883129 (96906)	A	EA	2	*	*	*	*	*	*	3	5	77	17
P-O	2530-033-6029	BRAKE DRUM: parking 7409367 (19207)	A	EA	1	*	*	*	*	*	*	6	20	78	1
P-O	2530-563-5531	BRACKET: brake drum assembly 7409363 (19207)	A	EA	1	*	*	*	*	*	*	3	5	78	2
P-O	5360-693-0615	SPRING, HELICAL EXTENSION: return outer shoe 7521284 (19207)	A	EA	1	*	*	*	*	*	*	6	10	78	3
P-O	5310-880-7745	NUT, PLAIN, HEXAGON: bracket MS51968-11 (96906)	A	EA	1	*	*	*	*	*	*	6	10	78	4
P-O	5305-206-0932	SCREW, SHOULDER: adjusting shoe 7064469 (19207)	A	EA	1	*	*	*	*	*	*	6	10	78	5
P-O	2530-312-1583	DEFLECTOR, DIRT AND OIL: companion flange 7409371 (19207)	A	EA	1	*	*	*	*	*	*	4	8	78	6
P-O	2920-734-6802	FLANGE ASSEMBLY, COMPANION: 7346802 (19207)	A	EA	1	*	*	*	*	*	*	3	5	78	7
P-O	5310-737-5259	WASHER, FLAT: companion flange 7375259 (19207)	A	EA	1	*	*	*	*	*	*	6	10	78	8
P-O	5310-492-9631	NUT, SLOTTED, HEXAGON: companion flange A143813 (76040)	A	EA	1	*	*	*	*	*	*	6	10	78	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No
		1201—HAND BRAKES—Continued													
P-O	5315-059-0184	PIN, COTTER: slotted nut MS24665-361 (96906)	A	EA	1	*	*	*	*	*	*	6	10	78	10
P-O	5310-732-0559	NUT, PLAIN, HEXAGON: drum to flange MS51968-8 (96906)	A	EA	8	*	*	*	*	*	*	6	10	78	11
P-O-R	2530-693-0679	BRAKE SHOE, INTERNAL: 8380558 (19207)	A	EA	1	*	*	*	*	*	*	15	30	78	12
P-F	5320-058-9890	RIVET, TUBULAR: (inner shoe lining (8), and outer shoe lining (8) RV388 (78500)	A	EA	16	*	*	*	*	*	*	90	300	78	13
P-F	2530-736-8682	LINING, FRICTION: inner brake shoe 7368682 (19207)	A	EA	1	*	*	*	*	*	*	15	30	78	14
X1		SHOE, BRAKE: inner set 8757707 (19207)	A		1									78	15
P-O	5310-297-3314	WASHER, FLAT: brake shoe 7064467 (19207)	A	EA	4	*	*	*	*	*	*	6	10	78	16
P-O	5310-637-9541	WASHER, LOCK: brake shoe MS35338-46 (96906)	A	EA	2	*	*	*	*	*	*	6	10	78	17
P-O	5315-316-0992	PIN, SHOULDER, HEADLESS: brake shoe 7064470 (19207)	A	EA	1	*	*	*	*	*	*	6	10	78	18
P-O	2530-736-8683	LEVER ASSEMBLY, SHOE: 7368683 (19207)	A	EA	1	*	*	*	*	*	*	4	10	78	19
P-O	5340-752-1285	RING RETAINING: shoe lever pin (2), shoe anchor bolt (1) 7521285 (19207)	A	EA	3	*	*	*	*	*	*	4	10	78	20
P-O	5315-312-0831	PIN, GROOVED, HEADLESS: shoe lever 7521448 (19207)	A	EA	2	*	*	*	*	*	*	4	10	78	21
X1		LEVER, SHOE: 8757709 (19207)	A		1									78	22
P-O	5315-018-7988	PIN, COTTER: extension spring MS24665-493 (96906)	A	EA	1	*	*	*	*	*	*	4	10	78	23
P-O	5360-740-9447	SPRING, HELICAL EXTENSION: brake lever 7409447 (19207)	A	EA	1	*	*	*	*	*	*	6	10	78	24
P-O	5306-740-9370	BOLT, MACHINE: brake shoe 7409370 (19207)	A	EA	1	*	*	*	*	*	*	4	10	78	25
P-O	5310-333-7519	PIN, SHOULDER, HEADLESS: brake shoe 7064468 (19207)	A	EA	1	*	*	*	*	*	*	4	10	78	26
P-O	2530-321-6375	SPRING, BRAKE SHOE: 7064466 (19207)	A	EA	1	*	*	*	*	*	*	6	10	78	27
P-O	4730-172-0028	FITTING, LUBRICATION: brake shoe MS15003-4 (96906)	A	EA	1	*	*	*	*	*	*	6	10	78	28

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1201—HAND BRAKES—Continued													
P-O	2530-693-0680	BRAKE SHOE WITH LINING: outer 8380559 (19207)	A	EA	1	*	*	*	*	*	*	15	30	78	29
X1		SHOE, BRAKE: outer 8757706 (19207)	A		1									78	30
P-F	2530-289-7207	LINING, FRICTION: outer brake shoe 7368681 (19207)	A	EA	1	*	*	*	*	*	*	15	30	78	31
P-O	4730-050-4208	FITTING, LUBRICATION: outer brake shoe MS15003-1 (96906)	A	EA	2	*	*	*	*	*	*	6	10	78	32
P-O	5310-637-9541	WASHER, LOCK: outer brake shoe MS35338-46 (96906)	A	EA	1	*	*	*	*	*	*	6	10	78	33
P-O	5310-732-0559	NUT, PLAIN, HEXAGON: outer brake shoe MS51968-8 (96906)	A	EA	1	*	*	*	*	*	*	6	10	78	34
P-O	5310-891-3428	NUT, PLAIN, HEXAGON: outer brake shoe MS35691-77 (96906)	A	EA	4	*	*	*	*	*	*	6	10	78	35
P-O	4730-172-0028	FITTING, LUBRICATION: inner brake shoe MS15003-4 (96906)	A	EA	1	*	*	*	*	*	*	6	10	78	36
P-O	5306-737-6152	BOLT, RIBBED NECK: serrated shoulder 10X507 (78500)	A	EA	8	*	*	*	*	*	*	6	10	78	37
		Non-Illustrated													
P-F	5306-274-0955	BOLT, MACHINE: stop, shoe 7409364 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-297-3314	WASHER, FLAT: brake spacer tie spring 7064467 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
		1202—SERVICE BRAKES													
P-O	5305-269-3210	SCREW, CAP, HEXAGON: brake wheel cylinder dust cover MS90725-59 (96906)	A	EA	12	*	*	*	*	*	*	6	10	79	1
P-O	5310-637-9541	WASHER, LOCK: brake wheel cylinder dust cover MS35338-46 (96906)	A	EA	12	*	*	*	*	*	*	6	10	79	2
P-O	5306-740-9376	BOLT AND WASHER ASSEMBLY: 7409376 (19207)	A	EA	12	*	*	*	*	*	*	4	8	79	3
P-O	2530-740-9382	SPRING, HELICAL, COMPRESSION: adjusting cam tension 7409382 (19207)	A	EA	12	*	*	*	*	*	*	6	10	79	4
P-O	2530-457-1676	CAM, BRAKE ADJUSTING: upper shoe 5282725 (19207)	A	EA	12	*	*	*	*	*	*	4	8	79	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1202—SERVICE BRAKES—Continued													
P-O	2530-656-4895	SHIELD, HEAT: wheel cylinder 7409323 (19207)	A	EA	6	*	*	*	*	*	*	4	8	79	6
P-O	2530-272-8106	LINK, WHEEL CYLINDER: 7413486 (19207)	A	EA	12	*	*	*	*	*	*	4	8	79	7
P-O	2530-864-2990	SHOE: brake with lining 7409380 (19207)	A	EA	12	*	*	*	*	*	*	60	120	79	8
P-O	5315-740-9379	PIN, GROOVED, HEADLESS: 7979330 (19207)	A	EA	12	*	*	*	*	*	*	6	10	79	9
P-O	5310-740-9385	WASHER, SPRING TENSION: 7409385 (19207)	A	EA	12	*	*	*	*	*	*	6	10	79	10
P-O	5310-059-4261	WASHER, FLAT: 7414384 (19207)	A	EA	24	*	*	*	*	*	*	6	10	79	11
P-O	5340-944-4911	RETAINING: MS16633-3025 (96906)	A	EA	12	*	*	*	*	*	*	6	10	79	12
P-O	5310-797-9322	WASHER, SLOTTED: 7979332 (19207)	A	EA	12	*	*	*	*	*	*	6	10	79	13
P-O	2530-204-3622	LINK, ANCHOR BRAKE SHOE: 7979340 (19207)	A	EA	6	*	*	*	*	*	*	6	10	79	14
X2-O		BRACKET: anchor pin mounting 7979334 (19207)	A	EA	6							6	10	79	15
P-O	5310-584-7888	WASHER, LOCK: MS35338-51 (96906)	A	EA	12	*	*	*	*	*	*	6	10	79	16
P-O	5310-275-9460	NUT, PLAIN, HEXAGON: 7413488 (19207)	A	EA	12	*	*	*	*	*	*	6	10	79	17
P-O	5310-595-7237	WASHER, LOCK: (Component of Parts Kit, Guide Pin FSN, 2530-137-9275) MS35333-42 (96906)	A	EA	12	*	*	*	*	*	*	6	10	79	18
P-O	5310-732-0559	NUT, PLAIN, HEXAGON: (Component of Parts Kit, Guide Pin FSN 2530-137-9275) MS51968-8 (96906)	A	EA	12	*	*	*	*	*	*	6	10	79	19
P-O	2530-925-0139	PIN, GUIDE: brake shoe 11593201 (19207)	A	EA	12	*	*	*	*	*	*	6	12	79	20
P-O	2530-797-9339	SPRING, HELICAL: 7979339 (19207)	A	EA	6	*	*	*	*	*	*	4	8	79	21
P-O	5315-842-3044	PIN, COTTER: guide pin MS24665-283, (96906)	A	EA	12	*	*	*	*	*	*	8	20	79	22
P-F		RIVET: MS35743-76 (96906)	A	EA	24	*	*	*	*	*	*	8	20	79	23
P-O	2530-461-3835	PIN, PIVOT, BRAKE SHOE: 7979271 (19207)	A	EA	12	*	*	*	*	*	*	4	8	79	24

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1202—SERVICE BRAKES—Continued													
X1-F		PLATE: brake backing 8758316 (19207)	A		6									79	25
P-O	2530-232-6020	COVER: mounting plate, dust 8758357 (19207)	A	EA	1	*	*	*	*	*	*	4	8	79	26
P-F	2530-740-9381	SHIELD, BRAKE CAM: 7409381 (19207)	A	EA	1	*	*	*	*	*	*	6	20	79	27
P-F	2520-692-6133	PLATE: brake backing 8332557 (19207)	A	EA	1	*	*	*	*	*	*	6	20	79	28
P-O	2530-137-9275	PARTS KIT, GUIDE PIN: service brake 11677781 (19207) Consisting of: 1-SPRING 11663025 (19207) 1-GUIDE PIN 11663231 (19207) 3-WASHERS 11663232 (19207) 1-SPRING 11663233 (19207) 1-NUT 11663236 (19207)	A			*	*	*	*	*	*	15	40		
	5310-732-0559	1-NUT MS51968-8 (96906)												79	19
	5310-595-7237	1-WASHER, LOCK MS35333-42 (96906)												79	18
P-F	2530-394-3033	LINING, SET: brakeshoe 7409375 (19207) Consisting of: 4-LINING 2740226 (78500)	A			*	*	*	*	*	*	15	40	N/I	
	5320-058-9883	64-RIVETS MS16536-172 (96906)													
		1204—HYDRAULIC BRAKE SYSTEM													
P-O	4730-516-7419	BOLT, FLUID PASSAGE: multiple connector A167419 (19207)	A	EA	6	*	*	*	*	*	*	6	10	80	1
P-O	5310-209-1761	WASHER FLAT: multiple connector A215674 (19207)	A	EA	6	*	*	*	*	*	*	6	10	80	2
P-O	4730-528-2743	CONNECTOR, MULTIPLE: fluid pressure line 5282743 (19207)	A	EA	6	*	*	*	*	*	*	4	10	80	3
P-O	5310-275-6635	WASHER, FLAT: multiple connector A175415 (19207)	A	EA	6	*	*	*	*	*	*	6	10	80	4
P-O	2530-278-6555	VALVE, BLEEDER: backing plate 7411071 (19207)	A	EA	6	*	*	*	*	*	*	4	10	80	5
P-O	2530-421-9687	CYLINDER ASSEMBLY, WHEEL: front 8758255 (19207)	A	EA	2	*	*	*	*	*	*	15	30	80	6
P-O	2530-920-7568	CYLINDER ASSEMBLY, WHEEL: rear 8758259 (19207)	A	EA	4	*	*	*	*	*	*	30	60	80	6

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204--HYDRAULIC BRAKE SYSTEM—Continued													
P-O	2530-740-9313	BOOT: master cylinder 7409313 (19207)	A	EA	1	*	*	*	*	*	*	15	30	81	1
P-O	2530-741-1070	CYLINDER ASSEMBLY HYDRAULIC: master 7411070 (19207)	A	EA	1	*	*	*	*	*	*	10	40	81	2
P-O-R	2530-737-6689	CYLINDER, AIR, HYDRAULIC: brake nut 7376689 (19207)	A	EA	1	*	*	*	*	*	*	10	20	82	1
P-F	4730-737-6455	ADAPTER, CONTROL VALVE: poppet body 7376455 (19207)	A	EA	1	*	*	*	*	*	*	4	8	82	2
P-F	2530-737-6734	SEAL, AIR BRAKE: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376734 (19207)	A	EA	1	*	*	*	*	*	*	6		82	3
P-F	2530-737-6740	SPRING, AIR BRAKE: poppet return (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376740 (19207)	A	EA	1	*	*	*	*	*	*	6		82	4
P-F	5305-710-4190	SCREW, CAP, HEXAGON: poppet body MS90726-85 (96906)	A	EA	6	*	*	*	*	*	*	6	10	82	5
P-F	5310-637-9541	WASHER, LOCK: poppet body MS35338-46 (96906)	A	EA	6	*	*	*	*	*	*	6	10	82	6
P-F	2530-213-7395	BODY ASSEMBLY: poppet (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376456 (19207)	A	EA	1	*	*	*	*	*	*	6		82	7
P-F	2530-737-6742	SPRING, HELICAL, COMPRESSION: valve seat (Component of Parts Kit, Hydraulic FSN 2530-318-0984) 7376742 (19207)	A	EA	1	*	*	*	*	*	*	6		82	8
X1		NUT, PLAIN, HEXAGON: 7376757 (19207)	A		1									82	9
P-F	2530-737-6694	PLATE, VALVE, DIAPHRAM: 7376694 (19207)	A	EA	1	*	*	*	*	*	*	4	8	82	10
P-F	2530-737-6682	DIAPHRAGM VALVE: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376682 (19207)	A	EA	1	*	*	*	*	*	*	6		82	11
X1		PLATE: 7376748,(19207)	A		1									82	12
P-F	2530-737-6743	STEM ASSEMBLY: 7376743 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	13
X1		RING, RETAINING: (Component of Parts Kit, Hydraulic FSN 2530-318-9084) 7376723 (19207)	A		1									82	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
P-F	2530-727-6680	CUP, HYDRAULIC BRAKE: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376680 (19207)	A	EA	1	*	*	*	*	*	*	6		82	15
X1		PISTON: BX375479 (06853)	A		1									82	16
X1		CUP, HYDRAULIC, BRAKE: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376459 (19207)	A		1									82	17
P-F	2530-737-6683	FITTING, AIR BRAKE: upper valve 7376683 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	18
P-F	2530-737-6735	SEAL, AIR BRAKE: control valve fitting (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376735 (19207)	A	EA	1	*	*	*	*	*	*	6		82	19
P-O	2530-359-1014	SCREW, BLEEDER: end plate and check valve 7376729 (19207)	A	EA	2	*	*	*	*	*	*	6	10	82	20
P-F	5310-880-7746	NUT, PLAIN, HEXAGON: housing MS51968-5 (96906)	A	EA	6	*	*	*	*	*	*	6	10	82	21
P-F	5310-407-9566	WASHER, LOCK: housing MS35338-45 (96906)	A	EA	6	*	*	*	*	*	*	6	10	82	22
X1		HOUSING, PISTON: BX375467 (06848)	A		1									82	23
P-F	5330-599-2386	PACKING, PREFORMED: housing 7376730 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	24
P-F	2530-737-6738	SPRING, HELICAL, COMPRESSION: piston 7376738 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	25
P-F	2530-737-6728	ROD, PUSH, PISTON: 7376728 (19207)	A	EA	1	*	*	*	*	*	*	4	10	82	26
P-F	5310-737-6752	WASHER, RECESSED: push rod 7376752 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	27
P-F	5330-599-2386	PACKING, PREFORMED: push rod (Component of Parts Kit, FSN 2530-318-0984) 7376730 (19207)	A	EA	1	*	*	*	*	*	*	6		82	28
P-F	2530-737-6696	PISTON ASSEMBLY: air cylinder 7376696 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	29
P-F	2530-264-0836	CUP, COMPRESSION: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376690 (19207)	A	EA	1	*	*	*	*	*	*	6		82	30
P-F	2530-737-6695	PLATE, PISTON: shell 7376695 (19207)	A	EA	1	*	*	*	*	*	*	4	8	82	31

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
X1		WICK PACKING: shell (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376753 (19207)	A		1									82	32
P-F	2530-737-6727	EXPANDER, PACKING: shell (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376727 (19207)	A	EA	1	*	*	*	*	*	*	6		82	33
P-F	5330-285-3649	RETAINER, PACKING: shell 7376720 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	34
P-F	4730-737-6687	PACKING, NUT: shell 7376687 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	35
P-F	5306-225-9088	SCREW, MACHINE: shell to housing MS90726-33 (96906)	A	EA	2	*	*	*	*	*	*	6	10	82	36
P-F	2530-737-6736	SHELL ASSEMBLY: air cylinder 7376736 (19207)	A	EA	1	*	*	*	*	*	*	3	5	82	37
P-O	4730-018-9566	PLUG, PIPE: oil plug boss G1251 (24617)	A	EA	1	*	*	*	*	*	*	4	8	82	38
P-F	5306-012-3798	SCREW, CAP, HEXAGON: shell to housing 123798 (21450)	A	EA	4	*	*	*	*	*	*	6	10	82	39
P-F	2530-737-6747	VALVE, ASSEMBLY, CHECK: 5340153 (19207)	A	EA	1	*	*	*	*	*	*	4	8	82	40
P-F	2530-422-7668	COVER: 212206 (06853)	A	EA	2	*	*	*	*	*	*	4	8	82	41
P-F	2530-705-0032	DISK, VALVE NONMETALLIC: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7050032 (19207)	A	EA	2	*	*	*	*	*	*	6		82	42
X1		VALVE: body 8330685 (19207)	A		1									82	43
X1		BUSHING: check valve 7066011 (19207)	A		1									82	44
P-F	2530-422-7646	BODY: 217697 (06853)	A	EA	1	*	*	*	*	*	*	2	5	82	45
P-F	5310-533-6140	SCREW, CAP HEXAGON: check valve 212206 (06853)	A	EA	2	*	*	*	*	*	*	6	10	82	46
P-F	4730-221-6215	ELBOW: control tube to upper valve 137425 (F2204)	A	EA	1	*	*	*	*	*	*	4	10	82	47
P-F	2530-737-6744	TUBE ASSEMBLY, METAL: 7376744 (19207)	A	EA	1	*	*	*	*	*	*	4	8	82	48
P-F	4730-013-7401	NUT, TUBE COUPLING: control line 137401 (21450)	A	EA	1	*	*	*	*	*	*	4	8	82	49

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
X1		TUBE: air cylinder 7058176 (19207)	A		1									82	50
P-F	4730-014-2435	NUT, TUBE COUPLING: upper valve 6283377 (19207)	A	EA	1	*	*	*	*	*	*	4	8	82	51
P-F	2530-737-6733	SEAL: air brake (Component of Parts Kit, Hydraulic, FSN 2520-318-0984) 7376733 (19207)	A	EA	1	*	*	*	*	*	*	6		82	52
P-F	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)	A	EA	2	*	*	*	*	*	*	6	10	82	53
P-F	5310-768-0139	NUT, PLAIN, HEXAGON: MS51968-2 (96906)	A	EA	2	*	*	*	*	*	*	6	10	82	54
X1		SEAL: slave cylinder (Component of Parts Kit, Hydraulic, FSN 2530-318-9084) 7376731 (19207)	A		1									82	55
X1		NUT, PLAIN, HEXAGON: slave cylinder 7376688 (19207)	A		1									82	56
P-F	2530-737-6745	TUBE, SLAVE CYLINDER: 7376745 (19207)	A	EA	1	*	*	*	*	*	*	4	8	82	57
X1		GASKET: hydraulic plug (Component of Parts, Hydraulic, FSN 2530-318-0984)	A		1									82	58
P-F	5340-737-6725	RING, RETAINING: slave cylinder (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376725 (19207)	A	EA	1	*	*	*	*	*	*	6		82	59
P-F	5310-359-1040	WASHER, FLAT: slave cylinder (Component of Repair Kit, FSN 2530-318-0984) 58182R1 (31007)	A	EA	1	*	*	*	*	*	*	6		82	60
X1		SPRING, RETURN COMPRESSION: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376741 (19207)	A		1									82	61
X1		VALVE, RESIDUAL CHECK: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376746 (19207)	A		1									82	62
X1		CAP, SLAVE CYLINDER: 7376698 (19207)	A		1									82	63
X1		PIN, RETAINING: push rod (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376691 (19207)	A		1									82	64

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
P-F	2530-352-1897	PISTON ASSEMBLY: Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376692 (19207)	A	EA	1	*	*	*	*	*	*	6		82	65
P-F	5340-737-6726	RING, SNAP: (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376726 (19207)	A	EA	1	*	*	*	*	*	*	6		82	66
P-F	2530-359-0808	RETAINER, POWER BRAKE: 7376699 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	67
P-F	2530-359-0928	SPRING, HELICAL COMPRESSION: 7376737 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	68
P-F	3110-100-6152	BEARING, BALL: piston MS19059-50 (96906)	A	EA	1	*	*	*	*	*	*	6	10	82	69
P-F	2530-737-6681	CUP, HYDRAULIC BRAKE: 7376681 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	70
X1		PISTON: cylinder housing 7058197 (19207)	A		1									82	71
X1		YOKE: cylinder housing 7058195 (19207)	A		1									82	72
P-F	2530-392-4204	PLUG: cylinder housing 373874 (06848)	A	EA	1	*	*	*	*	*	*	4	8	82	73
X1		SPRING, COMPRESSION: cylinder housing 7410855 (19207)	A		1									82	74
P-F	5330-737-6732	PACKING, PREFORMED: cylinder housing (Component of Parts Kit, Hydraulic, FSN 2530-218-0984 7376732 (19207)	A	EA	1	*	*	*	*	*	*	6		82	75
P-F	5340-737-6722	RING, RETAINING: (Component of Parts Kit, Hydraulic, FSN 2520-318-0984) 7376722 (19207)	A	EA	1	*	*	*	*	*	*	6		82	76
P-F	4210-293-5912	WASHER, THRUST: cylinder housing 7376750 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	77
P-F	5330-737-6721	RETAINER, PACKING: cylinder housing 7376721 (19207)	A	EA	1	*	*	*	*	*	*	6	10	82	78
P-F	2530-273-9281	CUP, HYDRAULIC BRAKE: cylinder housing (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376458 (19207)	A	EA	1	*	*	*	*	*	*	6		82	79

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
P-F	5310-737-6751	WASHER, AIR BRAKE: push rod guide (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7376751 (19207)	A	EA	1	*	*	*	*	*	*	6		82	80
P-F	5330-154-4163	SEAL, PLAIN, ENCASED: push rod (Component of Repair Kit, Hydraulic, FSN 2530-318-0984) 3773 (80201)	A	EA	1	*	*	*	*	*	*	15		82	81
P-F	2530-741-0843	GASKET: push rod seal (Component of Parts Kit, Hydraulic, FSN 2530-318-0984) 7410843 (19207)	A	EA	1	*	*	*	*	*	*	15		82	82
P-O	2530-908-8162	PLATE: 10883281 (19207)	A	EA	2	*	*	*	*	*	*	3	5	83	1
P-O	5360-516-7466	SPRING HELICAL EXTENSION: torsion brake line 5167466 (19207)	A	EA	2	*	*	*	*	*	*	6	10	83	2
P-O	4720-203-9515	HOSE ASSEMBLY, NONMETALLIC: front axle line 143-60110-01900 (79470)	A	EA	2	*	*	*	*	*	*	4	10	83	3
P-O	5305-267-8973	SCREW, CAP, HEXAGON HEAD: hose clip MS90726-4 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	4
P-O	5340-597-0182	CLIP: front axle line MS21333-39 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	5
P-O	5310-959-7600	NUT, SELF-LOCKING: hose clip MS51922-5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	6
P-O	2530-740-9451	BRACKET, MOUNTING: front hose line 7409451 (19207)	A	EA	2	*	*	*	*	*	*	3	5	83	7
P-O	5310-637-9541	WASHER, LOCK: mounting bracket MS35338-46 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	8
P-O	5305-269-3208	SCREW, CAP, HEXAGON HEAD: mounting bracket MS90725-57 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	9
P-O	5310-54[illegible]-4385	WASHER, LOCK: mounting bracket MS35333-46 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	10
P-O	5310-835-2037	NUT, PLAIN, HEXAGON: MOUNTING BRACKET MS35691-53 (96906)	A	EA	11	*	*	*	*	*	*	6	10	83	11
P-O	2530-740-9481	TUBE ASSEMBLY METAL: front axle line tee to right front wheel cylinder line 7409481 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
X2-O		CLIP: front axle line 7409327 (19207)	A	EA	3	*	*	*	*	*	*			83	13
P-O	5310-737-3253	NUT, PLAIN HEXAGON: front axle brake supply hose 7373253 (19207)	A	EA	2	*	*	*	*	*	*	6	10	83	14
P-O	5310-550-3714	WASHER, LOCK: front axle brake supply hose MS35333-47 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	15
X2-O		BRACKET: front axle flexible line 10883284 (19207)	A	EA	1	*	*	*	*	*	*			83	16
P-O	4710-900-8592	TUBE ASSEMBLY, METAL: front axle flexible line 10883283 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	17
P-O	4720-741-3492	HOSE ASSEMBLY, NONMETALLIC: front axle brake 7413492 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	18
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: mounting bracket MS21044N6 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	19
P-O	5305-269-2803	SCREW, CAP, HEXAGON HEAD: mounting bracket MS90726-60 (96906)	A	EA	1	*	*	*	*	*	*	6	10	83	20
P-O	2530-740-9478	TUBE ASSEMBLY, METAL: frame tee to front axle flexible line 7409478 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	21
P-O	5310-809-4058	WASHER, FLAT: loop clamp MS27183-10 (96906)	A	EA	1	*	*	*	*	*	*	6	10	83	22
P-O	5305-267-8974	SCREW, CAP, HEXAGON HEAD: loop clamp MS90726-8 (96906)	A	EA	1	*	*	*	*	*	*	6	10	83	23
P-O	5340-896-1094	CLAMP, LOOP: front air hydraulic supply line 573036 (21450)	A	EA	2	*	*	*	*	*	*	4	10	83	24
P-O	5305-068-0507	SCREW, CAP, HEXAGON HEAD: loop clamp MS90726-7 (96906)	A	EA	3	*	*	*	*	*	*	6	10	83	25
P-O	2530-740-9475	TUBE ASSEMBLY METAL: air hydraulic cylinder to frame tee 7409475 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	26
P-O	5306-225-9093	SCREW, CAP, HEXAGON HEAD: loop clamp MS90726-38 (96906)	A	EA	1	*	*	*	*	*	*	6	10	83	27

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
P-O	4730-740-9332	TEE, TUBE: brake booster cylinder line and axle hydraulic supply lines 7409332 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	28
X2-O		SPACER: loop clamp 10883334 (19207)	A	EA	1	*	*	*	*	*	*			83	29
P-O	5310-088-0553	NUT, SELF-LOCKING HEXAGON: loop clamp MS21044N5 (96906)	A	EA	3	*	*	*	*	*	*	6	10	83	30
P-O	5310-275-6635	WASHER, FLAT: master cylinder to air hydraulic line 5214539 (19207)	A	EA	1	*	*	*	*	*	*	6	10	83	31
P-O	2530-740-9474	TUBE ASSEMBLY, METAL: master cylinder to air hydraulic cylinder 7409474 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	32
P-O	5305-267-8979	SCREW, CAP, HEXAGON HEAD: loop clamp MS90726-13 (96906)	A	EA	5	*	*	*	*	*	*	6	10	83	33
P-O	5340-809-1492	CLAMP, LOOP: MS21333-100 (96906)	HA, BD	EA	7	*	*	*	*	*	*	4	10	83	34
P-O	5340-741-3899	SPACER, SLEEVE: loop clamp 7413899 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	35
P-O	5365-496-9706	SPACER, SLEEVE: loop clamp 10883319 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	36
P-O	2530-741-1149	LINE ASSEMBLY, FRAME: tee to rear axle union 7411149 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	37
P-O	2530-740-9479	TUBE ASSEMBLY, METAL: frame tee to rear axle union 7409479 (19207)	CA, CB, FA, FB, 1C, 1D	EA	1	*	*	*	*	*	*	4	10	83	37
P-O	2530-740-9480	TUBE ASSEMBLY METAL: frame tee to rear axle union 7409480 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	37
P-O	5305-267-8980	SCREW, CAP, HEXAGON HEAD: loop clamp MS90726-14 (96906)	DA, DB, EA, EB, HA, BD, IA, 1B	EA	1	*	*	*	*	*	*	6	10	83	38
X2-O		UNION: rear axle tee line 190922 (21450)	A	EA	1	*	*	*	*	*	*			83	39
P-O	2530-740-9476	TUBE ASSEMBLY, METAL: forward rear axle tee to left wheel cylinder 7409476 (19207)	OB, BG, BF, CA, CB, DB, IB, EA, EC, FA, FB, HA, BD, 1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	4	10	83	40

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
P-O	2530-741-1147	LINE ASSEMBLY, TEE: forward rear axle tee to left wheel cylinder 741147 (19207)	BE, IA	EA	1	*	*	*	*	*	*	4	10	83	40
P-O	4730-737-3252	CONNECTOR, MULTIPLE: rear brake line 7373252 (19207)	A	EA	2	*	*	*	*	*	*	4	8	83	41
P-O	2530-740-9485	TUBE ASSEMBLY, METAL: forward rear axle tee to right wheel cylinder 7409485 (19207)	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, HA, BD, 1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	4	10	83	42
P-O	5305-269-2801	SCREW, CAP, HEXAGON HEAD: loop clamp MS90726-58 (96906)	A	EA	4	*	*	*	*	*	*	6	10	83	43
P-O	5340-282-7551	CLAMP, LOOP: bolt brake line MS21333-55 (96906)	A	EA	4	*	*	*	*	*	*	6	10	83	44
P-O	4720-740-9331	HOSE ASSEMBLY, NONMETALLIC: rear axle brake 7409331 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	45
P-O	5340-248-6078	BAND, RETAINING: 10871218 (19207)	A	EA	4	*	*	*	*	*	*	4	8	83	46
P-O	5305-984-6212	SCREW, MACHINE: retaining band MS35206-265 (96906)	A	EA	4	*	*	*	*	*	*	6	10	83	47
P-O	5310-045-3296	WASHER, FLAT: retaining band MS35338-43 (96906)	A	EA	4	*	*	*	*	*	*	6	10	83	48
P-O	5310-934-9758	NUT, PLAIN, HEXAGON: retaining band MS35649-202 (96906)	A	EA	4	*	*	*	*	*	*	6	10	83	49
X2-O		SPACER, SLEEVE: retaining band 7339985 (19207)	A	EA	4	*	*	*	*	*	*			83	50
P-O	5306-225-9088	SCREW, CAP, HEXAGON: line fitting MS90726-33 (96906)	A	EA	2	*	*	*	*	*	*	6	10	83	51
X2-O		FITTING: rear brake line 7341234 (19207)	A	EA	1	*	*	*	*	*	*			83	52
P-O	2530-741-1150	LINE ASSEMBLY, TEE: rear rear axle tee to right wheel cylinder 7411150 (19207)	BE, IA	EA	1	*	*	*	*	*	*	4	10	83	53
P-O	2530-740-9483	TUBE ASSEMBLY, METAL: rear rear axle to right wheel cylinder 7409483 (19207)	OB, BG, BF, CA, CB, DA, DB, EA, EB, FA, FB, HA, BD, 1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	4	10	83	53

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
P-O	2530-740-9477	TUBE ASSEMBLY, METAL: rear rear axle tee to left wheel cylinder 7409477 (19207)	OB, BG, BF, CA, CB, DA, DB, FA, FB, HA, BD, 1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	4	10	83	54
P-O	2530-741-1148	LINE ASSEMBLY, TEE: rear rear axle tee to left wheel cylinder 7411148 (19207)	BE, 1A	EA	1	*	*	*	*	*	*	4	10	83	54
P-O	2530-740-9484	TUBE ASSEMBLY, METAL: union to rear axle flexible line 7409484 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	55
P-O	2530-740-9482	TUBE ASSEMBLY METAL: front axle line tee to left front wheel cylinder line 7409482 (19207)	A	EA	1	*	*	*	*	*	*	4	10	83	56
X2-O		BRACKET: 10883282 (19207)	A	EA	2	*	*	*	*	*	*			83	57
P-O	2530-741-3493	TEE, AXLE CYLINDER TUBE: front axle brake wheel cylinder 7413493 (19207)	A	EA	2	*	*	*	*	*	*	4	8	83	58
		Non-Illustrated													
P-O	2530-740-9329	CONNECTOR, BRAKE: booster cylinder line to master cylinder (2), brake line to booster cylinder (1) 7409329 (19207)	A	EA	3	*	*	*	*	*	*	4	8		
P-O	4710-218-5691	TUBE STEEL: 881882 (21450)	A	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-740-3492	HOSE, SUPPLY AXLE BRAKE: rear axle brake 7413492 (19207)	A	EA	2	*	*	*	*	*	*	6	10		
P-O	4730-270-4616	ADAPTER, STRAIGHT PIPE: air hydraulic cylinder MS39179-6 (96906)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-278-3390	PLUG, PIPE: trailer connection	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-740-9450	COUPLING, TUBE: hydraulic cylinder tube 7409450 (19207)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	5306-225-9091	SCREW, CAP, HEXAGON: MS90726-36 (96906)	A	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
		Non-Illustrated—Continued													
P-O	5310-275-6635	WASHER, FLAT: brake booster cylinder line to master cylinder (2) and brake line to booster cylinder (1) 5175415 (19207)	A	EA	3	*	*	*	*	*	*	6	10		
P-O	5310-737-6684	WASHER, FLAT: brake line to air power unit connector 7376684 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5310-982-4912	NUT, SELF-LOCKING HEXAGON: MS21045-5 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5340-772-5557	RING RETAINING: upper valve fitting seal 7725557 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5360-516-7466	SPRING, HELICAL EXTENSION: brake line 5167466 (19207)	A	EA	2	*	*	*	*	*	*	6	10		
P-F	2530-318-0984	PARTS KIT, HYDRAULIC: 8333870 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	15	30		
	2530-737-6734	1-SEAL: 7376734 (19207)												82	3
	2530-737-6740	1-SPRING: 7376740 (19207)												82	4
	2530-213-7395	1-BODY: 7376456 (19207)												82	7
	2530-737-6742	1-SPRING 7376742 (19207)												82	8
	2530-737-6682	1-DIAPHRAM: 7376682 (19207)												82	11
		1-RING: 7376723 (19207)												82	14
	2530-737-6680	1-CUP: 7376680 (19207)												82	15
		1-CUP: 7376459 (19207)												82	17
	2530-737-6735	1-SEAL: 7376735 (19207)												82	19
	5330-599-2386	1-PACKING: 7376730 (19207)												82	28
	2530-264-0836	1-CUP: 7376690 (19207)												82	30
		1-WICK: 7376753 (19207)												82	32
	2530-737-6727	1-EXPANDER: 7376727 (19207)												82	33
	2530-705-0032	2-DISK: 7050032 (19207)												82	42
	2530-737-6733	1-SEAL: 7376733 (19207)												82	52
		1-SEAL: 7376731 (19207)												82	55
		1-GASKET:												82	58
	5340-737-6725	1-RING: 7376725 (19207)												82	59
	5310-359-1040	1-WASHER: 7376749 (19207)												82	60
		1-SPRING 7376741 (19207)												82	61
		1-VALVE: 7376746 (19207)												82	62
		1-PIN: 7376691 (19207)												82	64
	2530-352-1897	1-PISTON: 7376692 (19207)												82	65
	5340-737-6726	1-RING: 7376726 (19207)												82	66

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1204—HYDRAULIC BRAKE SYSTEM—Continued													
		Non-Illustrated—Continued													
	5330-737-6732	1-PACKING: 7376732 (19207)												82	75
	5340-737-6722	1-RING: 7376722 (19207)												82	76
	2530-273-9281	1-CUP: 7376458 (19207)												82	79
	5310-737-6751	1-WASHER: 7376751 (19207)												82	80
	5330-154-4163	1-SEAL: 3773 (80201)												82	81
	2530-741-0843	1-GASKET: 7410843 (19207)												82	82
	2530-537-0312	1-GASKET: 33757 (06848)													
		1-WASHER: 37419 (06848)													
		1-RING: 7376724 (19207)													
		1206—MECHANICAL BRAKE SYSTEM													
P-O	5310-950-0039	NUT, SELF-LOCKING HEXAGON: lever (1), cylinder (4), brace (2) MS21044N6 (96906)	A	EA	7	*	*	*	*	*	*	6	10	84	1
P-O	5340-752-0964	BUMPER, RUBBER: pedal lever 7520964 (19207)	A	EA	1	*	*	*	*	*	*	4	8	84	2
P-O	2530-740-9448	STEM, PEDAL: brake lever 7409448 (19207)	A	EA	1	*	*	*	*	*	*	2	5	84	3
P-O	2540-752-0971	PAD, PEDAL: stem 7520971 (19207)		EA	1	*	*	*	*	*	*	4	8	84	4
P-O	5305-269-2808	SCREW, CAP, HEXAGON HEAD: pedal lever MS90726-65 (96906)	A	EA	1	*	*	*	*	*	*	6	10	84	5
P-O	2530-179-5705	LEVER, BRAKE ACTUATING: bracket 10871495 (19207)	A	EA	1	*	*	*	*	*	*	4	5	84	6
P-O	2540-740-9443	BEARING SLEEVE: pedal lever 7409443 (19207)	A	EA	1	*	*	*	*	*	*	4	5	84	7
P-O	4730-050-4208	FITTING, LUBRICATION: pedal lever MS15003-1 (96906)	A	EA	1	*	*	*	*	*	*	6	10	84	8
X2-O		BRACE: lever bracket 103001R-1 (31007)	A	EA	1	*	*	*	*	*	*			84	9
P-O	3120-774-0722	BUSHING: lever bracket 7740722 (19207)	A	EA	2	*	*	*	*	*	*	3	5	84	10
P-O	4710-177-8407	TUBE: lever bracket 10871494 (19207)	A	EA	1	*	*	*	*	*	*	3	5	84	11
P-O	5305-269-2813	SCREW, CAP, HEXAGON HEAD: brace to lever bracket MS90726-69 (96906)	A	EA	1	*	*	*	*	*	*	6	10	84	12
P-O	2530-403-5719	BRACKET, BRAKE PEDAL: 10871496 (19207)	A	EA	1	*	*	*	*	*	*	3	5	84	13
P-O	5305-269-2807	SCREW, CAP, HEXAGON HEAD: MS90726-64 (96906)	A	EA	5	*	*	*	*	*	*	6	10	84	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1206—MECHANICAL BRAKE SYSTEM—Continued													
P-O	5310-763-8911	NUT, PLAIN, HEXAGON: yoke MS51968-17 (96960)	A	EA	1	*	*	*	*	*	*	6	10	84	15
P-O	5340-740-9449	CLEVIS, ROD END: master cylinder to pedal lever 7409449 (19207)	A	EA	1	*	*	*	*	*	*	4	5	84	16
P-O	5315-839-5822	PIN, COTTER: MS24665-353 (96906)	A	EA	1	*	*	*	*	*	*	6	10	84	17
P-O	5315-842-3154	PIN, STRAIGHT HEADED: yoke MS35810-36 (96906)	A	EA	1	*	*	*	*	*	*	6	10	84	18
P-O	5360-740-9447	SPRING, HELICAL, EXTENSION: pedal lever 7409447 (19207)	A	EA	1	*	*	*	*	*	*	6	10	84	19
P-O	5340-462-2902	BRACKET, ANGLE: 7409442 (19207)	A	EA	1	*	*	*	*	*	*	3	5	84	20
		1208—AIR BRAKE SYSTEM													
P-O	4730-289-0050	ELBOW, PIPE TO TUBE: 504255 (21450)	A	EA	5	*	*	*	*	*	*	4	5	85	1
X2-O		NIPPLE, PIPE: 8376311 (19207)	A	EA	2	*	*	*	*	*	*			85	2
P-O	5360-410-9791	SPRING, HELICAL, COMPRESSION: 10883272 (19207)	A	EA	1	*	*	*	*	*	*	6	10	85	3
P-O	2530-740-9487	LINE, TRAILER CONNECTION: 7409487 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	3
P-O	4730-708-1996	ELBOW, PIPE TO TUBE: 504257 (19207)	A	EA	2	*	*	*	*	*	*	4	5	85	4
P-O	5310-582-6714	WASHER, LOCK: MS35333-49 (96906)	A	EA	1	*	*	*	*	*	*	6	10	85	5
X2-O		TUBE: 10883494 (19207)	A	EA	1	*	*	*	*	*	*			85	6
P-O	5340-057-3036	CLAMP, LOOP:	A	EA	7	*	*	*	*	*	*	4	8	85	7
P-O	2530-854-3747	TUBE, METAL, PREFORMED: 10883359 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	8
P-O	4730-289-0048	ELBOW, PIPE TO TUBE: air supply tube 504312 (19207)	A	EA	1	*	*	*	*	*	*	4	5	85	9
P-O	4730-701-7678	ELBOW, PIPE TO TUBE: MS39182-6 (96906)	A	EA	1	*	*	*	*	*	*	4	5	85	10
P-O-R	2530-854-4457	GOVERNOR ASSEMBLY: MS53006-1 (96906)	A	EA	1	*	*	*	*	*	*	6	20	85	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1208—AIR BRAKE SYSTEM—Continued													
P-O	2530-040-2272	LINE: 7409459 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	12
P-O	2530-753-9300	MANIFOLD ASSEMBLY: 7539300 (19207)	A	EA	1	*	*	*	*	*	*	3	5	85	13
P-O	4730-011-2578	PLUG, PIPE: 112578 (21450)	A	EA	1	*	*	*	*	*	*	4	8	85	14
P-O	2530-319-6002	HOSE ASSEMBLY: manifold to air gage (use with gage 6685-515-3478) 2090M5 (50513)	A	EA	1	*	*	*	*	*	*	2	5	85	15
P-O	2530-740-9495	LINE, MANIFOLD FITTING: 7409495 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	16
PO	2530-740-9496	LINE, MANIFOLD FITTING: 7409496 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	17
P-O	4730-069-1186	ADAPTER, STRAIGHT, PIPE TO TUBE: MS39179-5 (96906)	A	EA	1	*	*	*	*	*	*	4	8	85	18
P-O	4730-142-3075	ADAPTER, STRAIGHT, PIPE TO TUBE: 570863 (19207)	A	EA	2	*	*	*	*	*	*	4	8	85	19
P-O	2530-753-3853	VALVE ASSEMBLY, AIR SUPPLY: 753383 (21450)	A	EA	1	*	*	*	*	*	*	4	5	85	20
P-O	4730-278-3216	NIPPLE, TUBE: MS39187-3 (96906)	A	EA	2	*	*	*	*	*	*	4	8	85	21
P-O	2530-740-9455	LINE, AIR PACK: 7409455 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	22
P-O	2530-740-9457	LINE, RESERVOIR: 7409457 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	23
P-O	4710-485-9648	TUBE, BENT, COPPER ALUMINUM: 10883500 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	24
P-O	4730-277-5553	ELBOW, PIPE: MS5192-2 (96906)	A	EA	1	*	*	*	*	*	*	4	5	85	25
P-O	4820-377-8780	VALVE, CHECK: 140899H (31007)	A	EA	1	*	*	*	*	*	*	4	5	85	26
P-O	2530-740-9446	LINE CONNECTOR: 7409446 (19207)	A	EA	1	*	*	*	*	*	*	4	8	85	27
P-O	2530-740-9468	LINE, TEE: 7409468 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	28
P-O	5340-896-1094	CLAMP, LOOP: 573036 (21450)	A	EA	2	*	*	*	*	*	*	4	8	85	29
P-O	2530-454-5093	PLATE, BRAKE LINE: 10883303 (19207)	A	EA	2	*	*	*	*	*	*	3	5	85	30
P-O	4730-278-3213	NIPPLE, TUBE: MS39187-2 (96906)	A	EA	1	*	*	*	*	*	*	4	8	85	31

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1208—AIR BRAKE SYSTEM—Continued													
P-O	2530-740-9464	LINE, FRAME COUPLING: 7409464 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	32
P-O	2530-932-4994	TUBE, METAL, PREFORMED: 10883499 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	33
P-O	4730-374-1741	TEE, PIPE TO TUBE: 504327 (21450)	A	EA	1	*	*	*	*	*	*	4	8	85	34
P-O	2530-740-9488	LINE, GOVERNOR: 7409488 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	35
P-O	4730-288-9490	TEE, PIPE TO TUBE: 504329 (21450)	A	EA	1	*	*	*	*	*	*	4	8	85	36
P-O	2530-740-9493	LINE, MANIFOLD, FITTING: 7409493 (19207)	A	EA	1	*	*	*	*	*	*	4	10	85	37
X2-O		TUBE: 7409491 (19207)	A	EA	1	*	*	*	*	*	*			85	38
P-O		TEE, PIPE: MS39190-4 (96906)	A	EA	1	*	*	*	*	*	*	4	8	85	39
P-O	4730-896-0837	TEE, TUBE: MS39188-2 (96906)	A	EA	7	*	*	*	*	*	*	4	8	86	1
P-O	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)	A	EA	7	*	*	*	*	*	*	6	10	86	2
P-O	5340-809-1492	CLAMP, LOOP: MS21333-100 (96906)	A	EA	12	*	*	*	*	*	*	4	8	86	3
P-O	5305-267-8976	SCREW, CAP, HEXAGON: MS90726-11 (96906)	A	EA	2	*	*	*	*	*	*	6	10	86	4
P-O	2530-040-2273	LINE: union assembly 7409460 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	5
P-O	5305-068-0507	SCREW, CAP, HEXAGON: union assembly clamps MS90726-7 (96906)	A	EA	3	*	*	*	*	*	*	6	10	86	6
P-O	4730-278-3213	NIPPLE, TUBE: MS39187-2 (96906)	A	EA	2	*	*	*	*	*	*	4	8	86	7
P-O	2530-740-9471	LINE, UNION: 7409471 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	8
P-O	2530-740-9470	LINE, UNION: 7409170 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	9
X2-O		TUBE: 7411146 (19207)	A	EA	1	*	*	*	*	*	*			86	10
P-O	4730-460-3907	ELBOW ASSEMBLY: MS39186-1 (96906)	A	EA	1	*	*	*	*	*	*	4	5	86	11
P-O	5340-741-3899	SPACER, SLEEVE: 7413899 (19207)	A	EA	1	*	*	*	*	*	*	4	8	86	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
P-O	4730-691-1595	TEE, PIPE TO TUBE: 7339955 (19207)	A	EA	1	*	*	*	*	*	*	4	8	86	13
P-O	2530-740-9502	LINE, STOP LIGHT SWITCH: 7409502 (19207)	A	EA	1	*	*	*	*	*	*	4	8	86	14
P-O	4730-708-1996	ELBOW, PIPE TO TUBE: 504257 (19207)	A	EA	1	*	*	*	*	*	*	4	5	86	15
P-O	2530-737-6747	VALVE: air lines rear 5340153 (19207)	A	EA	1	*	*	*	*	*	*	4	8	86	16
P-O	4730-270-4616	ADAPTER, STRAIGHT PIPE: elbow to air-hydraulic cylinder tube MS39179-6 (96906)	A	EA	1	*	*	*	*	*	*	4	8	86	17
P-O	4730-288-9495	TEE, PIPE TO TUBE: 504337 (21450)	A	EA	1	*	*	*	*	*	*	4	8	86	18
P-O	4730-404-3205	ELBOW ASSEMBLY, TUBE: 10883538 (19207)	A	EA	1	*	*	*	*	*	*	4	5	86	19
P-O	2530-740-9462	LINE, DOUBLE CHECK VALVE: 7409462 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	20
P-O	2530-740-9465	LINE, TEE: 7409465 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	21
P-O	2530-740-9497	LINE, POWER UNIT: 7409497 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	22
X2-O		TUBE: 10883285 (19207)	A	EA	1	*	*	*	*	*	*			86	23
P-O	4730-943-8051	ELBOW ASSEMBLY: MS39182-02 (96906)	A	EA	1	*	*	*	*	*	*	4	5	86	24
P-O	5305-267-8979	SCREW, CAP, HEXAGON: MS90726-13 (96906)	A	EA	1	*	*	*	*	*	*	4	5	86	25
P-O	2530-832-7005	LINE: 8327005 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	26
P-O	2530-040-2273	LINE: 7409460 (19207)	A	EA	1	*	*	*	*	*	*	4	10	86	27
P-O	2350-318-0957	TANK, PRESSURE: 8327048 (19207)	A	EA	2	*	*	*	*	*	*	3	5	87	1
P-O	2530-774-5285	VALVE, SAFETY AIR TANK: 7745285 (19207)	A	EA	1	*	*	*	*	*	*	4	5	87	2
P-O	4820-287-4268	COCK DRAIN: pressure tank MS35784-2 (96906)	A	EA	1	*	*	*	*	*	*	4	5	87	3
P-O	5306-207-4932	BOLT, U: air reservoir support 8327473 (19207)	A	EA	4	*	*	*	*	*	*	6	10	87	4
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: U-bolt support MS21044N6 (96906)	A	EA	8	*	*	*	*	*	*	6	10	87	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No
		1208—AIR BRAKE SYSTEM—Continued													
		Non-Illustrated													
P-F	2510-740-9870	BRACKET HOSE COUPLING: 7409870 (19207)	EB, EC, JA, 1A, 1B	EA	2	*	*	*	*	*	*	4	8		
P-F	2510-741-3490	SUPPORT: hose and cable 7413490 (19207)	EA, EB, JA, 1A, 1B	EA	1	*	*	*	*	*	*	4	8		
P-O	2530-177-8051	BRACKET, AIR LINE: 10883271 (19207)	A	EA	2	*	*	*	*	*	*	4	8		
P-O	2530-246-7003	SPRING, HELICAL, COMPRESSION: safety valve 8327909 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	2530-740-9486	LINE, TRAILER CONNECTION: 7409486 (19207)	EA, EB, EC 1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	4	10		
P-O	2530-898-0224	HOSE ASSEMBLY, BRAKE: 7413037 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-O	4710-277-4508	TUBE COPPER: seamless 8689211 (19207)	A	FT	V	*	*	*	*	*	*	4	10		
P-O	4710-277-5527	TUBE, COPPER: air brake line 230523 (37159)	A	FT	V	*	*	*	*	*	*	4	10		
P-O	4710-277-7748	TUBE, COPPER: WWT799 (81348)	A	FT	4	*	*	*	*	*	*	4	10		
P-O	4720-319-6002	HOSE ASSEMBLY, NONMETALLIC: manifold to air gage 8332548 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-O	4730-014-2427	INVERTED NUT, TUBE COUPLING: 5262172 (19207)	A	EA	2	*	*	*	*	*	*	4	8		
P-O	4730-014-2432	INVERTED NUT, TUBE COUPLING: 142432 (21450)	A	EA	12	*	*	*	*	*	*	4	8		
P-O	4730-014-2433	INVERTED NUT, TUBE COUPLING: 142433 (21450)	A	EA	10	*	*	*	*	*	*	4	8		
P-O	4730-069-1186	ADAPTER, STRAIGHT PIPE: ball sleeve air service, supply valve 2 and cut out cock 2 MS39179-5 (96906)	A	EA	4	*	*	*	*	*	*	4	8		
P-O	4730-069-1187	ELBOW, PIPE TO TUBE: ball sleeve air service, pipe end, assembly manifold and trailer emergency outlet MS39182-3 (96906)	A	EA	5	*	*	*	*	*	*	4	5		
P-O	4730-142-3075	ADAPTER, STRAIGHT PIPE: ball sleeve air service MS39179-4 (96906)	A	EA	1	*	*	*	*	*	*	4	5		
P-O	4730-196-1504	NIPPLE, PIPE: 192075 (19207)	A	EA	1	*	*	*	*	*	*	4	8		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cat-gry	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1208—AIR BRAKE SYSTEM—Continued Non-Illustrated—Continued													
P-O	4730-222-1837	NIPPLE, PIPE: 3326X4 (79470)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-263-4986	ELBOW, PIPE TO TUBE: ball sleeve air service, pipe end, assembly cylinder PT69F (30327)	A	EA	1	*	*	*	*	*	*	4	5		
P-O	4730-277-5555	ELBOW PIPE: 217849 (24617)	A	EA	3	*	*	*	*	*	*	4	5		
P-O	4730-277-7329	TEE, PIPE TO TUBE: 45-4250-813-020 (81336)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-278-4730	ELBOW, PIPE TO TUBE: ball sleeve air service, pipe end, compressor (1), manifold (2) and supply valve MPD 9484-57-9 (91340)	A	EA	5	*	*	*	*	*	*	4	5		
P-O	4730-278-8765	SLEEVE, COMPRESSION: MS39177-5 (96906)	A	EA	5	*	*	*	*	*	*	4	8		
P-O	4730-278-8767	SLEEVE COMPRESSION: MS29177-7 (96906)	A	EA	6	*	*	*	*	*	*	4	8		
P-O	4730-278-8825	NUT, TUBE COUPLING: ball sleeve MS39196-3 (96906)	A	EA	5	*	*	*	*	*	*	6	10		
P-O	4730-278-8902	TEE, PIPE TO TUBE: MS39189-2 (96906)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-288-9490	TEE, PIPE TO TUBE: line to governor 504329 (21450)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-511-1671	CONNECTOR, AIR BRAKE: 8331478 (19207)	A	EA	4	*	*	*	*	*	*	4	8		
P-O	4730-546-5902	COUPLING PIPE: air gage to air hose 8747887 (19207)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-987-9073	ADAPTER STRAIGHT, PIPE TO HOSE: air brake, hose end assembly MS39133-2 (96906)	A	EA	4	*	*	*	*	*	*	4	8		
P-O	4820-350-6495	COCK, PLUG: 7014964 (19207)	A	EA	1	*	*	*	*	*	*	4	5		
P-O	5305-068-0505	SCREW, CAP, HEXAGON HEAD: MS90726-5 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5305-068-0506	SCREW, CAP, HEXAGON: MS90726-6 (96906)	A	EA	8	*	*	*	*	*	*	6	10		
P-O	5305-267-8974	SCREW, CAP, HEXAGON HEAD: MS90726-8 (96906)	A	EA	2	*	*	*	*	*	*	6	10		
P-O	5310-021-9760	NUT, PLAIN, HEXAGON: 219760 (21450)	A	EA	2	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1208—AIR BRAKE SYSTEM—Continued													
P-O	5310-241-0157	NUT, PLAIN, HEXAGON: 5331179 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5310-247-4196	WASHER, FLAT: brake booster cylinder line connector 49034H (31007)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5310-809-4058	WASHER, FLAT: MS27183-10 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5340-057-3042	CLAMP, LOOP: 573042 (19207)	A	EA	8	*	*	*	*	*	*	4	8		
P-O	5340-700-1765	SPRING, HELICAL, COMPRESSION: air supply valve 202677 (06853)		EA	2	*	*	*	*	*	*	6	10		
P-O	5340-809-1492	CLAMP, LOOP: MS21333-100 (96906)	HA, BO	EA	7	*	*	*	*	*	*	4	8		
P-O	5310-877-5796	NUT, SELF-LOCKING, HEXAGON: MS21044N4 (96906)		EA	2	*	*	*	*	*	*	6	10		
		1209—AIR COMPRESSOR ASSEMBLY													
P-O-R	2530-863-3155	COMPRESSOR, RECIPROCATING: MS51322-1 (96906)	A	EA	1	*	*	*	*	*	*	8	20	88	1
P-O-R	2530-318-0975	GOVERNOR: air compressor 8330262 (19207)	A	EA	1	*	*	*	*	*	*	6	20	89	1
P-O-R	2530-854-4457	GOVERNOR ASSEMBLY, AIR: air brake 10900525 (19207)	EA, EB, EC, 1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	6	20	89	1
P-O	5306-225-9088	SCREW, CAP, HEXAGON HEAD: MS90726-33 (96906)	A	EA	2	*	*	*	*	*	*	6	10	89	2
P-O	5310-959-7600	NUT, SELF-LOCKING, HEXAGON: MS51922-5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	89	3
X1		SCREEN: 8327938 (19207)	A		1									89	4
P-O	2530-422-7674	SCREEN, CUP: strainer 60-S-88 (80244)	A	EA	1	*	*	*	*	*	*	6	20	89	5
X1		NUT, PLAIN: 60-N-261700 (80244)	A		1									89	6
P-O	2910-753-9391	VENT: air governor 7539391 (19207)	A	EA	1	*	*	*	*	*	*	6	20	89	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1209—AIR COMPRESSOR ASSEMBLY—Continued													
		Non-Illustrated													
P-O	4730-090-9229	NUT, TUBE COUPLING: compressor discharge fitting 8333477 (19207)	A	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-426-8352	ELBOW, PIPE TO TUBE: ball sleeve male pipe end, air reservoir to air reservoir line 221825 (06853)	A	EA	2	*	*	*	*	*	*	4	5		
P-O	5310-877-5796	NUT, SELF-LOCKING, HEXAGON: MS21044N4 (96906)	A	EA	2	*	*	*	*	*	*	6	10		
P-O	5340-057-3052	CLAMP, LOOP: compressor to reservoir line MS21333-114 (96906)	A	EA	1	*	*	*	*	*	*	4	8		
		1211—TRAILER BRAKE CONNECTIONS AND CONTROLS													
P-O	4730-069-1186	ADAPTER, STRAIGHT PIPE: MS39179-5 (96906)	EA, EB, EC, JA, IA, IB, DE, DF, EF	EA	2	*	*	*	*	*	*	4	8	90	1
X2-O		NIPPLE: pipe adapter 8376311 (19207)	EA, EB, EC, JA, IA, IB, DE, DF, EF	EA	2	*	*	*	*	*	*			90	2
P-O	5305-267-8977	SCREW, CAP, HEXAGON HEAD: MS90726-10 (96906)	EA, EB, EC, JA, 1A 1B, DE, DF, EF	EA	4	*	*	*	*	*	*	6	10	90	3
P-O	5340-177-8053	BRACKET, ANGLE: 10883330 (19207)	EA, EB, EC, JA, 1A 1B, DE, EF, EF	EA	2	*	*	*	*	*	*	3	5	90	4
P-O	2530-270-3878	DUMMY COUPLING, AUTOMOTIVE: air brake hose 7014965 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	4	8	90	5
P-O	2530-740-9445	DUMMY COUPLING, AUTOMOTIVE: air brake hose front service trailer connection 7409445 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	4	8	90	5
P-O	4730-196-1504	NIPPLE, PIPE: 192075 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	4	8	90	6
P-O	2530-179-7123	BRACKET, COUPLING, AIR BRAKE: left side 10883328 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	3	5	90	7
X2-O		BRACKET, COUPLING, AIR BRAKE: right side 10883329 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*			90	7
X2-O		ELBOW: 127849 (21450)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*			90	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1211—TRAILER BRAKE CONNECTIONS AND CONTROLS—Continued													
P-O	5310-959-7600	NUT, SELF-LOCKING: bracket screw MS51922-5 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	4	*	*	*	*	*	*	6	10	90	9
P-O	4820-350-6495	COCK, PLUG: cutout air line hose coupling 7014964 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	4	5	90	10
P-O	4730-196-1991	NIPPLE: air line hose coupling 189611 (21450)	EA, EB, EC JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	4	8	90	11
P-O	4730-249-3885	ELBOW, PIPE: cut-out cock to air hose coupling 144130 (24617)	EA, EB, EC, JA, 1A, 1B, DE DF, EF	EA	2	*	*	*	*	*	*	4	5	90	12
X2-O		BRACKET: 10883331 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*			90	13
P-O	5310-582-6714	WASHER, LOCK: coupling to bracket MS35333-49 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	6	10	90	14
P-O	5310-021-9760	NUT, PLAIN, HEXAGON HEAD: coupling to bracket 219760 (21450)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	6	10	90	15
P-O	4730-196-1991	NIPPLE, PIPE: air line hose coupling 189611 (24617)	A	EA	2	*	*	*	*	*	*	4	8	91	1
P-O	4730-595-0083	COUPLING HALF, QUICK DISCONNECT: front (2) rear (4) MS35746-1 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	6	*	*	*	*	*	*	4	8	91	2
P-O	4730-595-0083	COUPLING HALF, QUICK DISCONNECT: air brake hose, assembly trailer connection emergency and service front (2), rear (2) MS35746-1 (96906)	OB, BG, BF, CA, CB, DA, DB, FA, FB, 1C, 1D	EA	4	*	*	*	*	*	*	4	8	91	2
X1		BODY: 500333 (21450)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF		1									91	3
P-O	4730-334-7803	PLUNGER: coupling housing 538825 (21450)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	8	91	4
P-O	5340-597-0305	SPRING: plunger 538827 (21450)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	8	91	5
P-O	4730-053-8826	RETAINER: coupling housing 538826 (21450)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	8	91	6
P-O	5330-090-2128	PACKING PREFORMED: coupling housing MS35748-1 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	4	8	91	7

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1211—TRAILER BRAKE CONNECTIONS AND CONTROLS—Continued													
M-O		TUBE: hand control valve elbow (38 inches regulated) 11664711 (19207) Fabricate from:	EA, EB, EC, JA, 1A, 1B, DE, DE, DF, EF	EA	1	*	*	*	*	*	*	4	10	92	1
P-O	4710-277-4534	TUBE, COPPER: WW-T-799 (81348)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	FT	V									92	1
P-O	2530-062-9719	VALVE, BRAKE: hand control 11602159 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	6	10	92	2
P-O	4730-069-1186	ADAPTER ASSEMBLY: MS39179-5 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	2	*	*	*	*	*	*	4	8	92	3
M-O		TUBE: hand control valve elbow (48 inches regulated) 11664710 (19207) Fabricate from:	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	10	92	4
P-O	4710-277-4534	TUBE, COPPER: WW-T-799 (81348)	EA, EB, EC, HA, 1A, 1B, DE, DF, EF	FT	V									92	4
P-O	4730-270-4616	ADAPTER: tube valve MS39179-6 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	8	92	5
X2-O		VALVE ASSEMBLY: 5346153 (19207)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*			92	6
P-O	5310-061-7325	ELBOW: valve assembly MS21045-4 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	5	92	7
M-O		TUBE: hand control union to valve (34 inches regulated: 11664712 (19207) Fabricate from:	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	10	92	8
P-O	4710-277-4534	TUBE, COPPER: WW-T-799 (81348)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	FT	V									92	8
P-O	5340-809-1492	CLAMP: tube MS21333-100 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	8	92	9
X2-O		UNION: hand control air supply 7368415 (19207)	EA, EB, EC,JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*			92	10
P-O	4730-069-1187	ELBOW: tube MS39182-3 (96906)	EA, EB, EC, JA, 1A, 1B, DE, DF, EF	EA	1	*	*	*	*	*	*	4	5	92	11
		Non-Illustrated													
P-O	2520-740-9662	HOSE ASSEMBLY, RUBBER AIR: 7409662-19207)		EA	2	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1211—TRAILER BRAKE CONNECTIONS AND CONTROLS—Continued **Non-Illustrated—Continued**													
P-O	2530-741-3037	HOSE ASSEMBLY RUBBER CONNECTOR: inter vehicular 7413037 (19207)	EB, EC, JA, 1A, 1B	EA	2	*	*	*	*	*	*	4	10		
P-O-R	2530-741-3937	VALVE, RELEASE BRAKE: trailer air brakes (1) air clutch (1) 7413937 (19207)	EA, EB, EC, 1B, DE, DF, HA	EA	2	*	*	*	*	*	*	4	8		
P-O	2530-898-0224	HOSE ASSEMBLY, BRAKE INTERVEHICULAR: 7413037 (19207)	EB, JA, 1B	EA	2	*	*	*	*	*	*	4	10		
P-O	2540-740-9873	STRAP, AIR LINES: air hose 7409873 (19207)	EB, JA, 1B	EA	3	*	*	*	*	*	*	4	8		
P-O	4720-238-8304	HOSE, NONMETALLIC: rubber compounded cover 7205003 (19207)	EA, EB, JA, 1A, 1B, DE, DF	FT	V	*	*	*	*	*	*	4	10		
P-O	4730-142-3076	ADAPTER, STRAIGHT, PIPE TO TUBE: compression ball sleeve male pipe end to end assembly cylinder MS31979-9 (96906)	EA, EB, JA, 1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-278-3441	PLUG, PIPE: air supply valve	EA, EB, JA, 1A, 1B, DE, DF	EA	2	*	*	*	*	*	*	4	5		
P-O	4730-541-3371	ELBOW, PIPE TO TUBE: ball sleeve, male pipe end air reservoir to air reservoir line 504394 (21450)	EA, EB, JA, 1A, 1B, DE, DF	EA	2	*	*	*	*	*	*	4	5		
P-O	5310-208-4222	NUT, SELF-LOCKING HEXAGON: MS20365-428A (96906)	EA, EB, JA, 1A, 1B, DE, DF	EA	2	*	*	*	*	*	*	6	10		
P-O	5310-275-6635	WASHER, FLAT: brake booster cylinder line to master cylinder (2) and brake line to booster cylinder (1) 5175415 (19207)	EA, EB, JA, 1A, 1B, DE, DF	EA	3	*	*	*	*	*	*	6	10		
P-O	5310-655-6687	NUT, SELF-LOCKING, HEXAGON: MS20365-524C (96906)	EA, EB, EC, 1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	6	10		
P-O	5310-737;6684	WASHER, FLAT: brake line to air power unit connector 374119 (21450)	EA, EB, EC, 1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	6	10		
P-O	5306-018-1610	BOLT, MACHINE, HEXAGON HEAD: 181610 (21450)	EA, EB, EC, 1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1211—TRAILER BRAKE CONNECTIONS AND CONTROLS—Continued **Non-Illustrated—Continued**													
P-O	4730-511-1671	CONNECTOR AIR BRAKE: clamping, trailer air line hose coupling cut out cock, without nut and washer (TRAILER FRONT EMERGENCY CONNECTION. TRAILER FRONT SERVICE CONNECTION. TRAILER REAR EMERGENCY CONNECTION AND TRAILER REAR SERVICE CONNECTION) 8331478 (19207)	EA, EB, EC, 1A, 1B, DE, DF	EA	4	*	*	*	*	*	*	4	8		
		GROUP 13—WHEELS													
		1311—WHEEL ASSEMBLY													
P-O	2530-603-5768	WHEEL, PNEUMATIC TIRE: MS53044-6 (96906)	BG, BF, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, JA, BD, 1A, 1B, 1C, 1D	EA	11	*	*	*	*	*	*	10	40	93	1
P-O	2530-287-5701	WHEEL, PNEUMATIC TIRE: 7353762 (19207)	BE, IA, LA, MA	EA	11	*	*	*	*	*	*	10	40	93	1
P-O	2530-287-5702	WHEEL, PNEUMATIC TIRE: 7353765 (19207)	OB, CA, CB	EA	11	*	*	*	*	*	*	10	40	93	1
P-O	2530-738-9493	DISK, WHEEL: 7389493 (19207)	A	EA	1	*	*	*	*	*	*	8	20	93	2
P-O	2530-738-9061	RING, SIDE, AUTOMOTIVE WHEEL: MS53045-3 (96906)	OB, BG, BF, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, JA, BD, 1B, 1A, 1C, 1D	EA	1	*	*	*	*	*	*	10	100	93	3
P-O	2530-735-3671	RING SIDE, AUTOMOTIVE WHEEL: MS53045-4 (96906)	BE-IA-LA-MA, CA, CB	EA	11	*	*	*	*	*	*	10	100	93	3
P-O	5310-353-2427	NUT, PLAIN, HEXAGON: hub to spindle 7346885 (19207)	A	EA	2	*	*	*	*	*	*	10	40	94	1
P-O	5310-700-7089	WASHER, KEY: hub bearing adjusting nut 5139123 (19207)	A	EA	2	*	*	*	*	*	*	10	40	94	2
P-O	5310-374-0836	NUT, PLAIN, OCTAGON: hub bearing 7979308 (19207)	A	EA	2	*	*	*	*	*	*	10	40	94	3
P-O	3110-100-0649	CONE AND ROLLERS, TAPERED BEARING: with outer hub 141377H (31007)	A	EA	2	*	*	*	*	*	*	8	20	94	4
P-O	2530-693-1029	NUT, CAP, DUAL WHEEL: left wheel MS53068-1 (96906)	IA, BE	EA	10	*	*	*	*	*	*	8	20	94	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1311—WHEEL ASSEMBLY—Continued													
P-O	2530-359-1162	NUT, CAP, DUAL WHEEL: right wheel MS53068-2 (96906)	IA, BE	EA	10	*	*	*	*	*	*	8	20	94	5
P-O	5310-5940-8038	NUT, SINGLE BALL SEAT, HEXAGON: front axle right wheel hub stud MS51983-2 (96906)	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, 1A, 1B, 1C, 1D	EA	10	*	*	*	*	*	*	8	20	94	5
P-O	5310-053-7804	NUT, SELF-LOCKING, HEXAGON: front axle left wheel hub stud A167732 (19207)	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, 1A, 1B, 1C, 1D	EA	10	*	*	*	*	*	*	8	20	94	5
X2-O		HUB AND DRUM: 8758332 (19207)	A	EA	2	*	*	*	*	*	*			94	6
P-O	5310-880-7745	NUT, PLAIN, HEXAGON: MS51968-11 (96906)	A	EA	20	*	*	*	*	*	*	40	20	94	7
P-O	5310-209-0965	WASHER, LOCK: MS35338-47 (96906)	A	EA	20	*	*	*	*	*	*	40	20	94	8
P-O	2530-211-6129	COVER, ACCESS: brake drum 7979315 (19207)	A	EA	20	*	*	*	*	*	*	40	20	94	9
P-O	2530-093-5597	DRUM, BRAKE: 7409394 (19207)	A	EA	2	*	*	*	*	*	*	40	20	94	10
P-O	2530-740-9395	HUB, CAPS, WHEEL 7409395 (19207)	A	EA	2	*	*	*	*	*	*	20	10	94	11
P-O	3110-142-4390	CUP, TAPERED ROLLER BEARING: hub 1192542 (12204)	A	EA	4	*	*	*	*	*	*	20	10	94	12
X1		HUB: 7979324 (19207)	A		2									94	13
P-O	2530-740-9390	ADAPTER, HUBWHEEL: front axle 7409390 (19207)	A	EA	2	*	*	*	*	*	*	20	10	94	14
P-O	5306-569-9018	BOLT, RIVET TYPE: left front wheel hub 7411182 (19207)	BE, IA	EA	10	*	*	*	*	*	*	20	10	94	15
P-O	5306-741-1183	BOLT, RIBBED SHOULDER: right front wheel hub KC5417 (50513)	BE, IA	EA	10	*	*	*	*	*	*	20	10	94	15
P-O	5306-151-5754	BOLT, RIBBED SHOULDER: wheel hub left front axle 7411183 (19207)	BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, 1A, 1B, 1C, 1D	EA	10	*	*	*	*	*	*	20	10	94	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1311—WHEEL ASSEMBLY—Continued													
P-O	5306-740-9555	BOLT, RIBBED SHOULDER: wheel hub, right front axle MS51946-6 (96906)	BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, 1A, 1B, 1C, 1D	EA	10	*	*	*	*	*	*	20	10	94	15
P-O	5306-740-9389	BOLT, RIBBED SHOULDER: brake drum adapter 7409389 (19207)	A	EA	40	*	*	*	*	*	*	40	20	94	16
P-O	3110-198-1468	CONE AND ROLLERS, TAPERED: spindle 74093499 (19207)	A	EA	2	*	*	*	*	*	*	8	20	94	17
P-O	5310-353-2427	NUT, PLAIN, OCTAGON: 7979263 (19207)	A	EA	4	*	*	*	*	*	*	8	20	95	1
P-O	5310-700-7089	WASHER, KEY: 5139123 (19207)	A	EA	4	*	*	*	*	*	*	8	20	95	2
P-O	5310-353-2297	NUT, PLAIN, OCTAGON: 7009603 (19207)	A	EA	4	*	*	*	*	*	*	8	20	95	3
P-O	5330-961-3596	SEAL, PLAIN, ENCASED: forward rear (2), rear rear axle (2) 102097R91 (31007)	A	EA	4	*	*	*	*	*	*	50	400	95	4
P-O	3110-100-0649	CONE AND ROLLERS, TAPERED: 121468 (24617)	A	EA	4	*	*	*	*	*	*	8	20	95	5
P-O	5310-880-7745	NUT, PLAIN, HEXAGON: MS51968-11 (96906)	A	EA	4	*	*	*	*	*	*	8	20	95	6
P-O	5310-209-0965	WASHER, LOCK: MS35338-47 (96906)	A	EA	4	*	*	*	*	*	*	8	20	95	7
P-O	2530-211-6129	COVER, ACCESS: hub bearing 7979315 (19207)	A	EA	4	*	*	*	*	*	*	8	20	95	8
P-O	2530-093-5597	BRAKE DRUM: 7409394 (19207)	A	EA	4	*	*	*	*	*	*	40	20	95	9
P-O	5310-880-2005	NUT, PLAIN, SINGLE BALL: forward rear and rear rear outer wheel hub stud	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, JA, 1A, 1B, 1C, 1D	EA	20	*	*	*	*	*	*	40	100	95	10
P-O	5310-053-7808	NUT, SINGLE BALL: forward rear and rear rear outer wheel hub stud 110371H (31007)	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, JA, 1A, 1B, 1C, 1D	EA	20	*	*	*	*	*	*	40	100	95	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1311—WHEEL ASSEMBLY—Continued													
P-O	2530-359-1162	NUT, CAP, DUAL WHEEL: forward rear and rear rear axle inner wheel hub stud MS53068-2 (96906)	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, BE, IA, BD, 1A, 1B, 1C, 1D	EA	20	*	*	*	*	*	*	40	100	95	11
P-O	2530-693-1029	NUT, CAP, DUAL WHEEL: forward rear and rear rear axle inner wheel hub stud MS53068-1 (96906)	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, KB, BE, IA, BD, 1A, 1B, 1C, 1D	EA	20	*	*	*	*	*	*	40	100	95	11
P-O	2530-740-9395	HUB CAPS, WHEEL: 7409395 (19207)	A	EA	4	*	*	*	*	*	*	20	10	95	12
P-O	3110-142-4390	CUP, TAPERED ROLLER BEARING: 1192542 (12204)	A	EA	8	*	*	*	*	*	*	8	20	95	13
X1		HUB: 7979324 (19207)	A		4									95	14
P-O	5306-740-9555	BOLT, RIBBED SHOULDER: forward rear and rear rear axle wheel hub MS51946-6 (96906)	OB, BG, BF, CA, CB, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, 1A, 1B, 1C, 1D	EA	20	*	*	*	*	*	*	40	100	95	15
P-O	5306-151-5754	BOLT, RIBBED SHOULDER: forward rear and rear rear axle wheel hub 7411183 (19207)	OB, BG, BF, CA, CB, DA, DB, EA, EC, FA, FB, TA, RA, ZA, HA, 1A, 1B, 1C, 1D	EA	20	*	*	*	*	*	*	40	100	95	15
P-O	2530-740-9388	PLATE, BACKING, BRAKE: rear wheel drum 7979323 (19207)	A	EA	4	*	*	*	*	*	*	8	20	95	16
P-O	5310-584-5272	WASHER, LOCK: backing plate MS35338-48 (96906)	A	EA	80	*	*	*	*	*	*	40	20	95	17
P-O	5306-930-5248	BOLT, MACHINE: backing plate 10896726-1 (19207)	A	EA	80	*	*	*	*	*	*	40	20	95	18
P-O	2530-740-9556	DEFLECTOR, DIRT AND MOISTURE: backing plate 7979322 (19207)	A	EA	4	*	*	*	*	*	*	8	20	95	19
P-O	5306-740-9389	BOLT, RIBBED SHOULDER: brake drum adapter 7409389 (19207)	A	EA	40	*	*	*	*	*	*	40	100	95	20
P-O	3110-198-1468	CONE AND ROLLERS TAPERED: 7409349 (19207)	A	EA	4	*	*	*	*	*	*	8	20	95	21
P-O	2520-740-9550	SEAL, PLAIN, ENCASED: 7409550 (19207)	A	EA	4	*	*	*	*	*	*	40	100	95	22

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1311—WHEEL ASSEMBLY—Continued													
P-O	2530-740-9553	WIPER: forward rear axle (2), rear rear axle (2) 1199F1436 (78500)	A	EA	4	*	*	*	*	*	*	8	20	95	23
X2-O		REAR AXLE CORE: 8758266 (19207)	A	EA	4	*	*	*	*	*	*			NI	
		1313—TIRES AND TUBES													
P-O-R	2610-540-4725	TIRE PNEUMATIC: truck and bus 14 ply MS35388-23 (96906)	EF, JA	EA	11	*	*	*	*	*	*	40	100	96	1
P-O-R	2610-262-8653	TIRE, PNEUMATIC: truck and bus 11.00-20 MS35388-21 (96906)	All models Except BE, IA, LA, MA	EA	11	*	*	*	*	*	*	40	100	96	1
P-O-R	2610-204-2545	TIRE, PNEUMATIC: truck and bus (7 used on M39, M41) MS35388-25 (96906)	BE, IA, LA, MA	EA	11	*	*	*	*	*	*	40	100	96	1
P-O	2610-051-9464	INNER TUBE, PNEUMATIC TIRE: truck and bus (7 used on M39 and M41) MS35392-18 (96906)	BE, IA, LA, MA	EA	11	*	*	*	*	*	*	40	100	96	2
P-O	2610-051-9454	INNER TUBE, PNEUMATIC TIRE: truck and bus MS35392-16 (96906)	JA, EF	EA	11	*	*	*	*	*	*	40	100	96	2
P-O	2610-051-9450	INNER TUBE, PNEUMATIC TIRE: truck and bus MS35392-15 (96906)	BG, BF, DA, DB, EA, EB, EC, TA, RA, ZA, HA, BD, IA, 1B, IC, 1D	EA	11	*	*	*	*	*	*	40	100	96	2
P-O	2640-050-1229	VALVE CORE: inner tube (7 used on M39 and M41) 6100E (53477)	BG, BF, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, BE, IA, LA, MA, JA, BD	EA	11	*	*	*	*	*	*	15	25	96	3
P-O	2640-060-3550	CAP, TIRE VALVE: core (7 used on M39 and M41) MS51375-1 (96906)	BG, BF, DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, BE, IA, LA, MA, BD, 1A, 1B, 1C, 1D	EA	11	*	*	*	*	*	*	15	25	96	4
P-O	2640-200-1934	VALVE EXTENSION, TIRE: 8333276 (19207)	DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, BE, IA, JA, BD, 1A, 1B, 1C, 1D	EA	4	*	*	*	*	*	*	15	25	97	1
X2-O		BRACKET: valve extension 10883229 (19207)	DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, BE, IA, JA, BD, 1A, 1B, 1C, 1D	EA	4	*	*	*	*	*	*			97	2

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	(3) Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(10) (b) Item No
		1313—TIRES AND TUBES—Continued													
X2-O		NUT: bracket 10883232 (19207)	DA, DB, EA, EB, EC, FA, FB, TA, RA, ZA, HA, BE, IA, JA, BD, 1A, 1B, 1C, 1D	EA	4	*	*	*	*	*	*			97	3
		Non-Illustrated													
P-O	2540-052-0828	PATCH, INNER TUBE REPAIR: 520828 (19207)	A	EA	V	*	*	*	*	*	*	100	400		
		GROUP 14—STEERING													
		1401—MECHANICAL STEERING ASSEMBLY													
P-O	5310-374-0824	NUT, PLAIN, HEXAGON: steering wheel retaining 5167785 (19207)	A	EA	1	*	*	*	*	*	*	6	10	98	1
P-O	2530-277-2689	STEERING WHEEL: 7521474 (19207)	A	EA	1	*	*	*	*	*	*	6	20	98	2
P-O	5310-241-6601	NUT, SELF-LOCKING: steering relay bracket MS51943-42	A	EA	6	*	*	*	*	*	*	6	10	99	1
P-O	5310-167-0680	WASHER, LOCK: steering relay bracket MS35338-49 (96906)	A	EA	6	*	*	*	*	*	*	6	10	99	2
P-O	2530-689-9954	BRACKET, STEERING RELAY: 10938439 (19207)	A	EA	1	*	*	*	*	*	*	4	10	99	3
P-O	5305-246-6566	SCREW, CAP, HEXAGON: MS90726-120 (96906)	A	EA	1	*	*	*	*	*	*	6	10	99	4
P-O	2510-741-2376	PIN, VEHICULAR LEAF: 7412376 (19207)	A	EA	1	*	*	*	*	*	*	6	10	99	5
P-O	4730-050-4208	FITTING, LUBRICATION: leaf pin MS15003-1 (96906)	A	EA	1	*	*	*	*	*	*	6	10	99	6
P-O	5310-877-5795	NUT, SELF-LOCKING, HEXAGON: MS21044N8 (96906)	A	EA	1	*	*	*	*	*	*	6	10	99	7
P-O	2510-592-2258	LEVER ASSEMBLY WITH BALL AND BUSHING: 7992549 (19207)	A	EA	1	*	*	*	*	*	*	3	5	99	8
P-O	2530-734-8894	BEARING, SLEEVE: 7348894 (19207)	A	EA	2	*	*	*	*	*	*	4	10	99	9
P-O	2530-736-9960	SEAL, PLAIN: relay lever 7369960 (19207)	A	EA	2	*	*	*	*	*	*	4	10	99	10
X1		BALL: 7992550 (19207)	A		2									99	11
X1		LEVER: 7992551 (19207)	A		1									99	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1401—MECHANICAL STEERING ASSEMBLY—Continued													
P-O	5305-716-7454	SCREW, CAP, HEXAGON: relay lever bracket 8758466 (19207)	A	EA	6	*	*	*	*	*	*	6	10	99	13
P-O	2530-734-8898	DRAG LINK, STEERING: steering gear to relay lever 7348898 (19207)	A	EA	1	*	*	*	*	*	*	15	30	100	1
P-O	2530-734-8899	DRAG LINK, STEERING: relay lever to axle 7348899 (19207)	A	EA	1	*	*	*	*	*	*	15	30	100	1
X1		PLUG: adjusting stud seat (Component of Parts Kit, Steering FSN 2530-734-8897) 17798H (31007)	A		4									100	2
X1		SEAT, BALL STUD: (Component of Parts Kit, Steering, FSN 2530-734-8897) 1779HB (31007)	A		8									100	3
X1		SPRING: ball stud seat (Component of Parts Kit, Steering, FSN 2530-734-8897) 17796H (31007)	A		4									100	4
P-O	5315-013-7308	PIN, COTTER: ball stud seat adjusting plug (Component of Parts Kit, Steering, FSN 2530-734-8897) MS24665-627 (96906)	A	EA	2	*	*	*	*	*	*	6		100	5
X1		SEAT, BALL STUD SPRING: (Component of Parts Kit, Steering, FSN 2530-734-8897) 17798HA (31007)	A		2									100	6
P-O	4730-050-4208	FITTING LUBRICATION: drag link tube MS15003-1 (96906)	A	EA	2	*	*	*	*	*	*	6	10	100	7
X1		TUBE: axle 7034614 (19207)	A		1									100	8
X1		TUBE: gear 7034635 (19207)	A		1									100	8
P-O	5330-734-8896	FELT, MECHANICAL PREFORMED: (Component of Parts Kit, Steering, FSN 2530-734-8897) 99381R1 (31007)	A	EA	2	*	*	*	*	*	*	6		100	9
P-O	2530-040-2229	SHIELD: (Component of Parts Kit, Steering, FSN 2530-734-8897) 7369959 (19207)	A	EA	2	*	*	*	*	*	*	6		100	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1401—MECHANICAL STEERING ASSEMBLY—Continued													
P-O	2530-734-8877	TIE ROD, STEERING: 7348877 (19207)	A	EA	2	*	*	*	*	*	*	15	30	101	1
X1		RING: tie rod end 7089590 (19207)	A		1									101	2
P-O	2530-770-2383	DISK, SOLID, PLAIN: tie rod end 7702383 (19207)	A	EA	1	*	*	*	*	*	*	4	10	101	3
X1		SPRING: tie rod end 8758323 (19207)	A		1									101	4
P-O	2520-311-7621	SEAT: tie rod end 7369965 (19207)	A	EA	1	*	*	*	*	*	*	4	10	101	5
X1		FELT: ball stud 7089600 (19207)	A		1									101	6
P-O	5307-736-9966	STUD, BALL: tie rod end 7369966 (19207)	A	EA	1	*	*	*	*	*	*	4	10	101	7
P-O	3120-736-9961	BEARING, STEERING ROD: 7369961 (19207)	A	EA	1	*	*	*	*	*	*	6	10	101	8
P-O	4730-050-4208	FITTING LUBRICATION: tie rod end MS15003-1 (96906)	A	EA	2	*	*	*	*	*	*	6	10	101	9
P-O	2530-211-6111	TIE ROD END, STEERING: right 7369964 (19207)	A	EA	1	*	*	*	*	*	*	15	30	101	10
P-O	2530-303-4923	TIE ROD END, STEERING: left 7369963 (19207)	A	EA	1	*	*	*	*	*	*	15	30	101	10
P-O	5315-272-6818	PIN, STRAIGHT, HEADED: tie rod end 141044H (31007)	A	EA	1	*	*	*	*	*	*	6	10	101	11
X1		WASHER, FLAT: tie rod end 5283028 (19207)	A		1									101	12
X1		SEAL: tie rod end 5283027 (19207)	A		1									101	13
P-O	2530-708-9558	DEFLECTOR: tie rod end stud seal 7089558 (19207)	A	EA	1	*	*	*	*	*	*	4	10	101	14
X1		SPRING: tie rod end 5283021 (19207)	A		1									101	15
P-O	5310-297-3260	NUT, SLOTTED, HEXAGON: end stud 272336 (24617)	A	EA	1	*	*	*	*	*	*	6	10	101	16
P-O	5315-234-1671	PIN, COTTER: end stud nut MS24665-633 (96906)	A	EA	1	*	*	*	*	*	*	6	10	101	17
P-O	5305-725-4111	SCREW, CAP, HEXAGON: end clamp MS90726-165 (96906)	A	EA	2	*	*	*	*	*	*	6	10	101	18

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1401—MECHANICAL STEERING ASSEMBLY—Continued													
X1		TUBE, TIE ROD: 8758325 (19207)	A		1									101	19
P-O	5310-820-6653	WASHER, LOCK: end clamp screw MS35338-50 (96906)	A	EA	2	*	*	*	*	*	*	6	10	101	20
P-O	5310-763-8905	NUT, PLAIN, HEXAGON: end clamp screw MS51968-20 (96906)	A	EA	2	*	*	*	*	*	*	6	10	101	21
		Non-Illustrated													
P-O	5330-832-7140	SEAL, OIL: steering wheel (use with 20" steering wheel only) 8327140 (19207)	A	EA	1	*	*	*	*	*	*	6	20		
P-O	2530-734-8897	PARTS KIT, STEERING: 7348897 (19207) Consisting of;	A	EA	V	*	*	*	*	*	*	15	30		
		2-PLUG 17798H (31007)												100	2
		4-SEAT 1779HB (31007)												100	3
		2-SPRING 17796H (31007)												100	4
	5315-013-7308	2-PIN MS24665-627 (96906)												100	5
		2-SEAT 17798HA (31007)												100	6
	5330-734-8896	2-FELT 99381R1 (31007)												100	9
	2530-040-2229	2-SHIELD 7369959 (19207)												100	10
		1407—POWER STEERING GEAR ASSEMBLY													
P-F-R	2530-525-1350	STEERING GEAR: without pitman arm, horn button and wheel 8728230 (19207)	A	EA	1	*	*	*	*	*	*	8	20	102	1
P-F	5305-053-8965	SCREW, CAP, HEXAGON: mounting MS90726-167 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	2
P-F	5310-982-5009	NUT, SELF-LOCKING, HEXAGON: mounting MS21045-10 (96906)	A	EA	3	*	*	*	*	*	*	6	10	102	3
P-F	2530-741-2377	SHIM: control housing 0.002 7412377 (19207)	A	EA	V	*	*	*	*	*	*	6	16	102	4
P-F	2520-463-1638	SHIM: control housing 0.003 7412378 (19207)	A	EA	V	*	*	*	*	*	*	6	10	102	4
P-F	2530-463-1639	SHIM: control housing 0.010 7412379 (19207)	A	EA	V	*	*	*	*	*	*	6	10	102	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1407—POWER STEERING GEAR ASSEMBLY—Continued													
X1		SHIM: upper cover (Component of Parts Kit, Steering, FSN 2530-693-0677) 7351035 (19207)	A		1									102	5
P-F	2530-117-9083	COVER AND SEAL ASSEMBLY: 7092540 (19207)	A	EA	1	*	*	*	*	*	*	3	5	102	6
P-F	5340-281-5427	CLAMP, LOOP: cover 7351018 (19207)	A	EA	1	*	*	*	*	*	*	4	8	102	7
P-F	5306-225-9095	BOLT, MACHINE: cover clamp MS90726-40 (96906)	A	EA	1	*	*	*	*	*	*	6	10	102	8
P-F	2590-512-9224	COVER ASSEMBLY, STEERING: 101750R91 (31007)	A	EA	1	*	*	*	*	*	*	2	5	102	9
P-F	5977-626-1352	CONTACT BRUSH: steering column 101760R91 (31007)	A	EA	1	*	*	*	*	*	*	6	20	102	10
P-F	5305-984-6189	SCREW, MACHINE: steering cover MS35206-241 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	11
P-F	5310-559-0070	WASHER, FLAT: steering cover MS35333-38 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	12
P-F	2590-735-1272	GASKET: steering housing cover 7351272 (19207)	A	EA	1	*	*	*	*	*	*	10	50	102	13
P-F	2530-040-2225	JACKET ASSEMBLY: 7351037 (19207)	A	EA	1	*	*	*	*	*	*	3	5	102	14
X1		JACKET: 096126-34 (77640)	A		1									102	15
P-F	3110-142-0231	BEARING, BALL, STEERING: jacket 5186770 (19207)	A	EA	1	*	*	*	*	*	*	6	20	102	16
P-F	5310-167-0721	WASHER, LOCK: cover clamp MS35333-41 (96906)	A	EA	1	*	*	*	*	*	*	6	10	102	17
P-F	5310-880-7746	NUT, PLAIN, HEXAGON: cover clamp MS51968-5 (96906)	A	EA	1	*	*	*	*	*	*	6	10	102	18
P-F	5305-225-8498	SCREW, CAP, HEXAGON: cover MS90725-33 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	19
P-F	5310-407-9566	WASHER, LOCK: steering cover MS35338-45 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	20
P-F	2530-219-8983	TUBE ASSEMBLY, STEERING: 7351038 (19207)	A	EA	1	*	*	*	*	*	*	8	20	102	21
P-F	3110-100-6153	BEARING BALL: shaft MS19059-51 (96906)	A	EA	13	*	*	*	*	*	*	40	60	102	22
P-F	3110-227-4832	RING, BEARING, OUTER: cam 40018 (77640)	A	EA	2	*	*	*	*	*	*	8	20	102	23

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1407—POWER STEERING GEAR ASSEMBLY—Continued													
X1		RING: cam 7351032 (19207)	A		1									102	24
P-F	2530-397-6865	HOUSING ASSEMBLY, CONTROL: 7351026 (19207)	A	EA	1	*	*	*	*	*	*	3	5	102	25
P-F	5330-298-1398	GASKET: control housing 7368502 (19207)	A	EA	1	*	*	*	*	*	*	8	20	102	26
P-F	2530-735-1030	RETAINER, SPRING: 7351030 (19207)	A	EA	2	*	*	*	*	*	*	8	20	102	27
P-F	3110-277-0406	BEARING, BALL, THRUST: 7411074 (19207)	A	EA	2	*	*	*	*	*	*	8	20	102	28
P-F	2530-741-1075	WORM: steering gear 7411075 (19207)	A	EA	1	*	*	*	*	*	*	8	20	102	29
P-F	5305-269-3212	SCREW, CAP, HEXAGON: control housing MS90725-61 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	30
P-F	5310-637-9541	WASHER, LOCK: control housing MS35338-46 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	31
P-F	4730-057-5555	PLUG, PIPE: control housing MS49005-6 (96906)	A	EA	2	*	*	*	*	*	*	4	5	102	32
P-F	2530-040-2219	COVER ASSEMBLY: 7351017 (19207)	A	EA	1	*	*	*	*	*	*	2	5	102	33
X1		COVER, SIDE, HOUSING: 7046586 (19207)	A		1									102	34
X1		NUT, PLAIN, HEXAGON: 7994577 (19207)	A		1									102	35
P-F	5305-274-8407	SETSCREW: housing cover 7001650 (19207)	A	EA	1	*	*	*	*	*	*	6	10	102	36
P-F	2530-040-2220	GASKET: slide cover (Component of Parts Kit, Steering, FSN 2530-693-0677) 7351020 (19207)	A	EA	1	*	*	*	*	*	*	10		102	37
P-F	5305-269-3212	SCREW, CAP, HEXAGON: covers to housing MS90725-61 (96906)	A	EA	16	*	*	*	*	*	*	6	10	102	38
P-F	5310-261-7340	WASHER, LOCK: covers to housing MS35338-8 (96906)	A	EA	16	*	*	*	*	*	*	6	10	102	39
X1		COVER:* 7046585 (19207)	A		1									102	40

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1407—POWER STEERING GEAR ASSEMBLY—Continued													
P-F	2530-740-9194	GASKET: slide bar end cover (Component of Parts Kit, Steering, FSN 2530-693-0677) 7409194 (19207)	A	EA	1	*	*	*	*	*	*	10		102	41
P-F	5310-834-8734	NUT, PLAIN, HEXAGON: MS35691-37 (96906)	A	EA	4	*	*	*	*	*	*	6	10	102	42
X1		SETSCREW: 138822 (21450)	A		4									102	43
P-F	4820-726-4719	VALVE, AIR PRESSURE RELIEF: 5196397 (19207)	A	EA	1	*	*	*	*	*	*	6	20	102	44
X1		BUSHING, PIPE: housing vent 45-1760-004-001 (81330)	A		1									102	45
P-F	2530-736-9962	ARM, STEERING GEAR: pitman w / intergal ball 101771R21 (31007)	A	EA	1	*	*	*	*	*	*	8	20	102	46
P-F	5310-269-2807	WASHER, LOCK: steering gear arm MS35338-36 (96906)	A	EA	1	*	*	*	*	*	*	6	10	102	47
P-F	5310-997-6903	NUT, PLAIN, HEXAGON: steering gear arm MS35691-93 (96906)	A	EA	1	*	*	*	*	*	*	6	10	102	48
X1		SEAL, OIL: gear housing and wheel shaft (Component of Parts Kit, Steering, FSN 2530-693-0677) 7418961 (19207)	A		1									102	49
P-F	2530-211-6084	HOUSING, ASSEMBLY, STEERING: 8329749 (19207)	A	EA	1	*	*	*	*	*	*	3	5	102	50
P-F	3120-350-2603	BEARING, SLEEVE: pitman shaft 070011 (70920)	A	EA	2	*	*	*	*	*	*	8	20	102	51
X1		HOUSING, GEAR, STEERING: 7046592 (19207)	A		1									102	52
P-F	4730-010-3867	PLUG, PIPE: oil drain MS49005-6 (96906)	A	EA	4	*	*	*	*	*	*	6	20	102	53
P-F	5315-735-1029	PIN, GROOVED HEADLESS: pitman arm shaft 7351029 (19207)	A	EA	1	*	*	*	*	*	*	6	10	102	54
P-F	2530-211-6072	LEVER BLOCK: 7369970 (19207)	A	EA	1	*	*	*	*	*	*	4	8	102	55
X1		SHIM: shaft 7092550 (19207)	A		1									102	56

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1407—POWER STEERING GEAR ASSEMBLY—Continued													
X1		WASHER: 7092551 (19207)	A		1									102	57
P-F	2530-219-8984	SHAFT ASSEMBLY, STEERING: with bearings and sleeve 102181R91 (19207)	A	EA	1	*	*	*	*	*	*	4	5	102	58
P-F	2530-211-6062	BEARING ASSEMBLY: 044983 (77640)	A	EA	1	*	*	*	*	*	*	6	20	102	59
P-F	2530-219-9480	BEARING, SLEEVE, 7369969 (19207)	A	EA	1	*	*	*	*	*	*	6	20	102	60
X1		WASHER, FLAT: 7092559 (19207)	A		1									102	61
X1		NUT, PLAIN, HEXAGON: 7062209 (19207)	A		1									102	62
P-F	5365-263-5865	RING, RETAINING: pitman shaft lever lock pin (Component of Parts Kit, Steering, FSN 2530-693-0677) 7413537 (19207)	A	EA	1	*	*	*	*	*	*	10		102	63
X1		WASHER, PLAIN: pitman shaft integral lever lock pin (Component of Parts Kit, Steering, FSN 2530-693-0677) 7046593 (19207)	A		1									102	64
P-F	5330-298-1398	GASKET: cam end cover and control housing (Component of Parts Kit, Steering, FSN 2530-693-0677) 7368502 (19207)	A	EA	2	*	*	*	*	*	*	10		102	65
X1		COVER, CAM END: 7092530 (19207)	A		1									102	66
		Non-Illustrated													
P-F	2530-525-1352	SPACER, INSULATING, STEERING GEAR: (Use with Steering Gear, FSN 2530-525-1350) 8728234 (19207)	A	EA	1	*	*	*	*	*	*	6	20		
P-F	4720-143-8901	HOSE ASSEMBLY, NONMETALLIC: 11608863 (19207)	A	FT	V	*	*	*	*	*	*	4	10		
P-F	4720-964-3417	HOSE ASSEMBLY, NONMETALLIC: 8728289 (19207)	A	FT	V	*	*	*	*	*	*	4	10		
P-F	5305-068-0505	SCREW, CAP, HEXAGON: clip extension MS90726-5 (96906)	A	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1407—POWER STEERING GEAR ASSEMBLY—Continued **Non-Illustrated—Continued**													
P-F	5305-269-2803	SCREW, CAP, HEXAGON: clip to bracket MS90726-60 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5305-269-2808	SCREW, CAP, HEXAGON: clip extension to housing MS90726-65 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5305-269-2813	SCREW, CAP, HEXAGON: bracket to housing and extension to housing MS90726-69 (96906)	A	EA	2	*	*	*	*	*	*	6	10		
P-F	5305-269-3211	SCREW, CAP, HEXAGON: cover to body MS90725-60 (96906)	A	EA	4	*	*	*	*	*	*	6	10		
P-F	5310-062-4954	NUT, SELF-LOCKING: (req'd by Steering Relay Bracket) MS21045-8 (96906)	A	EA	3	*	*	*	*	*	*	6	10		
P-F	5310-637-9541	WASHER, LOCK: cover to body MS35338-46 (96906)	A	EA	4	*	*	*	*	*	*	6	10		
P-F	5310-809-4061	WASHER, FLAT: bracket to housing (1), clip to extension (1), and to extension to housing (1) MS27183-15 (96906)	A	EA	3	*	*	*	*	*	*	6	10		
P-F	2530-930-0744	RING ASSEMBLY: horn 8728235 (19207)	A	EA	1	*	*	*	*	*	*	8	20		
P-F	5305-582-6638	SCREW, MACHINE: 8728232 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-838-1702	NUT, PLAIN, HEXAGON: adjusting screw MS35691-57 (96906)	A	EA	2	*	*	*	*	*	*	6	10		
P-F	5330-740-9278	WASHER, NONMETALLIC: union to power cylinder (1), elbow to power cylinder (1) and elbow to control valve (2) 7409278 (19207)	A	EA	4	*	*	*	*	*	*	6	10		
P-F	5330-741-8961	SEAL, OIL TRUNION: 032165 (77640)	A	EA	1	*	*	*	*	*	*	8	20		
P-F		LEAD (WIRE) HORN: 8728239 (19207)	A	EA	1	*	*	*	*	*	*	4	8		
P-F	2530-769-6384	SHIM SET: housing, upper cover 7696384 (19207) Consisting of: 1-SHIM 0.002 5175261 (19207) 1-SHIM 0.003 5175262 (19207) 1-SHIM 0.010 5186512 (19207)	A	EA	V	*	*	*	*	*	*	15	30		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1407—POWER STEERING GEAR ASSEMBLY—Continued Non-Illustrated—Continued													
P-F	2530-693-0677	PARTS KIT, STEERING: 8333631 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	15	30		
		1-SHIM 7351035 (19207)												102	5
	2530-040-2220	1-GASKET 7351020 (19207)												102	37
	2530-740-9194	1-GASKET 7409194 (19207)												102	41
		1-SEAL 7418961 (19207)												102	49
	5365-263-5865	1-RING 7413537 (19207)												102	63
		1-WASHER 7046593 (19207)												102	64
	5330-298-1398	2-GASKET 7368502 (19207)												102	65
		1410—HYDRAULIC PUMP OR FLUID MOTOR ASSEMBLY													
P-F-R	2530-040-2293	PUMP, HYDRAULIC STEERING: (early gas models only) 8329538 (19207)	AA	EA	1	*	*	*	*	*	*	8	20	103	1
P-F-R	2530-318-8205	PUMP, HYDRAULIC STEERING: gear assembly for late production vehicles without separate relief valve 7971028 (19207)	A	EA	1	*	*	*	*	*	*	8	20	103	1
P-F-R	2530-239-5663	PUMP, HYDRAULIC STEERING: (gas & diesel) (multifuel 5 GPM) 11640923 (19207)	A	EA	1	*	*	*	*	*	*	8	20	103	1
P-F-R	2530-075-3329	PUMP, HYDRAULIC STEERING: (multifuel, 6 GPM) 10935265 (19207)	AB	EA	1	*	*	*	*	*	*	8	20	103	1
P-F	5305-269-3220	SCREW, CAP, HEXAGON: MS70925-70 (96906)	A	EA	2	*	*	*	*	*	*	6	10	103	2
P-F	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)	A	EA	2	*	*	*	*	*	*	6	10	103	3
X1		NUT, PLAIN: gear 443342 (21450)	A		1									103	4
X1		WASHER: 3X-X14315 (12204)	A		1									103	5
P-F	2530-741-1102	GEAR, HELICAL: pump drive 7411102 (19207)	A	EA	1	*	*	*	*	*	*	6	20	103	6
P-F	5330-582-7015	SEAL, PLAIN, ENCASED: shaft 7409291 (19207)	A	EA	1	*	*	*	*	*	*	20	40	103	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1410—HYDRAULIC PUMP OR FLUID MOTOR ASSEMBLY—Continued													
P-F	2530-740-9295	GASKET: hydraulic gear pump to end plate 7409295 (19207)	A	EA	1	*	*	*	*	*	*	50	100	103	8
X1		COVER: 05-10235 (78080)	A		1									103	9
X1		GASKET: 99-5 (78080)	A		2									103	10
X1		SPRING: (Component of Parts Kit, Hydraulic Pump, FSN 2520-621-3005) 105627R1 (31007)	A		1									103	11
P-F	5330-291-5881	WASHER, NONMETALLIC: (Component of Parts Kit, Hydraulic Pump, FSN 2520-621-3005) 105626R1 (31007)	A	EA	1	*	*	*	*	*	*	10		103	12
X1		BEARING: gear 05-10264 (78080)	A		3									103	13
X1		KEY WOODRUFF: (Component of Parts Kit, Hydraulic Pump, FSN 2520-621-3005) 108905 (21450)	A		1									103	14
X1		GEAR: 05-10237 (78080)	A		1									103	15
X1		BODY: PS-05-10234 (78080)	A		1									103	16
P-F	5305-269-3219	SCREW: MS90725-69 (96906)	A	EA	1	*	*	*	*	*	*	6	10	103	17
X1		RETAINER: 05-10679 (78080)	A		1									103	18
P-F	2530-740-9280	GASKET: drive gear shaft and relief valve (Component of Parts Kit, Hydraulic Pump, FSN 2520-621-3005) 7409280 (19207)	A	EA	2	*	*	*	*	*	*	10		103	19
X1		SPRING: relief valve (Component of Parts Kit, Hydraulic Pump, FSN 2520-621-3005) 11237R1 (31007)	A		1									103	20
X1		BALL: 99-146-0 (78080)	A		1									103	21
X1		GEAR: 05-10406 (78080)	A		1									103	22
X1		BEARING: 05-10238 (78080)	A		1									103	23

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1410—HYDRAULIC PUMP OR FLUID MOTOR ASSEMBLY—Continued													
P-F	2520-621-3005	PARTS KIT, HYDRAULIC PUMP: 5702528 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	10	30		
		1-SPRING 105627R1 (31007)												103	11
	5330-291-5881	1-WASHER 105626R1 (31007)												103	12
		1-KEY 108905 (21450)												103	14
	2530-740-9280	2-GASKET 7409280 (19207)												103	19
	2520-628-3005	1-SPRING 11237R1 (31007)												103	20
	3110-100-6159	1-BALL MS19059-59 (96906)													
	5330-202-3705	1-WASHER 7971027 (19207)												N / 1	
	5340-298-8767	1-SPACER 7971026 (19207)												N / 1	
		2-SEAL 355203R1 (31007)												N / 1	
		1411—HOSES, LINES, FITTINGS													
P-O	4730-851-0174	ELBOW, PIPE TO TUBE: 9402838 (19207)	AC, AB	EA	2	*	*	*	*	*	*	4	5	104	1
P-O	4720-289-2308	HOSE ASSEMBLY, RUBBER: reservoir to steering pump MS28741-6-0750 (96906)	IA, IB, IC, ID	EA	1	*	*	*	*	*	*	6	20	104	2
X2-O		CLAMP, LOOP: reservoir line 10931982 (19207)	AC, AB	EA	1	*	*	*	*	*	*			104	3
P-O	5330-285-9842	PACKING, PREFORMED: MS28778-10 (96906)	AC, AB	EA	2	*	*	*	*	*	*	8	20	104	4
P-O	5310-282-7822	NUT, PLAIN, HEXAGON: MS24400-10 (96906)	AC, AB	EA	2	*	*	*	*	*	*	6	10	104	5
P-O	4730-924-5504	ELBOW, TUBE: MS24394-10 (96906)	AC, AB	EA	2	*	*	*	*	*	*	4	5	104	6
P-O	4720-087-4172	HOSE ASSEMBLY, NON-METALLIC: MS28741-10-0430 (96906)	AC, AB	EA	1	*	*	*	*	*	*	4	10	104	7
P-O	2530-740-9286	HOSE ASSEMBLY, RUBBER: 7409286 (19207)	AC, AB	EA	1	*	*	*	*	*	*	6	20	104	8
P-O	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)	AC, AB	EA	2	*	*	*	*	*	*	6	10	104	9
P-O	5340-057-3057	CLAMP, LOOP: 3PT573057 (81348)	AC, AB	EA	1	*	*	*	*	*	*	4	8	104	10
P-O	5310-877-5796	NUT, SELF-LOCKING: MS21044N4 (96906)	AC, AB	EA	2	*	*	*	*	*	*	6	10	104	11
P-O	5310-809-4058	WASHER, FLAT: MS27183-10 (96906)	AC, AB	EA	3	*	*	*	*	*	*	6	10	104	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1411—HOSES, LINES, FITTINGS—Continued													
P-O	5305-267-8984	SCREW, CAP, HEXAGON: MS90726-17 (96906)	AC, AB	EA	1	*	*	*	*	*	*	6	10	104	13
P-O	4720-857-7479	HOSE ASSEMBLY, RUBBER: reservoir to steering pump MS28741-12-0640 (96906)	IA, IB, IC, ID	EA	1	*	*	*	*	*	*	6	20	104	14
X2-O		BUSHING: reservoir 8758371 (19207)	AC, AB	EA	1	*	*	*	*	*			104	15	
P-O	4730-925-8167	CONNECTOR, RESERVOIR: 9402685 (19207)	AC, AB	EA	1	*	*	*	*	*	*	4	8	104	16
X2-O		BUSHING: reservoir 144040 (21450)	AC, AB	EA	1	*	*	*	*	*	*			104	17
X2-O		CLAMP: 78MR11 (21450)	AC, AB	EA	1	*	*	*	*	*	*			104	18
P-O	5340-057-3060	CLAMP, LOOP: 13PT573060 (81348)	AC, AB	EA	1	*	*	*	*	*	*	4	8	104	19
P-O	5340-057-3051	CLAMP, LOOP: 3PT573051 (81348)	AC, AB	EA	1	*	*	*	*	*	*	4	8	104	20
P-O	5305-267-8980	SCREW, CAP, HEXAGON: clamp MS90726-14 (96906)	AC, AB	EA	1	*	*	*	*	*	*	6	10	104	21
P-O	5330-808-0794	PACKING, PREFORMED: MS28778-8 (96906)	AC, AB	EA	4	*	*	*	*	*	*	6	20	104	22
P-O	5310-208-5775	NUT, PLAIN HEXAGON: MS24400-8 (96906)	AC, AB	EA	4	*	*	*	*	*	*	6	10	104	23
P-O	4730-804-1931	ELBOW, TUBE: MS24396-8 (96906)	AC, AB	EA	2	*	*	*	*	*	*	4	5	104	24
P-O	4730-806-6233	ELBOW, TUBE: MS24394-8 (96906)	AC, AB	EA	2	*	*	*	*	*	*	4	5	104	25
P-O	2530-964-3417	HOSE ASSEMBLY, RUBBER: 8728289 (19207)	AC, AB	EA	2	*	*	*	*	*	*	6	20	104	26
P-O	4730-231-3014	ELBOW, PIPE TO TUBE: MS20822-10 (96906)	AC	EA	1	*	*	*	*	*	*	4	10	104	27
P-O	2530-971-5026	COUPLING ASSEMBLY, HOSE: 59QEA26-P2 (76040)	IA, IB, IC, ID	EA	1	*	*	*	*	*	*	4	8	104	28
X2-O		CONNECTOR: 63AX1740 (19207)	AC, AB	EA	1	*	*	*	*	*	*			104	29
X2-O		PACKING, PREFORMED: 501212 (21450)	AC, AB	EA	1	*	*	*	*	*	*			104	30
X2-O		ELBOW: 144121 (21450)	AC, AB	EA	1	*	*	*	*	*	*			104	31

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1411—HOSES, LINES, FITTINGS—Continued													
P-O	4730-277-5553	ELBOW, PIPE: MS51952-2 (96906)	AC, AB	EA	1	*	*	*	*	*	*	4	5	104	32
P-O	4730-196-2055	NIPPLE: 105405 (21450)	AC, AB	EA	1	*	*	*	*	*	*	4	8	104	33
X2-O		NIPPLE: 144613 (21450)	AC, AB	EA	1	*	*	*	*	*	*			104	34
P-O	2530-971-5025	COUPLING ASSEMBLY, HOSE: bypass hose 59QEA26-P1 (76040)	AC, AB	EA	1	*	*	*	*	*	*	4	8	104	35
P-O	2530-971-5027	COUPLING ASSEMBLY, HOSE: feed 59QEA26-P3 (76040)	IA, IB, IC, ID	EA	1	*	*	*	*	*	*	4	8	104	36
P-O	4730-287-3281	PLUG, PIPE: 127950 (24617)	AC, AB	EA	1	*	*	*	*	*	*	4	5	104	37
X2-O		ELBOW: 9402867 (19207)	AC, AB	EA	1	*	*	*	*	*	*			104	38
		Non-Illustrated													
P-O	2530-072-4404	HOSE ASSEMBLY, RUBBER: steering pump to control valve (Diesel / multifuel) 10938340 (19207)	AC, AB	EA	1	*	*	*	*	*	*	6	20		
P-F	2530-591-5830	HOSE ASSEMBLY, RUBBER: pump to control valve (gasoline) 7998644 (19207)	AA	EA	2	*	*	*	*	*	*	6	20		
P-F	2530-591-5831	LINK, CONNECTING: hydraulic line (gasoline) 7998648 (19207)	AA	EA	1	*	*	*	*	*	*	4	8		
P-F	2530-740-9286	HOSE ASSEMBLY, RUBBER: control valve to tank (gasoline) 7409286 (19207)	AA	EA	1	*	*	*	*	*	*	6	20		
P-F	2530-740-9288	HOSE ASSEMBLY, RUBBER: oil reservoir to relief valve, (gasoline) 7409288 (19207)	AA	EA	1	*	*	*	*	*	*	6	20		
P-F	2530-941-6215	PLATE: hydraulic steering hose support (multifuel) 11593180 (19207)	AB	EA	1	*	*	*	*	*	*	3	5		
P-F	2840-806-7798	ADAPTER: reservoir to connector (multifuel) 444020 (77445)	AB	EA	1	*	*	*	*	*	*	4	8		
P-F	4710-595-1824	TUBE, STEEL: hydraulic vent line front, hydraulic vent line rear, and oil reservoir to air cleaner (gasoline) 7337351 (19207)	AA	EA	2	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No.
		1411—HOSES, LINES, FITTINGS—Continued Non-Illustrated—Continued													
P-F	4720-143-8901	HOSE ASSEMBLY NONMETALLIC: reservoir to pump supply (multifuel) 11608863 (19207)	AB	EA	1	*	*	*	*	*	*	6	20		
P-F	4720-289-4474	HOSE ASSEMBLY, NONMETALLIC: steering pump by pass to reservoir (diesel / multifuel) MS28741-6-0180 (96906)	AC, AB	EA	1	*	*	*	*	*	*	6	20		
P-F	4720-542-4433	HOSE NONMETALLIC: control valve to cylinder (gasoline) 303-8 (00624)	AA	EA	1	*	*	*	*	*	*	6	20		
P-F	4720-740-9283	HOSE, RESERVOIR: to hydraulic steering pump 7409283 (19207)	A	EA	1	*	*	*	*	*	*	6	20		
P-F	4720-740-9285	HOSE ASSEMBLY, NONMETALLIC: control valve to relief valve (gasoline) 7409285 (19207)	AA	EA	2	*	*	*	*	*	*	6	20		
P-F	4720-740-9286	HOSE ASSEMBLY, NONMETALLIC: control valve to reservoir (diesel / multifuel) 7409286 (19207)	AB, AC	EA	1	*	*	*	*	*	*	6	20		
P-F	4720-964-3417	HOSE ASSEMBLY, NONMETALLIC: control valve to power cylinder (diesel / multifuel) 8728289 (19207)	AB, AC	EA	2	*	*	*	*	*	*	6	20		
P-F	4730-014-2432	INVERTED NUT, TUBE COUPLING: oil reservoir to air cleaner line 142432 (21450)	A	EA	2	*	*	*	*	*	*	4	8		
P-F	4730-090-9256	COUPLING, PIPE: pressure line, pump to gear (gasoline) 8333698 (19207)	AA	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-196-0888	BUSHING PIPE: pump outlet and tank outlet (gasoline) 2054 (23382)	AA	EA	2	*	*	*	*	*	*	4	8		
P-F	4730-196-1468	NIPPLE, PIPE: close pump inlet (gaseline) MS51953-97 (96906)	AA	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-196-2055	NIPPLE, PIPE: hydraulic pump (diesel / multifuel) 105405 (21460)	AC, AB	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-203-0030	ELBOW, PIPE: pump, inlet (gasoline and multifuel) 454112 (21450)	AA, AB	EA	1	*	*	*	*	*	*	4	5		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1411—HOSES, LINES, FITTINGS—Continued Non-Illustrated—Continued													
P-F	4730-203-3558	ADAPTER, STRAIGHT, TUBE TO HOSE: control valve to cylinder (gasoline) 7350971 (19207)	AA	EA	2	*	*	*	*	*	*	4	8		
P-F	4730-231-3014	ELBOW, PIPE TO TUBE: (gasoline) MS20822-10 (96906)	AA	EA	1	*	*	*	*	*	*	4	5		
P-F	4730-253-4414	ELBOW, PIPE: MS39230-4 (96906)	A	EA	4	*	*	*	*	*	*	4	5		
P-F	4730-253-4415	ELBOW PIPE: pump inlet (gasoline) 144113 (24617)	AA	EA	1	*	*	*	*	*	*	4	5		
P-F	4730-261-4218	ELBOW PIPE: inlet to pump (gasoline) MS39231-5 (96906)	AA	EA	1	*	*	*	*	*	*	4	5		
P-F	4730-273-4429	CONNECTOR: pump outlet (multifuel) 8720306 (19207)	AB	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-278-3167	BUSHING, PIPE: reservoir, control valve hose (gasoline and multifuel) 128140 (21450)	AA, AB	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-278-3676	ELBOW, PIPE TO TUBE: reservoir MS20822-6B (96906)	A	EA	2	*	*	*	*	*	*	4	5		
P-F	4730-278-3702	ELBOW, TUBE: control valve to relief valve line 7350939 (19207)	AA, AB, AC	EA	2	*	*	*	*	*	*	4	5		
P-F	4730-278-3862	ELBOW PIPE TO TUBE: power cylinder (gasoline) 1402867 (24617)	AA	EA	1	*	*	*	*	*	*	4	5		
P-F	4730-278-8226	ADAPTER STRAIGHT TUBE TO HOSE: (gasoline) hose, assembly hydraulic gear pump to control hose (1) hydraulic gear pump line to control valve (1) control valve line to relief valve (2) oil reservoir line to tank (1) MS28740-10 (96906)	AA	EA	6	*	*	*	*	*	*	4	8		
P-F	4730-278-8886	COUPLING, TUBE: oil line (gasoline) 137413 (12204)	AA	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-374-6946	ADAPTER, STRAIGHT, PIPE TO HOSE: (gasoline) hydraulic gear pump to control hose (1) hydraulic gear pump line to, control valve (1) control valve to tank and oil reservoir line to relief valve 5188696 (97907)	AA	EA	5	*	*	*	*	*	*	4	8		
P-F	4730-718-2621	ADAPTER, STRAIGHT PIPE: reservoir adapter to pump supply hose (multifuel) 9402713 (24617)	AB	EA	1	*	*	*	*	*	*	4	8		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1411—HOSES, LINES, FITTINGS—Continued Non-Illustrated—Continued													
P-F	4730-804-1931	ELBOW TUBE: power cylinder (gasoline) MS24396-8 (96906)	AA	EA	2	*	*	*	*	*	*	4	5		
P-F	4730-806-6233	ELBOW, TUBE: power cylinder (2) control valve (2) (diesel / multifuel) MS24394-8 (96906)	AB, AC	EA	1	*	*	*	*	*	*	4	5		
P-F	4730-924-5433	ELBOW, PIPE: reservoir drain (gasoline and multifuel) 444070 (21450)	AA, AB	EA	1	*	*	*	*	*	*	4	5		
P-F	4730-924-5504	ELBOW, TUBE: control valve (gasoline and multifuel) MS24394-10 (96906)	AA, AB	EA	1	*	*	*	*	*	*	4	5		
P-F	4730-925-8167	CONNECTOR: reservoir supply hose (gasoline and multifuel) 9402685 (19207)	AA, AB	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-961-8538	NIPPLE: reservoir drain (gasoline and multifuel) MS51953-52 (96906)	AA, AB	EA	1	*	*	*	*	*	*	4	8		
P-F	4730-277-5553	ELBOW, PIPE: hydraulic pump (diesel / multifuel) MS51952-2 (96906)	AB, AC	EA	1	*	*	*	*	*	*	4	5		
P-F	5305-993-1851	SCREW, MACHINE: securing hose clamps to bracket (multifuel) MS35207-267 (96906)	AB	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-999-8582	ELBOW, PIPE: pump outlet connector (multifuel) 454087 (21450)	AB	EA	1	*	*	*	*	*	*	4	5		
P-F	5310-061-7326	NUT, SELF-LOCKING HEXAGON: securing hose clamps to bracket (multifuel) MS21045-3 (96906)	AB	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-208-5775	NUT, PLAIN, HEXAGON: hydraulic fittings (diesel / multifuel) AN924-8 (88044)	AB, AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-282-7822	NUT, PLAIN, HEXAGON: hydraulic fittings (diesel / multifuel) MS24400-10 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	10		
P-F	5330-285-9842	PACKING, PREFORMED: hydraulic fittings (diesel / multifuel) MS28778-10 (96906)	AB, AC	EA	2	*	*	*	*	*	*	6	20		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1411—HOSES, LINES, FITTINGS—Continued Non-Illustrated—Continued													
P-F	5330-931-6753	PACKING, PREFORMED: hydraulic fittings (diesel / multifuel) MS28778-8 (96906)	AB, AC	EA	5	*	*	*	*	*	*	6	20		
P-F	5340-922-6300	CLAMP, LOOP: hose pump to control valve (multifuel) MS21333-77 (96906)	AB	EA	1	*	*	*	*	*	*	4	8		
P-F	5340-922-6301	CLAMP, LOOP: hose inlet, reservoir to pump (multifuel) MS21333-79 (96906)	AB	EA	1	*	*	*	*	*	*	4	8		
		1412—HYDRAULIC OR AIR CYLINDERS													
P-F-R	2530-397-6852	CYLINDER ASSEMBLY, POWER: (Component of Figure 100) 7351363 (77640)	A	EA	1	*	*	*	*	*	*	8	20	105	1
P-F	2530-040-2221	GASKET: (Component of Kit, Repair, Power Cylinder, FSN 2520-692-6190) 7351021 (19207)	A	EA	1	*	*	*	*	*	*	8		105	2
P-F	5340-735-1366	RING, RETAINING: mounting (Component of Kit, Repair, Power Cylinder, FSN 2520-692-6190) 7351366 (19207)	A	EA	1	*	*	*	*	*	*	8		105	3
X1		FLANGE: 7046594 (19207)	A		1									105	4
P-F	5310-637-9541	WASHER, LOCK: flange screw MS35338-46 (96906)	A	EA	4	*	*	*	*	*	*	6	10	105	5
P-F	5305-263-2807	SCREW, CAP, HEXAGON: flange MS35298-64 (96906)	A	EA	4	*	*	*	*	*	*	6	10	105	6
P-F	2530-736-9968	BAR ASSEMBLY, STEERING GEAR: 7369968 (19207)	A	EA	1	*	*	*	*	*	*	3	5	105	7
P-F	2530-735-1360	ADAPTER ASSEMBLY: 7351360 (19207)	A	EA	1	*	*	*	*	*	*	4	8	105	8
P-F	2530-534-9180	RING, O, CONTROL VALVE: (Component of Kit, Repair, Power Cylinder, FSN 2520-692-6190) 102170R1 (31007)	A	EA	1	*	*	*	*	*	*	8		105	9
P-F	5310-220-6848	WASHER, FLAT: (Component of Kit, Repair, Power Cylinder FSN 2520-692-6190) 8376583 (19207)	A	EA	1	*	*	*	*	*	*	8		105	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1412—HYDRAULIC OR AIR CYLINDERS—Continued													
X1		WASHER: (Component of Kit, Repair, Power Cylinder, FSN 2520-692-6190) 8713975 (19207)	A		1									105	11
P-F	3120-735-1367	PACKING, PREFORMED: plate 7351367 (19207)	A	EA	1	*	*	*	*	*	*	8	20	105	12
P-F	3120-735-1362	BEARING, SLEEVE: plate (Component of Kit, Repair Power Cylinder, FSN 2520-692-6190) 7351362 (19207)	A	EA	1	*	*	*	*	*	*	8		105	13
X1		PLATE: 7046595 (19207)	A		1									105	14
X1		SEAL: 546875 (21450)	A		1									105	15
P-F	2530-735-1365	RING, PISTON: (Component of Kit, Repiar, Power Cylinder, FSN 2520-692-6190) 7351365 (19207)	A	EA	1	*	*	*	*	*	*	8		105	16
P-F	2530-735-1364	PISTON: 7351364 (19207)	A	EA	1	*	*	*	*	*	*	8	20	105	17
P-F	5310-809-8533	WASHER, FLAT: piston MS27183-23 (96906)	A	EA	1	*	*	*	*	*	*	8	20	105	18
P-F	5310-012-5393	NUT, SLOTTED HEXAGON: steering gear bar 125393 (21450)	A	EA	1	*	*	*	*	*	*	8	20	105	19
P-F	5315-298-1481	PIN, COTTER: bar nut MS24665-357 (96906)	A	EA	1	*	*	*	*	*	*	8	20	105	20
X1		CYLINDER: 7046597 (19207)	A		1									105	21
P-F	2520-692-6190	KIT, REPAIR, POWER CYLINDER: 8333796 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	15	30		
	2530-040-2221	1—GASKET: 7351021 (19207)												105	2
	5340-735-1366	1—RING: 7351366 (19207)												105	3
	2530-534-9180	1—RING: 102170R1 (31007)												105	9
	5310-220-6848	1—WASHER: 8376583 (19207)												105	10
		1—WASHER: 8713975 (19207)												105	11
	3120-735-1362	1—BEARING: 7351362 (19207)												105	13
	2530-735-1365	1—RING: 7351365 (19207)												105	16
	3110-100-6159	1—BEARING: MS19059-59 (96906)												107	7
	2520-040-2311	1—GUIDE: 8330326 (19257)												107	8

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1412—HYDRAULIC OR AIR CYLINDERS—Continued													
		1—SPRING: 89-195 (46606)												107	9
	2520-740-9281	1—GASKET: 7409281 (19207)												107	10
	5330-735-1367	1—PACKING: 7351367 (19207)													
		1—PACKING: 546875 (21450)													
		1413—TANKS AND RESERVOIRS													
P-O	2520-740-9290	RESERVOIR, OIL: hydraulic steering 7409290 (19207)	A	EA	1	*	*	*	*	*	*	6	20	106	1
P-O	4730-042-6318	PLUG, PIPE: oil drain 444697 (21450)	A	EA	1	*	*	*	*	*	*	4	5	106	2
X1		BODY: 10883503 (19207)	A		1									106	3
P-O	2590-786-0194	BREATHER ASSEMBLY, FILTER: 8376371 (19207)	A	EA	1	*	*	*	*	*	*	6	20	106	4
P-O	2520-177-9231	SCREEN, OIL RESERVOIR: 10883443 (19207)	A	EA	1	*	*	*	*	*	*	6	20	106	5
P-O	5365-281-6673	RING, RETAINING: screen 5298689 (19207)	A	EA	1	*	*	*	*	*	*	6	20	106	6
P-O	5330-359-0442	GASKET: filler plug 5283976 (19207)	A	EA	1	*	*	*	*	*	*	15	30	106	7
P-O	4730-575-2638	PLUG, MACHINE THREAD: 10883350 (19207)	A	EA	1	*	*	*	*	*	*	4	5	106	8
P-O	4730-045-9769	PLUG, PIPE: MS49006-6 (96906)	A	EA	1	*	*	*	*	*	*	4	5	106	9
P-O	5305-269-2802	SCREW, CAP, HEXAGON: MS90726-59 (96906)	A	EA	2	*	*	*	*	*	*	6	10	106	10
P-O	5310-080-6004	WASHER, FLAT: MS27183-14 (96906)	A	EA	4	*	*	*	*	*	*	6	10	106	11
P-O	5310-950-0039	NUT, SELF-LOCKING: MS21044N6 (96906)	A	EA	2	*	*	*	*	*	*	6	10	106	12
P-O	5305-269-2808	SCREW, CAP, HEXAGON: MS90726-65 (96906)	A	EA	1	*	*	*	*	*	*	6	10	106	13
P-O	5310-383-4187	WASHER, FLAT: 52803V (31007)	A	EA	1	*	*	*	*	*	*	6	10	106	14
X2-O		CUSHION: 102735R1 (31007)	A	EA	2	*	*	*	*	*	*			106	15
X2-O		SPACER: 102413R1 (31007)	A	EA	1	*	*	*	*	*	*			106	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1414—STEERING SYSTEM VALVES													
P-F-R	2530-304-9412	VALVE, RELIEF: (Component of Figure 100) 8330247 (19207)	A	EA	1	*	*	*	*	*	*	6	20	107	1
X1		SCREW: mounting bracket 16932R91 (31007)	A		1									107	2
P-F	5305-269-2813	SCREW, CAP, HEXAGON: mounting bracket MS90726-69 (96906)	A	EA	1	*	*	*	*	*	*	6	10	107	3
P-F	5310-950-0039	NUT, SELF-LOCKING: mounting studs MS21044N6 (96906)	A	EA	3	*	*	*	*	*	*	6	10	107	4
P-F	2530-626-8351	BRACKET, MOUNTING: 101353R1 (31007)	A	EA	1	*	*	*	*	*	*	3	5	107	5
P-F	5307-206-8483	STUD, PLAIN: mounting bracket 114949R1 (31007)	A	EA	2	*	*	*	*	*	*	6	10	107	6
P-F	3110-100-6159	BALL BEARING: (Component of Kit, Repair, Power Cylinder, FSN 2520-621-3005) MS19059-59 (96906)	A	EA	1	*	*	*	*	*	*	6		107	7
P-F	2520-040-2311	GUIDE: (Component of Kit, Repair, Power Cylinder, FSN 2520-692-6198) 8330326 (19207)	A	EA	1	*	*	*	*	*	*	6		107	8
X1		SPRING: (Component of Kit, Repair, Power Cylinder, FSN 2520-692-6198) 98-195 (46606)	A		1									107	9
P-F	2520-740-9281	GASKET, RELIEF VALVE: (Component of Parts Kit, Hydraulic Pump, FSN 2520-692-6198) 7409281 (19207)	A	EA	1	*	*	*	*	*	*	10		107	10
X1		RETAINER: 8330332 (19207)	A		1									107	11
X1		BODY: PS-05-10755 (46606)	A		1									107	12
X1		WASHER: 7703021 (19207)	A		1									107	13
X1		SPACER: 102413R1 (31007)	A		1									107	14
P-F-R	2530-525-1351	VALVE ASSEMBLY, STEERING GEAR: (Component of Figure 100) 8728231 (19207)	A	EA	1	*	*	*	*	*	*	8	20	108	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1414—STEERING SYSTEM VALVES—Continued													
P-F	2530-394-3056	COVER, LEVER: (Component of Kit, Control Valve Spool, FSN 2520-692-6152) 7092531 (19207)	A	EA	1	*	*	*	*	*	*	3		108	2
P-F	2530-735-1039	GASKET: (Component of Parts Kit, Hydraulic FSN 2530-590-0230) 7351039 (19207)	A	EA	1	*	*	*	*	*	*	8		108	3
P-F	2530-592-5275	ROD ASSEMBLY, CONTROL VALVE: 8331052 (19207)	A	EA	1	*	*	*	*	*	*	4	10	108	4
P-F	5310-975-2075	NUT, PLAIN HEXAGON: MS35691-21 (96906)	A	EA	1	*	*	*	*	*	*	6	10	108	5
P-F	2530-534-9180	RING, O, CONTROL VALVE: (Component of Parts Kit, Hydraulic, FSN 2530-590-0230) 102170R1 (31007)	A	EA	1	*	*	*	*	*	*	8		108	6
P-F	5330-196-5382	PACKING, PREFORMED: spool valve 102169R1 (31007)	A	EA	2	*	*	*	*	*	*	8	20	108	7
P-af	2530-211-6074	VALVE, SPOOL: 415127 (77640)	A	EA	1	*	*	*	*	*	*	8	20	108	8
X1		GASKET: spool valve 7351355 (19207)	A		2									108	9
P-F	2530-211-6073	BODY, CONTROL VALVE: 415125 (77640)	A	EA	1	*	*	*	*	*	*	3	5	108	10
P-F	5305-978-3484	SCREW CAP SOCKET HEAD: control valve body	A	EA	4	*	*	*	*	*	*	6	10	108	11
P-F	5310-582-5965	WASHER, LOCK: control valve body MS35338-44 (96906)	A	EA	4	*	*	*	*	*	*	6	10	108	12
P-F	2530-211-6078	VALVE, SLEEVE: 415141 (77640)	A	EA	1	*	*	*	*	*	*	8	20	108	13
P-F	2530-213-7478	RETAINER, RUBBER SEAL: (Component of Kit, Control Valve Spool, FSN 2520-692-6152) 8332666 (19207)	A	EA	1	*	*	*	*	*	*	8		108	14
P-F	5330-198-6183	PACKING, PREFORMED: C40 (80064)	A	EA	1	*	*	*	*	*	*	8	20	108	15
P-F	2530-627-9020	COVER, SPOOL, HYDRAULIC: 415131 (77640)	A	EA	1	*	*	*	*	*	*	4	8	108	16
P-F	5310-550-1130	WASHER, LOCK: MS35333-40 (96906)	A	EA	4	*	*	*	*	*	*	6	10	108	17
P-F	5305-978-9384	SCREW, MACHINE: MS16997-66 (96906)	A	EA	4	*	*	*	*	*	*	6	10	108	18

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1414—STEERING SYSTEM VALVES—Continued													
X1		PIN: 040039 (77640)	A		1									108	19
P-F	2530-735-1359	SEAL, ACTUATING LEVER: (Component of Seal and Washer Kit, FSN 2530-692-6151 and Parts Kit, Hydraulic, FSN 2530-590-0230) 7351359 (19207)	A	EA	1	*	*	*	*	*	*	8		108	20
P-F	5310-209-6189	WASHER, FLAT: (Component of Seal and Washer Kit, FSN 2530-692-6151) 028207 (77640)	A	EA	1	*	*	*	*	*	*	8		108	21
P-F	2530-768-4229	LEVER, VALVE ACTUATING: 7092532 (19207)	A	EA	1	*	*	*	*	*	*	6	10	108	22
P-F	2530-590-0230	PARTS KIT, HYDRAULIC: 8333797 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	15	30		
	5310-639-8061	1-GASKET: 7351039 (19207)												108	3
	2530-534-9180	1-RING: 102170R1 (31007)												108	6
	2530-735-1359	1-SEAL: 7351359 (19207)												108	20
	5330-198-6183	1-PACKING: 510233 (12450)													
	5330-198-6190	2-PACKING: 501236 (21450)													
		2-O-RING: 102169R2 (31007)													
P-F	2530-692-6151	SEAL AND WASHER KIT: (Use with valve 2520-607-3519) 8332651 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	15	30		
	2530-735-1359	1-SEAL: 7351359 (19207)												108	20
	5310-209-6189	1-WASHER: 028207 (77640)												108	21
P-F	2520-692-6152	KIT, CONTROL VALVE SPOOL: 8332652 (19207) Consisting of:	A	EA	V	*	*	*	*	*	*	15	30		
	2530-394-3056	1-COVER: 7092531 (19207)												108	2
	2530-213-7478	1-RETAINER: 8332666 (19207)												108	14
	2530-312-0539	1-SEAL: 415180 (77640)													
	5330-082-5147	1-SEAL: 032200-24													
		GROUP 15—FRAME AND TOWING ATTACHMENTS													
		1501—FRAME ASSEMBLY													
P-F	2510-753-9672	BRACKET, ANGLE: right brush guard hinge 7539672 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1501—FRAME ASSEMBLY—Continued													
P-F	5306-740-9506	BOLT, U: 7409506 (19207)	A	EA	16	*	*	*	*	*	*	6	10	109	2
X2-F		BRACKET: brush guard hinge, right 7376334 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	3
P-F	2510-179-5707	BRACKET, MOUNTING, CASE: 8758404 (19207)	A	EA	1	*	*	*	*	*	*			109	4
X2-F		MEMBER: 8758401 (19207)	A	EA	1	*	*	*	*	*	*			109	5
X2-F		PLATE: member to cross member 8758409 (19207)	A	EA	2	*	*	*	*	*	*			109	6
P-F	2510-933-9577	CROSS MEMBER, FRAME: 8331198 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	7
P-F	2510-740-9519	MEMBER, CROSS: transfer front support 7409519 (19207)	BG,BF,CA,CB, DA,DB,EA,EB, EC,FA,FB,HA, BE,IA,LA,MA	EA	1	*	*	*	*	*	*	4	8	109	8
X2-F		PLATE: 8758408 (19207)	A	EA	2	*	*	*	*	*	*			109	9
P-F	2530-798-1210	BRACKET: 7979170 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	10
X2-F		BRACKET: 8758407 (19207)	A	EA	1	*	*	*	*	*	*			109	11
X2-F		CROSS MEMBER: 8758412 (19207)	A	EA	1	*	*	*	*	*	*			109	12
P-F	2510-740-9520	MEMBER, CROSS: transfer rear support 7409520 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	13
P-F	2520-741-8034	MEMBER, CROSS, FRAME: rear of transfer 7418034 (19207)	BF,BG,CA,CB, FA, FB, HA, IC, ID, BD	EA	1	*	*	*	*	*	*	4	8	109	14
P-F	2520-737-6240	SUPPORT, TRANSFER CASE: 7376240 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	15
P-F	2510-740-9508	BRACKET, SUPPORT: engine 7409508 (19207)	A	EA	2	*	*	*	*	*	*	4	8	109	16
P-F	5305-725-0140	SCREW, CAP, HEXAGON: steering gear mounting bracket MS90727-139 (96906)	A	EA	10	*	*	*	*	*	*	6	10	109	17
P-F	2510-837-8688	CROSS MEMBER: 8758405 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	18
P-F	2530-626-3433	BRACKET, STEERING GEAR: 7044248 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	19

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1501—FRAME ASSEMBLY—Continued													
P-F	5310-241-6661	NUT SELF-LOCKING: steering gear mounting bracket MS51943-42 (96906)	A	EA	10	*	*	*	*	*	*	6	10	109	20
P-F	5310-167-0680	WASHER, LOCK: steering gear mounting bracket MS35338-49 (96906)	A	EA	20	*	*	*	*	*	*	6	10	109	21
X2-F		BRACKET: 8758403 (19207)	A	EA	1	*	*	*	*	*	*			109	22
X2-F		BRACKET: 8332523 (19207)	A	EA	1	*	*	*	*	*	*			109	23
P-F	5310-067-9507	NUT, SELF-LOCKING: MS51922-37 (96906)	A	EA	32	*	*	*	*	*	*	6	20	109	24
P-F	2510-740-9337	HANGER, FRONT, SPRING: 7409337 (19207)	A	EA	4	*	*	*	*	*	*	4	8	109	25
X2-F		MEMBER: left 8758402 (19207)	A	EA	1	*	*	*	*	*	*			109	26
P-F	2510-693-0660	BRACKET, LEFT BRUSH: guard hinge 8331564 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	27
P-F	2510-740-9516	MEMBER, CROSS, RADIATOR: 7409516 (19207)	A	EA	1	*	*	*	*	*	*	4	8	109	28
P-O	5315-741-2924	PIN ASSEMBLY WITH CHAIN AND HOOK: 109426R92 (31007)	A	EA	2	*	*	*	*	*	*	10	30	110	1
P-O	4030-740-9522	SHACKLE, LIFTING: front 7409522 (19207)	A	EA	2	*	*	*	*	*	*	6	20	110	2
X2-O		BOLT, MACHINE: mounting plate 10883119 (19207)	A	EA	4	*	*	*	*	*	*			110	3
P-O	5305-269-2805	SCREW, CAP, HEXAGON: brush guard brace bracket MS90726-62 (96906)	A	EA	4	*	*	*	*	*	*	6	20	110	4
P-O	2510-740-9514	BRACKET: lifting shackle 7409514 (19207)	A	EA	2	*	*	*	*	*	*	6	20	110	5
P-O	5305-761-4227	SCREW, CAP, HEXAGON: brush guard bracket MS90726-111 (96906)	A	EA	6	*	*	*	*	*	*	6	10	110	6
P-O	5310-521-4534	WASHER, FLAT: front lifting shackle bracket 5214534 (19207)	A	EA	2	*	*	*	*	*	*	6	10	110	7
P-O	2510-407-5084	PLATE, FRONT BUMPER: 10883113 (19207)	A	EA	2	*	*	*	*	*	*	4	8	110	8
P-O	5310-450-0039	NUT, SELF-LOCKING: front bumper plate MS21044N6 (96906)	A	EA	4	*	*	*	*	*	*	6	10	110	9
P-O	4710-162-1019	PIPE: bumper to mounting plate 7409524 (19207)	A	FT	V	*	*	*	*	*	*	4	8	110	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1501—FRAME ASSEMBLY—Continued													
P-F	2510-737-6203	BAR, BUMPER: front 7376203 (19207)	A	EA	1	*	*	*	*	*	*	4	8	110	11
P-O	5315-741-2924	PIN ASSEMBLY, WITH CHAIN AND HOOK: 109426R92 (31007)	A	EA	2	*	*	*	*	*	*	10	30	111	1
P-O	5310-225-6408	NUT, SELF-LOCKING: bracket MS51922-53 (96906)	A	EA	3	*	*	*	*	*	*	6	10	111	2
P-O	2510-740-9541	BRACKET, LIFTING SHACKLE: 7409514 (19207)	A	EA	2	*	*	*	*	*	*	4	8	111	3
P-O	5305-393-0220	SCREW, CAP, HEXAGON: 8408442 (19207)	A	EA	3	*	*	*	*	*	*	6	10	111	4
P-O	4030-740-9522	SHACKLE: rear 7409522 (19207)	A	EA	2	*	*	*	*	*	*	6	20	111	5
P-O	5310-067-9507	NUT, SELF-LOCKING: MS51922-37 (96906)	A	EA	2	*	*	*	*	*	*	6	10	111	6
P-O	2540-693-0676	BUMPERETTE, REAR: 8333329 (19207)	BG,BF,CA,CB, FA,FB,IL,HA, BE,IA,BD,FA, FB	EA	2	*	*	*	*	*	*	3	5	111	7
P-O	2540-752-1596	BUMPERETTE, REAR: 7521596 (19207)	BG,BF,CA,CB, FA,FB,IL,HA, BE,IA,BD,FA, FB	EA	2	*	*	*	*	*	*	3	5	111	7
P-O	5305-725-4183	SCREW CAP, HEXAGON: bumperette MS90726-113 (96906)	A	EA	2	*	*	*	*	*	*	6	10	111	8
P-O	5305-725-4187	SCREW, CAP, HEXAGON: MS90726-114 (96906)	A	EA	4	*	*	*	*	*	*	6	10	111	9
		Non-Illustrated													
P-F	2510-740-9518	MEMBER, CROSS: rear 7409518 (19207)	BE,IA,IL,BB, BG,BF,CA,CB, DA,DB,FA,FB	EA	1	*	*	*	*	*	*	3	5		
P-F	2510-740-9526	SUPPORT, AIR BRAKE: 7409526 (19207)	IJ,HA,DB,BG, BF,CA,CB,DA, DB	EA	2	*	*	*	*	*	*	3	5		
P-F	2540-740-9529	BRACE, BRAKE RESERVOIR: inner 7409529 (19207)	IL,DA,DB,IG, IH	EA	1	*	*	*	*	*	*	3	5		
P-O	5315-281-7744	PIN, LOCK: 7409515 (19207)	A	EA	2	*	*	*	*	*	*	6	10		
P-F	5320-010-4132	RIVET, SOLID: engine rear support bracket 104132 (21450)	A	EA	4	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1501—FRAME ASSEMBLY—Continued Non-Illustrated—Continued													
P-F	5320-067-5844	RIVET, SOLID: air brake reservoir support MS20613-10P10 (96906)	OB,BG,BF,CA, CB,DA,DB,IJ, HA	EA	1	*	*	*	*	*	*	6	10		
P-O	2510-407-5093	BRACKET: left hand taillight and reflector mounting 11658683-1 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	3	5		
P-O	5305-269-2803	SCREW, CAP, HEXAGON: right hand and left hand bracket MS90726-60 (96906)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	10		
P-O	2510-407-5095	BRACKET: right hand taillight and reflector mounting 11658683-2 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	3	5		
P-O	5310-061-7325	NUT, SELF-LOCKING: mounting bracket MS21045-4 (96906)	CE, CF, CG	EA	8	*	*	*	*	*	*	6	10		
P-O	2510-407-5087	PROTECTOR BOX: taillight connector 10883106-1 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	3	5		
P-O	5305-068-0506	SCREW, CAP, HEXAGON: protector box MS90726-6 (96906)	CE,CF,CG	EA	8	*	*	*	*	*	*	6	10		
P-O	5310-050-1488	NUT, SELF-LOCKING: protector box MS51922-21 (96906)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-062-4954	NUT, SELF-LOCKING: anchor front field chock MS21045-8 (96906)	CE CF,CG	EA	2	*	*	*	*	*	*	6	10		
P-F	5306-584-5272	WASHER, LOCK: field chock anchor MS35338-48 (96906)	CE CF, CG	EA	2	*	*	*	*	*	*	6	10		
P-F	5305-226-7768	SCREW, CAP, HEXAGON: field chock anchor MS90726-115 (96906)	CE CF, CG	EA	1	*	*	*	*	*	*	6	10		
X2-F		ANCHOR: front frame field chock 10883116 (19207)	CE CF, CG	EA	2	*	*	*	*	*	*				
P-F	5305-725-4109	SCREW, CAP, HEXAGON: rear field chock MS90726-163 (96906)	CE CF, CG	EA	8	*	*	*	*	*	*	6	10		
X2-F		ANCHOR: rear frame field chock side 10883115 (19207)	CE CF, CG	EA	2	*	*	*	*	*	*				
P-F	5310-952-5009	NUT, SELF-LOCKING: MS21045-10 (96906)	CE CF, CG	EA	11	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1501—FRAME ASSEMBLY—Continued Non-Illustrated—Continued													
X2-F		ANCHOR: rear frame field chock lower 10883114 (19207)	CE CF, CG	EA	2	*	*	*	*	*	*				
P-F	5305-725-4105	SCREW, CAP, HEXAGON: MS90726-164 (96906)	CE CF, CG	EA	6	*	*	*	*	*	*	6	10		
		1503—PINTLES AND TOWING ATTACHMENTS													
P-O-R	2540-047-3926	PINTLE ASSEMBLY, TOWING: 8710630 (19207)	A	EA	1	*	*	*	*	*	*	6	10	112	1
P-O	5315-187-9591	PIN, COTTER: pintle hook shaft MS24665-689 (96906)	A	EA	1	*	*	*	*	*	*	25	100	112	2
P-O	5310-771-4911	NUT, SLOTTED HEXAGON: pintle hook shaft 7714911 (19207)	A	EA	1	*	*	*	*	*	*	6	10	112	3
P-O	5310-776-4909	WASHER, FLAT: pintle hook shaft 7764909 (19207)	A	EA	1	*	*	*	*	*	*	6	10	112	4
P-O	2540-921-0481	HOOK, PINTLE: 8710626 (19207)	A	EA	1	*	*	*	*	*	*	6	10	112	5
P-O	5315-298-1499	PIN, COTTER: hook lock bolt MS24665-360 (96906)	A	EA	1	*	*	*	*	*	*	25	100	112	6
P-O	5310-070-1902	NUT, SLOTTED HEXAGON: MS35692-77 (96906)	A	EA	1	*	*	*	*	*	*	6	10	112	7
P-O	5340-704-9603	LOCK: pintle hook 7049603 (19207)	A	EA	1	*	*	*	*	*	*	6	10	112	8
P-O	2540-704-4253	SPRING, HELICAL COMPRESSION: latch lock 7044253 (19207)	A	EA	1	*	*	*	*	*	*	8	20	112	9
P-O	2540-821-2277	LATCH, PINTLE HOOK: 8710627 (19207)	A	EA	1	*	*	*	*	*	*	4	8	112	10
P-O	2540-693-0634	PIN PIVOT, TOWING PINTLE: lock latch 7714881 (19207)	A	EA	1	*	*	*	*	*	*	6	10	112	11
P-O	4730-050-4208	FITTING, LUBRICATION: MS15003-1 (96906)	A	EA	3	*	*	*	*	*	*	6	10	112	12
P-O	5315-234-1848	PIN, COTTER: latch chain MS24665-629 (96906)	A	EA	1	*	*	*	*	*	*	6	10	112	13
P-O	5305-253-5626	SCREW, DRIVE, ROUND: MS21318-47 (96906)	A	EA	1	*	*	*	*	*	*	6	10	112	14

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1503—PINTLES AND TOWING ATTACHMENTS—Continued													
P-O	5306-693-0635	BOLT, INTERNALLY, RELEASE: hook lock 7725844 (19207)	A	EA	1	*	*	*	*	*	*	6	10	112	15
P-O	4010-129-3221	CHAIN, WELDLESS: hook lock bolt 819906 (18876)	A	FT	V	*	*	*	*	*	*	6	10	112	16
P-O	2510-040-2321	BRACKET: pintle hook 8330742 (19207)	A	EA	1	*	*	*	*	*	*	4	8	112	17
		Non-Illustrated													
P-O	2510-040-2322	BRACE, PINTLE HOOK: 8330743 (19207)	BG, BF FA, FB DA, DB HA, BE IA, MA IC, ID IB	EA	2	*	*	*	*	*	*	4	8		
P-O	2540-981-2758	LATCH, PINTLE HOOK: 8712064-1 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*	6	10		
P-O	2540-231-7487	BRACE: R.H. and L.H. pintle mounting bracket side 8332477 (19207)	A	EA	2	*	*	*	*	*	*	3	5	113	1
P-O	5310-062-4954	NUT, SELF-LOCKING: MS21045-8 (96906)	A	EA	10	*	*	*	*	*	*	6	10	113	2
P-O	5310-935-3569	NUT: MS51943-46 (96906)	A	EA	8	*	*	*	*	*	*	6	10	113	3
P-O	5305-948-0803	SCREW, CAP, HEXAGON: MS90727-191 (96906)	A	EA	4	*	*	*	*	*	*	6	10	113	4
P-O	2510-040-2321	BRACKET: pintle mounting 8330742 (19207)	A	EA	1	*	*	*	*	*	*	3	5	113	5
P-O	5305-926-1826	SCREW, CAP, HEXAGON: MS90727-190 (96906)	A	EA	2	*	*	*	*	*	*	6	10	113	6
P-O	5305-762-6041	SCREW, CAP, HEXAGON: MS90727-189 (96906)	A	EA	2	*	*	*	*	*	*	6	10	113	7
P-O	5305-726-2550	SCREW, CAP, HEXAGON: MS90726-163 (96906)	A	EA	4	*	*	*	*	*	*	6	10	113	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1503—PINTLES AND TOWING ATTACHMENTS—Continued													
P-O	2510-231-7490	REINFORCEMENT: pintle mounting bracket side 8332478 (19207)	JA, EF, OB, RA, KB, XA, BC, IE, HB	EA	2	*	*	*	*	*	*	3	5	113	9
P-O	5305-716-8183	SCREW, CAP, HEXAGON: MS90726-116 (96906)	A	EA	8	*	*	*	*	*	*	6	10	113	10
P-O	5310-982-5009	NUT, SELF-LOCKING: MS21045-10 (96906)	A	EA	4	*	*	*	*	*	*	6	10	113	11
P-O	2540-231-7481	REINFORCEMENT: pintle mounting bracket 8331200 (19207)	A (except EA, EC, EB, IA, IB, DE, DF	EA	1	*	*	*	*	*	*	3	5	113	12
P-O	5305-725-4187	SCREW, CAP, HEXAGON: MS90726-114 (96906)	A	EA	4	*	*	*	*	*	*	6	10	113	13
		1504—SPARE WHEEL CARRIER AND TIRE LOCK													
P-O	2510-895-9053	CARRIER, SPARE TIRE: D30624 (90280)	BE, DC	EA	1	*	*	*	*	*	*	4	8	114	1
X1		SPACER: spare tire worm gear D30617-15 (90280)	BE, DC		1									114	2
P-O	2510-860-7273	GEAR, WORM: B30629 (90280)	BE, DC	EA	1	*	*	*	*	*	*	6	10	114	3
X1		PIN: D30617-20 (90280)	BE, DC		3									114	4
P-O	2590-860-9076	SPACER: worm gear D30617-14 (90280)	BE, DC	EA	1	*	*	*	*	*	*	6	10	114	5
X1		SPACER: wheel gear D30617-13 (90280)	BE, DC		1									114	6
X1		GEAR, WHEEL: B30630 (90280)	BE, DC		1									114	7
X1		SPACER: wheel gear D30617-12 (90280)	BE,DC		1									114	8
X1		PIN: spare tire drum D30617-19 (90280)	BE, DC		1									114	9
X1		DRUM: spare tire wire rope B30620 (90280)	BE, DC		1									114	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1504—SPARE WHEEL CARRIER AND TIRE LOCK—Continued													
X1		SCREW, MACHINE: spare tire rack D30617-4 (90280)	BE,DC		6									114	11
X1		WASHER, FLAT: spare tire rack D30617-18 (90280)	BE, DC		6									114	12
X1		NUT, PLAIN: spare tire rack D30617-5 (90280)	BE, DC		6									114	13
P-O	6730-537-9342	SHAFT: spare tire wheel A30628 (25734)	BE, DC	EA	1	*	*	*	*	*	*	4	8	114	14
P-O	2590-860-9078	CLAMP: wire rope D30617-17 (90280)	BE,DC	EA	1	*	*	*	*	*	*	4	8	114	15
P-O	2590-860-9077	WIRE, ROPE: spare tire D30617-16 (90280)	BE, DC	EA	1	*	*	*	*	*	*	6	10	114	16
P-O	5910-946-0022	BRACKET: spare tire B30619 (90280)	BE,DC	EA	1	*	*	*	*	*	*	3	5	114	17
X1		NUT, PLAIN: spare tire bracket to rack A30697 (58189)	BE, DC		1									114	18
P-O	2510-104-8784	RACK, SPARE TIRE: D30617 (90280)	BE,DC	EA	1	*	*	*	*	*	*	3	5	114	19
P-O	2540-971-1488	SHAFT: worm gear A30623 (90280)	BE,DC	EA	1	*	*	*	*	*	*	4	8	114	20
X1		NUT: worm gear shaft A30595 (90280)	BE,DC		1									114	21
P-O	5310-982-4908	BRACKET ASSEMBLY: spare tire support 11593243 (19207)	BG,LA,MA,1D, CE,CF,CG	EA	1	*	*	*	*	*	*	3	5	115	1
P-O	5310-982-4908	NUT, PLAIN: brace to bracket MS21045-6 (96906)	BG,LA,MA,IB, 1D,CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	115	2
P-O	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	BG,LA,MA,1B, 1D,CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	115	3
P-O	2510-740-9537	CLAMP ASSEMBLY: 7409537 (19207)	BG,LA,MA,1D, CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	115	4
P-O	5310-595-9659	NUT, PLAIN: clamp assembly 7331003 (19207)	BG,LA,MA,1D, CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	115	5
P-O	2510-740-9534	BRACE: 7409534 (19207)	BG,LA,MA,1D, CE,CF,CG	EA	2	*	*	*	*	*	*	3	5	115	6
P-O	5305-269-2805	SCREW, CAP, HEXAGON: brace MS90726-62 (96906)	BG,LA,MA,1D, CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	115	7
X2-O		BASE ASSEMBLY: 11593247 (19207)	BG,LA,MA,1D, CE,CF,CG	EA	1	*	*	*	*	*	*			115	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1504—SPARE WHEEL CARRIER AND TIRE LOCK—Continued													
P-O	5305-226-7767	SCREW, CAP, HEXAGON: side support bracket MS90726-115 (96906)	BG,LA,MA,1D, CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	115	9
P-O	5310-062-4954	NUT, PLAIN, HEXAGON: side support bracket MS21045-8 (96906)	BG,LA,MA,1D, CE,CF,CG	EA	8	*	*	*	*	*	*	6	10	115	10
X2-O		BRACKET, SIDE SUPPORT: left 11593242 (19207)	BG,GG,LA,MA, 1D,CE,CF,CG	EA	1	*	*	*	*	*	*			115	11
X2-O		BRACKET, SIDE SUPPORT: right 11593237 (19207)	BG,LA,MA 1D, CE,CF,CG	EA	1	*	*	*	*	*	*			115	12
P-O	5305-725-4183	SCREW, CAP, HEXAGON: base assembly MS90726-113 (96906)	BG,LA,MA,1D, CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	115	13
P-O	5306-740-9533	BOLT: brace to bracket 7409533 (19207)	BG,BH,1I,1F, CE,LA,MA,1M, 1O,1T,1D,CE, CF,CG,1U,1V	EA	1	*	*	*	*	*	*	6	10	115	14
P-O	5305-761-4227	SCREW, CAP, HEXAGON: bracket MS90726-111 (96906)	HB,IA,OB,CB, FB,FG,FH,RA	EA	6	*	*	*	*	*	*	6	10	116	1
P-O	5310-062-4954	NUT, PLAIN: bracket MS21045-8 (96906)	HB,IA,OB,1R, CB,FB,FG,FH RA	EA	10	*	*	*	*	*	*	6	10	116	2
P-O	5310-062-4945	BOLT, SECURING: carrier plate assembly 11593182 (19207)	HB,IA,OB,CB, FB,FG,FH,RA	EA	2	*	*	*	*	*	*	6	10	116	3
X2-O		BRACKET: 10883245 (19207)	HB,IA,OB,FG, FH,CB,FB,RA	EA	1	*	*	*	*	*	*	6	10	116	4
P-O	5305-269-2805	SCREW, CAP, HEXAGON: bracket to plate assembly MS90726-62 (96906)	HB,IA,OB,CB, FB,FG,FH,RA	EA	2	*	*	*	*	*	*	6	10	116	5
P-O	5310-637-9541	WASHER, FLAT: bracket to plate assembly NS35338-46 (96906)	HB,IA,OB,CB, FB,FG,FH,RA	EA	2	*	*	*	*	*	*	6	10	116	6
X2-O		BRACKET: 10938248 (19207)	HB,IA,OB,CB, FB,FG,FH,RA	EA	1	*	*	*	*	*	*	6	10	116	7
X2-O		PLATE ASSEMBLY: 11593187 (19207)	HB,IA,KB,MB, OB,CB,FB,FG, FH,RA	EA	1	*	*	*	*	*	*	6	10	116	8
P-O	5305-725-4183	SCREW, CAP, HEXAGON: tire carrier plate MS90726-113	HB,IA,OB,CB, FB,FG,FH,RA	EA	4	*	*	*	*	*	*	6	10	116	9
X2-O		PLATE, TIRE CARRIER: 11593184 (19207)	HB,IA,OB,CB, FB,FG,FH,RA	EA	1	*	*	*	*	*	*			116	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1504—SPARE WHEEL CARRIER AND TIRE LOCK—Continued													
P-O	5310-732-0559	NUT, PLAIN: MS51968-8 (96906)	HB,IA,OB,CB, FB,FG,FH,RA	EA	2	*	*	*	*	*	*	6	10	116	11
X2-O		NUT, PLAIN: 10938443-2 (19207)	HB,IA,OB,PA, TC,CB,FB,FG, FH,RA	EA	2	*	*	*	*	*	*	6	10	116	12
P-O	5310-809-8533	WASHER, FLAT: MS27183-23 (96906)	HB,IA,OB,CB, FB,FG,FH,RA	EA	2	*	*	*	*	*	*	6	10	116	13
P-O	5310-809-8533	SPRING: 11593193 (19207)	HB,IA,OB,CB, FB,FG,FH,RA	EA	1	*	*	*	*	*	*	6	10	116	14
P-O	2510-740-9534	BRACE: spare tire bracket 7409534 (19207)	AF	EA	2	*	*	*	*	*	*	3	5	117	1
X2-O		BRACKET: spare tire support 8758195 (19207)	AF	EA	1	*	*	*	*	*	*			117	2
P-O	2510-741-3458	CLAMP, SPARE TIRE: 7413458 (19207)	AF	EA	1	*	*	*	*	*	*	6	10	117	3
P-O	5310-595-9659	NUT, PLAIN, HEXAGON: bolt 7331003 (19207)	AF	EA	1	*	*	*	*	*	*	6	10	117	4
P-O	5310-061-7325	NUT, SELF-LOCKING: fuel tank and spare tire bracket MS21045-4 (96906)	AF	EA	6	*	*	*	*	*	*	6	10	117	5
P-O	5305-269-2805	SCREW, CAP, HEXAGON: reflector bracket to deck fuel tank (4) reflector bracket to spare tire clamp (4) MS90726-62 (96906)	AF	EA	8	*	*	*	*	*	*	6	10	117	6
X2-O		BRACKET, REFLECTOR: 8758198 (19207)	AF	EA	1	*	*	*	*	*	*			117	7
P-O	5305-068-0506	SCREW, CAP, HEXAGON: MS90726-6 (96906)	AF	EA	6	*	*	*	*	*	*	6	10	117	8
X2-O		BASE ASSEMBLY: tire and tool carrier 8758444 (19207)	AF	EA	1	*	*	*	*	*	*			117	9
X2-O		BRACKET: deck support and fuel tank 8758442 (19207)	AF	EA	4	*	*	*	*	*	*			117	10
P-O	2510-740-9530	BRACKET: tire carrier and tool box right frame to base 7409536 (19207)	AF	EA	1	*	*	*	*	*	*	3	5	117	11
X2-O		BRACKET, REFLECTOR: deck fuel tank 8758461 (19207)	AF	EA	2	*	*	*	*	*	*			117	12
X2-O		DECK, FUEL TANK PROTECTOR: right 8758197 (19207)	AF	EA	1	*	*	*	*	*	*			117	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1504—SPARE WHEEL CARRIER AND TIRE LOCK—Continued													
P-O	5310-062-4954	NUT, SELF-LOCKING: left box bracket and reflector bracket MS21045-8 (96906)	AF	EA	10	*	*	*	*	*	*	6	10	117	14
X2-O		WASHER, FLAT: left box bracket and reflector bracket AN122586 (88044)	AF	EA	10	*	*	*	*	*	*	6	10	117	15
P-O	5305-725-4187	SCREW, CAP, HEXAGON HEAD left tool box bracket MS90726-114 (96906)	AF	EA	4	*	*	*	*	*	*	6	10	117	16
P-O	5305-725-4183	SCREW, CAP, HEXAGON HEAD: left tool box bracket MS90726-113 (96906)	AF	EA	6	*	*	*	*	*	*	6	10	117	17
P-O	2510-740-9535	BRACKET, TOOL BOX: left 7409535 (19207)	AF	EA	1	*	*	*	*	*	*	3	5	117	18
X2-O		DECK, FUEL TANK PROTECTOR: left 8758441 (19207)	AF	EA	1	*	*	*	*	*	*			117	19
P-O	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	AF	EA	18	*	*	*	*	*	*	6	10	117	20
P-O	5305-269-2805	SCREW, CAP, HEXAGON: base assembly (8), spare tire bracket (8) MS90726-60 (96906)	AF	EA	16	*	*	*	*	*	*	6	10	117	21
P-O	5310-809-5998	WASHER, FLAT: left tool box bracket MS27183-18 (96906)	AF	EA	1	*	*	*	*	*	*	6	10	117	22
P-O	5306-740-9533	BOLT, J: spare tie clamp 7409533 (19207)	AF	EA	1	*	*	*	*	*	*	6	10	117	23
X2-O		SPACER: bracket to base 8758194 (19207)	AF	EA	2	*	*	*	*	*	*			117	24
X2-O		BRACKET, HORIZONTAL REINFORCEMENT: 8758443 (19207)	AF	EA	1	*	*	*	*	*	*			117	25
P-O	5310-982-4908	NUT, SELF-LOCKING: spare tire reinforcement bracket MS21045-6 (96906)	CC,CD,DA,DB	EA	8	*	*	*	*	*	*	6	10	118	1
P-O	5305-269-2803	SCREW, CAP, HEXAGON: reinforcement bracket MS90726-60 (96906)	CC, CD, DA, DB	EA	8	*	*	*	*	*	*	6	10	118	2
X2-O		BRACKET, SPARE TIRE REINFORCEMENT: 8758183 (19207)	CC, CD, DA, DB	EA	2	*	*	*	*	*	*			118	3
P-O	2510-740-9534	BRACE: spare tire support bracket 7409534 (19207)	CC, CD, DA, DB	EA	2	*	*	*	*	*	*	3	5	118	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1504—SPARE WHEEL CARRIER AND TIRE LOCK—Continued													
X2-O		BRACKET ASSEMBLY: spare tire support 8758131 (19207)	CC, CD, DA, DB	EA	1	*	*	*	*	*	*			118	5
P-O	2510-740-9537	CLAMP ASSEMBLY: spare tire support 7409537 (19207)	CC, CD, DA, DB	EA	1	*	*	*	*	*	*	6	10	118	6
P-O	5310-595-9659	NUT, PLAIN, HEXAGON: J-bolt 7331003 (19207)	CC,CD,DA,DB	EA	1	*	*	*	*	*	*	6	10	118	7
P-O	5306-740-9533	BOLT, J: clamp assembly 7409533 (19207)	CC, CD, DA, DB	EA	1	*	*	*	*	*	*	6	10	118	8
P-O	5305-269-2805	SCREW, CAP, HEXAGON HEAD: brace MS90726-62 (96906)	CC, CD, DA, DB	EA	2	*	*	*	*	*	*	6	10	118	9
P-O	5310-595-9659	BASE ASSEMBLY: 8758148 (19207)	CC, CD, DA, DB	EA	1	*	*	*	*	*	*	3	5	118	10
P-O	5310-062-4954	NUT, SELF-LOCKING: right side bracket support MS21045-8 (96906)	CC, CD, DA, DB	EA	8	*	*	*	*	*	*	6	10	118	11
P-O	2510-740-9536	BRACKET, SIDE SUPPORT: right hand 7409536 (19207)	CC, CD, DA, DB	EA	1	*	*	*	*	*	*	3	5	118	12
P-O	2510-740-9535	BRACKET, SIDE SUPPORT: left hand 7409535 (19207)	CC, CD, DA, DB	EA	1	*	*	*	*	*	*	3	5	118	13
P-O	5305-725-4187	SCREW, CAP, HEXAGON HEAD: side support bracket MS90726-114 (96906)	CC, CD, DA, DB	EA	2	*	*	*	*	*	*	6	10	118	14
P-O	5305-725-4183	SCREW, CAP, HEXAGON HEAD: side support bracket MS90726-113 (96906)	CC, CD, DA, DB	EA	6	*	*	*	*	*	*	6	10	118	15
P-O	5315-849-9857	PIN, COTTER: MS24665-421 (96906)	BF, ZB, ZC, CA, FA, FE, ZA, 1D	EA	4	*	*	*	*	*	*	6	10	119	1
P-O	5315-128-2050	PIN: stud MS51932-181 (96906)	ZB, ZC, BF, CA, FA, FE, ZA, 1D	EA	2	*	*	*	*	*	*	6	10	119	2
P-O	2540-442-5918	STUD: 11611619 (19207)	ZB, ZC, BF, CA, FA, FE, ZA, 1D	EA	2	*	*	*	*	*	*	6	10	119	3
X2-O		NUT: stud 537807 (19207)	ZB, ZC, BF, CA, FA, FE, ZA, 1D	EA	4	*	*	*	*	*	*			119	4

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1506—FIFTH ASSEMBLY													
P-O-R	2510-809-7791	FIFTH WHEEL ASSEMBLY: 11640352 (19207)		EA	1	*	*	*	*	*	*	*	*	120	1
X1-F		BASE ASSEMBLY: 11640347 (19207)		EA	1	*	*	*	*	*	*	*	*	120	2
P-F	3120-179-7315	BUSHING: rocker shaft 11663170-1 (19207)		EA	2	*	*	*	*	*	*	*	*	120	3
P-F	2510-809-7789	SHAFT: rocker 11640343 (19207)		EA	1	*	*	*	*	*	*	*	*	120	4
P-F	5305-719-5269	SCREW: walking beam MS90727-122 (96906)		EA	1	*	*	*	*	*	*	*	*	120	5
P-F	4730-172-0028	FITTING, LUBRICATION: lateral MS15003-4 (96906)		EA	6	*	*	*	*	*	*	*	*	120	6
P-F	5310-957-5071	NUT: walking beam 8712289 (19207)		EA	1	*	*	*	*	*	*	*	*	120	7
P-F	5310-584-5272	WASHER, LOCK: walking beam MS35338-48 (96906)		EA	1	*	*	*	*	*	*	*	*	120	8
P-F	5305-939-9205	SCREW, CAP, HEXAGON: wedge MS90725-190 (96906)		EA	2	*	*	*	*	*	*	*	*	120	9
		1506—FIFTH WHEEL													
X1		WASHER: wedge 11640399 (19207)	AG	EA	2	*	*	*	*	*	*	*	*	120	10
P-F	5310-584-7888	WASHER, LOCK: wedge screw MS35338-51 (96906)	AG	EA	2	*	*	*	*	*	*	*	*	120	11
P-F	2510-426-8957	WEDGE: fifth wheel base adjusting 7089514 (19207)	AG	EA	2	*	*	*	*	*	*	*	*	120	12
X1		SUB-BASE ASSEMBLY: 11640344 (19207)	AG	EA	1									120	13
P-F	3120-179-7316	BUSHING: lateral shaft 11663710-2 (19207)	AG	EA	2	*	*	*	*	*	*	*	*	120	14
P-O	5305-725-4109	SCREW, CAP, HEXAGON: sub-base assembly MS90726-163 (96906)	AG	EA	10	*	*	*	*	*	*	*	*	120	15
P-O	5310-800-0695	WASHER: sub-base assembly MS35335-39 (96906)	AG	EA	10	*	*	*	*	*	*	*	*	120	16
P-F	2510-809-7788	SHAFT: lateral	AG	EA	1	*	*	*	*	*	*	*	*	120	17
P-F		SUB-BASE: fifth wheel 11640344-1 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	18
P-F	2510-750-9902	SPRING: fifth wheel base leveling 7409902 (19207)	AG	EA	2	*	*	*	*	*	*	*	*	120	19

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1506—FIFTH WHEEL—Continued													
P-F	2510-809-7790	BEAM: fifth wheel walking 11640351 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	20
P-O	4730-172-0034	FITTING, LUBRICATION: fifth wheel MS15003-6 (96906)	AG	EA	2	*	*	*	*	*	*	*	*	120	1
P-F	5315-250-7676	PIN, COUPLER: jaw pivot 7418836 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	2
P-F	5305-252-8656	SCREW: plunger lock 11640338 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	3
P-F	5310-350-7675	LATCH, LOCKING PLUNGER: 7409881 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	4
P-F	5306-706-7974	SCREW: locking latch 7067074 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	5
X1		BASE: fifth wheel 11640347-1 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	6
P-F	5307-832-7982	STUD: operating handle and locking plunger latch 7068244 (19207)	AG	EA	2	*	*	*	*	*	*	*	*	120	7
P-F	2510-353-0642	HANDLE: operating 5328463 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	8
P-F	3120-179-7315	BUSHING: rocker shaft (1) latch (1) plunger (1) 11663170-1 (19207)	AG	EA	3	*	*	*	*	*	*	*	*	120	9
P-F	5310-841-2041	NUT: operating handle stud, and latch locking plunger stud	AG	EA	2	*	*	*	*	*	*	*	*	120	10
P-F	5315-298-1481	PIN, COTTER: operating handle stud	AG	EA	1	*	*	*	*	*	*	*	*	120	11
P-F	2510-141-6119	SPRING, JAW PLUNGER: lock 7409901 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	12
P-F	2510-706-8245	PLUNGER, COUPLER JAW: lock 7068245 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	13
P-F	5340-809-6292	SLEEVE, PLUNGER: lock 11640341 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	14
P-F	5310-113-8409	WASHER, PLUNGER LOCK: screw 11640340 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	15
P-F	5310-842-7783	NUT, PLUNGER LOCK: screw MS35692-53 (96906)	AG	EA	1	*	*	*	*	*	*	*	*	120	16
P-F	2510-740-9903	SPRING: plunger	AG	EA	1	*	*	*	*	*	*	*	*	120	17
P-F	2510-301-7738	LATCH: locking plunger 7418849 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	18
P-F		WIRE: lacing plunger screw MS20995-F91-7.5	AG	FT	V	*	*	*	*	*	*	*	*	120	19

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1506—FIFTH WHEEL—Continued													
P-F	2510-706-8180	JAW: coupler assembly, right 8742718 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	20
P-F	2510-706-8179	JAW: coupler assembly, left 7068179 (19207)	AG	EA	1	*	*	*	*	*	*	*	*	120	20
P-F	5315-209-7273	PIN, COTTER: MS24665-625 (96906)	AG	EA	2	*	*	*	*	*	*	*	*	120	21
P-F	2510-740-9884	PLATE, WHEEL APPROACH: right 7409884 (19207)	AG	EA	1	*	*	*	*	*	*	2	5	121	1
P-F	2510-740-9883	PLATE, WHEEL APPROACH: left 7409883 (19207)	AG	EA	1	*	*	*	*	*	*	2	5	121	2
P-F	5305-727-5677	SCREW, CAP, HEXAGON: wheel plates MS90726-162 (96906)	AG	EA	10	*	*	*	*	*	*	6	10	121	3
P-F	5310-982-6809	NUT, SELF-LOCKING: wheel plates MS21044N10 (96906)	AG	EA	30	*	*	*	*	*	*	6	10	121	4
P-F	5305-725-4109	SCREW, CAP, HEXAGON: wheel plates MS90726-163 (96906)	AG	EA	4	*	*	*	*	*	*	6	10	121	5
X2-F		CROSSMEMBER: 109430R11 (31007)	AG	EA	1	*	*	*	*	*	*			121	6
		Non-Illustrated													
P-F	2510-408-4642	CLIP: deck plate 10883335 (19207)	AG	EA	4	*	*	*	*	*	*	4	8		
P-F	2510-422-2017	SPACER: fifth wheel approach plates 11608882 (19207)	AG	EA	2	*	*	*	*	*	*	4			
P-F	2510-918-0600	JAW ASSEMBLY, FIFTH: left and right 8742718 (19207)	AG	EA	1	*	*	*	*	*	*	4	8		
P-F	5305-264-2807	SCREW, CAP, HEXAGON: deck plate MS90726-64 (96906)	AG	EA	6	*	*	*	*	*	*	6	10		
P-F	5305-725-4105	SCREW, CAP, HEXAGON: approach plate mounting MS90726-164 (96906)	AG	EA	6	*	*	*	*	*	*	6	10		
P-F	5310-080-6004	WASHER, SELF-LOCKING: deck plate MS27183-14 (96906)	AG	EA	2	*	*	*	*	*	*	6	10		
P-F	5310-982-4908	NUT, SELF-LOCKING: deck plate MS21045-6 (96906)	AG	EA	6	*	*	*	*	*	*	6	10		
P-F	5340-809-6292	SPACER, SLEEVE: plunger lock 11640341 (19207)	AG	EA	2	*	*	*	*	*	*	4	8		
P-F	5310-982-4908	SPACER, deck plate 11658696 (19207)	AG	EA	2	*	*	*	*	*	*	4	8		
X2-F		PLATE, DECK: 11658697 (19207)	AG	EA	1	*	*	*	*	*	*				

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1507—LANDING GEAR, LEVELING JACKS: (MECHANICAL OR HYDRAULIC)													
P-O	2590-790-2290	PIN, LOCK, LEVELING JACK: tube 7534687 (19207)	AG	EA	1	*	*	*	*	*	*	6	20	122	1
		TUBE ASSEMBLY, LEVEL JACK: 7534673 (19207)	AG	EA	1									122	2
P-O	2590-115-4341	TUBE ASSEMBLY, LEVEL JACK: 7535616 (19207)	AG	EA	1	*	*	*	*	*	*	3	5	122	3
X2-O		SCREW, ASSEMBLY: housing 7534674 (19207)	AG	EA	4	*	*	*	*	*	*			122	4
P-O	5315-816-5491	PIN, STRAIGHT, HEADLESS: housing 7534690 (19207)	AG	EA	1	*	*	*	*	*	*	6	20	122	5
X2-O		HOUSING: 7534394 (19207)	AG	EA	1	*	*	*	*	*	*			122	6
P-O	2590-790-2292	SLEEVE, LOCK, LEVELING: 7534677 (19207)	AG	EA	1	*	*	*	*	*	*	3	5	122	7
X2-O		WASHER: leveling lock sleeve 7534686 (19207)	AG	EA	1	*	*	*	*	*	*			122	8
X2-O		NUT: 7534684 (19207)	AG	EA	1	*	*	*	*	*	*			122	9
P-O	2590-790-2293	HANDLE ASSEMBLY, LEVER: 7534675 (19207)	AG	EA	1	*	*	*	*	*	*	2	5	122	10
P-O	2590-790-2288	SPRING, HELICAL, COMPRESSION: 7045152 (19207)	AG	EA	1	*	*	*	*	*	*	6	20	122	11
P-O	2590-790-2291	PAWL, RATCHET LEVELING: 7534682 (19207)	AG	EA	1	*	*	*	*	*	*	6	20	122	12
P-O	2590-790-2289	GEAR, RATCHET LEVELING: 7534680 (19207)	AG	EA	1	*	*	*	*	*	*	6	10	122	13
P-O	5340-819-7025	RING, RETAINING: ratchet gear 7534685 (19207)	AG	EA	1	*	*	*	*	*	*	6	10	12	14
P-O	2590-870-9937	PLATE, FOOT LEVELING: 7534676 (19207)	AG	EA	1	*	*	*	*	*	*	2	5	122	15
		GROUP 16—SPRINGS AND SHOCK ABSORBERS													
		1601—SPRINGS													
P-O	5305-761-4227	SCREW, CAP, HEXAGON: left bracket side MS90726-111 (96906)	A	EA	4	*	*	*	*	*	*	*	*	123	1
X2-O		SCREW, CAP, HEXAGON: bracket right side 10883158 (19207)	A	EA	4	*	*	*	*	*	*	*	*	123	1
P-O	5310-207-9053	NUT, SELF-LOCKING, HEXAGON: 414908PC40 (10001)	A	EA	4	*	*	*	*	*	*	*	*	123	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1601—SPRINGS—Continued													
X2-O		BRACKET: 7992548 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	3
P-O	5340-740-9335	BUMPER, RUBBER: 7409335 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	4
P-O	5306-515-5420	BOLT, U: front spring 8741540 (19207)	A (except BC,BE,BE, HB,IA,LA,MA)	EA	4	*	*	*	*	*	*	*	*	123	5
P-O	5306-840-2424	BOLT, U: front spring 8402424 (19207)	BC,BE,HB,IA, LA,MA	EA	4	*	*	*	*	*	*	*	*	123	5
P-O	5310-062-4954	NUT, PLAIN, HEXAGON: hanger MS21045-8 (96906)	A	EA	2	*	*	*	*	*	*	*	*	123	6
P-O	2510-741-2376	PIN, VEHICULAR LEAF: spring to hanger (2), upper shackle (2), lower shackle (2) 7412376 (19207)		EA	6	*	*	*	*	*	*	*	*	123	7
P-O	4730-050-4208	FITTING, LUBRICATION: MS15003-1 (96906)	A	EA	6	*	*	*	*	*	*	*	*	123	8
P-O	5305-246-6566	SCREW, CAP, HEXAGON: hanger spring MS90726-120 (96906)	A	EA	2	*	*	*	*	*	*	*	*	123	9
P-O	2510-740-9344	SHACKLE ASSEMBLY: 7409344 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	10
P-O	3120-770-2941	BEARING, SLEEVE: spring eye and shackle (4) 7702941 (19207)	A	EA	8	*	*	*	*	*	*	*	*	123	11
X2-O		SHACKLE: spring 10871273 (19207)		EA	2	*	*	*	*	*	*	*	*	123	12
P-O	2510-741-1110	SPRING ASSEMBLY, LEAF: 7411110 (19207)	BE, IA	EA	2	*	*	*	*	*	*	*	*	123	13
P-O	2510-385-7937	SPRING ASSEMBLY, LEAF: 8402437 (19207)	LA, MA	EA	2	*	*	*	*	*	*	*	*	123	13
P-O	2510-740-9345	SPRING ASSEMBLY, LEAF: 7409345 (19207)	A (except BE)	EA	2	*	*	*	*	*	*	*	*	123	13
X2-O		SEAT: lower 7409342 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	14
P-O	2510-740-9340	PLATE, CLAMP: left spring 7409340 (19207)	A	EA	1	*	*	*	*	*	*	*	*	123	15
P-O	2510-740-9341	PLATE, CLAMP: right spring 7409341 (19207)	A	EA	1	*	*	*	*	*	*	*	*	123	15
P-O	5310-275-8264	NUT, PLAIN, HEXAGON: clamp plate A298551 (19207)	A	EA	8	*	*	*	*	*	*	*	*	123	16
P-O	5310-013-1143	WASHER, LOCK: clamp plate MS35339-33 (96906)	A	EA	8	*	*	*	*	*	*	*	*	123	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1601—SPRINGS—Continued													
X2-O		BOLT: spring leaf assembly 10883157 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	18
P-O	2510-177-7800	CLIP: spring leaf inner 10883160 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	19
P-O	5305-069-5583	SCREW, CAP, HEXAGON: MS90725-99 (96906)	A	EA	12	*	*	*	*	*	*	*	*	123	20
P-O	2510-700-1851	SPACER: spring leaf 7001851 (19207)	A	EA	12	*	*	*	*	*	*	*	*	123	21
X2-O		CLIP: spring leaf center 10883161 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	22
X1		RIVET: spring leaf clip 104127 (21450)			12									123	23
P-O	2510-177-7982	CLIP: spring leaf center 10883159 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	24
P-O	5310-891-1711	NUT, SELF-LOCKING: MS5691-25 (96906)	A	EA	12	*	*	*	*	*	*	*	*	123	25
P-O	3120-770-2941	BUSHING: spring mounting 7702941 (19207;	A	EA	4	*	*	*	*	*	*	*	*	123	26
P-O	2510-740-9339	SPRING, LEAF: No. 2 7409339 (19207)	A (except LA, BE, IA, MA	EA	2	*	*	*	*	*	*	*	*	123	27
P-O	2510-741-1112	SPRING, LEAF: No. 2 7411112 (19207)	BE, IA LA, MA	EA	2	*	*	*	*	*	*	*	*	123	27
P-O	2510-740-9338	SPRING, LEAF: No. 1 7409338 (19207)	A (except IA, BE LA, MA	EA	2	*	*	*	*	*	*	*	*	123	28
P-O	2510-741-1111	SPRING, LEAF: No. 1 7411111 (19207)	BE, IA LA, MA	EA	2	*	*	*	*	*	*	*	*	123	28
P-O	5310-732-0560	NUT: MS51968-14 (96906)	A	EA	2	*	*	*	*	*	*	*	*	123	29
P-O	2510-740-9337	HANGER: front spring 7409337 (19207)	A	EA	4	*	*	*	*	*	*	*	*	123	30
P-O	2540-740-9343	SEAT: 7409343 (19207)	A	EA	2	*	*	*	*	*	*	*	*	123	31
P-O	5305-716-8182	SCREW, CAP, HEXAGON: MS90726-117 (96906)	A	EA	2	*	*	*	*	*	*	*	*	123	32
P-O	5306-740-9347	BOLT, U: spring saddle 7409347 (19207)	A (except HA, JA BD, BE, IA, LA, HA	EA	4	*	*	*	*	*	*	*	*	124	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1601—SPRINGS—Continued													
P-O	5306-550-1503	BOLT, U: spring saddle 6244891 (19207)	HA, JA BD	EA	4	*	*	*	*	*	*	*	*	124	1
P-O	5306-741-1113	BOLT, U: spring saddle 10883203 (19207)	BE, IA, LA, MA	EA	4	*	*	*	*	*	*	*	*	124	1
X1		BOLT, U: spring beam 8327211 (19207)	HA, JA BD		4									124	1
P-O	2540-040-2308	BEAM, SPRING: 8330265 (19207)	HA, JA BD	EA	2	*	*	*	*	*	*	*	*	124	2
P-O	2510-277-9786	SPRING ASSEMBLY, LEAF: 8327139 (19207)	HA, JA BD	EA	2	*	*	*	*	*	*	*	*	124	3
P-O	2510-740-9335	BUMPER, RUBBER: 7409335 (19207)	HA, JA	EA	4	*	*	*	*	*	*	*	*	124	4
P-O	5310-984-3806	NUT: MS51922-9 (96906)	HA, JA BD	EA	8	*	*	*	*	*	*	*	*	124	5
P-O	2510-040-2280	BRACKET, ASSEMBLY, GUIDE: 8327212 (19207)	HA	EA	4	*	*	*	*	*	*	*	*	124	6
P-O	2510-040-2281	PLATE, SPRING GUIDE: 8327213 (19207)	JA, BD	EA	4	*	*	*	*	*	*	*	*	124	6
P-O	2510-734-6999	PLATE, SPRING GUIDE: 7346999 (19207)	A (except HA JA, BD	EA	4	*	*	*	*	*	*	*	*	124	6
P-O	2510-734-6952	PLATE, BEARING: guide 7346952 (19207)	A	EA	4	*	*	*	*	*	*	*	*	124	7
P-O	5310-700-7127	NUT, PLAIN, HEXAGON: 7007127 (19207)	A	EA	8	*	*	*	*	*	*	*	*	124	8
P-O	5310-013-1144	WASHER, LOCK: MS35339-34 (96906)		EA	8	*	*	*	*	*	*	*	*	124	9
P-O	2510-740-9613	SPRING, ASSEMBLY, LEAF: 7409613 (19207)	A (Except BE BE,BD,HA IA, IA, LA, MA	EA	2	*	*	*	*	*	*	*	*	124	10
P-O	2510-741-1114	SPRING ASSEMBLY, LEAF: 7411114 (19207)	IA, LA MA, BE	EA	2	*	*	*	*	*	*	*	*	124	10
P-O	2510-179-3639	SADDLE, SPRING: 10883205 (19207)	A (except HA JA, BD	EA	2	*	*	*	*	*	*	*	*	124	11
P-O	2510-316-1009	PIN ASSEMBLY: spring saddle 8330268 (19207)	A	EA	2	*	*	*	*	*	*	*	*	124	12
P-O	5310-734-6957	NUT, PLAIN, HEXAGON: 7346957 (19207)	A	EA	8	*	*	*	*	*	*	*	*	124	13
P-O		WASHER, LOCK: 131143 (21450)	A	EA	8	*	*	*	*	*	*	*	*	124	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1601—SPRINGS—Continued													
P-O	5306-272-3747	BOLT, MACHINE: 7346956 (19207)	A	EA	8	*	*	*	*	*	*	*	*	124	15
P-O	5310-732-0560	NUT: MS51968-14 (96906)	A (except HA JA, BD	EA	1	*	*	*	*	*	*	*	*	125	1
P-O	2510-740-9601	SPRING, LEAF: No. 1 7409601 (19207)	A (except LA, MA, HA, JA, BD	EA	2	*	*	*	*	*	*	*	*	125	2
P-O	2510-741-1115	SPRING, LEAF: No. 1 7411115 (19207)	LA, MA	EA	2	*	*	*	*	*	*	*	*	125	2
P-O	2510-740-9602	SPRING, LEAF: No. 2 7409602 (19207)	A (except BE IA, LA MA, BD JA, HA	EA	2	*	*	*	*	*	*	*	*	125	3
P-O	2510-741-1116	SPRING, LEAF: No. 2 7411116 (19207)	BE, IA LA, MA	EA	2	*	*	*	*	*	*	*	*	125	3
P-O		BOLT: 10883200 (19207)	A (except LA IA, JA, HA, MA BD, BE	EA	2	*	*	*	*	*	*	*	*	125	4
P-O		BOLT: 10883199 (19207)	LA, MA IA, BE	EA	2	*	*	*	*	*	*	*	*	125	4
X1		CLIP: spring leaf 10883172 (19207)	A (except LA, MA, IA, BE, BD JA, HA		2									125	5
X1		CLIP: spring leaf 10883163 (19207)	LA, MA, IA, BE BD, JA, HA		2									125	5
X1		CLIP: spring leaf 10883162-1 (19207)	A (except LA, MA IA, BE, BD, HA, JA		2									125	6
X1		CLIP: spring leaf 10883171 (19207)	LA, MA, IA BE, BD, HA, JA		2									125	6
X1		RIVET: 189507 (21450)	A		4									125	7
	2510-740-9612	SPACER: 7409612 (19207)	A	EA	4	*	*	*	*	*	*	*	*	125	8
P-O		BOLT: 7017002 (19207)	JA, HA BD	EA	2	*	*	*	*	*	*	*	*	125	9
P-O	2510-318-0960	SPRING, LEAF: No. 2 8327210 (19207)	HA, JA	EA	2	*	*	*	*	*	*	*	*	125	10
P-O	2510-318-0954	SPRING, LEAF: No. 1 83270209 (19207)	HA, JA BD	EA	2	*	*	*	*	*	*	*	*	125	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1601—SPRINGS—Continued													
P-O	5310-012-0371	NUT, SELF-LOCKING: 120371 (21450)	HA, JA BD	EA	2	*	*	*	*	*	*	*	*	125	12
P-O	5310-957-7121	NUT, SELF-LOCKING: MS35691-705 (96906)	A	EA	4	*	*	*	*	*	*	*	*	125	13
P-O	5305-717-3999	SCREW, CAP, HEXAGON: MS90725-103 (96906)	A	EA	4	*	*	*	*	*	*	*	*	125	14
P-O	5310-740-9615	WASHER, FLAT: 7409615 (19207)	A	EA	2	*	*	*	*	*	*	*	*	126	1
P-O	5330-740-9312	WASHER, NONMETALIC: 7409312 (19207)	A	EA	3	*	*	*	*	*	*	*	*	126	2
P-O	2510-740-9606	RETAINER, PACKING: seat bearing felt 7409606 (19207)	A	EA	2	*	*	*	*	*	*	*	*	126	3
P-O	2530-740-9553	RING, WIPER: hub bearing oil seal 7979766 (19207)	A	EA	2	*	*	*	*	*	*	6	10	126	4
P-O	2520-740-9550	SEAL, PLAIN, ENCASED: seat bearing 7409550 (19207)	A	EA	2	*	*	*	*	*	*	10	200	126	5
P-O	3110-198-1468	CONE AND ROLLERS, TAPERED: 712286 (21450)	A	EA	2	*	*	*	*	*	*	8	10	126	6
P-O	5306-740-9608	BOLT, MACHINE: spring seat 7409608 (19207)	A	EA	4	*	*	*	*	*	*	6	10	126	7
X2-O		WASHER, LOCK: spring seat 131050 (21450)	A	EA	4	*	*	*	*	*	*			126	8
P-O	2510-741-8773	SEAT ASSEMBLY, BEARING CUP: 7418773 (19207)	A	EA	2	*	*	*	*	*	*	8	10	126	9
P-O	3110-142-4390	CUP, TAPERED ROLLER BEARING: 706691 (12742)	A	EA	2	*	*	*	*	*	*	6	10	126	10
P-O	3110-100-0649	CONE AND ROLLERS, TAPERED: 705155 (12742)	A	EA	2	*	*	*	*	*	*	6	10	126	11
P-O	5310-353-2297	NUT, PLAIN, OCTAGON: 7409603 (19207)	A	EA	2	*	*	*	*	*	*	6	10	126	12
PO	5310-700-7089	WASHER, KEY: seat nut 7007089 (19207)	A	EA	2	*	*	*	*	*	*	6	10	126	13
P-O	5310-353-2427	NUT, PLAIN, OCTAGON: 7346885 (19207)	A	EA	2	*	*	*	*	*	*	6	10	126	14
P-O	2510-740-9600	GASKET: seat bearing cap 7409600 (19207)	A	EA	2	*	*	*	*	*	*	10	200	126	15
P-O	2510-740-9391	COVER, ACCESS: 7409391 (19207)	A	EA	2	*	*	*	*	*	*	3	5	126	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1601—SPRINGS—Continued													
X2-O		WASHER: access cover to seat 120214 (21450)	A	EA	12	*	*	*	*	*	*			126	17
X2-O		SCREW, MACHINE: access cover to seat 180073 (21450)	A	EA	12	*	*	*	*	*	*			126	18
		1604—SHOCK ABSORBER EQUIPMENT													
P-O	2540-740-9617	SHOCK ABSORBER, DIRECT ACTION: front 7409617 (19207)	A	EA	2	*	*	*	*	*	*	15	30	127	1
P-O	5310-982-5012	NUT, SELF-LOCKING HEXAGON: MS21045-12 (96906)	A	EA	4	*	*	*	*	*	*	6	10	127	2
P-O	5310-809-8536	WASHER, FLAT: MS27183-24 (96906)	A	EA	4	*	*	*	*	*	*	6	10	127	3
P-O	5340-740-9618	BUSHING, RUBBER: 7409618 (19207)	A	EA	8	*	*	*	*	*	*	8	20	127	4
P-O	5315-740-9619	PIN, SHOULDER HEADLESS: 98308R1 (31007)	A	EA	4	*	*	*	*	*	*	8	10	127	5
		1605—TORQUE, RADIUS, AND STABILIZER RODS													
P-F	5305-144-1499	SCREW, MACHINE: 101892R1 (31007)	A	EA	16	*	*	*	*	*	*	6	10	128	1
P-O	2530-798-1210	BRACKET, SUPPORT: rear axle to frame 7979170 (19207)	A	EA	2	*	*	*	*	*	*	3	5	128	2
P-F	5310-584-7888	WASHER, LOCK: MS35338-51 (96906)	A	EA	2	*	*	*	*	*	*	6	10	128	3
X2-F		NUT, PLAIN: 122039 (21450)	A	EA	2	*	*	*	*	*	*			128	4
P-F	2530-933-4941	ROD ASSEMBLY, TORQUE: short 8728126 (19207)	A (except M139)	EA	2	*	*	*	*	*	*	15	30	128	5
P-F	2530-235-4756	ROD ASSEMBLY, TORQUE: long (M139 models) 8728128 (19207)	BE	EA	2	*	*	*	*	*	*	15	30	128	5
P-F	5315-187-9567	PIN, COTTER: 137273 (31007)	A	EA	12	*	*	*	*	*	*	8	10	128	7
P-F	2510-740-9607	TUBE, CONNECTING: 7979355 (19207)	A	EA	2	*	*	*	*	*	*	8	20	128	8
X1		TUBE: 7979313 (19207)	A		2									128	9
X1		BRACKET: 7979286 (19207)	A		2									128	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1605—TORQUE, RADIUS, AND STABILIZER RODS—Continued													
X1		BOLT, MACHINE: bracket 7346958 (19207)	A		2									128	11
P-F	5310-143-6456	NUT, SELF-LOCKING, HEXAGON: 10871252 (19207)	A	EA	16	*	*	*	*	*	*	6	10	128	12
		Non-Illustrated													
P-O	5315-752-1651	PIN, SHOULDER, HEADLESS: front axle housing spring seat 7521651 (19207)	A	EA	2	*	*	*	*	*	*	6	10		
		GROUP 18—BODY, CAB, HOOD AND HULL													
		1801—BODY, CAB, HOOD AND HULL ASSEMBLIES													
P-F	2510-832-7015	HOOD ASSEMBLY: 8327015 (19207)	A	EA	1	*	*	*	*	*	*	8	10	129	1
X1		HOOD: 10864804 (19207)	A		1									129	2
P-F	5305-068-0504	SCREW, CAP, HEXAGON HEAD: hood bracket MS90726-3 (96906)	A	EA	6	*	*	*	*	*	*	6	10	129	3
P-F	2540-753-9214	FASTENER, CYLINDER, SPRING: hood top panel to windshield 7539214 (19207)	A	EA	2	*	*	*	*	*	*	6	10	129	4
P-F	5305-068-0505	SCREW, CAP, HEXAGON HEAD: spring cylinder fastner MS90726-5 (96906)	A	EA	4	*	*	*	*	*	*	6	10	129	5
P-F	5305-068-0504	SCREW, CAP, HEXAGON HEAD: hood bracket MS90726-3 (96906)	A	EA	4	*	*	*	*	*	*	6	10	129	6
P-F	5305-068-0507	SCREW, CAP, HEXAGON HEAD: strap hinge MS90726-7 (96906)	A	EA	16	*	*	*	*	*	*	6	10	129	8
P-F	5340-753-9193	HINGE STRAP: 99777R91 (31007)	A	EA	2	*	*	*	*	*	*	6	10	129	9
P-F	2510-753-9213	BRACKET: hood top panel to windshield catch 7539213 (19207)	A	EA	2	*	*	*	*	*	*	6	10	129	7
X-1		BRACKET: hinge strap to hood 10864801 (19207)	A		2									129	10
P-F	3510-877-5796	NUT, SELF-LOCKING HEXAGON: MS21044N4 (96906)	A	EA	22	*	*	*	*	*	*	6	10	129	11
X1		BRACKET: 7397931 (19207)	A		2									129	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1801—BODY, CAB, HOOD AND HULL ASSEMBLIES—Continued													
P-F	5310-880-7746	NUT, PLAIN, HEXAGON: catch to hood MS51968-5 (96906)	A	EA	4	*	*	*	*	*	*	6	10	129	13
P-F	5340-321-6397	BUMPER, RUBBER: hood top panel 50513-1017Y2	A	EA	2	*	*	*	*	*	*	8	10	129	14
P-F	5310-809-5996	WASHER, FLAT: catch to hood MS27183-18 (96906)	A	EA	6	*	*	*	*	*	*	6	10	129	15
P-F		NUT, PLAIN, HEXAGON: catch to hood MS51967-525	A	EA	4	*	*	*	*	*	*	6	10	129	16
P-F	2540-177-8312	CATCH HOOD LATCH: 10864803 (19207)	A	EA	2	*	*	*	*	*	*	6	10	129	17
P-F	2510-737-2770	CATCH, SAFETY HOOD: 7372770 (19207)	A	EA	1	*	*	*	*	*	*	6	10	129	18
P-F	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	129	19
P-F	5310-950-0039	NUT, SELF-LOCKING, HEXAGON HEAD: grill MS21044N6 (96906)	A	EA	2	*	*	*	*	*	*	6	10	129	20
P-F	2540-753-9669	BRACE: brush guard 7539669 (19207)	A	EA	2	*	*	*	*	*	*	6	10	129	21
P-F	5305-725-4183	SCREW, CAP, HEXAGON HEAD: brush guard brace MS90726-113 (96906)	A	EA	4	*	*	*	*	*	*	6	10	129	22
P-F	2510-832-7016	GUARD ASSEMBLY, BRUSH: 8327016 (19207)	A	EA	1	*	*	*	*	*	*	6	10	129	23
P-F	5310-877-5795	NUT, SELF-LOCKING, HEXAGON HEAD: brush guard MS21044N3 (96906)	A	EA	2	*	*	*	*	*	*	6	10	129	24
P-F	5305-269-2803	SCREW, CAP, HEXAGON HEAD: guard MS90726-60 (96906)	A	EA	2	*	*	*	*	*	*	6	10	129	25
P-F	2510-040-2295	GUARD: 98785R1 (31007)	A	EA	2	*	*	*	*	*	*	6	10	129	26
P-F	2590-040-2075	FASTENER, CYLINDER SPRING: top panel 7740774 (19207)	A	EA	2	*	*	*	*	*	*	8	10	129	27
P-F	5305-066-0505	SCREW, CAP, HEXAGON HEAD: spring fastner MS90726-5 (96906)	A	EA	4	*	*	*	*	*	*	8	10	129	28
P-F	2510-737-3294	DOOR: right. 7373294 (19207)	A	EA	1	*	*	*	*	*	*	4	10	130	1
P-F	2510-737-3293	DOOR: left 7373293 (19207)	A	EA	1	*	*	*	*	*	*	4	10	130	1
X1		SCREW, MACHINE: access cover 164354 (21450)	A		10									130	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1891—BODY, CAB, HOOD AND HULL ASSEMBLIES—Continued													
P-F	2510-693-0604	COVER, ACCESS: 7373299 (19207)	A	EA	2	*	*	*	*	*	*	3	5	130	3
P-F	5305-696-5294	SCREW, ASSEMBLED WASHER: 455177 (21450)	A	EA	2	*	*	*	*	*	*	6	10	130	4
P-F	2540-741-0714	HANDLE, WINDOW REGULATOR: 78080-12352	A	EA	2	*	*	*	*	*	*	4	10	130	5
P-F	2540-621-2565	SPACER, HANDLE: 7397852 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	6
P-F	2540-562-0422	FASTENER: door glass regulator 7529309 (19207)	A	EA	4	*	*	*	*	*	*	4	10	130	7
P-F	5305-969-6914	SCREW, TAPPING, THREAD: weather seal clip MS24617-10 (96906)	A	EA	10	*	*	*	*	*	*	6	10	130	8
P-F	2540-737-3283	CLIP, WEATHER SEAL: 7373283 (19207)	A	EA	10	*	*	*	*	*	*	6	10	130	9
P-F	5340-737-3284	HINGE, BUTT: left cab door 7373284 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	10
P-F	5340-737-3285	HINGE, BUTT: right cab door 7373285 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	10
X1		LEAF: 7529302 (19207)	A		2									130	11
X		SCREW: 8743911 (19207)	A		2									130	12
P-F	5315-338-1621	PIN: door hinge 7539131 (19207)	A	EA	4	*	*	*	*	*	*	6	10	130	13
X1		LEAF: 7529301 (19207)	A		2									130	14
P-F	2510-737-3288	CHECK ASSEMBLY DOOR: 7373288 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	15
P-F	2510-057-1641	ROD, DOOR CHECK: 8757842 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	16
P-F	2510-057-1630	PAD, DOOR CHECK: 8757843 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	17
P-F	5315-187-9558	PIN, COTTER: door check rod MS24665-431 (96906)	A	EA	2	*	*	*	*	*	*	6	10	130	18
P-F	9390-737-3291	WEATHERSTRIP, NON-METALLIC, SPECIAL: 7373291 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	19
P-F	2510-737-3287	WEATHERSTRIP: door glass 7373287 (19207)	A	EA	2	*	*	*	*	*	*	*	10	130	20

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1801—BODY, CAB, HOOD AND HULL ASSEMBLIES—Continued													
P-F	2510-650-1015	FRAME, DOOR: right 7529305 (19207)	A	EA	2	*	*	*	*	*	*	3	5	130	21
P-F	2510-674-4487	FRAME, DOOR: left 7529304 (19207)	A	EA	2	*	*	*	*	*	*	3	5	130	21
P-F	2510-737-3297	CHANNEL: right glass regulator 7373297 (19207)	A	EA	1	*	*	*	*	*	*	4	10	130	22
P-F	2510-737-3296	CHANNEL: cab door glass regulator 7373296 (19207)	A	EA	1	*	*	*	*	*	*	4	10	130	22
X1		FILLER: 10906350 (19207)	A		2									130	23
P-F	2510-737-3295	FRAME: door glass 7373295 (19207)	A	EA	2	*	*	*	*	*	*	3	5	130	24
P-F	9320-737-3300	CHANNEL, RUBBER: cabdoor glass frame 7373300 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	25
P-F	5305-737-3275	SCREW, TAPPING, THREAD: glass upper and side frame to lower channel 7373275 (19207)	A	EA	8	*	*	*	*	*	*	6	10	130	26
P-F	9340-285-6777	GLASS, SAFETY: 8635932 (19207)	A	EA	2	*	*	*	*	*	*	8	20	130	27
P-F	9320-737-3301	CHANNEL, RUBBER: cab door glass regulator 7373301 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	28
P-F	5305-015-7070	SCREW, MACHINE: 157070 (70408)	A	EA	4	*	*	*	*	*	*	6	10	130	29
P-F	5310-582-8716	WASHER, LOCK: MS35336-20 (96906)	A	EA	4	*	*	*	*	*	*	6	10	130	30
P-F	2540-741-0715	HANDLE, DOOR: outside 14892 (75198)	A	EA	2	*	*	*	*	*	*	4	10	130	31
P-F	2540-533-3409	SHIM: door, dovetail 7529300 (19207)	A	EA	1	*	*	*	*	*	*	6	10	130	32
P-F	2540-754-0419	WEDGE DOOR DOVETAIL: 7540419 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	33
P-F	5305-696-5285	SCREW, ASSEMBLED WASHER: 187995 (24617)	A	EA	2	*	*	*	*	*	*	6	10	130	34
P-F	5305-531-0339	SCREW, ASSEMBLED WASHER: door lock 594270 (21450)	A	EA	20	*	*	*	*	*	*	6	20	130	35
P-F	2540-737-3277	LOCK, DOOR, CAB: right 7373277 (19207)	A	EA	1	*	*	*	*	*	*	6	10	130	36

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1801—BODY, CAB, HOOD AND HULL ASSEMBLIES—Continued													
P-F	2540-737-3276	LOCK, DOOR, CAB: left 7373276 (19207)	A	EA	1	*	*	*	*	*	*	6	10	130	36
P-F	2510-737-3292	WEATHERSEAL: door, bottom 7373292 (19207)	A	EA	2	*	*	*	*	*	*	8	10	130	37
P-F	2540-693-0603	REGULATOR, VEHICLE WINDOW: right 7373290 (19207)	A	EA	1	*	*	*	*	*	*	4	10	130	38
P-F	2540-693-0602	REGULATOR, WINDOW: left 7373289 (19207)	A	EA	1	*	*	*	*	*	*	4	10	130	38
P-F	2510-797-5609	HANDLE LOCK: 7975609 (19207)	A	EA	2	*	*	*	*	*	*	4	10	130	39
P-F	5305-696-5300	SCREW, ASSEMBLED WASHER: 455184 (21450)	A	EA	2	*	*	*	*	*	*	6	10	130	40
P-F	5340-696-0264	HINGE, WINDSHIELD ASSEMBLY: left 7373321 (19207)	A	EA	1	*	*	*	*	*	*	8	10	131	1
P-F	5340-696-0265	HINGE, WINDSHIELD ASSEMBLY: right 7373322 (19207)	A	EA	1	*	*	*	*	*	*	8	10	131	1
P-F	5310-737-3338	NUT, PLAIN, WING: windshield hinge 7373338 (19207)	A	EA	2	*	*	*	*	*	*	6	10	131	2
P-F	5307-206-8510	STUD: windshield hinge handle 55181 (50513)	A	EA	2	*	*	*	*	*	*	6	10	131	3
P-F	5310-737-3335	NUT, PLAIN, CLINCH: 7373335 (19207)	A	EA	2	*	*	*	*	*	*	6	10	131	4
P-F	2540-179-3495	HANDLE: 7397729 (19207)	A	EA	2	*	*	*	*	*	*	4	10	131	5.
P-F	2540-622-3941	HINGE, HALF, WINDSHIELD: right 7529318 (19207)	A	EA	2	*	*	*	*	*	*	4	10	131	6
X1		HINGE, HALF, WINDSHIELD: 7529317 (19207)	A		2										
X1		HINGE: left 7529319 (19207)	A		2									131	7
X1		HINGE: right 7529320 (19207)	A		2									131	7
P-F	5310-050-3449	NUT, SELF-LOCKING, HEXAGON: windshield hinge bolt 503449 (21450)	A	EA	4	*	*	*	*	*	*			131	8
X1		SCREW, MACHINE: windshield hinge 9409115 (19207)	A		8									131	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1801—BODY, CAB, HOOD AND HULL ASSEMBLIES—Continued													
P-F	5310-737-3318	BOLT, RIBBED SHOULDER: windshield hinge 422B1 (50513)	A	EA	4	*	*	*	*	*	*			131	10
P-F	5315-187-9558	PIN, COTTER: ventilator cowl MS24665-431 (96906)	A	EA	2	*	*	*	*	*	*			131	11
P-F	5315-453-9349	PIN, HINGE: ventilator cowl 7397723 (19207)	A	EA	2	*	*	*	*	*	*			131	12
P-F	2510-546-4759	VENTILATOR, COWL: 30E8 (50513)	A	EA	2	*	*	*	*	*	*			131	13
P-F	2510-693-0607	SCREEN: cowl ventilator 301E8 (50513)	A	EA	2	*	*	*	*	*	*			131	14
P-F	5305-614-0248	SCREW, MACHINE: windshield glass frame MS35266-66 (96906)	A	EA	4	*	*	*	*	*	*	6	10	131	15
P-F	9320-737-3317	RUBBER, SPECIAL SHAPED: ventilator door 328E8 (50513)	A	EA	2	*	*	*	*	*	*	6	10	131	16
P-F	5340-699-8463	CLIP, SPRING, TENSION: 7409568 (19207)	A	EA	1	*	*	*	*	*	*	6	10	131	17
P-F	5305-969-6914	SCREW, TAPPING, THREAD: MS24617-10 (96906)	A	EA	1	*	*	*	*	*	*	6	10	131	18
P-F	2510-737-2767	HOOK: hood to panel 7372767 (19207)	A	EA	1	*	*	*	*	*	*	6	10	131	19
P-F	5310-088-0553	NUT, SELF-LOCKING, HEXAGON: hook MS21044N5 (96906)	A	EA	1	*	*	*	*	*	*	6	10	131	20
X2-F		SCREW: door handle 426271 (21950)	A	EA	8	*	*	*	*	*	*			131	21
P-F	2540-621-2591	HANDLE, DOOR: 7397853 (19207)	A	EA	2	*	*	*	*	*	*	4	10	131	22
P-F	2540-456-1011	HOOK, LASHING: 587499 (21450)	A	EA	6	*	*	*	*	*	*	4	10	131	23
P-F	2510-420-5049	PLATE, HANDLE REINFORCEMENT: 7529297 (19207)	A	EA	8	*	*	*	*	*	*	4	10	131	24
P-F	5310-959-7600	NUT, SELF-LOCKING: door MS51922-5 (96906)	A	EA	8	*	*	*	*	*	*	6	10	131	25
		Non-Illustrated													
P-F	2510-860-0517	SIDE RACK, VEHICLE BODY: right side 10899202 (19207)	DA, DB	EA	1	*	*	*	*	*	*	3	5		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1801—BODY, CAB, HOOD AND HULL ASSEMBLIES—Continued													
		Non-Illustrated —Continued													
P-F	2510-918-0612	PANEL: hood side 10931948 (19207)	A	EA	1	*	*	*	*	*	*	3	5		
P-F	2540-737-3286	CHANNEL: rear 7373286 (19207)	A	EA	2	*	*	*	*	*	*	4	10		
P-F	2540-737-3298	CHANNEL: front 7373298 (19207)	A	EA	2	*	*	*	*	*	*	4	10		
P-F	2930-700-7965	SHIELD, RUBBER, RADIATOR: 10871412 (19207)	A	EA	1	*	*	*	*	*	*	8	10		
P-F	5315-740-9017	PIN, STRAIGHT, HEADLESS: 7409017 (19207)	A	EA	V	*	*	*	*	*	*	8	10		
P-F	5320-011-3326	RIVET, TABULAR: FFR556 (81348)	A	EA	2	*	*	*	*	*	*	6	10		
P-F	5340-591-3444	STRAP: 7071436 (19207)	A	EA	2	*	*	*	*	*	*	6	10		
P-F	9320-641-1119	RUBBER: 8724456 (19207)	A	FT	V	*	*	*	*	*	*	8	10		
P-F	2510-753-9659	BRACKET: gun mount, front 7539659 (19207)	A	EA	1	*	*	*	*	*	*	3	5	132	1
P-F	5306-042-5859	SCREW: 425859 (96214)	A	EA	3	*	*	*	*	*	*	6	10	132	2
P-F	5305-696-5285	SCREW: 187995 (19207)	A	EA	4	*	*	*	*	*	*	6	10	132	3
P-F	5340-737-3302	STRIKER: door lock 7373302 (19207)	A	EA	2	*	*	*	*	*	*	4	8	132	4
P-F	5305-761-4227	SCREW, CAP, HEXAGON: MS90726-111 (96906)	A	EA	2	*	*	*	*	*	*	6	10	132	5
X2-F		BRACKET: front gun mount 7539658 (19207)	A	EA	1	*	*	*	*	*	*			132	6
P-F	5310-067-9507	NUT, SELF-LOCKING: MS51922-37 (96906)	A	EA	2	*	*	*	*	*	*	6	10	132	7
X2-F		CAB ASSEMBLY: 11648480 (19207)	A	EA	1	*	*	*	*	*	*			132	8
X2-F		CAB ASSEMBLY, COMPLETE: 11648479 (19207)	A (except CE,CF,CG)	EA	1	*	*	*	*	*	*			132	9
X2-F		CAB ASSEMBLY, COMPLETE: 11648479-1 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			132	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS													
P-F	2590-473-6331	BRACKET, DRUM: MS53052-1 (96906)	A	EA	1	*	*	*	*	*	*	3	5	133	1
P-F	2540-968-4060	STRAP, WEBBING: 8690527 (19207)	A	EA	1	*	*	*	*	*	*	8	10	133	2
P-F	5320-950-4525	RIVET, TUBULAR: webbing strap MS16535-235 (96906)	A	EA	8	*	*	*	*	*	*	6	10	133	3
P-F	5310-082-1404	WASHER, FLAT: webbing strap MS15795-106 (96906)	A	EA	8	*	*	*	*	*	*	6	10	133	4
P-F	5305-269-2801	SCREW, CAP, HEXAGON HEAD: bracket MS90726-58 (96906)	A	EA	8	*	*	*	*	*	*	6	10	133	5
P-F	2590-473-6331	BRACKET, DRUM: MS53052-1 (96906)	A	EA	1	*	*	*	*	*	*	3	5	133	6
P-F	2540-960-4060	STRAP, WEBBING: 8690527 (19207)	A	EA	1	*	*	*	*	*	*	8	10	133	7
P-F	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: MS21044N6 (96906)	A	EA	14	*	*	*	*	*	*	6	10	133	8
X2-F		DOOR: 10871479 (19207)	A	EA	1	*	*	*	*	*	*			133	9
P-F	2540-709-5879	CATCH, RUNNING BOARD: 7539221 (19207)	A	EA	1	*	*	*	*	*	*	4	10	133	10
P-F	5310-959-7600	NUT, SELF-LOCKING: angle bracket MS51922-5 (96906)	A	EA	7	*	*	*	*	*	*	6	10	133	11
P-F	2510-741-1085	BRACKET, ANGLE: left running board, front and rear 7411085 (19207)	A	EA	2	*	*	*	*	*	*	3	5	133	12
P-F	5310-877-5795	NUT, SELF-LOCKING, HEXAGON: angle bracket MS21044N8 (96906)	A	EA	4	*	*	*	*	*	*	6	10	133	13
X2-F		BRACE: angle bracket 10871475 (19207)	A	EA	2	*	*	*	*	*	*			133	14
P-F	5310-088-0553	NUT, SELF-LOCKING, HEXAGON: MS21044N5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	133	15
P-F	2540-408-4660	SUPPORT, TOOL BOX: 10871476 (19207)	A	EA	2	*	*	*	*	*	*	2	5	133	16
P-F	5306-255-9086	BOLT, MACHINE: tool box support MS90726-31 (96906)	A	EA	2	*	*	*	*	*	*	6	10	133	17
P-F	5305-269-2803	SCREW, CAP, HEXAGON HEAD: tool box brace MS90726-60 (96906)	A	EA	2	*	*	*	*	*	*	6	10	133	18
P-F	5305-269-2803	SCREW, CAP, HEXAGON HEAD: tool box bracket MS90726-60 (96906)	A	EA	6	*	*	*	*	*	*	6	10	133	19
P-F	5306-225-9087	BOLT, MACHINE: running board MS90726-32 (96906)	A	EA	4	*	*	*	*	*	*	6	10	133	20

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	2510-408-4643	BOARD, RUNNING: 8331566 (19207)	A	EA	1	*	*	*	*	*	*	2	5	133	21
P-F	5310-809-4061	WASHER, FLAT: tool box bracket MS15795-115 (96906)	A	EA	1	*	*	*	*	*	*	6	10	133	22
P-F	5305-269-2804	SCREW, CAP, HEXAGON HEAD: tool box bracket MS90726-61 (96906)	A	EA	2	*	*	*	*	*	*	6	10	133	23
P-F	5305-269-2807	SCREW, CAP, HEXAGON HEAD: tool box bracket MS90726-64 (96906)	A	EA	1	*	*	*	*	*	*	6	10	133	24
P-F	5305-993-2461	SCREW, MACHINE: tool box door MS35207-281 (96906)	A	EA	5	*	*	*	*	*	*	6	10	133	25
P-F	5310-877-5797	NUT, SELF-LOCKING, HEXAGON: tool box door MS21044N3 (96906)	A	EA	5	*	*	*	*	*	*	6	10	133	26
P-F	2540-177-7876	BOX, TOOL STOWAGE: 10871484 (19207)	A	EA	1	*	*	*	*	*	*	2	5	133	27
P-F	5305-989-7434	SCREW, MACHINE: tool box door MS35207-263 (96906)	A	EA	5	*	*	*	*	*	*	6	10	133	28
P-F	5305-725-4187	SCREW, CAP, HEXAGON HEAD: tool box bracket MS90726-114 (96906)	A	EA	1	*	*	*	*	*	*	6	10	133	29
P-F	5305-269-2805	SCREW, CAP, HEXAGON HEAD: tool box bracket MS90726-62 (96906)	A	EA	1	*	*	*	*	*	*	6	10	133	30
P-F	5305-269-2802	SCREW, CAP, HEXAGON HEAD: running board support MS90726-59 (96906)	A	EA	4	*	*	*	*	*	*	6	10	134	1
P-F	5310-809-4061	WASHER, FLAT: running board support MS15795-115 (96906)	A	EA	4	*	*	*	*	*	*	6	10	134	2
P F	5306-225-9087	BOLT, MACHINE: running board support MS90726-32 (96906)	A	EA	4	*	*	*	*	*	*	6	10	134	3
X2-F		SCREW, MACHINE: running board support 10883489 (19207)	A	EA	4	*	*	*	*	*	*			134	4
P-F	5310-950-0039	NUT, SELF-LOCKING HEXAGON: running board support MS21044N6 (96906)	A	EA	4	*	*	*	*	*	*	6	10	134	5
P-F	2510-740-9562	SUPPORT, RUNNING BOARD: rear 7409562 (19207)	A	EA	1	*	*	*	*	*	*	2	5	134	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	6140-753-9506	SUPPORT: battery box 10872418 (19207)	A	EA	1	*	*	*	*	*	*	2	5	134	7
P-F	5316-225-9086	BOLT, MACHINE: panel to bracket MS90726-31 (96906)	A	EA	2	*	*	*	*	*	*	6	10	134	8
P-F	2510-740-9561	SUPPORT: right front 7409561 (19207)	A	EA	1	*	*	*	*	*	*	2	5	134	9
X2-F		PANEL: 10883370 (19207)	A	EA	1	*	*	*	*	*	*			134	10
P-F	5310-088-0553	NUT, SELF-LOCKING, HEXAGON: running board support MS21044N5 (96906)	A	EA	4	*	*	*	*	*	*	6	10	134	11
P-F	2510-693-0662	BOARD, RUNNING: 8331566	A	EA	1	*	*	*	*	*	*	2	5	134	12
P-F	5310-877-5797	NUT, SELF-LOCKING HEXAGON: panel assembly MS21044N3 (96906)	A	EA	5	*	*	*	*	*	*	6	10	134	13
P-F	5305-989-7434	SCREW, MACHINE: panel assembly MS35207-263 (96906)	A	EA	5	*	*	*	*	*	*	6	10	134	14
P-F	5305-993-2461	SCREW, MACHINE: MS35207-281 (96906)	A	EA	3	*	*	*	*	*	*	6	10	134	15
X2-F		PANEL ASSEMBLY: 10883371 (19207)	A	EA	1	*	*	*	*	*	*			134	16
X2-F		CATCH: side panel 943Y2 (50513)	A	EA	1	*	*	*	*	*	*			134	17
P-F	5310-877-5798	NUT, SELF-LOCKING HEXAGON: catch MS21044D3 (96906)	A	EA	2	*	*	*	*	*	*	6	10	134	18
P-F	2510-880-4660	FENDER VEHICULAR: front left (w / vertical exhaust stack) 11611569	AB,AC	EA	1	*	*	*	*	*	*	8	10	135	1
P-F	2510-970-3482	FENDER, VEHICULAR: front, left (gas w / o vertical exhaust stack) 10899409 (19207)	AA	EA	1	*	*	*	*	*	*	8	10	135	1
P-F	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)	A	EA	11	*	*	*	*	*	*	6	10	135	2
P-F	2540-753-9222	CATCH: hood panel 7539222,(19207)	A	EA	1	*	*	*	*	*	*	3	5	135	3
P-F	5340-753-9201	BUMPER, RUBBER: 7539201 (19207)	A	EA	9	*	*	*	*	*	*	8	10	135	4
P-F	5305-068-0505	SCREW, CAP, HEXAGON HEAD: butt leaf MS90726-5 (96906)	A	EA	4	*	*	*	*	*	*	6	10	135	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	5310-809-4058	WASHER, FLAT: MS27183-10 (96906)	A	EA	7	*	*	*	*	*	*	6	10	135	6
P-F	2540-709-5879	CATCH, RUNNING BOARD: 7539221 (19207)	A	EA	1	*	*	*	*	*	*	3	5	135	7
P-F	2510-040-2275	PANEL, HOOD: left side 8327038 (19207)	A	EA	1	*	*	*	*	*	*	3	5	135	8
P-F	5305-993-2461	SCREW, MACHINE: panel assembly MS35207-281 (96906)	A	EA	2	*	*	*	*	*	*	6	10	135	9
P-F	2510-177-7799	PANEL ASSEMBLY, FENDER, RIGHT: 10871389 (19207)	A	EA	1	*	*	*	*	*	*	8	10	135	10
P-F	5310-809-5997	WASHER, FLAT: fender panel MS27183-17 (96906)	A	EA	4	*	*	*	*	*	*	6	10	135	11
P-F	2510-597-0789	SPRING, HELICAL, COMPRESSION: fender (3), and fender front bolt (3), 8327221 (19207)	A	EA	6	*	*	*	*	*	*	6	10	135	12
P-F	5310-809-4061	WASHER, FLAT: MS15795-215 (96906)	A	EA	6	*	*	*	*	*	*	6	10	135	13
P-F	5310-950-0039	NUT, SELF-LOCKING HEXAGON: MS21044N6 (96906)	A	EA	16	*	*	*	*	*	*	6	10	135	14
P-F	2510-753-9199	ANTI-SQUEAK: front fender to cab 7539199 (19207)	A	EA	1	*	*	*	*	*	*	4	8	135	15
P-F	5305-569-8941	SCREW, CAP, HEXAGON HEAD: 125120R1 (31007)	A	EA	1	*	*	*	*	*	*	6	10	135	16
P-F	5305-269-2816	SCREW, CAP, HEXAGON HEAD: 100033 (24617)	A	EA	2	*	*	*	*	*	*	6	10	135	17
P-F	5305-068-0505	SCREW, CAP, HEXAGON HEAD: MS90726-5 (96906)	A	EA	1	*	*	*	*	*	*	6	10	135	18
P-F	5305-269-8941	SCREW, CAP, HEXAGON HEAD: 8333064 (19207)	A	EA	3	*	*	*	*	*	*	6	10	135	19
P-F	5310-177-7882	WASHER, FLAT: support bracket 10871421 (19207)	A	EA	1	*	*	*	*	*	*	6	10	135	20
P-F	5310-740-9564	WASHER, FLAT: support bracket 7409564 (19207)	A	EA	1	*	*	*	*	*	*	6	10	135	21
P-F	2510-970-3481	BRACKET, SUPPORT: 10899408 (19207)	A	EA	4	*	*	*	*	*	*	3	5	135	22
P-F	5340-597-2312	SPRING, HELICAL COMPRESSION: support bracket 8327223 (19207)	A	EA	4	*	*	*	*	*	*	6	10	135	23

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	5305-269-2815	SCREW, CAP, HEXAGON HEAD: support bracket MS90726-71 (96906)	A	EA	1	*	*	*	*	*	*	6	10	135	24
P-F	5305-269-2811	SCREW, CAP, HEXAGON: MS90726-67 (96906)	A	EA	2	*	*	*	*	*	*	6	10	135	25
P-F	5310-088-0553	NUT, SELF-LOCKING, HEXAGON: MS21044N5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	135	26
X1		BRACKET: 8327219 (19207)	A		1									135	27
P-F	2510-753-9543	BRACKET: 7539543 (19207)	A	EA	1	*	*	*	*	*	*	3	5	135	28
P-F	5306-225-9087	SCREW, CAP, HEXAGON: bracket MS90726-32 (96906)	A	EA	4	*	*	*	*	*	*	6	10	135	29
P-F	5310-081-4219	WASHER, FLAT: bracket MS27183-12 (96906)	A	EA	4	*	*	*	*	*	*	6	10	135	30
P-F	2510-177-8232	SUPPORT, MOUNTING: 7397760 (19207)	A	EA	1	*	*	*	*	*	*	3	5	135	31
P-F	5305-068-0504	SCREW, CAP, HEXAGON: mounting bracket MS90726-3 (96906)	A	EA	6	*	*	*	*	*	*	6	10	135	32
P-F	5310-732-0559	NUT, PLAIN, HEXAGON: mounting bracket MS51968-8 (96906)	A	EA	6	*	*	*	*	*	*	6	10	135	33
P-F	5310-595-7237	WASHER, LOCK: mounting bracket MS35333-59 (96906)	A	EA	6	*	*	*	*	*	*	6	10	135	34
P-F	2590-338-1673	INSULATOR, MOUNTING: 7539560 (19207)	A	EA	1	*	*	*	*	*	*	6	10	135	35
P-F	5306-225-9086	BOLT, MACHINE: bracket MS90726-31 (96906)	A	EA	4	*	*	*	*	*	*	6	10	135	36
P-F	2510-737-6620	BRACKET, MOUNTING, LIGHT: 7376620 (19207)	A	EA	1	*	*	*	*	*	*	3	5	135	37
P-F	5305-269-2810	SCREW, CAP, HEXAGON HEAD: bracket MS90726-68 (96906)	A	EA	3	*	*	*	*	*	*	6	10	135	38
P-F	5310-080-6004	WASHER, FLAT: MS27183-14 (96906)	A	EA	1	*	*	*	*	*	*	6	10	135	39
P-F	5305-269-2801	SCREW, CAP, HEXAGON HEAD: MS90726-58 (96906)	A	EA	1	*	*	*	*	*	*	6	10	135	40

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	5340-741-1087	LEAF BUTT HINGE: upper right side 7411087 (19207)	A	EA	2	*	*	*	*	*	*	3	5	135	41
P-F	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)	A	EA	1	*	*	*	*	*	*	6	10	135	42
P-F	6220-179-4339	BRACKET, HEADLIGHT LEFT: 10871425 (19207)	A	EA	1	*	*	*	*	*	*	3	5	135	43
P-F	5305-269-2803	SCREW, CAP, HEXAGON HEAD: headlight bracket MS90726-60 (96906)	A	EA	1	*	*	*	*	*	*	6	10	135	44
P-F	5310-080-6004	WASHER, FLAT: headlight bracket MS27183-14 (96906)	A	EA	1	*	*	*	*	*	*	6	10	135	45
P-F	2590-753-9545	BRACKET, MOUNTING, HEADLIGHT: 7539545 (19207)	A	EA	1	*	*	*	*	*	*	3	5	135	46
P-F	2510-741-1086	HINGE ASSEMBLY: 7411086 (19207)		EA	2	*	*	*	*	*	*	3	5	135	47
P-F	2510-693-0595	RETAINER: 7372737 (19207)	A	EA	1	*	*	*	*	*	*	6	10	135	48
P-F	2510-925-4543	FENDER, VEHICULAR: front, right (w / vertical exhaust stack) 10931919-1 (19207)	AB, AC	EA	1	*	*	*	*	*	*			136	1
P-F	2510-970-3483	FENDER, VEHICULAR: front, right (gas w / o vertical exhaust stack) 10899410 (19207)	AA	EA	1	*	*	*	*	*	*	8	10	136	1
P-F	5310-950-0039	NUT, SELF-LOCKING HEXAGON: MS21044N6 (96906)	A	EA	16	*	*	*	*	*	*	6	10	136	2
P-F	5305-269-2816	SCREW, CAP, HEXAGON HEAD: MS90726-72 (96906)	A	EA	2	*	*	*	*	*	*	6	10	136	3
P-F	2510-753-9199	ANTI-SQUEAK: front fender to cab 7539199 (19207)	A	EA	1	*	*	*	*	*	*	4	8	136	4
P-F	5305-569-8941	SCREW, CAP HEXAGON HEAD: fender to hinge 125120R1 (31007)	A	EA	1	*	*	*	*	*	*	6	10	136	5
P-F	5310-809-4061	WASHER, FLAT: fender to hinge MS27183-15 (96906)	A	EA	6	*	*	*	*	*	*	6	10	136	6
P-F	2510-597-0789	SPRING, HELICAL COMPRESSION: 8327221 (19207)	A	EA	6	*	*	*	*	*	*	6	10	136	7
P-F	5310-809-5997	WASHER, FLAT: fender to hinge MS27183-17 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	5305-068-0505	SCREW, CAP, HEXAGON HEAD: hinge MS90726-5 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	9
P-F	5340-741-1087	LEAF, BUTT HINGE: right side panel 7411087 (19207)	A	EA	1	*	*	*	*	*	*	3	5	136	10
P-F	5305-993-2461	SCREW, MACHINE: hood panel MS35207-281 (96906)	A	EA	4	*	*	*	*	*	*	6	10	136	11
P-F	2510-040-2276	PANEL: right side w / o vertical stack 8327039 (19207)	AA	EA	1	*	*	*	*	*	*	3	5	136	12
P-F	2510-918-0612	PANEL: right side w / vertical stack 10931948 (19207)	AB, AC	EA	1	*	*	*	*	*	*	3	5	136	12
P-F	2540-709-5879	CATCH, RUNNING BOARD: 7539221 (19207)	A	EA	2	*	*	*	*	*	*	3	5	136	13
P-F	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)	A	EA	11	*	*	*	*	*	*	6	10	136	14
P-F	5310-809-4058	WASHER, FLAT: panel MS27183-10 (96906)	A	EA	11	*	*	*	*	*	*	6	10	136	15
P-F	5340-753-9201	BUMPER, RUBBER: hood side panel 7539201 (19207)	A	EA	9	*	*	*	*	*	*	8	10	136	16
P-F	2540-753-9222	CATCH: hood panel 7539222 (19207)	A	EA	1	*	*	*	*	*	*	3	5	136	17
P-F	2510-737-2739	RETAINER: right side panel 7372739 (19207)	A	EA	1	*	*	*	*	*	*	6	10	136	18
P-F	2510-741-1086	HINGE ASSEMBLY, SIDE PANEL: 7411006 (19207)	A	EA	1	*	*	*	*	*	*	3	5	136	19
P-F	5310-080-6004	WASHER, FLAT: shield MS27183-14 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	20
P-F	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	21
P-F	5305-269-2801	SCREW, CAP, HEXAGON HEAD: MS90726-58 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	22
P-F	2930-045-4201	SHIELD, DUST, RADIATOR: 10871413 (19207)	A	EA	1	*	*	*	*	*	*	6	10	136	23
P-F	2510-737-6621	BRACKET, MOUNTING, LIGHT: 7376621 (19207)	A	EA	1	*	*	*	*	*	*	6	10	136	24

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	5310-081-4219	WASHER, FLAT: MS27183-12 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	25
P-F	5306-225-9086	SCREW, CAP, HEXAGON: MS90726-31 (96906)	A	EA	2	*	*	*	*	*	*	6	10	136	26
P-F	2590-622-7730	GRILLE, METAL: 7061102 (19207)	A	EA	1	*	*	*	*	*	*	6	10	136	27
P-F	2590-338-1673	INSULATOR, MOUNTING: 7539560 (19207)	A	EA	1	*	*	*	*	*	*	6	10	136	28
P-F	5310-595-7237	WASHER, LOCK: support MS35333-59 (96906)	A	EA	4	*	*	*	*	*	*	6	10	136	29
P-F	5310-732-0559	NUT, PLAIN HEXAGON: support MS51968-8 (96906)	A	EA	4	*	*	*	*	*	*	6	10	136	30
P-F	5305-068-0504	SCREW, CAP, HEXAGON HEAD: support MS90726-3 (96906)	A	EA	4	*	*	*	*	*	*	6	10	136	31
P-F	2510-177-8232	SUPPORT, MOUNTING: 7397760 (19207)	A	EA	1	*	*	*	*	*	*	3	5	136	32
P-F	5306-225-9087	SCREW, CAP, HEXAGON: mounting bracket MS90726-32 (96906)	A	EA	2	*	*	*	*	*	*	6	10	136	33
P-F	2510-753-9543	BRACKET: black out parking and warning light 7539543 (19207)	A	EA	1	*	*	*	*	*	*	3	5	136	34
X1		BRACKET: 8327220 (19207)	A		1									136	35
P-F	5310-088-0553	NUT, SELF-LOCKING HEXAGON: MS21044N5 (96906)	A	EA	4	*	*	*	*	*	*	6	10	136	36
P-F	5305-269-2815	SCREW, CAP, HEXAGON HEAD: support bracket MS90726-71 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	37
P-F	5305-269-2811	SCREW, CAP, HEXAGON HEAD: MS90726-67 (96906)	A	EA	4	*	*	*	*	*	*	6	10	136	38
P-F	5340-597-2313	SPRING, HELICAL COMPRESSION: 7007081 (19207)	A	EA	4	*	*	*	*	*	*	6	10	136	39
P-F	2510-970-3481	BRACKET, SUPPORT: 10899408 (19207)	A	EA	1	*	*	*	*	*	*	3	5	136	40
P-F	5310-740-9564	WASHER, FLAT: 7409564 (19207)	A	EA	1	*	*	*	*	*	*	6	10	136	41

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	5310-177-7882	WASHER, FLAT: 10871421 (19207)	A	EA	1	*	*	*	*	*	*	6	10	136	42
P-F	5305-569-8941	SCREW, CAP, HEXAGON: 8333064 (19207)	A	EA	3	*	*	*	*	*	*	6	10	136	43
P-F	5305-269-2803	SCREW, CAP, HEXAGON HEAD: headlamp bracket MS90726-60 (96906)	A	EA	1	*	*	*	*	*	*	6	10	136	44
P-F	6220-179-4337	BRACKET, HEADLAMP, RIGHT: 10871426 (19207)	A	EA	1	*	*	*	*	*	*	3	5	136	45
P-F	5305-269-2810	SCREW, CAP, HEXAGON HEAD: MS90726-68 (96906)	A	EA	3	*	*	*	*	*	*	6	10	136	46
P-F	2510-752-9313	WINDSHIELD ASSEMBLY: A2174 (70230)	A	EA	1	*	*	*	*	*	*	10	20	137	1
P-F	2510-700-5417	WINDSHIELD ASSEMBLY, FLAT: 7005417 (19207)	A	EA	2	*	*	*	*	*	*	10	20	137	2
P-F	2530-737-3325	SEAL, RUBBER: windshield inner frame to outer frame 7373325 (19207)	A	EA	2	*	*	*	*	*	*	8	20	137	3
P-F	5305-614-0248	SCREW MACHINE: casement fastener MS35266-66 (96906)	A	EA	4	*	*	*	*	*	*	6	10	137	4
X1		FRAME ASSEMBLY: 8688995 (19207)	A		2									137	5
X1		CROSS PIECE ASSEMBLY: 8686996 (19207)	A		2									137	6
X1		SCREW, MACHINE: cross piece 7748088 (19207)	A		V									137	7
P-F	5310-559-0070	WASHER, LOCK: cross piece MS35333-38 (96906)	A	EA	V	*	*	*	*	*	*	6	10	137	8
P-F	9340-240-6239	GLASS LAMINATED: 837060 (19207)	A	EA	2	*	*	*	*	*	*	10	25	137	9
P-F	5340-737-3330	FASTENER, CASEMENT: inner frame SA5764 (70230)	A	EA	2	*	*	*	*	*	*	6	10	137	10
P-F	5310-576-5752	WASHER, LOCK: casement fastener MS35333-5 (96906)	A	EA	4	1	*	*	*	*	*	6	10	137	11
X1		NUT, PLAIN, HEXAGON: casement fastener 187312 (21450)	A		4									137	12
X1		WASHER, FLAT: frame 7371886 (19207)	A		V									137	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
P-F	2510-737-3331	FRAME ASSEMBLY, WINDSHIELD: outer 7373331 (19207)	A	EA	1	*	*	*	*	*	*	6	10	137	14
P-F	5305-350-1210	SCREW, MACHINE: adjusting arm 7374809 (19207)	A	EA	8	*	*	*	*	*	*	6	10	137	15
P-F	2510-693-0609	ARM ASSEMBLY, ADJUSTING: 7373327 (19207)	A	EA	4	*	*	*	*	*	*	6	10	137	16
P-F	2510-693-0608	RETAINER, WINDSHIELD: 7373324 (19207)	A	EA	2	*	*	*	*	*	*	6	10	137	17
P-F	5305-051-6459	SCREW, MACHINE: windshield retainer MS24649-34 (96906)	A	EA	V									137	18
P-F	9320-599-6405	RUBBER SEAL: windshield outer frame to door glass	A	FT	2	*	*	*	*	*	*	8	20	137	19
P-F	9320-641-1119	RUBBER, SPECIAL, SHAPED SECTION: windshield outer frame to door glass lower 8724456 (19207)	A	EA	2	*	*	*	*	*	*	8	20	137	20
P-F	2510-693-0610	RETAINER, WINDSHIELD: 7373336 (19207)	A	EA	2	*	*	*	*	*	*	6	10	137	21
P-F	9320-737-3337	RUBBER, SPECIAL SHAPED SECTION: windshield to cowl 7373337 (19207)	A	EA	1	*	*	*	*	*	*	8	20	137	22
P-F	5305-638-0957	THUMBSCREW: windshield adjusting arm 7529322 (19207)	A	EA	4	*	*	*	*	*	*	6	10	137	23
P-F	5306-059-4001	BOLT, ASSEMBLED WASHER: 594001 (21450)	A	EA	2	*	*	*	*	*	*	6	10	137	24
P-F	2510-737-3326	PLATE, CATCH: windshield inner frame locking handle 7373326 (19207)	A	EA	2	*	*	*	*	*	*	6	10	137	25
P-F	5340-696-0266	LEAF, BUTT HINGE: windshield glass frame to outer frame M3004 (70230)	A	EA	2	*	*	*	*	*	*	4	8	137	26
P-F	5305-350-1210	SCREW, MACHINE: adjusting arm 7374809 (19207)	A	EA	8									137	27
		Non-Illustrated													
P-F	2510-104-4501	PANEL: fender, right side, complete 10864585 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-F	2510-107-4237	PLATE, ASSEMBLY, LOUVER: 11608902 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-F	2510-420-5050	PANEL: fender side 10931943 (19207)	A	EA	1	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1802—FENDERS, RUNNING BOARDS, WINDSHIELDS—Continued													
		Non-Illustrated —Continued													
P-F	2510-740-9535	BRACKET: left and right 7409535 (19207)	A	EA	4	*	*	*	*	*	*.	3	5		
P-F	2510-741-3465	SUPPORT, FRONT FENDER: 7413465 (19207)	A	EA	1	*	*	*	*	*	*	3	5		
P-F	2510-880-4655	PANEL, ASSEMBLY: 11611574 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-F	2510-880-4657	PANEL, ASSEMBLY: 11611572 (19207)	A	EA	1	*	*	*	*	*	*	4	10		
P-F	2930-080-7637	SHIELD, RUBBER, RADIATOR: 10871411 (19207)	A	EA	1	*	*	*	*	*	*	6	20		
P-F	4910-357-5494	BRACKET, TOOL: 7346922 (19207)	A	EA	1	*	*	*	*	*	*	3	5		
P-F	5310-177-7882	WASHER, FLAT: 10871421 (19207)	A	EA	V	*	*	*	*	*	*	6	10		
P-F	5310-595-9659	NUT: 7331003 (19207)	A	EA	4	*	*	*	*	*	*	6	10		
P-F	5310-737-2730	WASHER, FLAT: 7372730 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-062-4954	NUT, SELF-LOCKING: MS21045-8 (96906)	EA, EB, FC, 1A, 1B, DE, DF	EA	6	*	*	*	*	*	*	6	10	138	1
P-F	5305-725-4183	SCREW, CAP, HEXAGON: MS90726-113 (96906)	EA, EB, FC, 1A, 1B, DE, DF	EA	6	*	*	*	*	*	*	6	10	138	2
P-F	2510-408-4634	BRACKET: splash guard, right hand 10883102 (19207)	EA,EB,FC,1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	4	8	138	3
P-F	2540-408-4618	BRACKET: splash guard, left hand 10883101 (19207)	EA, EB, FC, 1A, 1B, DE, DF	EA	1	*	*	*	*	*	*	4	8	138	3
P-F	2540-409-8939	GUARD: splash wheel 10883103 (19207)	EA, EB, FC, 1A, 1B, DE, DF	EA	2	*	*	*	*	*	*	3	5	138	4
P-F	5310-080-6004	WASHER, LOCK: MS27183-14 (96906)	EA, EB, FC, 1A, 1B, DE, DF	EA	24	*	*	*	*	*	*	6	10	138	5
P-F	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	EA, EB, FC, 1A, 1B, DE, DF	EA	24	*	*	*	*	*	*	6	10	138	6
P-F	2510-409-4006	PLATE: splash guard support 10883104 (19207)	EA, EB, FC, 1A, 1B, DE, DF	EA	2	*	*	*	*	*	*	3	5	138	7
P-F	5305-269-2801	SCREW, CAP, HEXAGON: MS90726-58 (96906)	EA, EB, FC, 1A, 1B, DE, DF	EA	6	*	*	*	*	*	*	6	10	138	8
P-F	5305-269-2802	SCREW, CAP, HEXAGON: MS90726-59 (96906)	EA, EB, FC, 1A, 1B, DE, DF	EA	18	*	*	*	*	*	*	6	10	138	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1805—CAB FLOOR													
X2-F		FLOOR ASSEMBLY: cab 8757619 (19207)	A	EA	1	*	*	*	*	*	*	*	*	139	1
P-F	2510-403-0917	TOE BOARD ASSEMBLY: removable 7370250 (19207)	A	EA	1	*	*	*	*	*	*	*	*	139	2
P-F	5306-018-6493	SCREW: 186493 (50513)	A	EA	20	*	*	*	*	*	*	*	*	139	3
P-F	2510-403-0915	TUNNEL ASSEMBLY: front, removable 7370254 (19207)	A	EA	1	*	*	*	*	*	*	*	*	139	4
P-F	2510-403-0916	TUNNEL ASSEMBLY: rear, removable 7370252 (19207)	A	EA	1	*	*	*	*	*	*	*	*	139	5
P-O		PLUG: toeboard button 188002 (50513)	A	EA	1	*	*	*	*	*	*	*	*	139	6
P-O		PLUG: toeboard button 432449 (19207)	A	EA	1	*	*	*	*	*	*	*	*	139	7
		1806—UPHOLSTERY SEATS AND CARPETS													
P-O	2540-134-5021	SEAT ASSEMBLY, VEHICLE: 7397859 (19207)	A	EA	1	*	*	*	*	*	*	4	10	140	1
P-O	5306-225-9089	SCREW, CAP, HEXAGON: companion seat MS90726-34 (96906)	A	EA	16	*	*	*	*	*	*	6	10	140	2
P-O	5310-088-0553	NUT, SELF-LOCKING HEXAGON: companion seat MS21044N5 (96906)	A	EA	16	*	*	*	*	*	*	6	10	140	3
P-O	2540-737-3306	SEAT, INDIVIDUAL: 7373306 (19207)	A	EA	1	*	*	*	*	*	*	4	10	140	4
P-F	2540-737-3308	CUSHION ASSEMBLY, DRIVERS: 7373308 (19207)	A	EA	1	*	*	*	*	*	*	10	20	140	5
P-F	2540-737-3309	CUSHION ASSEMBLY DRIVERS: 7373309 (19207)	A	EA	1	*	*	*	*	*	*	10	20	140	6
P-F	2540-420-5007	FRAME, SEAT, VEHICULAR: 7529028 (19207)	A	EA	1	*	*	*	*	*	*	6	10	140	7
P-F	2540-623-5520	PIN, LOCKING, HANDLE: 7061289 (19207)	A	EA	2	*	*	*	*	*	*	6	10	140	8
P-F	5310-088-0553	NUT, SELF-LOCKING, HEXAGON: MS21044N5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	140	9
P-F	2540-513-9806	HANDLE: 7061286 (19207)	A	EA	2	*	*	*	*	*	*	4	10	140	10
P-F	2540-567-3282	SPRING, HELICAL TORSION: driver's seat locking handle 7061283 (19207)	A	EA	1	*	*	*	*	*	*	6	10	140	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Q'y inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1806—UPHOLSTERY SEATS AND CARPETS—Continued													
P-F	5310-081-4219	WASHER, FLAT: seat handle lock MS27183-12 (96906)	A	EA	1	*	*	*	*	*	*	6	10	140	12
X1		PIN: driver's seat locking handle 121222 (21450)	A		1									140	13
P-F	2540-653-6779	BASE, DRIVERS SEAT: 7529008 (19207)	A	EA	1	*	*	*	*	*	*	3	5	140	14
P-F	5305-958-9990	SCREW, MACHINE: MS35207-295 (96906)	A	EA	2	*	*	*	*	*	*	6	10	140	15
P-O	2540-737-3307	SEAT, INDIVIDUAL: companion and crane operator 7373307 (19207)	A	EA	1	*	*	*	*	*	*	4	10	141	1
P-F	2510-040-2074	FRAME: seat back 7529131 (19207)	A	EA	1	*	*	*	*	*	*	6	10	141	2
P-F	5310-809-4085	WASHER, FLAT: MS27183-16 (96906)	A	EA	6	*	*	*	*	*	*	6	10	14	3
P-F	2540-622-7743	LEG ASSEMBLY, SEAT, BACK: 7061295 (19207)	A	EA	1	*	*	*	*	*	*	4	10	141	4
P-F	5315-842-3651	PIN, COTTER: back seat leg MS24665-295 (96906)	A	EA	7	*	*	*	*	*	*	6	10	141	5
P-F	5315-696-0262	PIN, STRAIGHT HEADED: back seat leg 7373314 (19207)	A	EA	6	*	*	*	*	*	*	6	10	141	6
P-F	5310-809-4061	WASHER, FLAT: MS27183-15 (96906)	A	EA	2	*	*	*	*	*	*	6	10	141	7
P-F	5305-225-8498	SCREW, CAP, HEXAGON HEAD: link MS90725-33 (96906)	A	EA	2	*	*	*	*	*	*	6	10	141	8
P-F	2540-622-3948	LINK, COMPANION, SEAT: 7061282 (19207)	A	EA	1	*	*	*	*	*	*	6	10	141	9
P-F	5310-088-0553	NUT, SELF-LOCKING HEXAGON: MS21044N5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	141	10
P-F	2540-420-5008	FRAME, SEAT, VEHICULAR: 8757920 (19207)	A	EA	1	*	*	*	*	*	*	4	10	141	11
P-F	2540-737-3312	CUSHION, SEAT, VEHICULAR: 7373312 (19207)	A	EA	1	*	*	*	*	*	*	10	20	141	12
P-F	5306-225-9089	SCREW, CAP, HEXAGON: link MS90726-34 (96906)	A	EA	1	*	*	*	*	*	*	6	10	141	13
P-F	2540-627-5992	LINK, SEAT BACK: 7061290 (19207)	A	EA	1	*	*	*	*	*	*	6	10	141	14
P-F	2540-737-3311	CUSHION, BACK REST: 7373311 (19207)	A	EA	2	*	*	*	*	*	*	10	20	141	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1806—UPHOLSTERY SEATS AND CARPETS—Continued													
		Non-Illustrated													
P-F	2540-063-4730	CUSHION, SEAT, BACK, VEHICULAR: crane operators seat 10876402 (19207)	BD	EA	1	*	*	*	*	*	*	10	20		
P-F	2540-793-0605	COVER, SEAT, VEHICULAR: driver's seat cushion canvas 7373310 (19207)	A	EA	1	*	*	*	*	*	*	10	20		
P-F	2540-693-0606	COVER, SEAT, VEHICULAR: passenger's seat 7373313 (19207)	A	EA	1	*	*	*	*	*	*	10	20		
P-F	5305-269-3210	SCREW, CAP, HEXAGON HEAD: attach crane operator's seat MS35291-59 (96906)	BD	EA	2	*	*	*	*	*	*	6	10		
P-F	5320-063-9839	RIVET, SOLID: passengers seat back frame (2) and slotted link to passengers seat back frame (1) 104279 (21450)	A	EA	3	*	*	*	*	*	*	6	10		
		1808—STOWAGE BOXES													
P-F		TOOL BOX ASSEMBLY: dump 8758142 (19207)	DA,DB,CC,CD	EA	1	*	*	*	*	*	*	3		142	1
P-F		TOOL BOX ASSEMBLY: tractor 8758436 (19207)	EA,EB,EC,IA, IB,DE,DF	EA	1	*	*	*	*	*	*	3		142	1
P-F	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	DA,DB,CC,CD EA,EB,EC,IA, IB,DE,DF	EA	6	*	*	*	*	*	*	6	10	142	2
P-F	5310-809-4061	WASHER, SELF-LOCKING: MS27183-15 (96906)	DA,DB,CC,CD EA,EB,EC,IA, IB,DE,DF	EA	6	*	*	*	*	*	*	6	10	142	3
P-F	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	DA,DB,CC,CD EA,EB,EC,IA, IB,DE,DF	EA	6	*	*	*	*	*	*	6	10	142	4
P-O	2540-409-8891	BRACKET ASSEMBLY: pioneer tool set MS53053-1 (96906)	EA,EB,EC,IA, IB,DE,DF,BG, BH,DA,DB,CD, CC,CE,CF,CG	EA	1	*	*	*	*	*	*			143	1
P-O	5340-753-3741	STRAP: tool hold down 8690463 (19207)	EA,EB,EC,IA, IB,DE,DF,BG, BH,DA,DB,CD, CC,CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	143	2

(1) SMR Code	(2) Federal Stock Number	(3) Description: Reference Number & Mfr. Code	(3) Description: Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1808—STOWAGE BOXES—Continued													
P-O	5340-082-1748	STRAP: tool hold down 8690466 (19207)	EA,EB,EC,IA, IB,DE,DF,BG, BH,DA,DB,CD, CC,CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	143	3
X2-O		BRACKET: pioneer tool bracket mounting support, upper 10938498 (19207)	DA,DB,CC,CD	EA	1	*	*	*	*	*	*			144	1
P-O	2590-925-8003	BRACKET: pioneer tool bracket mounting support, lower 10938489 (19207)	DA,DB,CC,CD	EA	1	*	*	*	*	*	*	3	5	144	1
P-O	5305-269-2802	SCREW, CAP, HEXAGON: MS90726-59 (96906)	DA,DB,CC,CD	EA	6	*	*	*	*	*	*	6	10	144	2
P-O	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	DA,DB,CC,CD	EA	8	*	*	*	*	*	*	6	10	144	3
P-O	5310-809-4061	WASHER, SELF-LOCKING: MS21783-15 (96906)	DA,DB,CC,CD	EA	2	*	*	*	*	*	*	6	10	144	4
X2-F		BRACKET: reinforcing pioneer bracket front 8758434 (19207)	EA,EB,EC,IA, IB,DE,DF	EA	1	*	*	*	*	*	*			145	1
X2-F		BRACKET: reinforcing pioneer bracket, rear 8758435 (19207)	EA,EB,EC,IA, IB,DE,DF	EA	1	*	*	*	*	*	*			145	1
P-F	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	EA,EB,EC,IA, IB,DE DF	EA	6	*	*	*	*	*	*	6	10	145	2
P-F	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	EA,EB,EC,IA, IB,DE DF	EA	6	*	*	*	*	*	*	6	10	145	3
P-F	2510-459-3192	HANGER: tool box mounting 10871458 (19207)	CA,CB,FA,FB, IC,ID,FE,FG, ZC,ZB,ZA,TA FH,EG	EA	2	*	*	*	*	*	*	3	5	146	1
P-F	5305-725-4183	SCREW, CAP, HEXAGON: MS90726-113 (96906)	CA,CB,FA,FB, IC,ID FE,FG, ZC,ZB,ZA,TA. FH,EG	EA	8	*	*	*	*		*	6	10	146	2
P-F	5310-982-4903	NUT, SELF-LOCKING: MS21045-9 (96906)	CA,CB,FA,FB, IC,ID,FE,FG, ZC,ZB,ZA,TA, FH,EG	EA	8	*	*	*	*	*	*	6	10	146	3
P-F		FRAME ASSEMBLY: tool box reinforcing 10871456 (19207)	CA,CB,FA,FB, IC,ID,FE,FG, ZC,ZB,ZA,TA, FH,EG	EA	1	*	*	*	*	*	*	3	5	146	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1808—STOWAGE BOXES—Continued													
P-F	2540-472-1696	TOOL BOX ASSEMBLY: 10871462 (19207)	CA,CB,FA,FB, IC,ID,FE,FG, ZC,ZB,ZA,TA, FH,EG	EA	1	*	*	*	*	*	*	3		146	5
P-F	5306-226-9106	SCREW, CAP, HEXAGON: phantom hanger MS90726-51 (96906)	CA,CB,FA,FB, IC,ID,FE,FG, ZC,ZB,ZA,TA, FH,EG	EA	4	*	*	*		*	*	6	10	146	6
P-F	5310-809-4061	WASHER, SELF-LOCKING: MS27183-15 (96906)	CA,CB,FA,FB, IC,ID,FE,FG, ZC,ZB,ZA,TA, FH,EG	EA	4	*	*	*	*	*	*	6	10	146	7
X2-F		BOX ASSEMBLY: tool 8902-32-1 (81336)	CA	EA	1	*	*	*	*	*	*			147	1
P-F	5305-761-4227	SCREW, CAP, HEXAGON: MS90726-111 (96906)	CA	EA	6	*	*	*	*	*	*	6	10	147	2
P-F	5310-584-5272	WASHER, SELF-LOCKING: MS35338-48 (96906)	CA	EA	6	*	*	*	*	*	*	6	10	147	3
P-F	5310-732-0560	NUT, PLAIN, HEXAGON: MS51968-14 (96906)	CA	EA	6	*	*	*	*	*	*	6	10	147	4
X2-F		DOOR: tool box 8902-23-1 (81336)	CA	EA	1	*	*	*	*	*	*			147	5
P-F	5340-374-3334	LATCH: tool box door 8175-1-2 (81336)	CA	EA	2	*	*	*	*	*	*	4	8	147	6
P-O		SNAP AND CHAIN: tool box door 8175-1-3 (31313)	CA	EA	2	*	*	*	*	*	*	4	8	147	7
P-O	5305-984-6211	SCREW, MACHINE: MS35206-264 (96906)	CA	EA	2	*	*	*	*	*	*	6	10	147	8
P-O	5310-186-7499	WASHER, SELF-LOCKING: MS35337-24 (96906)	CA	EA	2	*	*	*	*	*	*	6	10	147	9
P-O	5310-012-0361	NUT: plain, hexagon MS35649-102 (96906)	CA	EA	2	*	*	*	*	*	*	6	10	147	10
P2-F	5340-408-8979	HINGE: tool box door 8175-1-1 (81336)	CA	EA	3	*	*	*	*	*	*	4	8	147	11
P2-F	5305-269-2805	SCREW, CAP, HEXAGON: MS90726-62 (96906)	CA	EA	6	*	*	*	*	*	*	6	10	147	12
P2-F	5310-637-9541	WASHER: MS35338-46 (96906)	CA	EA	6	*	*	*	*	*	*	6	10	147	13
P2-F	5310-732-0559	NUT: plain, hexagon MS51968-8 (96906)	CA	EA	6	*	*	*	*	*	*	6	10	147	14
X2-F		SHAFT: tool box door hinge 8902-33-5 (81336)	CA	EA	1	*	*	*	*	*	*			147	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY													
P-O	2510-409-4010	ROLLER ASSEMBLY, TAIL BOARD: 8902-15-1 (81336)	BE,DC	EA	1	*	*	*	*	*	*	8	10	148	1
P-F	5305-269-3211	SCREW, CAP, HEXAGON HEAD: MS90725-60 (96906)		EA	12	*	*	*	*	*	*	6	10	148	2
P-F	5310-637-9541	WASHER, LOCK: bearing cap MS35338-46 (96906)		EA	12	*	*	*	*	*	*	6	10	148	3
P-F	4730-050-4208	FITTING, LUBRICATION: grease cap M15003-1 (96906)		EA	2	*	*	*	*	*	*	8	10	148	4
P-D	2510-377-4866	CAP, BEARING: 8902-16-3 (81336)		EA	2	*	*	*	*	*	*	6	10	148	5
P-F	2510-321-9980	SHIM, BEARING CAP: 8902-16-4 (81336)		EA	8	*	*	*	*	*	*	6	10	148	6
P-F	2510-024-1946	SHIM, BEARING CAP: 8902-16-5 (81336)		EA	4	*	*	*	*	*	*	6	10	148	7
P-F	5310-012-1574	WASHER, LOCK: bearing support MS35338-31 (96906)		EA	8	*	*	*	*	*	*	6	10	148	8
P-F	5310-763-8905	NUT PLAIN, HEXAGON: bearing support MS51968-20 (96906)		EA	6	*	*	*	*	*	*	6	10	148	9
P-F	5305-725-4105	SCREW, CAP, HEXAGON HEAP: MS90726-164 (96906)		EA	6	*	*	*	*	*	*	6	10	148	10
P-F	2510-377-4864	SUPPORT, BEARING: right hand side 8902-16-2 (81336)		EA	1	*	*	*	*	*	*	4	10	148	11
P-F	2510-738-1318	SUPPORT, BEARING: left hand side 8902-16-1 (81336)		EA	1	*	*	*	*	*	*	4	10	148	11
P-F	5305-727-5677	SCREW, CAP, HEXAGON HEAD: bearing support MS90726-162 (96906)		EA	2	*	*	*	*	*	*	6	10	148	12
X1		BEARING, ROLLER: MS17133-1 (96906)			2									148	13
P-F	5330-291-7550	SEAL, ROLLER BEARING: 500169 (19207)		EA	2	*	*	*	*	*	*	8	10	148	14
P-F	2510-409-4009	ROLLER, TAIL BOARD: 8902-17-1 (81336)		EA	1	*	*	*	*	*	*	4	8	148	15
P-F	2540-740-9215	CHAIN, TAIL GATE: 7409215 (19207)	AH	EA	2	*	*	*	*	*	*	4	10	149	1
P-F	3030-165-5598	HOOK, GRAB: cargo tailgate		EA	2	*	*	*	*	*	*	4	10	149	2
P-F	4010-149-5583	CHAIN, WELDED: cargo tailgate		FT	V	*	*	*	*	*	*	4	10	149	3
P-F	5340-333-6055	CLIP: cushion and scar cover 582947 (21450)		EA	4	*	*	*	*	*	*	6	10	149	4
P-F	8305-170-4956	DUCK: tail gate chain		FT	V	*	*	*	*	*	*	10	20	149	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-F	5305-988-1724	SCREW, MACHINE: MS35206-280 (96906)	AH	EA	6	*	*	*	*	*	*	6	10	149	6
X2-F		BRACKET: 8758168 (19207)	AH	EA	1	*	*	*	*	*	*			149	7
P-F	5310-595-9659	NUT, DOUBLE BALL SEAL: spare wheel clamp 7331003 (19207)	AH	EA	2	*	*	*	*	*	*	6	10	149	8
X2-F		PIN: 137218 (21450)	AH	EA	2	*	*	*	*	*	*			149	9
P-F	5315-128-2050	PIN, STRAIGHT, HEADLESS: brace MS51932-181 (96906)	AH	EA	1	*	*	*	*	*	*	6	10	149	10
P-F	2510-740-9534	BRACE, SUPPORT: 7409534 (19207)	AH	EA	2	*	*	*	*	*	*	3	5	149	11
P-F	2590-627-8310	STUD, SPARE WHEEL CARRIER: 7044643 (19207)	AH	EA	2	*	*	*	*	*	*	6	10	149	12
P-F	5310-061-4650	NUT, SELF-LOCKING HEXAGON: MS51943-31 (96906)	AH	EA	8	*	*	*	*	*	*	6	10	149	13
P-F	2510-434-5423	COVER, ACCESS: cargo body 7397999 (19207)	AH	EA	1	*	*	*	*	*	*	6	10	149	14
P-F	9905-202-3639	REFLECTOR, INDICATING: MS35387-2 (96906)	AH	EA	4	*	*	*	*	*	*	10	20	149	15
P-F	5310-209-0786	WASHER, LOCK: MS35335-33 (96906)	AH	EA	6	*	*	*	*	*	*	6	10	149	16
P-F	5305-016-9554	SCREW, TAPPING, THREAD: 169554 (21450)	AH	EA	4	*	*	*	*	*	*	6	10	149	17
X2-F		BRACKET: 8758101	AH	EA	2	*	*	*	*	*	*			149	18
P-F	5305-988-1725	SCREW, MACHINE: MS35206-281 (96906)	AH	EA	1	*	*	*	*	*	*	6	10	149	19
P-F	5305-988-1727	SCREW, MACHINE: MS35206-283 (96906)	AH	EA	2	*	*	*	*	*	*	6	10	149	20
X2-F		BRACKET: 8758164 (21450)	AH	EA	1	*	*	*	*	*	*	6	10	149	21
P-F		RIVET: 106898 (21450)	AH	EA	14	*	*	*	*	*	*			149	22
P-F	2540-456-1011	HOOK, LASHING: 587499 (21450)	AH	EA	14	*	*	*	*	*	*	6	10	149	23
P-F	2540-179-5709	GUARD, SPLASH, WHEEL: 8758151 (19207)	AH	EA	2	*	*	*	*	*	*	6	10	149	24
P-F	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	AH	EA	10	*	*	*	*	*	*	6	10	149	25

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-F	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: MS21044N6 (96906)	AH	EA	8	*	*	*	*	*	*	6	10	149	26
X1		BRACKET: 10871220 (19207)	AH		2									149	27
P-F	2540-857-6332	GUARD, SPLASH, WHEEL: 8758160 (19207)	AH	EA	4	*	*	*	*	*	*	8	10	149	28
P-F	2510-221-4831	SUPPORT, SPLASH GUARD: 8758150 (19207)	AH	EA	2	*	*	*	*	*	*	3	5	149	29
P-F	5305-269-2807	SCREW, CAP, HEXAGON HEAD: MS90726-64 (96906)	AH	EA		*	*	*	*	*	*	6	10	149	30
P-F	2540-715-7407	GUARD, SPLASH WHEEL: 8758157 (19207)	AH	EA	2	*	*	*	*	*	*	8	10	149	31
X2-F		BRACKET: 7372775 (19207)	AH	EA	2	*	*	*	*	*	*			149	32
P-F	9905-205-2795	REFLECTOR, INDICATING: MS35387-1 (96906)	AH	EA	2	*	*	*	*	*	*	8	20	149	33
P-F	2510-498-2392	TAILGATE, VEHICLE BODY: 8758038 (19207)	AH	EA	1	*	*	*	*	*	*	4	10	149	34
P-F	5315-950-6109	PIN, STRAIGHT, HEADLESS: tailgate to cargo body 583594 (21450)	AH	EA	2	*	*	*	*	*	*	4	10	149	35
P-F	5310-823-8803	WASHER, FLAT: tailgate pin MS27183-21 (96906)	AH	EA	2	*	*	*	*	*	*	6	10	149	36
P-F	5315-839-5822	PIN, COTTER: tailgate pin MS24665-353 (96906)	AH	EA	2	*	*	*	*	*	*	6	10	149	37
P-F	2510-040-2265	TAILGATE ASSEMBLY: 7409217 (19207)	AH	EA	1	*	*	*	*	*	*	8	10	149	38
P-F	5310-877-5795	NUT, SELF-LOCKING, HEXAGON: MS21044N8 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	149	39
P-F	5305-761-4227	SCREW, CAP, HEXAGON HEAD: MS90726-111 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	149	40
P-F	2510-119-3903	STEP, TAILGATE: 7064165 (19207)	AH	EA	2	*	*	*	*	*	*	4	10	149	41
P-F	4010-165-5596	LINK, CHAIN: tailgate chain	AH	EA	2	*	*	*	*	*	*	4	10	149	42
X2-F		BRACKET, CHAIN: left hand 8758121 (19207)	AH	EA	1	*	*	*	*	*	*			149	43
X2-F		BRACKET, CHAIN: right hand 8758122 (19207)	AH	EA	1	*	*	*	*	*	*			149	43
P-F	2510-465-1636	BODY, CARGO TRUCK: 8758097 (19207)	AH	EA	1	*	*	*	*	*	*	2	5	149	44
X2-F		SCREW, MACHINE: cover 125966 (21450)	AH	EA	2	*	*	*	*	*	*			149	45

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
X2-F		COVER: 7372775 (19207)	AH	EA	2	*	*	*	*	*	*			149	46
P-F	5305-269-2805	SCREW, CAP, HEXAGON HEAD: splash support MS90726-62 (96906)	AH	EA	6	*	*	*	*	*	*	6	10	149	47
P-F	5305-269-2804	SCREW, CAP, HEXAGON HEAD: splash support MS90726-61 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	149	48
X2-F		BRACE: 8758149 (19207)	AH	EA	4	*	*	*	*	*	*			149	49
P-F	5305-269-2802	SCREW, CAP, HEXAGON HEAD: cover lamp MS90726-59 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	149	50
P-F	2540-930-3139	BOW ASSEMBLY: 10937878 (19207)	AH	EA	6	*	*	*	*	*	*	6	10	150	1
P-F	2510-505-6731	BOW: 540406 (21450)		EA	12	*	*	*	*	*	*	6	10	150	2
P-F	2540-351-0145	CORNER, BOW: 540404 (21450)		EA	12	*	*	*	*	*	*	6	10	150	3
P-F	2510-505-6733	BOW, VEHICULAR TOP: 540411 (21450)		EA	6	*	*	*	*	*	*	6	10	150	4
P-F		SCREW, MACHINE: strap to bow corner MS35206-88 (96906)		EA	6	*	*	*	*	*	*	6	10	150	5
P-F	5340-571-3866	STRAP, LEATHER: 545558 (21450)		EA	10	*	*	*	*	*	*	8	10	150	6
P-F	2540-930-2716	STRAP, WEBBING: 10937881 (19207)		EA	10	*	*	*	*	*	*	8	10	150	6
P-F	2510-179-7093	RACK AND SEAT ASSEMBLY: left hand 8758124 (19207)	AH	EA	1	*	*	*	*	*	*	2	5	151	1
P-F	2510-179-5706	RACK AND SEAT ASSEMBLY: right hand 8758138 (19207)	AH	EA	1	*	*	*	*	*	*	2	5	151	1
P-F	2540-177-7852	RACK AND SEAT ASSEMBLY: 8758128 (19207)		EA	2	*	*	*	*	*	*	2	5	151	2
P-F	2510-860-0523	SIDE RACK, VEHICLE BODY: left side 10899201 (19207)		EA	1	*	*	*	*	*	*	2	5	151	2
P-F	2510-860-0517	SIDE RACK, VEHICLE BODY: right side 10899202 (19207)		EA	1	*	*	*	*	*	*	2	5	151	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1810—CARGO AND DUMP BODY—Continued												
P-F	5306-911-5005	BOLT, MACHINE: upper rack board MS35751-42 (96906)	EA	20	*	*	*	*	*	*	6	10	151	3
P-F	2510-177-7893	BOARD, RACK AND SEAT: upper 8758137 (19207)	EA	2	*	*	*	*	*	*	6	10	151	4
P-F		BOLT, MACHINE: lower rack and seat board MS35208-88 (96906)	EA	24	*	*	*	*	*	*	6	10	151	5
P-F	5310-081-4219	WASHER, FLAT: lower rack and seat board MS27183-12 (96906)	EA	24	*	*	*	*	*	*	6	10	151	6
X1		BOARD, RACK AND SEAT: 8758136 (19207)		2									151	7
P-F	2510-737-2788	CLAMP: rack to supports 7372788 (19207)	EA	4	*	*	*	*	*	*	4	10	151	8
P-F	2510-177-7903	TUBE, BOW STAKE REAR: 8758129 (19207)	EA	2	*	*	*	*	*	*	4	8	151	9
P-F	5315-737-0134	PIN, STRAIGHT HEADED: bow stake rear tube 2013991 (24076)	EA	10	*	*	*	*	*	*	4	8	151	10
X1		PIN, COTTER: 121222 (21450)		10									151	11
P-F	5310-880-7744	NUT, PLAIN, HEXAGON: MS51967-5 (96906)	EA	24	*	*	*	*	*	*	6	10	151	12
P-F	2510-106-2200	POCKET, BOW: 7370384 (19207)	EA	8	*	*	*	*	*	*	4	8	151	13
X1		STAKE: 8758132 (19207)		2									151	14
P-F	2540-179-7094	SEAT, TROOP, SIDE RACK: 8758125 (19207)	EA	2	*	*	*	*	*	*	3	5	151	15
P-F	2540-860-0522	SEAT, TROOP, SIDE RACK: left side 10899217 (19207)	EA	1	*	*	*	*	*	*	2	5	151	15
P-F	2540-860-0520	SEAT, TROOP, SIDE RACK: right side 10899218 (19207)	EA	1	*	*	*	*	*	*	2	5	151	15
P-F	5306-753-6996	BOLT, SQUARE NECK: MS35751-43 (96906)	EA	28	*	*	*	*	*	*	6	10	151	16
P-F	2510-654-4611	BOARD, SEAT RACK: inner 8758127 (19207)	EA	4	*	*	*	*	*	*	2	5	151	17
P-F	2540-177-9137	BOARD, SEAT, LEFT, OUTER: 8758126 (19207)	EA	4	*	*	*	*	*	*	2	5	151	18
P-F	2540-622-7757	ANGLE, SEAT, TROOP: 7370149 (19207)	EA	2	*	*	*	*	*	*	2	5	151	19

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-F	5305-984-5676	SCREW, MACHINE: seat cushion support MS35206-296 (96906)		EA	8	*	*	*	*	*	*	6	10	151	20
P-F	2540-592-1823	SUPPORT, SEAT CUSHION: 7061093 (19207)		EA	12	*	*	*	*	*	*	3	5	151	21
P-F	2540-521-6179	HINGE, LEAF, BODY SIDE: 7061094 (19207)		EA	12	*	*	*	*	*	*	3	5	151	22
P-F	2540-737-2790	LEG: 7372790 (19207)		EA	2	*	*	*	*	*	*	3	5	151	23
P-F	5310-950-0039	NUT, SELF-LOCKING HEXAGON: seat cushion support MS21044N6 (96906)		EA	48	*	*	*	*	*	*	6	10	151	24
P-F	5305-269-2810	SCREW, CAP, HEXAGON HEAD: seat cushion support MS90726-68 (96906)		EA	48	*	*	*	*	*	*	6	10	151	25
P-F	5306-012-0231	BOLT, SQUARE NECK: inner seat board MS35751-44 (96906)		EA	24	*	*	*	*	*	*	6	10	151	26
P-F	2510-654-4606	GATE: 8758064 (19207)	AH	EA	2	*	*	*	*	*	*	2	5	151	27
P-F	2540-857-2755	RACK, FRONT: 8758082 (19207)	AH	EA	1	*	*	*	*	*	*	2	5	151	28
P-F	2510-377-4876	COMPARTMENT ASSEMBLY, LADDER: 8902-34-1 (81336)	BE, DC	EA	1	*	*	*	*	*	*	2	5	152	1
P-F	5310-012-0361	NUT, PLAIN HEXAGON: compartment door latch MS35649-102 (96906)	BE, DC	EA	2	*	*	*	*	*	*	6	10	152	2
P-F	5310-045-3296	WASHER, FLAT: MS35338-43 (96906)	BE, DC	EA	2	*	*	*	*	*	*	6	10	152	3
X2-F		DOOR, LADDER COMPARTMENT: 8902-34-4 (81336)	BE, DC	EA	1	*	*	*	*	*	*			152	4
X2-F		SNAP AND CHAIN: compartment door latch 8175-1-3 (81336)	BE, DC	EA	1	*	*	*	*	*	*			152	5
P-F	5305-984-6211	SCREW, CAP, HEXAGON HEAD: snap and chain MS35206-264 (96906)	BE, DC	EA	2	*	*	*	*	*	*	6	10	152	6
P-F	5340-374-3334	LATCH: compartment door 8175-1-2 (81336)	BE, DC	EA	1	*	*	*	*	*	*	4	5	152	7
X2-F		SHAFT: door hinge 8902-34-3 (81336)	BE, DC	EA	1	*	*	*	*	*	*			152	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-F	5305-269-2805	SCREW, CAP, HEXAGON HEAD: hinge MS90726-62 (96906)	BE, DC	EA	4	*	*	*	*	*	*	6	10	152	9
P-F	5340-408-8979	HINGE: compartment door 8175-1-1 (81336)	BE, DC	EA	2	*	*	*	*	*	*	3	5	152	10
P-F	5310-637-9541	WASHER, FLAT: MS35338-46 (96906)	BE, DC	EA	4	*	*	*	*	*	*	6	10	152	11
P-F	5310-732-0559	NUT, PLAIN, HEXAGON: hinge MS51968-8 (96906)	BE, DC	EA	4	*	*	*	*	*	*	6	10	152	12
P-F	2540-377-4877	LADDER ASSEMBLY: 8902-35-1 (81336)	BE, DC	EA	2	*	*	*	*	*	*	3	5	152	13
P-F	2510-377-4870	ARM, SIDE RACK LOCK: shaft 8902-29-3 (81336)	BE, DC	EA	18	*	*	*	*	*	*	4	8	153	1
P-F	2510-377-4869	LATCH: shaft arm 8902-29-2 (81336)	BE, DC	EA	18	*	*	*	*	*	*	4	5	153	2
X2-F		PIN: lock, lever 8902-31-7 (81336)	BE, DC	EA	18	*	*	*	*	*	*			153	3
X2-F		PIN: 8902-31-6 (81336)	BE, DC	EA	18	*	*	*	*	*	*			153	4
P-F	5315-325-4390	PIN ASSEMBLY: 8902-25-10 (81336)	BE, DC	EA	6	*	*	*	*	*	*	4	8	153	5
P-F	5315-353-0632	HOOK, S: 8902-29-4 (81336)		EA	6	*	*	*	*	*	*	4	8	153	6
P-F	2510-377-4868	LEVER, SIDE RACK LOCK: 8902-29-1 (81336)	BE, DC	EA	6	*	*	*	*	*	*	3	5	153	7
P-F	2510-377-4869	LATCH: shaft arm 8902-29-2 (81336)	BE, DC	EA	18	*	*	*	*	*	*	4	5	153	8
P-F	2510-422-1997	SHAFT ASSEMBLY: 8902-30-3 (81336)	BE, DC	EA	1	*	*	*	*	*	*	2	5	153	9
P-F	2510-422-1998	SHAFT ASSEMBLY: 8902-30-4 (81336)	BE, DC	EA	1	*	*	*	*	*	*	2	5	153	9
P-F	2510-422-1995	SHAFT ASSEMBLY: 8902-30-5 (81336)	BE, DC	EA	1	*	*	*	*	*	*	2	5	153	9
P-F	2510-422-1993	SHAFT ASSEMBLY: 8902-30-6 (81336)	BE, DC	EA	1	*	*	*	*	*	*	2	5	153	9
P-F	2510-377-4871	SHAFT: 8902-31-1 (81336)		EA	4	*	*	*	*	*	*	2	5	153	10
P-F	2510-377-4875	COUPLING: 8902-31-5 (81336)		EA	3	*	*	*	*	*	*	2	5	153	11
P-F	2510-377-4872	SHAFT: 8902-31-2 (81336)		EA	4	*	*	*	*	*	*	2	5	153	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-F	2510-377-4874	SHAFT: 8902-31-4 (81336)		EA	4	*	*	*	*	*	*	2	5	153	13
P-F	5315-825-3753	PIN: MS35671-58 (96906)		EA	34	*	*	*	*	*	*	6	10	153	14
P-F	5315-471-3274	KEY, WOODRUFF: lock lever shaft 8902-24-15 (81336)		EA	6	*	*	*	*	*	*	6	10	153	15
P-F	5305-207-4535	SCREW, MACHINE: lock lever	BE, DC	EA	6	*	*	*	*	*	*	6	10	153	16
P-F	5310-012-0382	WASHER, PLAIN: lock lever	BE, DC	EA	6	*	*	*	*	*	*	6	10	153	17
P-F	5315-087-2841	PIN: latch	BE, DC	EA	18	*	*	*	*	*	*			153	18
X2-F		BODY AND HOIST ASSEMBLY: dump 11608806 (19207)	AK	EA	1	*	*	*	*	*	*			154	1
X2-F		PIN: 8758706 (19207)	AK	EA	4	*	*	*	*	*	*			154	2
X2-F		PIN: MS35627-44 (96906)	AK	EA	4	*	*	*	*	*	*			154	3
P-F	2510-177-7883	WING, TAILGATE, DUMP BODY: right hand 8758628 (19207)	AK	EA	1	*	*	*	*	*	*	2	5	154	4
P-F	2510-762-4559	WING, TAILGATE DUMP BODY: left hand 8758629 (19207)	AK	EA	1	*	*	*	*	*	*	2	5	154	4
X2-F		BRACKET: hinge swivel body 8758705 (19207)	AK	EA	2	*	*	*	*	*	*			154	5
P-F	5305-269-2818	SCREW, CAP, HEXAGON HEAD: MS90726-74 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	154	6
P-F	5305-725-4105	SCREW, CAP, HEXAGON HEAD: MS90726-164 (96906)	AK	EA	12	*	*	*	*	*	*	6	10	154	7
P-F	5315-740-9045	PIN: hinge bracket 7409045 (19207)	AK	EA	2	*	*	*	*	*	*	6	10	154	8
P-F	4730-050-4208	FITTING, LUBRICATION: hinge bracket pin MS15003-1 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	154	9
P-F	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	154	10
P-F	5305-725-4109	SCREW, CAP, HEXAGON HEAD: MS90726-163 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	154	11
P-F	5310-982-5009	NUT, SELF-LOCKING: MS21045-10 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	154	12
P-F	5315-013-7228	PIN: MS24665-423 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	154	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-F	5310-813-0408	NUT: MS35692-1225 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	154	14
P-F	5310-809-8533	WASHER, FLAT: MS27182-23 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	154	15
X2-F		SILL, WOOD: 11608809 (19207)	AK	EA	2	*	*	*	*	*	*			154	16
P-F	5360-411-2511	SPRING: 7409029 (19207)	AK	EA	4	*	*	*	*	*	*	4	8	154	17
P-F	5340-489-0363	KEEPER: 7409030 (19207)	AK	EA	8	*	*	*	*	*	*	4	8	154	18
X2-F		SCREW, MACHINE: 8758719 (19207)	AK	EA	4	*	*	*	*	*	*			154	19
P-F	2510-408-2438	SHIELD, ASSEMBLY: dump truck cab 8758667 (19207)	AK	EA	1	*	*	*	*	*	*	2		155	1
P-F	5305-725-4183	SCREW, CAP, HEXAGON: MS90726-113 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	155	2
P-F	5305-716-8174	SCREW, CAP, HEXAGON: MS90726-124 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	155	3
P-F	5305-761-4227	SCREW, CAP, HEXAGON: MS90726-111 (96906)	AK	EA	9	*	*	*	*	*	*	6	10	155	4
P-F	5310-809-5998	WASHER, SELF-LOCKING: MS27183-18 (96906)	AK	EA	26	*	*	*	*	*	*	6	10	155	5
P-F	5310-062-4954	NUT, SELF-LOCKING: MS21045-8 (96906)	AK	EA	10	*	*	*	*	*	*	6	10	155	6
X1		BODY ASSEMBLY: dump truck 8758375 (19207)	AK	EA	1									155	7
P-F	2510-040-2264	DUMP TRUCK TAILGATE ASSEMBLY: 7409213 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	156	1
X2-F		PIN AND CHAIN ASSEMBLY: left hand 8720827 (19207)		EA	11	*	*	*	*	*	*			156	2
P-F	2510-119-3903	STEP: 7064165 (19207)		EA	2	*	*	*	*	*	*	4	5	156	3
P-F	5305-716-8173	SCREW, CAP, HEXAGON HEAD: step to tailgate M90726-125 (96906)		EA	4	*	*	*	*	*	*	6	10	156	4
X1		TAILGATE: dump truck body 8741690 (19207)			1									156	5
X1		REINFORCEMENT: top flange 8741896 (19207)			1									156	6

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
X1		BRACE: tailgate center 8741684 (19207)			1									156	7
X1		PIN AND CHAIN ASSEMBLY: right hand 8720828 (19207)			1									156	8
X1		BRACE: tailgate end vertical 8741683 (19207)			2									156	9
X1		REINFORCEMENT: tailgate bottom 87416921 (19207)			1									156	10
X1		CHANNEL: tailgate lower 8741689 (19207)			2									156	11
P-F	2510-408-2438	NUT: reinforcement bar 8758667 (19207)		EA	4	*	*	*	*	*	*	6	10	156	12
P-F	2510-119-3906	BAR, REINFORCEMENT: 8758106 (19207)		EA	2	*	*	*	*	*	*	2	5	156	13
P-F	5340-456-1011	HOOK, HOLD DOWN: tarpaulin 7064246 (19207)		EA	2	*	*	*	*	*	*	4	8	156	14
X1		BRACKET: tailgate bottom 8741692 (19207)			2									156	15
X1		GUIDE, TARPAULIN ROPE: 8720848 (19207)			2									156	16
X1		PIN: tailgate hinge 8741687 (19207)			4									156	17
X1		PLATE, LOWER FILLER: tailgate end 8741688 (19207)			2									156	18
X1		PLATE, UPPER FILLER: tailgate end 8741686 (19207)			2									156	19
P-F	2510-786-4631	BRACE ASSEMBLY: dump truck body hoist 7409023 (19207)	AK	EA	2	*	*	*	*	*	*	3	5	157	1
P-F	5315-740-9024	PIN, CLEVIS: brace, safety 7409024 (19207)	AK	EA	2	*	*	*	*	*	*	6	10	157	2
P-F	5305-267-8979	SCREW, CAP, HEXAGON: brace, safety pin securing MS90726-13 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	157	3
P-F	5310-866-4573	WASHER, LOCK: brace, safety pin securing MS35338-25 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	157	4

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-F	5310-768-0319	NUT, SELF-LOCKING: brace, safety pin securing MS51968-2 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	157	5
P-O	5310-062-4954	NUT, SELF-LOCKING: MS21045-8 (96906)	AK	EA	9	*	*	*	*	*	*	6	10	158	1
P-O	2510-740-9013	BEARING: tailgate control shaft 7409013 (19207)	AK	EA	3	*	*	*	*	*	*	3	5	158	2
P-O	5305-725-4183	SCREW, CAP, HEXAGON: MS90726-113 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	158	3
P-O	5310-809-5998	WASHER, SELF-LOCKING: MS27183-18 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	158	4
P-O	5305-725-4187	SCREW, CAP, HEXAGON: MS90726-114 (96906)	AK	EA	6	*	*	*	*	*	*	6	10	158	5
P-O	2510-740-9002	LATCH: tailgate control 7409002 (19207)	AK	EA	2	*	*	*	*	*	*	3	5	158	6
X1		PLATE: tailgate main rod link (Component of FSN 2510-740-9008) 7409009 (19207)	AK		2									158	7
P-O	5310-740-8538	NUT, SLOTTED: MS35692-105 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	158	8
P-O	5315-298-1481	PIN, COTTER: MS24665-357 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	158	9
X1		CONNECTOR: tailgate control rod MS35813-7 (96906)	AK		1									158	10
X1		ROD: tailgate control main 8758722 (19207)	AK		1									158	11
P-O	2510-740-9212	ROD ASSEMBLY: tailgate control main 7409212 (19207)	AK	EA	2	*	*	*	*	*	*	4	8	158	12
P-O	5310-834-8335	NUT, SELF-LOCKING: MS51968-19 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	158	13
X2-O		SCREW: 7971324 (19207)	AK		2									158	14
P-O	3040-409-4021	CLEVIS: tailgate control 7409012 (19207)	AK	EA	2	*	*	*	*	*	*	4	8	158	15
P-O	5310-823-8803	WASHER, SELF-LOCKING: MS27183-21 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	158	16
P-O	5310-225-6408	NUT, SELF-LOCKING: MS51922-53 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	158	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
P-O	2510-422-2019	LEVER: tailgate control hand 7409010 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	158	18
P-O	2510-409-7974	CONTROL ASSEMBLY: tailgate 8758598 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	158	19
P-O	2510-422-2008	LEVER: tailgate control rod 7409011 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	158	20
P-O	5315-616-5520	KEY, WOODRUFF: tailgate control lever rod MS35756-14 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	158	21
P-O	5315-616-5520	KEY, WOODRUFF: tailgate control hand lever MS35756-14 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	158	21
P2-O	2510-409-8941	SHAFT: tailgate control 8758599 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	158	22
P-O	2510-740-9008	LINK, ASSEMBLY: tailgate main rod 7409008 (19207)	AK	EA	2	*	*	*	*	*	*	4	8	158	23
P-O	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	159	1
P-O	2510-408-2455	COVER: taillight bracket 11658678 (19207)	AH	EA	2	*	*	*	*	*	*	3	5	159	2
P-O	5310-012-1753	WASHER, SELF-LOCKING: MS35335-19 (96906)	AH	EA	8	*	*	*	*	*	*	6	10	159	3
P-O	5305-052-6920	SCREW: MS24629-56 (96906)	AH	EA	8	*	*	*	*	*	*	6	10	159	4
P-O	2570-407-2617	BRACKET: taillight 11658685 (19207)	AH	EA	2	*	*	*	*	*	*	3	5	159	5
P-O	5305-269-2802	SCREW, CAP, HEXAGON: MS90726-59 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	159	6
P-F	5340-152-0755	BRACKET: cargo body hold down 7373207 (19207)	AH	EA	2	*	*	*	*	*	*	3	5	160	1
P-F	5305-269-2808	SCREW, CAP, HEXAGON: MS90726-65 (96906)	AH	EA	6	*	*	*	*	*	*	6	10	160	2
P-F	2510-664-9863	BRACKET: cargo body hold down 7373206 (19207)	AH	EA	2	*	*	*	*	*	*	3	5	160	3
P-F	5310-962-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	AH	EA	6	*	*	*	*	*	*	6	10	160	4
P-F	5320-286-7950	RIVET: MS35743-79 (96906)	AH	EA	6	*	*	*	*	*	*	6	10	160	5

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
M-F		SILL: cargo body tapered left 875161 (19207) Fabricate from:	AH	EA	1	*	*	*	*	*	*			160	6
P-F		1-WOOD: CL "A" Approx. 160 x 3 x 1 MIL-W-3912 (81349)				*	*	*	*	*	*				
M-F		SILL: cargo body tapered right 8758181 (19207) Fabricate from:	AH	EA	1	*	*	*	*	*	*			160	6
P-F		1-WOOD: CL "A" Approx. 160 x 3 x 1 MIL-W-3912 (81349)							*	*	*				
X2-F		CARGO BODY ASSEMBLY; SHORT WITH TARPAULIN: 7410065 (19207)	AH	EA	1	*	*	*	*	*	*			161	1
P-F	5306-512-9218	BOLT: 7971653 (19207)	AH	EA	4	*	*	*	*	*	*	6	10	161	2
P-F	2510-737-2793	SPRING: cargo body shock 7372793 (19207)	AH	EA	4	*	*	*	*	*	*	4	8	161	3
P-F	2510-737-2792	SPRING: cargo body shock 7372792 (19207)	AH	EA	4	*	*	*	*	*	*	4	8	161	4
P-H	5340-152-0755	BRACKET: cargo body spring retaining 7373207 (19207)	AH	EA	2				*	*	*	3	5	161	5
P-H		RIVET: MS35743-78	AH	EA	8				*	*	*	6	10	161	6
P-F	5310-951-7209	WASHER, LOCK: MS27183-22 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	161	7
P-F	5310-982-5009	NUT, SELF-LOCKING: MS21045-10 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	161	8
P-H	5310-982-5012	NUT, SELF-LOCKING: MS21045-12 (96906)	AH	EA	4				*	*	*	6	10	161	9
P-H	5305-727-8818	SCREW, CAP, HEXAGON: MS90726-190 (96906)	AH	EA	4				*	*	*	6	10	161	10
		Non-Illustrated													
P-F	2510-040-2264	TAILGATE: 7409213 (19207)	AG	EA	1	*	*	*	*	*	*	3	5		
P-F	2510-134-4975	BRACKET, CAB MOUNTING 7529295 (19207)	A	EA	V	*	*	*	*	*	*	3	5		
P-F	2510-385-7969	PIN AND CHAIN ASSEMBLY: 8402917 (19207)	AG	EA	4	*	*	*	*	*	*	4	8		
P-F	2510-409-4011	FILL, FRONT: rear cross member 8902-8-5 (81336)	A	EA	2	*	*	*	*	*	*	3	5		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1810—CARGO AND DUMP BODY—Continued													
		Non-Illustrated— Continued													
P-F	2510-409-4012	REINFORCEMENT: rear cross member 8902-8-6 (81336)	A	EA	2	*	*	*	*	*	*	3	5		
P-F	2510-740-9002	LATCH ASSEMBLY, TAILGATE: 7409002 (19207)	AH	EA	2	*	*	*	*	*	*	4	8		
P-F	2510-740-9013	BEARING, CROSS SHAFT: 7409013 (19207)	AH	EA	3	*	*	*	*	*	*	4	8		
P-F	2510-740-9537	CLAMP ASSEMBLY, CLAMP, TIRE: 7409537 (19207)	AK	EA	1	*	*	*	*	*	*	4	8		
P-F	2510-860-0523	SIDE RACK, VEHICLE BODY: left side 10899201 (19207)	AK	EA	1	*	*	*	*	*	*	3	5		
P-F	2540-064-6589	KIT, VEHICLE ACCESSORY: 5703074 (19207)	AK	EA	1	*	*	*	*	*	*	4	8		
P-F	2540-570-1443	KIT, CLOSURE, HARD: 7354276 (19207)	AH	EA	1	*	*	*	*	*	*	3	5		
P-F	2540-857-6344	RETAINER: 8758158 (19207)	AH	EA	V	*	*	*	*	*	*	4	8		
P-F	2540-860-0520	SEAT, TROOP, SIDE RACK: right side 10899218 (19207)	AK	EA	1	*	*	*	*	*	*	3	5		
P-F	2540-860-0522	SEAT, TROOP, SIDE RACK: left side 10899217 (19207)	AK	EA	1	*	*	*	*	*	*	3	5		
P-F	2540-999-6467	BRACKET, BODY HINGE: 8758705 (19207)	AK	EA	1	*	*	*	*	*	*	3	5		
P-F	2590-442-5918	STUD, MOUNTING, SPARE: 11611619 (19207)	FA,FB	EA	1	*	*	*	*	*	*	6	10		
P-F	2590-925-8151	STUD, SPARE WHEEL CARRIER: 11593202 (96906)	FA,FB	EA	V	*	*	*	*	*	*	6	10		
P-F	5306-740-9533	BOLT, HOOK wheel clamp 7409533 (19207)	EA,EB,EC	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-053-7805	NUT, SINGLE BALL SEAT: 11037ZH (31007)	AK	EA	V	*	*	*	*	*	*	6	10		
P-F	5310-809-8533	WASHER, FLAT: MS27183-23 (96906)	TA,RA,ZA	EA	V	*	*	*	*	*	*	6	10		
P-F	5310-842-7783	NUT, PLAIN, BLIND RIVET: MS35692-53 (96906)	AK	EA	V	*	*	*	*	*	*	6	10		
P-F	5315-740-9045	PIN, HINGE: 7409045 (19207)	AK	EA	V	*	*	*	*	*	*	6	10		
P-F	5340-040-2073	MOUNT, RESILIENT: 7521436 (19207)	AK	EA	V	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES													
P-F	5310-732-0558	NUT, PLAIN, HEXAGON: MS51967-8 (96906)	CE,CF,CG	EA	14	*	*	*	*	*	*	6	10	162	1
P-F	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)	CE,CF,CG	EA	14	*	*	*	*	*	*	6	10	162	2
P-F	5305-269-3214	SCREW, CAP, HEXAGON HEAD: MS90725-64 (96906)	CE,CF,CG	EA	12	*	*	*	*	*	*	6	10	162	3
P-F	5305-883-0628	SCREW, TAPPING, THREAD: 111633 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	162	4
X2-F		CHAIN: 43-C-16570 (10001)	CE,CF,CG	EA	1	*	*	*	*	*	*			162	5
P-F	2590-442-5900	BRACKET, CABLE REEL: 8734960 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	3	5	162	6
P-F	3830-179-6635	REEL, CABLE: 8734961 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	3	5	162	7
X2-F		SPACER: 8935058 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			162	8
P-F	2510-419-5859	COVER, SIDE BOX MECHANICAL: 8735037 (19207)	CE,CF,CG	EA	3	*	*	*	*	*	*	4	8	162	9
P-F	2510-443-4839	SUPPORT, CABLE AND REEL: 8735060 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	3	5	162	10
X2-F		PIN: 137238 (21450)	CE,CF,CG	EA	3	*	*	*	*	*	*			162	11
P-F	5365-443-9902	SPACER, SLEEVE: 8735051 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	4	8	162	12
P-F	3040-421-3966	SHAFT, REEL, CABLE: 8735059 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	3	5	162	13
P-F	5365-419-9465	SPACER, RING: 8735050 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	4	8	162	14
P-F	2540-235-4379	SHIELD, SPLASH, CABLE: 8735071 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	3	5	162	15
X2-F		SHIELD: 8735061 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			162	16
X2-F		BAR: 8735063 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			162	17
P-F	5305-267-8974	SCREW, CAP, HEXAGON HEAD: bar MS90726-8 (96906)	CE,CF,CG	EA	9	*	*	*	*	*	*	6	10	162	18
P-F	5315-059-0219	PIN, COTTER: 590219 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	162	19
P-O	2590-679-1423	CABLE ASSEMBLY SPECIAL PURPOSE: 7045796 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	162	20

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-F		HANDLE: 8735329 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			163	1
X2-F		POST ASSEMBLY: 8735235 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			163	2
X2-F		AIR CONDITIONER: 7047101 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			163	3
P-F	5305-883-0628	SCREW, TAPPING, THREAD: 111633 (21450)	CE,CF,CG	EA	V	*	*	*	*	*	*	6	10	163	4
X2-F		ANGLE: 7535611 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			163	5
X2-F		CLIP: 8735248 (19207)	CE,CF,CG	EA	V	*	*	*	*	*	*			163	6
X2-F		SCREW, MACHINE: clip 171104 (21450)	CE,CF,CG	EA	V	*	*	*	*	*	*			163	7
X2-F		MEMBER: 7084925 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			163	8
P-F	2540-679-1447	BELLOWS, RUBBER: bonnet control rod 7535612 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	20	163	9
X2-F		PLATE: member 7084949 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			163	10
X2-F		MEMBER: 7084923 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			163	11
X2-F		PIN: 112736 (21450)	CE, CF, CG	EA	2	*	*	*	*	*	*			163	12
X2-F		ROD ASSEMBLY: 8735239 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			163	13
P-F	5310-407-9566	WASHER, LOCK: MS35338-45 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	163	14
P-F	5310-814-0673	NUT, SELF-LOCKING, HEAD: 451005 (21450)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	163	15
P-F	5365-470-2099	SPACER, SLEEVE: 8735426 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	163	16
X2-F		CLIP: 7535609 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			163	17
P-F	2540-679-1445	PIPE, EXHAUST: van body upper 7535618 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*	4	8	164	1
P-F	5310-761-6882	NUT, PLAIN, HEXAGON: exhaust pipe clamp MS51967-2 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	164	2

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5310-582-5965	WASHER, LOCK: exhaust pipe clamp MS35338-44 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	164	3
X2-F		CLAMP: exhaust pipe 8735334 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			164	4
P-F	5305-808-9977	SCREW, MACHINE: exhaust pipe clamp MS35265-83 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	164	5
X2-F		SCREW, MACHINE: 128151 (21450)	CE, CF, CG	EA	16	*	*	*	*	*	*			164	6
P-F	5305-883-0628	SCREW, TAPPING THREAD: pipe seal 111633 (21450)	CE, CF, CG	EA	8	*	*	*	*	*	*	6	10	164	7
P-F	2540-679-1449	SEAL, EXHAUST PIPE: exhaust bonnet 7336055 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*	4	8	164	8
P-F	2540-679-1444	PIPE, EXHAUST: heater van body lower 7336054 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*	4	8	164	9
P-F	5305-068-0500	SCREW, CAP, HEXAGON HEAD: bonnet MS90725-3 (96906)	CE, CF, CG	EA	12	*	*	*	*	*	*	6	10	164	10
P-F	4520-678-2438	HEATER, SPACE: 7045797 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	8	164	11
P-F	5306-225-8499	SCREW, MACHINE: MS90725-34 (96906)	CE, CF, CG	EA	8	*	*	*	*	*	*	6	10	164	12
P-F	5310-407-9566	WASHER, LOCK: MS35338-45 (96906)	CE, CF, CG	EA	8	*	*	*	*	*	*	6	10	164	13
P-F	5330-542-3493	RUBBER, STRIP: 10869502 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	8	164	14
P-F	2540-231-0213	PLATE, HEATER BONNET: 7534660 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	2	5	164	15
P-F	2540-222-8992	INSULATION—THERMAL: 8735318 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	8	164	16
M-O		TUBE, COPPER: tee to left heater (110 inches long) Fabricated From:	CE, CF, CG	IN	V	*	*	*	*	*	*	4	8	165	1
P-O	4710-277-5525	TUBE, COPPER: seamless 8689206 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*				
P-O	4730-011-6452	NUT, TUBE COUPLING: MS39166-3 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	4	8	165	2
M-O		TUBE, COPPER: heater overflow left (79 inches long)	CE, CF, CG	EA	V	*	*	*	*	*	*	3	5	165	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-O	4710-277-5525	Fabricate from: TUBE, COPPER: seamless 8689206 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*				
X2-O		COCK: 592790 (21450)	CE, CF, CG	EA	1	*	*	*	*	*	*			165	4
M-O		TUBE, COPPER: tee to heater (37 inches long)	CE, CF, CG	EA	V	*	*	*	*	*	*	3	5	165	5
P-O	4710-277-5525	Fabricate from: TUBE, COPPER: seamless, soft ¼ OD, 0/035 WAK thick 8689206 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*				
P-O	4730-943-8928	TEE, TUBE: MS39198-3 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	165	6
M-O		TUBE COPPER: fuel pump to tee (59 inches long)	CE, CF, CG	EA	V	*	*	*	*	*	*	3	5	165	7
P-O	4710-277-5525	Fabricate from: TUBE, COPPER: seamless 8689206 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*				
P-O	4730-278-4496	ELBOW, PIPE TO TUBE: MS39202-3 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	165	8
X2-O		ELBOW: 137422 (21450)	CE, CF, CG	EA	1	*	*	*	*	*	*			165	9
P-O	2540-692-9101	PUMP, FUEL PERSONNEL: 8376299 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	8	165	10
P-O	5340-190-6783	STRAP, RETAINING: MS35140-4 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	4	8	165	11
P-O	5305-854-6689	SCREW, TAPPING THREAD: MS24617-33 (96906)	CE, CF, CG	EA	10	*	*	*	*	*	*	6	10	165	12
P-O	4720-482-8956	HOSE ASSEMBLY, RUBBER: fuel tank to fuel pump 7539107-2 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	165	13
P-O	4730-288-8501	ADAPTER, STRAIGHT: pipe to tube fuel tank 187343 (21450)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	165	14
P-O	5340-901-8132	CLAMP, LOOP: MS21334-26 (96906)	CE, CF, CG	EA	3	*	*	*	*	*	*	4	8	165	15
M-O		TUBE, COPPER: right heater overflow (75 inches long)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	165	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-O	4710-277-5525	Fabricate from: TUBE, COPPER: seamless 8689206 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*				
P-O	5340-724-7038	CLAMP, LOOP: MS21333-76 (96906)	CE, CF, CG	EA	3	*	*	*	*	*	*	4	8	165	17
X2-O		BUMPER, RUBBER: 7035446 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			166	1
X2-O		SCREW, MACHINE: 116410 (21450)	CE, CF, CG	EA	5	*	*	*	*	*	*			166	2
P-O	2530-177-8199	HANDLE ASSEMBLY: 7535567 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	10	166	3
X2-F		LOCK ASSEMBLY: 11607265-4 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			166	4
P-F	5315-842-3154	PIN: MS35810-36 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	4	8	166	5
P-O	2540-679-1422	HANDLE, DOOR: inner rear 8380492 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	8	166	6
P-F	2540-730-6633	CASE ASSEMBLY: 8698441 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	166	7
X2-F		SCREW, MACHINE: plate to door 144700 (21450)	CE, CF, CG	EA	4	*	*	*	*	*	*			166	8
P-F	2590-659-7754	PLATE: 7535644 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	166	9
P-F	5340-419-9464	CLIP: 7084861 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*	4	8	166	10
P-F	2810-200-1635	SCREW, MACHINE: 116338 (21450)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	166	11
P-F	2510-231-0200	CLAMP ASSEMBLY: 7084828 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	166	12
P-F	5310-582-5965	WASHER, LOCK: clamp assembly MS35338-44 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	166	13
P-F		SCREW, MACHINE: clamp MS35649-7 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	166	14
P-F	5310-934-9758	NUT, PLAIN, HEXAGON: rack MS35649-202 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	6	10	166	15
P-F	5310-582-5965	WASHER, LOCK: rack MS35338-44 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	6	10	166	16
P-F	2910-424-1147	SCREW, MACHINE: rack 171104 (21450)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	166	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-F		RACK: 7084837 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			166	18
P-F	5306-012-6291	BOLT, MACHINE: rack 548005 (21450)	CE, CF, CG	EA	2	*	*	*	*	*	*	6	10	166	19
P-F	5340-766-6336	BUMPER, RUBBER: rack 7535620 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	8	166	20
P-F	2510-179-6978	DOOR, VAN BODY LEFT: 7084857 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	167	1
X1		GUIDE, DOOR: 7698438 (19207)			2									167	2
X1		SCREW, MACHINE: door guide 128151 (21450)			8									167	3
X1		BOLT, DOOR: 8698437 (19207)			2									167	4
P-F	5305-717-9526	SCREW, ASSEMBLED WASHER: door bolt 7520831 (19207)		EA	2	*	*	*	*	*	*	6	10	167	5
P-F	5975-964-8594	ROD: 7084868 (19207)		EA	1	*	*	*	*	*	*	4	8	167	6
P-F	5315-839-2325	PIN, COTTER: case to rod MS24665-132 (96906)		EA	1	*	*	*	*	*	*	6	10	167	7
P-O	5315-114-1924	PIN, STRAIGHT, HEADLESS: door handle 141062 (21450)		EA	1	*	*	*	*	*	*	6	10	167	8
P-O	2540-679-1422	HANDLE, DOOR: inner rear 8380492 (19207)		EA	1	*	*	*	*	*	*	4	8	167	9
X1		PIN, HANDLE: case 7535623 (19207)			1									167	10
X1		SCREW, MACHINE: ratchet clip (4), bracket assembly (5) 145467 (21450)			9									167	11
P-F	5120-231-0216	CLIP, RATCHET, WRENCH: 7084860 (19207)		EA	1	*	*	*	*	*	*	3	5	167	12
X1		BRACKET ASSEMBLY: 7084840 (19207)			1									167	13
P-F	5975-964-8600	ROD: 7084850 (19207)		EA	1	*	*	*	*	*	*	3	5	167	14
P-F	2540-730-6633	CASE ASSEMBLY, DOOR: 8698441 (19207)		EA	1	*	*	*	*	*	*	3	5	167	15
X1		SCREW, MACHINE: bracket assembly (1), door grommet (1) 116410 (21450)			2									167	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X1		GROMMET, DOOR: bracket assembly (1), left side (1) 7035446 (19207)			2									167	17
P-F	5340-443-9890	STRIKE, CATCH: 8380413 (19207)		EA	1	*	*	*	*	*	*	3	5	167	18
P-F	2510-231-0200	CLAMP, VAN LADDER MOUNT: 7084828 (19207)		EA	1	*	*	*	*	*	*	3	5	167	19
P-F	5340-419-9464	BRACKET, ANGLE: ladder mount catch 7084861 (19207)		EA	1	*	*	*	*	*	*	2	5	167	20
P-F	2810-200-1635	SCREW, MACHINE: angle bracket to ladder mount catch 116338 (21450)		EA	1	*	*	*	*	*	*	6	10	167	21
P-F	5305-225-3840	SCREW, CAP, HEXAGON HEAD: ladder mount catch MS35289-7 (96906)		EA	4	*	*	*	*	*	*	6	10	167	22
P-F	5310-582-5965	WASHER, LOCK: ladder mount catch MS35338-44 (96906)		EA	4	*	*	*	*	*	*	6	10	167	23
P-F	5310-934-9758	NUT, PLAIN, HEXAGON: ladder rack MS53694-202 (96906)		EA	2	*	*	*	*	*	*	6	10	167	24
P-F	5310-045-3296	WASHER, LOCK: ladder rack MS35338-43 (96906)		EA	2	*	*	*	*	*	*	6	10	167	25
P-F	2910-424-1147	SCREW, MACHINE: ladder rack 171104 (21119)		EA	4	*	*	*	*	*	*	6	10	167	26
X1		RACK, LADDER: 7084837 (19207)			1									167	27
P-F	5306-012-6291	BOLT, SQUARE NECK: ladder rack 548005 (21450)		EA	2	*	*	*	*	*	*			167	28
P-F	5340-766-6336	BUMPER, RUBBER: 7535620 (19207)		EA	2	*	*	*	*	*	*			167	29
P-F	2510-421-7239	DOOR ASSEMBLY, VEHICULAR: 7084791 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			168	1
P-F	5340-679-1490	LATCH, MORTISE: 8698436 (19207)		EA	3	*	*	*	*	*	*			168	2
X1		SCREW MACHINE: mortise latch (2), case (4) 128151 (21450)			16									168	3
P-F	5315-839-2325	PIN, COTTER: MS24665-132 (96906)		EA	3	*	*	*	*	*	*			168	4
P-F	2510-133-9786	BAR, LOCK LEFT DOOR: 7084863 (19207)		EA	1	*	*	*	*	*	*			168	5
P-F	2540-679-1422	HANDLE, DOOR: 8380492 (19207)		EA	1	*	*	*	*	*	*	4	8	168	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5315-144-1924	PIN, STRAIGHT, HEADLESS: door handle 141062 (21450)		EA	1	*	*	*	*	*	*	4	8	168	7
P-F	2510-133-9787	BAR, LOCK LEFT DOOR: 7084866 (19207)		EA	1	*	*	*	*	*	*	3	5	168	8
X1		SCREW, MACHINE: 116410 (21450)			2									168	9
X1		GROMMET: 7035446 (19207)			2									168	10
P-F	2540-679-1421	HANDLE, DOOR: 8380491 (19207)		EA	1	*	*	*	*	*	*	4	8	168	11
P-F	2540-103-5782	RECEPTACLE, DOOR: 8376760 (19207)		EA	1	*	*	*	*	*	*	3	5	168	12
P-F	2540-707-0724	GASKET: door receptacle 8380493 (19207)		EA	1	*	*	*	*	*	*	6	10	168	13
P-F	5305-042-4335	SCREW, MACHINE: door handle 424335 (21450)		EA	2	*	*	*	*	*	*	6	10	168	14
X2-F		BAR: 7084895 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			169	1
P-F	5310-582-5965	WASHER, LOCK: door check MS35338-44 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	169	2
P-F	5310-761-6882	NUT, PLAIN, HEXAGON: door check MS51967-2 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	169	3
P-F	5315-842-3154	PIN, STRAIGHT, HEADED: clevis MS35810-36 (96906)	CE,CF,CG	EA	3	*	*	*	*	*	*	6	10	169	4
X2-F		CLEVIS: bar 507506 (21450)	CE,CF,CG	EA	3	*	*	*	*	*	*			169	5
X2-F		BAR: 7084893 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			169	6
P-F	5315-839-5822	PIN, COTTER: clevis MS24665-353 (96906)	CE,CF,CG	EA	3	*	*	*	*	*	*	6	10	169	7
P-F	5346-679-1493	LATCH, MORTISE: right hand 7084996 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	169	8
P-F	5340-679-1492	LATCH, MORTISE: left hand 8380468 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	169	8
X2-F		PLATE: 7084892 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			169	9
X2-F		SCREW, MACHINE: plate 145467 (21450)	CE,CF,CG	EA	16	*	*	*	*	*	*			169	10
P-F	5306-042-5591	BOLT, ASSEMBLED WASHER: mortise latches 425591 (21450)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	169	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5305-225-3839	SCREW, CAP, HEXAGON HEAD: door check MS90725-8 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	169	12
P-F	2540-679-1446	CHECK ASSEMBLY, DOOR: 8698434 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*	3	5	169	13
P-F	5340-679-1494	LATCH, MORTISE: right hand 7084997 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	169	14
P-F	5340-679-1495	LATCH MORTISE: left hand 8380467 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	169	14
X2-F		BAR: 7084894 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			169	15
P-F	5315-185-1880	PIN, STRAIGHT, HEADED: 8759024 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	170	1
P-F	5310-543-5162	WASHER:	CE,CF,CG	EA	5	*	*	*	*	*	*	6	10	170	2
P-F	5315-013-7204	PIN, COTTER: MS24665- (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	170	3
P-F	2510-421-7240	ROLLET, COUNTER BALANCE: 7084969 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	8	170	4
X2-F		SCREW, MACHINE: 169382 (21450)	CE,CF,CG	EA	3	*	*	*	*	*	*			170	5
X2-F		PIVOT: 8759026 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	6
X2-F		RIVET: 106912 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	7
P-F	5315-013-8082	PIN, STRAIGHT, HEADED: 138082 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	170	8
P-F	5315-011-2726	PIN: wire rope assembly MS24665- (96906)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	170	9
X2-F		CLIP: wire rope assembly 8758988 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			170	10
X2-F		ARM: 10869773 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	11
		RIVET: arm to bar 106915 (21450)	CE,CF,CG		1									170	12
X2-F		BAR: 10869774 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	13
P-F	2590-679-1424	WIRE, ROPE ASSEMBLY, SINGLE LEG: counterbalance 8342292 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	8	170	14
P-F	5310-081-4219	WASHER, FLAT: MS27183-12 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	170	15

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-F		ARM: 10869576 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	16
X2-F		PIVOT: 8759025 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	17
		RIVET: 106918 (21450)			1									170	18
		RIVET: 106911 (21450)	CE,CF,CG		1									170	19
X2-F		ARM: 10869576 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	20
X2-F		PIN: 10869575 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			170	21
X2-F		SEAL: 8380420 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			171	1
X2-F		HINGE: 7084988 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			171	2
X2-F		SCREW, MACHINE: hinge 179377 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*			171	3
X2-F		SCREW, MACHINE: 125591 (21450)	CE,CF,CG	EA	3	*	*	*	*	*	*			172	1
X2-F		SCREW, MACHINE: 145467 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*			172	2
P-F	2510-418-0877	PANEL, INSIDE WALL: 8735154 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	2	5	172	3
X2-F		SKIN: end assembly 8735154 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			172	4
X2-F		PLATE: 8735157 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			172	5
P-F	2910-785-6338	HEATING ELEMENT, CAR: 8735154 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	3	5	172	6
X2-F		SKIN: 8735153 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			172	7
X2-F		END ASSEMBLY: 8735129 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			172	8
P-F		NUT, PLAIN, HEXAGON: bracket MS35609-805 (96906)	CE,CF,CG	EA	3	*	*	*	*	*	*	6	10	173	1
P-F	5310-584-5272	WASHER, LOCK: bracket MS35338-48 (96906)	CE,CF,CG	EA	3	*	*	*	*	*	*	6	10	173	2
X2-F		PIN: 137204 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*			173	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5310-050-3609	NUT, PLAIN, CASTELLATED: 503609 (21450)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	173	4
P-F	5310-820-6653	WASHER, LOCK: MS35337-21 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	173	5
P-F	5305-724-5913	SCREW, CAP, HEXAGON HEAD: MS35291-166 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	173	6
X2-F		BLOCK, SPACING: 11593258 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			173	7
P-F	2510-221-9007	LINER, BODY: 8735075 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	2	5	173	8
P-F	5310-763-8920	NUT, PLAIN, HEXAGON: MS35690-1005 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	173	9
X2-F		RETAINER: 8735128 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			173	10
X2-F		SPRING: 7018085 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			173	11
X2-F		BOLT, MACHINE: 595483 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*			173	12
X2-F		BRACKET: 10871339 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			173	13
P-F	5305-782-9494	BOLT, MACHINE: bracket MS90725-114 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	173	14
X2-F		BRACKET: 10871338 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			173	15
X2-F		SCREW, MACHINE: 588909 (21450)	CE, CF, CG	EA	1	*	*	*	*	*	*			174	1
P-F	3040-231-7470	COLLAR, SHAFT: 8735023 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	174	2
P-F	5310-208-1918	NUT, SELF-LOCKING HEAD: beam retainer 7225614 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	174	3
P-F	5310-167-0765	WASHER, FLAT: beam retainer MS63040-3 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	174	4
P-F	5330-419-9468	SEAL, RUBBER STRIP: 8735034 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	174	5
P-F	5330-419-9469	SEAL, RUBBER STRIP: 8735036 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	174	6
X2-F		SCREW, MACHINE: rubber strip seal 128151 (21450)	CE, CF, CG	EA	12	*	*	*	*	*	*	6	10	174	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5306-044-0502	BOLT, MACHINE: rubber strip seal 440502 (21450)	CE, CF, CG	EA	3	*	*	*	*	*	*	6	10	174	8
X2-F		BEAM ASSEMBLY: 8735018 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			174	9
X2-F		PIN COTTER: 590206 (21450)	CE, CF, CG	EA	2	*	*	*	*	*	*			174	10
P-F	3040-419-9431	SHAFT, STRAIGHT: 8735030 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	174	11
P-F	2510-417-2736	RETAINER, SEAL BEAM: 8735033 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	174	12
P-F	2510-679-1420	ROLLER, BODY FRAME BEARING: 7047097 (19207)	CE,CF,CG	EA	10	*	*	*	*	*	*	6	10	174	13
P-F	5330-470-2115	SEAL, RUBBER STRIP: 8735035 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	8	174	14
X1		PIN: ratchet shaft 103632 (21450)			1									174	24
X1		SHAFT: 8735031 (19207)			1									174	25
P-F	5120-650-7830	WRENCH, RATCHET, REVERSIBLE: 7759181 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	3	5	174	26
X2-F		SPACER: 8735028 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			174	27
P-F	2510-679-1733	ROLLER, BODY FRAME GUIDE: 7047098 (19207)	CE, CF, CG	EA	10	*	*	*	*	*	*	3	5	174	28
P-F	2590-231-7484	SPROCKET ASSEMBLY: 8735074 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	174	29
X1		BUSHING: 8735026 (19207)			1									174	30
X1		KEY: 7535631 (19207)			1									174	31
X1		SPROCKET: 8735025 (19207)			1									174	32
P-F	5305-068-0502	SCREW, CAP, HEXAGON HEAD: seal MS90725-6 (96906)	CE, CF, CG	EA	6	*	*	*	*	*	*	6	10	174	15
P-F	3040-231-0221	SHAFT, STRAIGHT: 8735029 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	8	174	16
P-F	5340-799-2218	LOCK ASSEMBLY: 7084725 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	174	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5310-061-4650	NUT, SELF-LOCKING, HEXAGON: lock 503267 (21450)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	174	18
P-F	5305-415-1491	SCREW, SHOULDER: ratchet pawl 8698440 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	10	174	19
P-F	2510-231-0212	PAWL, RATCHET: 8735056 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	174	20
P-F	3020-415-1479	RATCHET SHAFT ASSEMBLY: 8735022 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	174	21
P-F	3040-231-7470	COLLAR, SHAFT: 8735023 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	174	22
P-F	2510-679-1448	RACHET SHAFT, EXPANDABLE BODY: lock drive shaft 8735054 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	174	23
X1		SPACER: 8735024 (19207)	CE, CF, CG		1									174	33
X2-F		COVER: 8735040 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			174	34
P-F	2590-766-3327	BUSHING, SLEEVE: 8735057 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	4	8	174	35
P-F	5310-905-0762	NUT, PLAIN, HEXAGON: frame stop plate MS51967-3 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	6	10	174	36
P-F	5310-582-5965	WASHER, LOCK: frame stop plate MS35338-44 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	6	10	174	37
P-F	2510-231-7465	PLATE, FRAME STOP: 8734990 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	2	5	174	38
P-F	5940-892-3151	TERMINAL: cable end MS35436-9 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*			175	1
P-F	1015-798-2997	TERMINAL: cable contact 7982997 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			175	2
P-F	5970-933-8562	SLEEVE: cable shell 8338562 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			175	3
P-F	5935-833-8561	SHELL: cable connecting 8338561 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			175	4
P-F		CABLE: 14 gauge (approx 100 ft) M-13486 / 1-5 (81349)	CE, CF, CG	EA	V	*	*	*	*	*	*			175	5

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		CONDUIT: cable 17-C-18035-90 (80244)	CE, CF, CG	FT	V	*	*	*	*	*	*			175	6
P-F	9905-752-4649	BAND: marker MS39020-1 (96906)	CE, CF, CG	EA	6	*	*	*	*	*	*			175	7
P-F	5940-534-0986	TERMINAL: cable end MS35436-4 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*			175	8
P-F	9905-841-4445	BAND: part number MS39020-2 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*			175	9
P-F	5940-892-3151	TERMINAL: cable end MS35436-9 (96906)	CE, CF	EA	1	*	*	*	*	*	*			176	1
P-F	9905-752-4649	BAND: marker MS39020-1 (96906)	CE, CF	EA	2	*	*	*	*	*	*			176	2
P-F		CABLE: approx 70 in. M13486 / 1-5 (96906)	CE, CF	FT	V	*	*	*	*	*	*			176	3
P-F	1015-798-2997	TERMINAL ASSEMBLY: cable contract 7982997 (19207)	CE, CF	EA	1	*	*	*	*	*	*			176	4
P-F	5970-833-8562	SLEEVE: cable shell 8338562 (19207)	CE, CF	EA	1	*	*	*	*	*	*			176	5
P-F	5935-833-8561	SHELL: cable connecting 8338561 (19207)	CE, CF	EA	1	*	*	*	*	*	*			176	6
P-O	5340-843-7825	CLAMP: MS21333-68 (96906)	CE, CF	EA	2	*	*	*	*	*	*			176	7
P-O	5340-954-5267	CLAMP: MS21333-120 (96906)	CE, CF	EA	1	*	*	*	*	*	*			176	8
P-O	5305-057-9613	SCREW: MS24621-32 (96906)	CE, CF	EA	2	*	*	*	*	*	*			176	9
P-O	5305-958-5453	SCREW: MS35190-236 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	177	1
P-O	5930-115-0604	SWITCH: van body single pole, emergency light 10937830 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	177	2
P-O	5930-115-0603	SWITCH: van body 3-way blackout 10937539 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	177	3
P-F		BOX: rear wall emergency light switch 8743871 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			177	4
P-F	5325-276-6228	GROMMET: MS35489-9 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	4	8	177	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5305-883-0628	SCREW: MS24617-21 (96906)	CE, CF, CG	EA	8	*	*	*	*	*	*	6	10	177	6
P-O	5305-958-5453	SCREW: MS35190-236 (96906)	CE, CF, CG	EA	4	*	*	*	*	*	*	6	10	178	1
P-O	5975-952-8380	PLATE: van body 3-way switch box cover 8342289 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	3	5	178	2
P-O	5310-768-0319	NUT, PLAIN, HEXAGON: harness ground cable screw MS51968-2 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	178	3
P-O	5310-889-2528	WASHER: harness ground cable MS45904-68 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	6	10	178	4
P-O	5305-068-0505	SCREW, CAP, HEXAGON: harness ground cable MS90726-5 (96906)	CE, CF, CG	EA	1	*	*	*	*	*	*	6	10	178	5
P-F	5310-833-8561	WASHER: cable connecting shell retaining 8338567 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*	6	10	179	1
P-F	5940-057-2929	FERRULE: cable connecting shell MS27148-2 (96906)	CE, CF, CG	EA	2	*	*	*	*	*	*	3	5	179	2
P-F	5935-572-9180	SHELL: cable connecting 8338566 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*	3	5	179	3
P-F		CABLE ASSEMBLY: van body clearance light 7535589 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			179	4
P-F	1015-789-7631	MARKER: cable part number 7392224 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	3	5	179	5
P F	6145-772-0853	CABLE: 14 gage approx 106 ft 7720853 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*	3	5	179	6
P-F	9905-752-4649	MARKER: cable circuit MS39020-1 (96906)	CE, CF, CG	EA	10	*	*	*	*	*	*	3	5	179	7
P-F	5935-833-8561	SHELL: cable connecting 8338561 (19207)	CE, CF, CG	EA	8	*	*	*	*	*	*	3	5	179	8
P-F	5970-833-8562	SLEEVE: cable 8338562 (19207)	CE, CF, CG	EA	8	*	*	*	*	*	*	3	5	179	9
P-F	5935-390-6676	TERMINAL: cable crimped 8338564 (19207)	CE, CF, CG	EA	8	*	*	*	*	*	*	3	5	179	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		BOX: van body telephone post 8735431 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			180	1
P-F		COVER: van body telephone post 7759184 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			180	2
P-F	5305-883-0628	SCREW: MS24617-21 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	180	3
P-F		SEAL: van body telephone post 7059240 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			180	4
P-F	5305-833-0627	SCREW: MS24617-23 (96906)	CE,CF,CG	EA	8	*	*	*	*	*	*	6	10	180	5
P-F	5305-984-6189	SCREW: MS35206-241 (96906)	CE,CF,CG	EA	6	*	*	*	*	*	*	6	10	180	6
P-F	5310-768-0319	NUT: MS51968-2 (96906)	CE,CF,CG	EA	6	*	*	*	*	*	*	6	10	180	7
P-F		POST: van body telephone 7336057 (19207)	CE,CF,CG	EA	6	*	*	*	*	*	*			180	8
P-F	5325-619-6542	GROMMET: telephone post cable MS35490-6 (96906)	CE,CF,CG	EA	6	*	*	*	*	*	*	4	8	180	9
P-O		CLAMP: main harness cable retaining MS21333-84 (96906)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	181	1
P-O	5340-922-6302	CLAMP: main harness and ceiling retaining MS21333-81 (96906)	CE,CF,CG	EA	11	*	*	*	*	*	*	4	8	181	1
P-O	5340-922-6301	CLAMP: van body ceiling cable retaining MS21333-79 (96906)	CE,CF,CG	EA	8	*	*	*	*	*	*	4	8	181	1
P-O	5305-879-7941	SCREW: MS24617-31 (96906)	CE,CF,CG	EA	20	*	*	*	*	*	*	8	20	181	2
P-F		ROD ASSEMBLY: van body end panel door retaining 10937607 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			182	1
P-F	5315-815-8840	PIN: MS35810-34 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	4	8	182	2
P-F	5315-080-6004	WASHER, LOCK: MS27183-14 (96906)	CE,CF,CG	EA	8	*	*	*	*	*	*	6	10	182	3
P-F	5315-842-3044	PIN, COTTER: MS24665-283 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	182	4
P-F		GASKET: 10937126 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			183	1
P-F		COVER: 10937090 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			183	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr a/w per 100 equip cnt-gcy	(9) Depot maint a/w per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F	5305-990-6444	SCREW: MS35207-261 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	183	3
P-F	5310-045-3296	WASHER, LOCK: MS35338-43 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	183	4
P-F	5310-012-0361	NUT: MS35649-102 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	183	5
P-F	5305-753-4395	SCREW: 172463 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	184	1
P-F	5310-950-1310	WASHER, LOCK: MS27183-4 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	10	184	2
P-F	2540-766-3330	BUMPER: van body rear door 7535643 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	4	8	184	3
P-O	5305-984-7361	SCREW: MS35191-275 (96906)	CE,CF,CG	EA	3	*	*	*	*	*	*	6	10	185	1
P-O		BRACKET: safety chain retaining 10896774 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			185	2
P-O		PLATE: reinforcing 10896775 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			185	3
P-O	5310-050-3209	NUT: 503209 (19207)	CE,CF,CG	EA	3	*	*	*	*	*	*	6	10	185	4
P-O	4030-227-0445	"S" HOOK: 506893 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	185	5
P-O	5340-276-5205	SNAP CHAIN: 549615 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	4	8	185	6
P-O		CHAIN: roof lock safety (15 in.) 42-C-15120-215 (19207)	CE,CF,CG	FT	V	*	*	*	*	*	*			185	7
P-F	4210-933-2929	BRACKET: fire extinguisher mounting 10924916 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	4	8	186	1
P-F		SCREW: MS24616-55 (96906)	CE	EA	8	*	*	*	*	*	*	6	10	186	2
P-F	5340-699-8483	RETAINER: van body end panel rod stowage 7539185 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*	3	5	187	1
P-F	5305-969-6914	SCREW: MS24617-10 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	187	2
P-F		PIN: cylinder rod end 20037701 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	8
P-F		PIN: cotter 90831075 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			189	9
P-F		PIN: cotter 90831075 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			189	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		PLATE: clutch tie 20021003 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	10
P-F		BOLT: 90804385 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	11
P-F		WASHER: 98415060 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	12
P-F		CLUTCH ASSEMBLY: right 20052020 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			189	13
P-F		NUT: kickout lever and lowering lock lever, adjustment 95210330 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	14
X2-H		MAIN FRAME ASSEMBLY: power gate 20100933 (19207)	CE,CF,CG	EA	1				*	*	*			189	1
P-F		HOOK: assembly, pivot 20100668 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	2
P-F		RING: 97175039 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			189	3
P-F		PIN: 20100102 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	4
P-F		WASHER: closing-cylinder retaining 20048803 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	5
P-F		WASHER: lock closing cylinder retaining 98415045 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	6
P-F		BOLT: closing cylinder retaining 9080415 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	7
P-H	5305-725-4138	SCREW: MS90726-170 (96906)	CE,CF,CG	EA	6				*	*	*	6	10	188	1
P-H	5310-820-6653	WASHER: MS35338-50 (96906)	CE,CF,CG	EA	6				*	*	*	6	10	188	2
P-H		BRACKET: van body lifting 8380499 (19207)	CE,CF,CG	EA	2				*	*	*	3	5	188	3
P-H	5310-763-8905	NUT: MS51968-20 (96906)	CE,CF,CG	EA	6				*	*	*	6	10	188	4
P-F		BOLT: kickout lever and lowering lock lever, adjustment 90804082 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			189	15
X2-H		CLUTCH: inner 20020301 (19207)	CE,CF,CG	EA	2				*	*	*			189	16
P-O		FITTING: grease, center bearing and inter clutch 92408045 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			189	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-H		SHAFT: torque 20052302 (19207)	CE,CF,CG	EA	1				*	*	*			189	18
P-H		CENTER BEARING ASSEMBLY: 20100751 (19207)	CE,CF,CG	EA	2				*	*	*			189	19
P-F		CLUTCH ASSEMBLY: left 20052018 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			189	20
X2-F		LATCH: assembly, left frame 20100682 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			190	1
P-F		BOLT: adjusting 90804082 (19207)	CE,CF,CG	EA	1	*	*	**	*	*	*			190	2
P-F		NUT: adjusting 95210330 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			190	3
P-F		NUT: 95210330 (19207)	CE,CF,CG	EA	8	*	*	*	*	*	*			190	3
P-F		BUSHING: left frame end 90703075 (19207)	CB,CF,CG	EA	2	*	*	*	*	*	*			190	4
P-O		FITTING: grease, lift frame end bushing 92408030 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			190	5
P-O		FITTING: grease, radius rod pin and bearing cap 92408045 (19207)	CE,CF,CG	EA	10	*	*	*	*	*	*			190	6
P-F		RADIUS: rod 20100921 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			190	7
P-F		PIN: radius rod 20041801 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			190	8
P-F		PIN: cotter 90831075 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			190	9
P-F		BOLT: 90804485 (19207)	CE,CF,CG	EA	8	*	*	*	*	*	*			190	10
P-F		BEARING: cap, arm 20015101 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			190	11
P-F		BOLT: 90804420 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			190	12
P-F		WASHER: lock 98415060 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			190	13
P-F		NUT: 95210360 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			190	14
P-O		ARM ASSEMBLY: bearing cap 20100918 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			190	15
P-F		WASHER: lock 98415054 (19207)	CE,CF,CG	EA	8	*	*	*	*	*	*			190	16

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		ROD ASSEMBLY: piston 79100296 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			190	17
P-H		NUT: cripco 95210245 (19207)	CE,CF,CG	EA	1				*	*	*			190	18
P-F		CYLINDER ASSEMBLY: closing, right and left power gate 79100292 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			190	19
P-H		WIPER: scraper seal 98430012 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	1
P-H		RING: backup, cylinder head o-ring 97135072 (19207)	CE,CF,CG	EA	2				*	*	*			191	2
X2-F		COLLAR: cylinder front head retaining 79100291 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	3
P-H		O-RING: seal, cylinder head 97140019 (19207)	CE,CF,CG	EA	1				*	*	*			191	4
X2-F		FRONT HEAD: cylinder 79100289 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	5
P-H		O-RING: seal, cylinder head 97140190 (19207)	CE,CF,CG	EA	1				*	*	*			191	6
P-H		O-RING: seal, piston 9714118 (19207)	CE,CF,CG	EA					*	*	*			191	7
X2-F		PISTON: cylinder 79100290 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	8
P-H		RING: piston bearing 97130403 (19207)	CE,CF,CG	EA	2				*	*	*			191	9
P-H		O-RING: seal, piston 97140023 (19207)	CE,CF,CG	EA	1				*	*	*			191	10
P-H		RING: seal, piston 97130402 (19207)	CE,CF,CG	EA	1				*	*	*			191	11
P-F		TUBING ASSEMBLY: tee to cylinder (used to right cylinder only) 52258002 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	12
P-F		TEE: male, check valve (used on right cylinder only) 96082518 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	13
P-F		ELBOW: swivel, check valve tee (used on right cylinder only) 96000220 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	14

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		ELBOW: male, check valve (used on right cylinder only) 96082218 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	15
P-F		CHECK: valve (used on right cylinder only) 98005380 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	16
P-F		CONNECTOR: tube to check valve (used on right cylinder only) 96081618 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	17
P-F		TUBING ASSEMBLY: cylinder to check valve (used on right cylinder only) 52067316 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			191	18
P-F		CONNECTOR: male, tube to cylinder (used on right cylinder only) 96081619 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			191	19
P-F		CYLINDER ASSEMBLY: lifting, power gate 79100300 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			192	1
P-F		WASHER: 98415045 (19207)	CE,CF,CG	EA	3	*	*	*	*	*	*			192	2
P-F		BOLT: 90804150 (19207)	CE,CF,CG	EA	3	*	*	*	*	*	*			192	3
X2-F		BEARING: sleeve rod end cylinder pin 90690055 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			192	4
P-F		PIN: coiled 95620037 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			192	5
P-F		PIN: rod end cylinder 20100731 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			192	6
P-F		PACKING: piston rod 95601125 (19207)	CE,CF,CG	EA	3	*	*	*	*	*	*			192	7
X2-F		PIN: trunnion 20047710 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			192	8
P-F		PIN: cotter 90831140 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			192	9
P-F		BRACKET: pump mounting 20100722 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			193	1
P-F		BOLT: 90804150 (19207)	CE,CF,CG	EA	16	*	*	*	*	*	*			193	2
P-F		WASHER: lock 98415045 (19207)	CE,CF,CG	EA	8	*	*	*	*	*	*			193	3
P-F		GASKET: pump mounting bracket 92404160 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			193	4

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-F		**HOUSING: pump** 77040201 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			193	5
X2-F		**BUSHING: gear shaft** 90709255 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			193	6
X2-H		**GEAR: shaft** 77010301 (19207)	CE,CF,CG	EA	1				*	*	*			193	7
X2-H		**KEY: gear shaft** 94005025 (19207)	CE,CF,CG	EA	2				*	*	*			193	8
X2-H		**COVER: pump** 77040301 (19207)	CE,CF,CG	EA	1				*	*	*			193	9
P-F		**SPRING: pump shaft tension** 97255355 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			193	10
P-F		**RING: packing, male** 77010401 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			193	11
P-F		**PACKING: pump** 95601130 (19207)	CE,CF,CG	EA	6	*	*	*	*	*	*			193	12
X2-H		**RING: packing, female** 77010501 (19207)	CE,CF,CG	EA	2				*	*	*			193	13
P-F		**RING: snap** 97175010 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			193	14
X2-H		**SHAFT: pump** 77010101 (19207)	CE,CF,CG	EA	1				*	*	*			193	15
X2-H		**GEAR AND SHAFT ASSEMBLY: power gate** 77050101 (19207)	CE,CF,CG	EA	2				*	*	*			193	16
P-F		**GASKET: pump cover (.002)** 77010201 (19207)	CE,CF,CG	EA	V	*	*	*	*	*	*			193	17
P-F		**GASKET: pump cover (.003)** 77010202 (19207)	CE,CF,CG	EA	V	*	*	*	*	*	*			193	18
P-F		**GASKET: pump cover (004)** 77010203 (19207)	CE,CF,CG	FT	V	*	*	*	*	*	*			193	19
P-F		**GASKET: pump cover (005)** 77010204 (19207)	CE,CF,CG	FT	V	*	*	*	*	*	*			193	20
P-F		**PUMP ASSEMBLY: power gate** 77080101 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			193	21
X2-H		**PUMP AND BRACKET ASSEMBLY: power gate** 20100908 (19207)	CE,CF,CG	EA	1				*	*	*			193	22
X2-H		**BOLT:** 90802031 (19207)	CE,CF,CG	EA	1				*	*	*			194	1
X2-H		**RING: snap** 97175020 (19207)	CE,CF,CG	EA	1				*	*	*			194	2

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-H		WASHER: shifter shaft spring 20048806 (19207)	CE,CF,CG	EA	3				*	*	*			194	3
X2-H		HOUSING AND NIPPLE ASSEMBLY: 20057401 (19207)	CE,CF,CG	EA	1				*	*	*			194	4
X2-H		SHIFTER: shaft 20044701 (19207)	CE,CF,CG	EA	1				*	*	*			194	5
X2-H		BALL: steel, setscrew spring 90430045 (19207)	CE,CF,CG	EA	1				*	*	*			194	6
X2-H		SETSCREW: valve lock 97205175 (19207)	CE,CF,CG	EA	1				*	*	*			194	7
X2-H		CAP: setscrew 90801105 (19207)	CE,CF,CG	EA	1				*	*	*			194	8
X2-H		SPRING: setscrew 97252095 (19207)	CE, CF, CG	EA	1				*	*	*			194	9
X2-H		SPRING: shifter shaft 97252200 (19207)	CE, CF, CG	EA	1				*	*	*			194	10
X2-H		BUSHING: housing 20017501 (19207)	CE, CF, CG	EA	1				*	*	*			194	11
X2-H		BUSHING: shifter shaft 97175020 (19207)	CE, CF, CG	EA	1				*	*	*			194	12
X2-H		WASHER: lock 98415020 (19207)	CE, CF, CG	EA	1				*	*	*			194	13
X2-H		KICKOUT ASSEMBLY: power gate 20056401 (19207)	CE, CF, CG	EA	2				*	*	*			194	14
X2-H		BALL: relief valve cage spring guide 90430050 (19207)	CE, CF, CG	EA	1				*	*	*			194	15
X2-H		GUIDE: relief valve cage 20045901 (19207)	CE, CF, CG	EA	1				*	*	*			194	16
X2-H		SPRING,: relief valve cage guide 97255395 (19207)	CE, CF, CG	EA	1				*	*	*			194	17
X2-H		SHIM: relief valve cage 20045501 (19207)	CE, CF, CG	EA	V				*	*	*			194	18
X2-H		GASKET: relief valve cage 92404165 (19207)	CE, CF, CG	EA	1				*	*	*			194	19
X2-H		CAGE: relief-valve 20042303 (19207)	CE, CF, CG	EA	1				*	*	*			194	20
P-F		LINK: connecting 20033901 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			194	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		WASHER: lock 98415045 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			194	22
P-F		BOLT: 90804145 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*	*	*	194	23
P-F		RING: snap, valve seal 97175025 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			194	24
P-F		SEAL: valve 97210135 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			194	25
X2-H		PIPE: nipple, valve 20049401 (19207)	CE, CF, CG	EA	2				*	*	*			194	26
X2-H		BALL: steel, setscrew 90430045 (19207)	CE, CF, CG	EA	2				*	*	*			194	27
X2-H		SPRING: setscrew 97252245 (19207)	CE, CF, CG	EA	2				*	*	*			194	28
X2-H		SETSCREW: valve (locking) 97205185 (19207)	CE, CF, CG	EA	2				*	*	*			194	29
X2-H		CAP: valve pipe 90801105 (19207)	CE, CF, CG	EA	2				*	*	*			194	30
P-F		NUT: 950210105 (19207)	CE, CF, CG	EA	3	*	*	*	*	*	*			194	31
P-F		BOLT: 90804160 (19207)	CE, CF, CG	EA	3	*	*	*	*	*	*			194	32
P-F		BOLT: 90804145 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			194	33
P-F		WASHER: lock 98415054 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			194	34
P-F		WASHER: 20048801 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			194	35
P-F		NUT: jam 95210390 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			194	36
P-F		EYE: bolt 90697040 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			194	37
P-F		VALVE ASSEMBLY: power gate control 20100109 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			194	38
P-O		UNION: adapter 90200047 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			1945	1
P-O		HOSE: left closing cylinder to valve (¼ x 48 long) 92821160 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			195	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-O		TY-RAP: hose securing 97431100 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			195	3
P-O		CLIP: tube retaining 90812010 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	4
P-O		BOLT: 90804028 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	5
P-O		TEE: 97415015 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			195	6
P-O		CONNECTOR MALE: hose 96081619 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			195	7
P-O		NIPPLE: valve tee 95205285 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			195	8
P-O		HOSE ASSEMBLY: right closing to valve 52301795 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*	*		195	9
P-O		TEE: hose 97415145 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	10
P-O		ADAPTER: 90200058 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	*		195	11
P-O		ADAPTER: lip, hose to tank 90200058 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	11
P-O		HOSE: lifting cylinder to valve (⅜ x 24 long) 92820345 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	12
P-O		ADAPTER ASSEMBLY: restrictor 20058001 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	13
P-O		ELBOW: hose 91603230 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	14
P-O		PIPE: nipple, lifting cylinder 95205285 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	15
P-O		NIPPLE: close 95205040 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	16
P-O		ELBOW: street, valve 916042135 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			195	17
P-F		WIRE: green #12-9 strand (approx 30 ft long) 99802220 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*			196	1
P-F		WIRE: black # 12-9 strand (approx 30 ft long) 99802217 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*			196	2

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		WIRE: white # 12-19 strand (approx 30 ft long) 99802218 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*			196	3
P-F		WIRE: red # 12-19 strand (approx 30 ft long) 99802219 (19207)	CE, CF, CG	FT	V	*	*	*	*	*	*			196	4
P-O		UNIVERSAL JOINT: drive shaft 93601305 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			196	5
P-F		SETSCREW: universal joint 97205090 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			196	6
P-F		SCREW: pipe retaining clip 97205090 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			196	6
P-O		FITTING: grease, universal joint 92408022 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			196	7
P-F		BREAKER, SWITCH CIRCUIT: 92270038 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	*		196	8
P-O		SHAFT: drive 10012834 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	*		196	9
P-O		UNIVERSAL JOINT: drive shaft 93601335 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	*		196	10
P-F		STARTER: manual 97270059 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			196	11
X2-H		DRIVE: power gate 20100908 (19207)	CE, CF, CG	EA	1				*	*	*			196	12
P-F		MOTOR: pump comb 94813005 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*	*		196	13
X2-H		SCREW: 90804267 (19207)	CE, CF, CG	EA	7				*	*	*			196	14
X2-H		NUT: 95210125 (19207)	CE, CF, CG	EA	7				*	*	*			196	15
X2-H		WASHER: 98415050 (19207)	CE, CF, CG	EA	7				*	*	*			196	16
X2-H		WASHER: motor, flexible conduit line reducing 98405076 (19207)	CE, CF, CG	EA	2				*	*	*			196	17
X2-H		CONNECTOR: flexible conduit 90828048 (19207)	CE, CF, CG	EA	5				*	*	*			196	18
P-F		SCREW: 90804485 (19207)	CE, CF, CG	EA	8	*	*	*	*	*	*			196	19

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		SCREW: 90804485 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			196	19
P-F		SCREW: 90804485 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			196	19
P-F		WASHER: 98415042 (19207)	CE, CF, CG	EA	8	*	*	*	*	*	*			196	20
P-F		WASHER: lock 98415042 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			196	20
P-F		WASHER: lock 98415042 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			196	20
P-F		NUT: 95210330 (19207)	CE, CF, CG	EA	8	*	*	*	*	*	*			196	21
P-F		NUT: 95210330 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			196	21
P-F		NUT: 95210330 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			196	21
P-F		ELBOW: low pressure hose adpater 91604150 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			196	22
P-F		ELBOW: tank low pressure hose 91604150 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	22
P-F		ELBOW: pump hose 91604150 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	22
P-F		ADAPTER: low pressure tank hose 90200058 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	23
P-F		ADAPTER: pump hose 90200058 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	23
P-F		HOSE: low pressure pipe tank (¾ x 32 long) 92820620 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	24
X2-H		CONDUIT: flexible (approx 8½ ft req) 99802012 (19207)	CE,CF,CG	EA					*	*	*			196	25
X2-H		CONNECTOR: conduit 90828047 (19207)	CE,CF,CG	EA	5				*	*	*			196	26
P-F		ELBOW: low pressure pipe 91603230 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	27
X2-H		STRAP: conduit 97264002 (19207)	CE,CF,CG	EA	2				*	*	*			196	28
X2-H		BOLT: 90698020 (19207)	CE,CF,CG	EA	2				*	*	*			196	29
X2-H		WASHER: 98415020 (19207)	CE,CF,CG	EA	2				*	*	*			196	30

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-H		PIPE: (½ x 13" long) 20100915 (19207)	CE,CF,CG	EA	1				*	*	*			196	31
X2-H		COUPLING: pipe ½" 90834289 (19207)	CE,CF,CG	EA	5				*	*	*			196	32
X2-H		PIPE: (½ x 4" long) 20100914 (19207)	CE,CF,CG	EA	1				*	*	*			196	33
X2-H		ELBOW: conduit 91603022 (19207)	CE,CF,CG	EA	2				*	*	*			196	34
P-F		WASHER: lock 98415015 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			196	35
P-F		BOLT: 90698022 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			196	36
X2-H		PIPE: standard galvanized (½ x 17 in. long) 20100913 (19207)	CE,CF,CG	EA	1				*	*	*			196	37
P-F		WASHER: lock, pipe clip retaining 98415042 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			196	38
X2-H		SCREW: pipe clip retaining 90804071 (19207)	CE,CF,CG	EA	4				*	*	*			196	39
X2-H		BRACKET ASSEMBLY: pipe clip retaining 20100939 (19207)	CE,CF,CG	EA	2				*	*	*			196	40
X2-F		SCREW: 97205080 (19207)	CE,CF,CG	EA	2				*	*	*			186	41
P-F		ADAPTER: low pressure hose 90200056 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	42
P-F		HOSE: low pressure gate to control valve (314 x 32 long) 92821227 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	43
X2-H		SCREW: pipe retaining clip 97205080 (19207)	CE,CF,CG	EA	8				*	*	*			196	44
X2-H		BRACKET ASSEMBLY: motor 20100904 (19207)	CE,CF,CG	EA	1				*	*	*			196	45
X2-H		BRACKET: tank 20100723 (19207)	CE,CF,CG	EA	1				*	*	*			196	46
P-F		ADAPTER: pump high pressure hose 96002314 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	47
P-F		ADAPTER: pump hose 90200036 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	48
P-F		HOSE: check valve to pipe high pressure 92821190 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	49
P-F		HOSE: tank to pump (½ x 24 long) 92821190 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	49

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-O		PLUG: tank pipe 95670180 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	50
P-O		REDUCER: tank breathing cap 90709380 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	51
P-O		CAP: tank breather 90801035 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	52
P-F		REDUCER: pump hose 96091227 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	53
X2-H		TANK ASSEMBLY: oil 20057301 (19207)	CE,CF,CG	EA	1				*	*	*			196	54
P-F		NIPPLE: close, pump hose 95205040 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	55
P-F		TEE: tank pump hose 97415145 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	56
P-F		HOSE: tank to pump (¾ x 24 long) 92821225 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	57
P-F		ELBOW: high pressure line to pump 96091420 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	58
P-F		PIPE: nipple, check valve 96091104 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			196	59
P-F		CHECK VALVE: high and low pressure 98005229 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			196	60
P-F		REDUCER: check valve 96091220 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	61
P-F		HOSE: check valve to pump high pressure (⅜ x 36 long) 92820414 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	62
P-F		TEE: check valve 96003820 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	63
X2-H		BRACKET ASSEMBLY: pipe retaining clip 20100903 (19207)	CE,CF,CG	EA	4				*	*	*			196	64
M-F		PIPE: low pressure from gate Fabricate from:	CE,CF,CG	EA	1	*	*	*	*	*	*			196	65
P-F		PIPE, STANDARD BLACK (¾ x 144 in. long) 20100926 (19207)													
M-F		PIPE: high pressure to gate Fabricate from:	CE,CF,CG	EA	1	*	*	*	*	*	*			196	66
P-F		PIPE, STANDARD BLACK (½" x 132 in. long) 20100927 (19207)													

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X1-H		PIPE: (½ x 132" long) 20100916 (19207)	CE,CF,CG	EA	1				*	*	*			196	67
P-F		ELBOW: high pressure hose to gate 91604100 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	68
P-F		HOSE: high pressure control valve to gate (½ x 32 long) 92821205 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			196	69
P-F		ADAPTER: pipe, high pressure 90200050 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			196	70
X2-H		ELECTRICAL: power gate 20100900 (19207)	CE,CF,CG	EA	1				*	*	*			196	71
X2-H		HOOK: control rod assembly 20100671 (19207)	CE,CF,CG	EA	2				*	*	*			197	1
X2-H		YOKE: kickout rod 90813030 (19207)	CE,CF,CG	EA	1				*	*	*			197	1
X2-H		LINK: elevating (valve) 20100114 (19207)	CE,CF,CG	EA	1				*	*	*			197	2
X2-H		BEARING: 90690081 (19207)	CE,CF,CG	EA	6				*	*	*			197	3
X2-H		BRACKET: bearing 20100717 (19207)	CE,CF,CG	EA	3				*	*	*			197	4
X2-H		STUD: receiver 98045017 (19207)	CE,CF,CG	EA	4				*	*	*			197	5
X2-H		SHAFT: control 20100718 (19207)	CE,CF,CG	EA	2				*	*	*			197	6
X2-H		EXTENSION: shaft 20100735 (19207)	CE,CF,CG	EA	2				*	*	*			197	7
P-F		TRIP ASSEMBLY: elevations 20057201 (19207)	CE,CF,CG	EA		*	*	*	*	*	*			197	8
X2-F		JAMNUT: 95210390 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			197	9
P-F		JAMNUT: hook control rod 95210390 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			197	9
P-F		SPRING: kickout rod 97252009 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			197	10
X2-H		PIN: cotter 90831050 (19207)	CE,CF,CG	EA	2				*	*	*			197	11
P-F		BEARING: trip elevating 20024901 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			197	12
P-F		PIN: cotter 90831050 (19207)	CE,CF,CG	EA	4	*	*	*	*	*	*			197	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-H		KICKOUT: rod assembly 20056101 (19207)	CE,CF,CG	EA	1				*	*	*			197	
X2-H		LINK: closing (valve) 20100115 (19207)	CE,CF,CG	EA	1				*	*	*			197	14
P-F		ROD: kickout elevating 20043002 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			197	15
X2-H		PIN: 20037601 (19207)	CE,CF,CG	EA	1				*	*	*			197	16
P-O		GRIP: hand lever (red) 92415008 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*			197	17
P-F		JAMNUT: kickout rod 95210390 (19207)	CE,CF,CG	EA	5	*	*	*	*	*	*			197	18
P-F		SPRING: hook control rod 97252075 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			197	19
P-F		EYEBOLT: hook control rod 90697040 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			197	20
P-F		WASHER: hook control rod 98410030 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			197	21
P-F		ROD: hook control 20100724 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			197	22
X2-H		LEVER: 20032401 (19207)	CE, CF, CG	EA	6				*	*	*			197	23
X2-H		LEVER: lock, lowering 20100795 (19207)	CE, CF, CG	EA	1				*	*	*			197	24
X2-H		LEVER: kickout 20032601 (19207)	CE, CF, CG	EA	1				*	*	*			197	25
P-F		FITTING: grease 92408045 (19207)	CE, CF, CG	EA	1	*	*	*	*	*	*			197	26
X2-H		LEVER: hand closing 20033401 (19207)	CE, CF, CG	EA	2				*	*	*			197	27
P-O		GRIP: handle 9280255 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			198	1
P-O		HANDLE: control 20100952 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			198	2
X2-H		SOCKET ASSEMBLY: handle 20100954 (19207)	CE, CF, CG	EA	2				*	*	*			198	3
X2-H		CONTROL ASSEMBLY: (left) 20100963 (19207)	CE, CF, CG	EA	1				*	*	*			198	4
X2-H		CONTROL ASSEMBLY: (right) 20100964 (19207)	CE, CF, CG	EA	1				*	*	*			198	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-H		NUT: 95210330 (19207)	CE, CF, CG	EA	2				*	*	*			198	5
X2-H		WASHER: lock 98415042 (19207)	CE, CF, CG	EA	2				*	*	*			198	6
X2-H		BRACKET: 20100957 (19207)	CE, CF, CG	EA	1				*	*	*			198	7
X2-H		ANGLE: 20100958 (19207)	CE, CF, CG	EA	1				*	*	*			198	8
X2-H		BOLT: 90804185 (19207)	CE, CF, CG	EA	2				*	*	*			198	9
X2-H		RELAY ASSEMBLY: control 20100961 (19207)	CE, CF, CG	EA	1				*	*	*			198	10
X2-H		ANGLE: 52016129 (19207)	CE, CF, CG	EA	1				*	*	*			198	11
X2-H		BRACKET: 20100959 (19207)	CE, CF, CG	EA	1				*	*	*			198	12
X2-H		NUT: 95210330 (19207)	CE, CF, CG	EA	2				*	*	*			198	13
X2-H		WASHER: lock 98415042 (19207)	CE, CF, CG	EA	2				*	*	*			198	14
X2-H		BOLT: 90804485 (19207)	CE, CF, CG	EA	2				*	*	*			198	15
X2-H		PIN: cotter 90831035 (19207)	CE, CF, CG	EA	4				*	*	*			198	16
X2-H		ROD: control 20100750 (19207)	CE, CF, CG	EA	2				*	*	*			198	17
X2-H		TUBE ASSEMBLY: 20100274 (19207)	CE, CF, CG	EA	2				*	*	*			198	18
X2-H		PIN: 95620085 (19207)	CE, CF, CG	EA	2				*	*	*			198	19
P-O		FITTING: grease 92408045 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			198	20
X2-H		BRACKET: hold down 20100948 (19207)	CE, CF, CG	EA	2				*	*	*			198	21
X2-H		PLATE: mounting 20100739 (19207)	CE, CF, CG	EA	2				*	*	*			198	22
X2-H		CHANNEL: spacer 20100936 (19207)	CE, CF, CG	EA	2				*	*	*			198	23
X2-H		PLATFORM ASSEMBLY: power gate 14100216 (19207)	CE, CF, CG	EA	1				*	*	*			199	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-O		SCREW ASSEMBLY: thumb, chain retaining 20100950 (19207)	CE, CF, CG	EA	2	*	*	*	*	*	*			199	2
X2-H		HINGE ASSEMBLY: 14100221 (19207)	CE, CF, CG	EA	2				*	*	*			199	3
P-O		BOLT: 90804485 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			199	4
P-O		WASHER: lock 98415042 (19207)	CE, CF, CG	EA	4	*	*	*	*	*	*			199	5
X2-H		BAR: hinge 14100226 (19207)	CE, CF, CG	EA	2				*	*	*			199	6
X2-H		PLATE ASSEMBLY: hinge 14100227 (19207)	CE, CF, CG	EA	1				*	*	*			199	7
P-F	2540-972-2642	SEAT ASSEMBLY: gondola operator 10876401 (19207)	BD, HA, FJ	EA	1	*	*	*	*	*	*	3	5	200	1
P-F	2540-063-4730	REAR SEAT ASSEMBLY: 10876402 (19207)	BD, HA, FJ	EA	1	*	*	*	*	*	*	3	5	200	2
P-F	5310-637-9541	WASHER, LOCK: rear seat (1), seat assembly (1) MS35338-46 (96906)	BD, HA, FJ	EA	2	*	*	*	*	*	*	6	10	200	3
P-F	5305-269-3210	SCREW, CAP, HEXAGON HEAD: seat assembly (1), rear seat (1) MS90725-59 (96906)	BD, HA, FJ	EA	4	*	*	*	*	*	*	6	10	200	4
P-O	5120-961-9792	BRACKET ASSEMBLY: oil can mounting 10910956 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			201	1
P-O	5305-068-0523	SCREW, SELF-LOCKING: MS24621-42 (96906)	HA, JA BD	EA	2	*	*	*	*	*	*			201	2
P-O	2590-220-5106	TANK ASSEMBLY: oil 10876200 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			202	1
P-O	2590-972-2633	GAUGE ASSEMBLY: oil tank 10876562 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			202	2
P-O		SCREEN: oil tank filter 10900106 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			202	3
P-O		TANK ASSEMBLY: oil 10876187 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			202	4
P-O	4330-057-5555	PLUG: oil tank draw MS49005-6 (96906)	HA, JA BD	EA	1	*	*	*	*	*	*	4	8	202	5

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-O	5340-425-0636	STRAP ASSEMBLY: oil tank lower 10876277 (19207)	HA, JA BD	EA	2	*	*	*	*	*	*			202	6
P-O	5306-225-9096	SCREW: MS90726-41 (96906)	HA, JA BD	EA	4	*	*	*	*	*	*	6	10	202	7
P-O	5310-982-4912	NUT: MS21045-5 (96906)	HA, JA BD	EA	4	*	*	*	*	*	*	6	10	202	8
P-O		SUPPORT ASSEMBLY: oil tank 10876274 (19207)	HA, JA BD	EA	2	*	*	*	*	*	*			202	9
P-O	5340-191-1164	STRAP ASSEMBLY: oil tank upper 10899797 (19207)	HA, JA BD	EA	2	*	*	*	*	*	*			202	10
P-O	4730-968-6129	PLUG: oil tank draw MS49006-10 (96906)	HA, JA BD	EA	1	*	*	*	*	*	*	4	8	202	11
P-O	5305-269-2808	SCREW, CAP, HEXAGON: MS90726-65 (96906)	HA, JA BD	EA	2	*	*	*	*	*	*	6	10	202	12
P-O	5305-716-8192	SCREW, CAP, HEXAGON: MS90726-107 (96906)	HA, JA BD	EA	8	*	*	*	*	*	*	6	10	202	13
P-O	5310-584-5272	WASHER, LOCK: MS35338-48 (96906)	HA, JA BD	EA	8	*	*	*	*	*	*	6	10	202	14
P-O	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	HA, JA BD	EA	2	*	*	*	*	*	*	6	10	202	15
P-O	4820-461-4216	COCK ASSEMBLY: oil tank drain 10900185 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*	6	10	202	16
P-O		PLUG: oil tank drain cock 444673 (82577)	HA, JA BD	EA	1	*	*	*	*	*	*	4	8	N/I	
P-O	5305-269-2801	SCREW, CAP, HEXAGON: MS90726-58 (96906)	HA, JA BD	EA	4	*	*	*	*	*	*			203	1
P-O	2590-473-6331	BRACKET ASSEMBLY: fuel can retainer MS53052-1 (96906)	HA, JA BD	EA	1	*	*	*	*	*	*			203	2
P-F	5310-982-4912	NUT, SELF-LOCKING: MS21045-5 (96906)	HA, JA BD	EA	4	*	*	*	*	*	*			203	3
P-F		BRACKET: hydraulic tubing oil filter 10899416 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			203	4
P-O	5310-982-4908	NUT: MS21045-6 (96906)	HA, JA BD	EA	4	*	*	*	*	*	*			203	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
P-F		BRACKET: oil can bracket mounting 10938449 (19207)	HA, JA BD	EA	1									203	6
P-F	5306-225-9087	SCREW, CAP, HEXAGON: MS90726-32 (96906)	HA, JA BD	EA	4	*	*	*	*	*	*			203	7
X2-F		BRACKET ASSEMBLY: rear tie down, left hand 10876396 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			204	1
X2-F		BRACKET ASSEMBLY: rear tie down, right hand 10876397 (19207)	HA, JA BD	EA	1	*	*	*	*	*	*			204	1
P-F	5305-725-4109	SCREW, CAP, HEXAGON: MS90726-163 (96906)	HA, JA BD	EA	9	*	*	*	*	*	*			204	2
P-F	5305-226-7768	SCREW, CAP, HEXAGON: MS90726-115 (96906)	HA, JA BD	EA	4	*	*	*	*	*	*			204	3
P-F	5310-062-4954	NUT, SELF-LOCKING: MS21045-8 (96906)	HA,JA,BD	EA	4	*	*	*	*	*	*			204	4
P-F	5310-982-5009	NUT: MS21045-10 (96906)	HA,JA,BD	EA	9	*	*	*	*	*	*			204	5
P-O	4210-933-2929	BRACKET: fire extinguisher 10924916 (19207)	HA,JA,BD	EA	1	*	*	*	*	*	*			205	1
P-O	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)	HA,JA,BD	EA	4	*	*	*	*	*	*			205	2
P-O	5305-993-2461	SCREW: MS35207-281 (96906)	HA,JA,BD	EA	4	*	*	*	*	*	*			205	3
P-F	5305-725-4187	SCREW, CAP, HEXAGON: MS90726-114 (96906)	HA,JA,BD	EA	4	*	*	*	*	*	*			206	1
X2-F		BRACKET: vice mounting 10876286 (19207)	HA,JA,BD	EA	1	*	*	*	*	*	*			206	2
P-F	5310-062-4954	NUT, SELF-LOCKING: MS21045-8 (96906)	HA,JA,BD	EA	4	*	*	*	*	*	*			206	3
P-F	6220-577-3434	LIGHT, MARKER, CLEARANCE: front amber MS35423-1 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	3	5	207	1
P-F	6220-577-3435	LIGHT, MARKER, CLEARANCE: front blackout MS35424-1 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	3	5	207	2
P-F	5935-833-8561	SHELL: electrical connector 8338561 (19207)	CE,CF,CG	EA	16	*	*	*	*	*	*	4	8	207	3
P-F	5940-399-6676	TERMINAL, LUG: clearance light 8338564 (19207)	CE,CF,CG	EA	16	*	*	*	*	*	*	4	8	207	4
P-F	5930-679-1513	SWITCH, TOGGLE: 7002826 (19207)	CE,CF,CG	EA	8	*	*	*	*	*	*	3	5	207	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cat-gry	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued													
X2-F		RECEPTACLE, ELECTRICAL: 10937538 (19207)	CE,CF,CG	EA	8	*	*	*	*	*	*			207	6
P-F	5305-958-5453	SCREW, MACHINE: wall plate MS35190-236 (96906)	CE,CF,CG	EA	40	*	*	*	*	*	*	6	20	207	7
P-F	5975-403-9490	PLATE, WALL, ELECTRICAL: 8342290 (19207)	CE,CF,CG	EA	8	*	*	*	*	*	*	3	5	207	8
X2-F		CABLE ASSEMBLY: 735589 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*			207	9
P-F	6220-338-1086	LIGHT, DOME: 7092284 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	8	207	10
P-F	6240-143-3118	LAMP, INCANDESCENT: 504463 (21450)	CE,CF,CG	EA	1	*	*	*	*	*	*	15	30	207	11
P-F	6240-189-2744	LAMP, FLUORESCENT: dome light 8359969 (19207)	CE,CF,CG	EA	24	*	*	*	*	*	*	100	300	207	12
P-F	6220-577-3288	LIGHT, MARKER, CLEARANCE: rear red MS35423-2 (96906)	CE,CF,CG	EA.	2	*	*	*	*	*	*	3	5	207	13
P-F	6220-577-3289	LIGHT, MARKER, CLEARANCE: rear blackout MS35424-2 (96906)	CE,CF,CG	EA	2	*	*	*	*	*	*	3	5	207	14
X2-F		LOAD CENTER: 10937544 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			207	15
X2-F		CONNECTOR: 11601640 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*			207	16
P-F	5305-052-8237	SCREW, MACHINE: thermos to tie switch MS24617-39 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	207	17
P-F	5930-174-6224	SWITCH, THERMOSTATIC: 7336056 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	8	207	18
P-F	6220-338-1083	LIGHT, DOME: 7092279 (19207)	CE,CF,CG	EA	1	*	*	*	*	*	*	6	8	207	19
P-F	6240-155-8651	LAMP, INCANDESCENT: MS15586-7 (96906)	CE,CF,CG	EA	1	*	*	*	*	*	*	15	30	207	20
		Non-Illustrated													
P-F	5340-679-1496	LATCH, MORTISE: hinged roof 8698430 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	4	8		
P-F	5930-243-4480	SWITCH, PUSH: inside wall 7336051 (19207)	CE,CF,CG	EA	3	*	*	*	*	*	*	6	8		
P-F	5930-458-0730	CONTACT, ELECTRICAL: panel body right solid side 7336048 (11862)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	8		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		1812—SPECIAL PURPOSE BODIES—Continued Non-Illustrated—Continued													
P-F	5930-679-1517	SWITCH, PUSH: solid side 8342288 (19207)	CE,CF,CG	EA	2	*	*	*	*	*	*	6	8		
P-O	5975-335-2588	TUBE, FLEXIBLE, NONMETALLIC: 8376125 (19207)	CE,CF,CG	FT	V	*	*	*	*	*	*	3	5		
		GROUP 20—HOIST, WINCH AND POWER CONTROL AND POWER TAKE-OFF													
		2001—HOIST, WINCH, CRANE ASSEMBLY													
P-O-R	2590-741-1122	WINCH ASSEMBLY: front 7411122 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	10	208	1
P-F	2590-121-0707	SHEAVE ASSEMBLY, WINCH: 7954483 (19207)		EA	1	*	*	*	*	*	*	4	5	208	2
P-F	5305-054-9291	SCREW, CAP, HEXAGON HEAD: track assembly MS51955-77 (96906)		EA	2	*	*	*	*	*	*	6	10	208	3
P-F	5310-834-8732	NUT, PLAIN: track assembly MS35691-33 (96906)		EA	4	*	*	*	*	*	*	6	10	208	4
P-F	5305-044-5503	SCREW, CAP, HEXAGON HEAD: MS90725-160 (96906)		EA	1	*	*	*	*	*	*	6	10	208	5
P-F	5310-820-6653	WASHER, LOCK: track assembly MS35338-50 (96906)		EA	1	*	*	*	*	*	*	6	10	208	6
X1		TRACK ASSEMBLY: 8344234 (19207)			1									208	7
P-O	2590-641-6405	WINCH, ASSEMBLY: with roller 7412382 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	10	208	8
P-F	2590-118-5551	DRUM ASSEMBLY, WINCH: 7954477 (19207)		EA	1	*	*	*	*	*	*	4	5	208	9
P-F	5305-051-0827	SCREW, CAP, HEXAGON HEAD: roller assembly MS90725-164 (96906)		EA	4	*	*	*	*	*	*	6	10	208	10
P-F	5310-820-6653	WASHER, LOCK: roller assembly MS35338-50 (96906)		EA	4	*	*	*	*	*	*	6	10	208	11
P-F	5310-584-7888	WASHER, LOCK: roller assembly MS35338-51 (96906)		EA	12	*	*	*	*	*	*	6	10	208	12
P-F	5305-939-9204	SCREW, CAP, HEXAGON HEAD: roller assembly MS90725-187 (96906)		EA	12	*	*	*	*	*	*	6	10	208	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-998-4711	TENSIONER ASSEMBLY, WINCH: 8690884 (19207)		EA	1	*	*	*	*	*	*	4	5	208	14
P-F	5310-732-0560	NUT, PLAIN: roller assembly MS51968-14 (96906)		EA	4	*	*	*	*	*	*	6	10	208	15
P-F	5305-725-4187	SCREW, CAP, HEXAGON HEAD: roller assembly MS90726-114 (96906)		EA	12	*	*	*	*	*	*	6	20	208	16
P-F	5310-584-5272	WASHER, LOCK: roller assembly MS35338-48 (96906)		EA	12	*	*	*	*	*	*	6	20	208	17
P-F	5310-880-7744	NUT, PLAIN, HEXAGON: drum poppet latch MS51967-5 (96906)		EA	1	*	*	*	*	*	*	6	10	208	18
P-F	2540-740-9150	LATCH, DRUM POPPET: 7409150 (19207)		EA	1	*	*	*	*	*	*	4	8	208	19
P-F	5310-740-9894	NUT, TROLLEY LOCK: 7409894 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	10	208	20
P-F	2590-753-8706	SPRING, HELICAL, COMPRESSION: cable drum poppet lock and trolley lock poppet 7538706 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	8	10	208	21
P-F	2590-652-5548	POPPET, LOCK, TROLLEY: 8741768 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	4	8	208	22
P-F	5305-013-9703	SETSCREW: sliding clutch lever 139703 (21450)	AD	EA	1	*	*	*	*	*	*	6	10	209	1
P-F	2520-740-9691	LEVER, SLIDING CLUTCH: 7409691 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	209	2
P-F	2590-740-9727	SPRING, HELICAL, COMPRESSION: sliding clutch shifter shaft 7409727 (19207)	AD	EA	1	*	*	*	*	*	*	8	10	209	3
P-F	3110-948-9796	BEARING, BALL: sliding clutch lever MS19061-13 (96906)	AD	EA	1	*	*	*	*	*	*	8	10	209	4
P-F	5315-616-5521	KEY, WOODRUFF: shifter shaft MS35756-13 (96906)	AD	EA	1	*	*	*	*	*	*	8	10	209	5
P-F	2520-745-7685	SHAFT, STRAIGHT: shifter fork 7017190 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	209	6
P-F	5330-285-9495	SEAL, PLAIN, ENCASED: shifter shaft 51505A (02451)	AD	EA	1	*	*	*	*	*	*	10	100	209	7
P-F	5315-014-2510	PIN: shifter fork 142510 (21450)	AD	EA	1	*	*	*	*	*	*	8	10	209	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-740-9731	SHIFTER FORK: used on garwood winches thru serial no. 75108; tulsa winches thru serial no. 64483; and M139F 7409731 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	209	9
P-F	5310-584-7888	WASHER, LOCK: winch channel tension tie MS35338-51 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	209	10
P-F	5305-939-9204	SCREW, CAP, HEXAGON HEAD: winch channel tension tie MS90725-187 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	209	11
P-F	2520-740-9812	CHANNEL, TENSION TIE: 7409812 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	209	12
P-F	5310-820-6653	WASHER, LOCK: lock assembly MS35338-50 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	209	13
P-F	5305-724-5910	SCREW, CAP, HEXAGON HEAD: lock assembly MS90725-162 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	209	14
P-F	2520-040-2331	BRACKET, ANGLE: 8331202 (19207)	AD	EA	1	*	*	*	*	*	*	2	5	209	15
P-F	2590-860-7341	FRAME ASSEMBLY, END: 7954482 (19207)	AD	EA	1	*	*	*	*	*	*	2	5	209	16
P-F	2590-652-5548	POPPET, LOCK, TROLLEY: front 8741768 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	209	17
P-F	2590-753-8706	SPRING, HELICAL COMPRESSION: cable drum poppet lock and trolley lock poppet 7538706 (19207)	AD	EA	1	*	*	*	*	*	*	8	10	209	18
P-F	5306-753-8725	BOLT, INTERNAL RELIEVED: 7538725 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	209	19
P-F	2540-740-9150	LATCH, DRUM POPPET LOCK: 7409150 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	209	20
P-F	5310-880-7744	NUT, PLAIN, HEXAGON: lock latch MS51967-5 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	209	21
P-F	4730-289-5176	PLUG, PIPE: brake case MS49005-8 (96906)	AD	EA	1	*	*	*	*	*	*	4	8	209	22
P-F	5306-740-9803	BOLT, MACHINE: frame end assembly 7409803 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	209	23
P-F	5305-873-6946	SCREW, SET: adjusting, cable drum drag brake front winch 7538733 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	209	24

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST. WINCH. CRANE ASSEMBLY—Continued													
P-F	5340-573-3334	SPRING, HELICAL, COMPRESSION: 305580 (24076)	AD	EA	1	*	*	*	*	*	*	8	10	209	25
P-F	5310-045-1081	NUT, SELF-LOCKING: frame end assembly 451081 (21450)	AD	EA	1	*	*	*	*	*	*	6	10	209	26
P-F	4730-278-3380	PLUG, PIPE:	AD	EA	4	*	*	*	*	*	*	4	8	209	27
P-F	5310-838-1702	NUT, PLAIN, HEXAGON: end rod MS35691-75 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	209	28
P-F	2540-753-8726	BRAKE ASSEMBLY, DRUM WITH LINING: 7538726 (19207)	AD	EA	1	*	*	*	*	*	*	6	20	209	29
X1		SHOE: cable drum drag brake 7954452 (19207)			1									209	30
P-F	2590-753-8727	LINING, FRICTION: 7538727 (19207)		EA	1	*	*	*	*	*	*	10	20	209	31
X1		RIVET: cable drum drag brake 589875 (21450)			2									209	32
P-F	5306-740-9677	ROD, THREADED END: 7409677 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	209	33
P-F	2590-919-2915	SLEEVE, END BEARING: 7954454 (19207)	AD	EA	3	*	*	*	*	*	*	4	8	209	34
P-F	2590-740-9800	BEARING, SLEEVE: gear case cover (1), and cable drum (2) 7409800 (19207)	AD	EA	3	*	*	*	*	*	*	6	10	209	35
P-F	5330-740-9696	SEAL, PLAIN, ENCASED: cable drum end frame 7409696 (19207)	AD	EA	1	*	*	*	*	*	*	10	100	209	36
P-F	2590-740-9591	WASHER, THRUST: end frame bearing 7409591 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	209	37
P-F	2520-740-9814	CLUTCH HALF, POSITIVE: sliding cable 7409814 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	209	38
P-F	2590-740-9685	WASHER, THRUST: cable drum 7409685 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	209	39
P-F	4730-042-6318	PLUG, PIPE: winch drum 444697 (21450)	AD	EA	1	*	*	*	*	*	*	4	8	209	40
P-F	5330-740-9697	SEAL, PLAIN, ENCASED: cable drum gear case end 7409697 (19207)	AD	EA	1	*	*	*	*	*	*	10	100	209	41
X2-F		SETSCREW: winch drum 139239 (21450)	AD	EA	1	*	*	*	*	*	*			209	42
P-F	2520-740-9818	DRUM, WINCH CABLE: 7409818 (19207)	AD	EA	1	*	*	*	*	*	*	2	5	209	43

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5305-782-9494	SCREW, CAP, HEXAGON HEAD: bearing retainer plate MS90725-114 (96906)	AD	EA	8	*	*	*	*	*	*	6	10	210	1
P-F	5310-584-5272	WASHER, LOCK: bearing retainer plate MS35338-48 (96906)	AD	EA	8	*	*	*	*	*	*	6	20	210	2
P-F	3110-740-9809	PLATE, RETAINING, BEARING: 7409809 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	210	3
P-F	5330-057-3823	GASKET: drive worm (1) automatic brake case (1) 7409822 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	210	4
P-F	5330-286-8149	SEAL, PLAIN, ENCASED: worm shaft bearing drive end and brake end 500094 (21450)	AD	EA	2	*	*	*	*	*	*	10	100	210	5
P-F	3110-554-3929	BEARING, BALL: drive worm, winch hoist 143030 (21450)	AD	EA	2	*	*	*	*	*	*	6	10	210	6
P-F	5315-696-0789	PIN, SHOULDER, HEADLESS: cable drum front winch 8723828 (19207)	AD	EA	1	*	*	*	*	*	*	8	10	210	7
P-F	5315-842-3044	PIN, COTTER: MS24665-283 (96906)	AD	EA	1	*	*	*	*	*	*	8	20	210	8
X2-O		PLUG: 129194 (21450)	AD	EA	6	*	*	*	*	*	*			210	9
P-O	4730-088-8665	PLUG, PIPE: gear case MS49005-10 (96906)	AD	EA	3	*	*	*	*	*	*	4	8	210	10
P-F	2520-740-9811	CASE, GEAR ASSEMBLY: 7409811 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	210	11
P-F	3120-740-9800	BEARING, SLEEVE: gear case 7409800 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	210	12
P-F	5315-740-9157	KEY, MACHINE: cable drum shaft 7409157 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	210	13
P-F	5315-281-7650	KEY, MACHINE: cable drum shaft 8327443 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	210	14
P-F	2520-741-3551	SHAFT ASSEMBLY, CABLE DRUM: 7413551 (19207)	AD	EA	1	*	*	*	*	*	*	4	5	210	15
P-F	2520-921-0478	SHAFT, STRAIGHT, CABLE DRUM: used with cover, 7954476 7954473 (19207)	AD	EA	1	*	*	*	*	*	*	4	5	210	15
P-F	2530-740-9810	CASE, BRAKE ASSEMBLY: 7409810 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	210	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5340-050-1589	PLUG, EXPANSION: drive worm case MS35648-3 (96906)	AD	EA	1	*	*	*	*	*	*	4	8	210	17
P-F	2520-740-9817	DISK, WINCH, BRAKE: 7409817 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	210	18
P-F	5310-595-5839	WASHER, FLAT: drive worm disk 8330414 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	210	19
P-F	5310-584-5272	WASHER, LOCK: drive worm disk MS35338-48 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	210	20
P-F	5305-226-7767	SCREW, CAP, HEXAGON HEAD: drive worm disk MS90726-109 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	210	21
P-O	2590-740-9565	BRAKE ASSEMBLY, BAND WITH LINING: 7409565 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	210	22
X1		BAND: automatic brake 7954460 (19207)			1									210	23
P-F	5320-013-6519	RIVET, TUBULAR: MS16536-92 (96906)		EA	9	*	*	*	*	*	*	40	60	210	24
P-F	2530-740-9387	LINING, FRICTION: 7409387 (19207)		EA	1	*	*	*	*	*	*	4	10	210	25
P-F	3830-699-6379	SPRING, WINCH BRAKE: bolt front winch 7099506 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	210	26
P-F	5330-640-9613	PACKING, PREFORMED: shift shaft AN6227B7 (88044)	AD	EA	2	*	*	*	*	*	*	6	10	210	27
P-F	5305-269-2818	SCREW, CAP, HEXAGON HEAD: winch brake spring MS90726-74 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	210	28
P-F	2590-895-3424	GASKET: brake case cover 7973339 (19207)	AD	EA	1	*	*	*	*	*	*	8	10	210	29
P-F	2520-740-9816	COVER, BRAKE CASE: 7409816 (19207)	AD	EA	1	*	*	*	*	*	*	2	5	210	30
P-F	5320-764-3752	RIVET, SOLID: instruction plate MS20615-483 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	210	31
P-F	5306-018-7527	BOLT, ASSEMBLY LOCK WASHER: brake case cover 187527 (21450)	AD	EA	6	*	*	*	*	*	*	6	10	210	32
P-F	2590-740-9823	GEAR, WORM WHEEL: hoist winch 7409823 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	210	33
P-F	5330-740-9821	GASKET: cover, gear case, hoist winch 7409821 (19207)	AD	EA	1	*	*	*	*	*	*	8	10	210	34

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-923-4233	COVER GEAR CASE: 7954476 (19207)	AD	EA	1	*	*	*	*	*	*	8	10	210	35
P-F	2520-741-3441	COVER, END: gear case assembly 7413441 (19207)	AD	EA	1	*	*	*	*	*	*	2	5	210	35
P-F	5305-958-5267	SCREW, CAP, HEXAGON HEAD: end cover MS35190-343 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	210	36
P-F	5330-286-7057	SEAL, PLAIN, ENCASED: drum shaft 500130 (21450)	AD	EA	1	*	*	*	*	*	*	10	100	210	37
P-F	5306-740-9803	BOLT, MACHINE: end cover 7409803 (19207)	AD	EA	4	*	*	*	*	*	*	6	10	210	38
P-F	5310-820-6653	WASHER, LOCK: end cover MS35338-50 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	210	39
P-F	5315-281-7652	KEY, MACHINE: worm gear 8327444 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	210	40
P-F	2520-740-9730	WORM ASSEMBLY, WINCH: 7409730 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	210	41
		Non-Illustrated													
P-F	5315-209-7979	PIN SHEAR: drive front winch 7409348 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	2520-740-9805	BRACKET, ROLLER: right 7409805 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	211	1
P-F	2590-740-9729	WASHER, THRUST: drum roller 7409729 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	211	2
P-F	5310-741-7094	WASHER, FELT: cable drum bearing 7417094 (19207)	AD	EA	2	*	*	*	*	*	*	10	40	211	3
P-F	2520-740-9725	SHAFT, SHOULDERED: roller assembly 7409725 (19207)	AD	EA	1	*	*	*	*	*	*	4	5	211	4
P-F	2520-740-9694	ROLLER ASSEMBLY: 7409694 (19207)	AD	EA	1	*	*	*	*	*	*	4	5	211	5
X1		BEARING, SLEEVE: 7409694 (19207)			4									211	6
P-F	2520-740-9804	BRACKET, ROLLER: left 7409804 (19207)	AD	EA	1	*	*	*	*	*	*	4	5	211	7
P-F	5305-725-0168	SETSCREW; roller bracket MS51963-137 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	211	8
P-F	5310-740-9728	WASHER, FLAT: side roller 7409728 (19207)	AD	EA	4	*	*	*	*	*	*	6	10	211	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-740-9807	BEARING, SLEEVE: side roller 7409807 (19207)	HA,JA,ID, IA,FJ	EA	4	*	*	*	*	*	*	6	10	211	10
P-F	2590-740-9695	BEARING, SLEEVE: 7409695 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	211	11
P-F	4730-050-4208	FITTING, LUBRICATION: MS-15003-1 (96906)	AD	EA	8	*	*	*	*	*	*	8	20	211	12
P-F	5315-740-9609	PIN, ROLLER, WINCH: 7409609 (19207)	AD	EA	2	*	*	*	*	*	*	4	8	211	13
P-F	5310-042-6897	NUT, PLAIN, HEXAGON: tie rod 426897 (21450)	AD	EA	4	*	*	*	*	*	*	6	10	211	14
P-F	2520-740-9680	ROD, TIE, STEERING: 7409680 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	211	15
P-F	5315-058-9939	PIN, STRAIGHT, HEADLESS: bearing lock MS51025-56 (96906)	AD	EA	1	*	*	*	*	*	*	8	10	211	16
P-O	4730-506-1609	FITTING, LUBRICATION: roller bracket 7964135 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	211	17
P-O	4730-172-0034	FITTING, LUBRICATION: MS15003-6 (96906)	AD	EA	1	*	*	*	*	*	*	4	5	211	18
P-F	5305-939-9204	SCREW, CAP, HEXAGON HEAD: roller bracket MS90725-187 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	211	19
P-F	5310-584-7888	WASHER, LOCK: roller bracket MS35338-51 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	211	20
P-F	5305-051-0827	SCREW, CAP, HEXAGON HEAD: roller bracket MS90725-164 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	211	21
P-F	5310-820-6653	WASHER, LOCK: roller bracket MS35338-50 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	211	22
P-F	2590-235-1895	GUARD, MECHANICAL DRIVE: M305639 (24076)	HA, JA, FJ	EA	1	*	*	*	*	*	*	2	5	212	1
P-F	5310-637-9541	WASHER, LOCK: guard MS35338-46 (96906)	HA,JA,3G,FJ	EA	4	*	*	*	*	*	*	6	20	212	2
P-F	5305-269-3209	SCREW, CAP, HEXAGON HEAD: guard MS90725-58 (96906)	HA,JA,FJ	EA	4	*	*	*	*	*	*	6	20	212	3
P-F	2590-741-1121	PULLEY, GROOVE: swivel 7411121 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	3	5	212	4
P-F	3110-198-1080	BEARING, ROLLER, NEEDLE: front swivel sheave MS17131-54 (96906)	HA,JA,FJ	EA	1	*	*	*	*	*	*	10	40	212	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-741-1125	BUSHING, SLEEVE: grooved pulley 7411125 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	10	212	6
P-F	5330-741-1154	WASHER, FELT: swivel sheave bearing 7411154 (19207)	HA,JA,FJ	EA	2	*	*	*	*	*	*	10	40	212	7
P-F	5310-182-4048	WASHER, LOCK: sleeve bushing 13Y4Z16 (24076)	HA,JA,FJ	EA	2	*	*	*	*	*	*	6	10	212	8
P-F	5310-763-8901	NUT, PLAIN, HEXAGON: MS51968-23 (96906)	HA,JA,FJ	EA	2	*	*	*	*	*	*	6	10	212	9
X2-F		FRAME: M307240 (24076)	HA,JA,FJ	EA	1	*	*	*	*	*	*			212	10
P-F	5310-982-6562	WASHER, FLAT: MS27183-28 (96906)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	10	212	11
X2-F		NUT, PLAIN, HEXAGON: M305385 (24076)	HA,JA,FJ	EA	1	*	*	*	*	*	*			212	12
P-F	3120-741-1156	BEARING, SLEEVE: front swivel sheave frame M307238 (24076)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	10	212	13
P-F	5330-741-1160	RING, FELT, TROLLEY: 7411160 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	10	40	212	14
P-F	3110-227-3245	BEARING, ROLLER, NEEDLE: 707728 (19207)	HA,JA,FJ	EA	4	*	*	*	*	*	*	10	40	212	15
P-F	2510-740-9960	WHEEL, TROLLEY: 7409960 (19207)	HA,JA,3G,FJ	EA	4	*	*	*	*	*	*	8	5	212	16
P-F	2590-740-9929	PACKING WITH RETAINER: trolley wheel bearing 7409929 (19207)	HA,JA,FJ	EA	8	*	*	*	*	*	*	15	40	212	17
X2-F		WASHER: trolley assembly 7411153 (19207)	HA,JA,FJ	EA	4	*	*	*	*	*	*			212	18
P-F	5310-820-6653	WASHER, LOCK: trollely assembly MS35338-50 (96906)	HA,JA,FJ	EA	4	*	*	*	*	*	*	6	20	212	19
P-F	5305-044-5504	SCREW, CAP, HEXAGON HEAD: trolley assembly MS90725-158 (96906)	HA,JA,FJ	EA	2	*	*	*	*	*	*	6	10	212	20
P-F	2590-741-1152	WASHER, THRUST: trolley wheel 13Y4234 (24076)	HA,JA,FJ	EA	4	*	*	*	*	*	*	6	20	212	21
X2-F		AXLE: trolley assembly 13Y4210 (24076)	HA,JA,FJ	EA	2	*	*	*	*	*	*			212	22
X2-F		FRAME: trolley assembly M305371 (24076)	HA,JA,FJ	EA	1	*	*	*	*	*	*			212	23

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X2-F		SHAFT: 13Y4249 (24076)	HA,JA,FJ	EA	1	*	*	*	*	*	*			212	24
P-F	3110-741-1123	RETAINER, BALL, BEARING: 7411123 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	40	212	25
P-F	3110-100-6158	BALL, BEARING: front trolley MS19059-57 (96906)	HA,JA,FJ	EA	26	*	*	*	*	*	*	100	200	212	26
P-F	5310-741-1124	RACE, BALL THRUST: 7411124 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	40	212	27
P-F	3110-157-0531	BEARING, ROLLER JOURNAL: front swivel sheave frame, swivel sheave frame shaft 7411158 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	40	212	28
P-F	5330-741-1159	FELT, MECHANICAL, PREFORMED: sheave frame shaft bearing 7411159 (19207)	HA,JA,FJ	EA	29	*	*	*	*	*	*	100	400	212	29
P-F	5310-044-6257	WASHER, FLAT: shaft 446257 (21450)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	212	30
P-F	5305-984-5687	SCREW, MACHINE: frame MS35206-307 (96906)	HA,JA,FJ	EA	4	*	*	*	*	*	*	6	20	212	31
P-F	5306-741-1155	BOLT, INTERNALLY RELIEVED: front trolley axle 7411155 (19207)	HA,JA,FJ	EA	2	*	*	*	*	*	*	6	10	212	32
P-O	4730-506-1609	FITTING, LUBRICATION, PRESSURE RELIEF: 587305 (21450)	HA,JA,FJ	EA	3	*	*	*	*	*	*	8	10	212	33
X2-F		BOLT, MACHINE: frame 13Y4212 (24076)	HA,JA,FJ	EA	1	*	*	*	*	*	*			212	34
P-F	2590-741-1170	WASHER, THRUST: tension lever bearing 7411170 (19207)	HA,JA,FJ	EA	4	*	*	*	*	*	*	8	20	213	1
P-F	5330-741-7093	PACKING ASSEMBLY: felt, tension lever bearing 7417093 (19207)	HA,JA,FJ	EA	4	*	*	*	*	*	*	20	100	213	2
P-F	3110-120-4367	BEARING, ROLLER, NEEDLE: 111705R1 (31007)	HA,JA,FJ	EA	2	*	*	*	*	*	*	10	40	213	3
P-F	3020-484-5831	PULLEY, GROOVED: 8344250 (19207)	HA,JA,FJ	EA	2	*	*	*	*	*	*	3	5	213	4
X2-F		SHIM: frame tensioner end 7411162 (19207)	HA,JA,3G,FJ	EA	2	*	*	*	*	*	*			213	5
P-F	2590-179-3540	FRAME, TENSIONER, WINCH: 8344248 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	2	5	213	6
P-F	3120-741-1164	BEARING, SLEEVE: tension sheave block upper 7411164 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	6	10	213	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O	4730-506-1609	FITTING, LUBRICANT PRESSURE RELIEF: tensioner roller shaft 587305 (21450)	HA,JA,FJ	EA	2	*	*	*	*	*	*	8	10	213	8
P-O	4730-172-0034	ELBOW, LUBRICATOR: tensioner roller shaft MS15003-6 (96906)	HA,JA,FJ	EA	2	*	*	*	*	*	*	4	8	213	9
P-F	5340-598-1174	RING, RETAINING: tension sheave pin MS16624-3100 (96906)	HA,JA,FJ	EA	2	*	*	*	*	*	*	6	10	213	10
P-F	5315-562-1956	PIN: 505557 (21450)	HA,JA,FJ	EA	1	*	*	*	*	*	*	8	10	213	11
P-F	2590-741-1161	SHAFT, STRAIGHT: tension sheave 7411161 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	4	8	213	12
P-F	5315-616-5524	KEY, WOODRUFF: MS35756-10 (96906)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	213	13
P-F	5310-637-9541	WASHER, LOCK: block assembly MS35338-46 (96906)	HA, JA, FJ	EA	4	*	*	*	*	*	*	6	20	213	14
P-F	5305-269-2801	SCREW, CAP, HEXAGON HEAD: block assembly MS90726-58 (96906)	HA, JA, FJ	EA	4	*	*	*	*	*	*	6	20	213	15
P-F	5310-880-7744	NUT, PLAIN, HEXAGON: upper latch MS51967-5 (96906)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	213	16
P-F	2540-740-9150	LATCH, DRUM POPPET LEVER: 7409150 (19207)	HA, JA, FJ	EA	2	*	*	*	*	*	*	4	8	213	17
P-F	5310-740-9894	NUT, TROLLEY LOCK: 7409894 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	213	18
P-F	2590-753-8706	SPRING, HELICAL, COMPRESSION: trolley poppet lever 7538706 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	8	10	213	19
P-F	2520-741-1166	POPPET, WINCH, TROLLEY: tension sheave camshaft lever 7411166 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	4	8	213	20
P-F	2520-741-1120	LEVER, TENSION WINCH: 7411120 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	4	8	213	21
P-F	3120-661-9026	BEARING, SLEEVE: sheave block lower 7411163 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	213	22

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST. WINCH. CRANE ASSEMBLY—Continued													
X2-F		BLOCK ASSEMBLY: tensioner frame 8344506 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*			213	23
X2-F		PIN: 7994965 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*			213	24
P-F	2520-941-5435	PROPELLER SHAFT WITH U-JOINTS: front winch (all front winch models except FJ) 8712096 (19207)	AD	EA	1	*	*	*	*	*	*	4	10	214	1
P-F	2520-293-5127	PROPELLER SHAFT WITH U-JOINTS: front winch 8332451 (19207)	FJ	EA	1	*	*	*	*	*	*	4	10	214	1
P-F	5306-050-1238	SCREW, CAP, HEXAGON HEAD: (Used with shaft FSN 2520-941-5434) (Component of Parts Kit, Universal Joint, FSN 2520-999-7808) MS90727-32 (96906)	AD	EA	4	*	*	*	*	*	*	6		214	2
P-F	2520-358-9294	PLATE, LOCK: (Used with shaft FSN 2520-941-5434) (Component of Parts Kit, Universal Joint, FSN 2520-999-7808) 4598J (76260)	AD	EA	2	*	*	*	*	*	*	6		214	3
P-F	2520-740-9581	YOKE, UNIVERSAL JOINT: propeller flange shaft to winch 7409581 (19207)	AD	EA	1	*	*	*	*	*	*	4	10	214	4
P-F	2520-710-1350	YOKE, UNIVERSAL JOINT: sleeve front winch (Used with shaft FSN 2520-293-5127) 7538744 (19207)	FJ	EA	1	*	*	*	*	*	*	4	10	214	4
P-F	2520-511-1725	SHAFT, DRIVE, WITH SPLINED END AND YOKE: 102057R12 (31007)	AD	EA	1	*	*	*	*	*	*	3	5	214	5
P-F	2520-740-9574	RETAINER, WASHER, SLIP YOKE: drive shaft 7409574 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	214	6
P-F	5310-740-9579	WASHER, SPLIT: slip yoke 7409579 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	214	7
P-F	2520-753-8746	COLLAR, SHAFT: stop, sleeve end yoke (Used with shaft 2520-293-5127 7538746 (19207)	FJ	EA	1	*	*	*	*	*	*	4	8	214	8
P-F	2540-741-1088	YOKE ASSEMBLY, SLIP: 103596R11 (31007)	AD	EA	1	*	*	*	*	*	*	4	10	214	9
P-F	2520-740-9580	YOKE, UNIVERSAL JOINT: propeller shaft to power take-off 7409580 (19207)	AD	EA	1	*	*	*	*	*	*	4	10	214	10

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-753-8742	YOKE, UNIVERSAL JOINT: drive shaft to power take-off (Used with shaft 2520-293-5127) 7538742 (19207)	FJ	EA	1	*	*	*	*	*	*	4	10	214	10
P-F	4730-050-4208	FITTING, LUBRICATION: universal joint journal (2), sleeve yoke (1) (Used with shaft 2520-293-5127) MS15001-1 (96906)	AD	EA	3	*	*	*	*	*	*	8	10	214	11
P-F	2540-740-9980	WINCH ASSEMBLY: rear 7409980 (19207)	HA, FJ	EA	1	*	*	*	*	*	*	6	10	215	1
P-F	2540-740-9954	TROLLEY ASSEMBLY WINCH: 7409954 (19207)		EA	1	*	*	*	*	*	*	3	5	215	2
P-F	5305-724-5911	SCREW, CAP, HEXAGON HEAD: MS90725-163 (96906)		EA	4	*	*	*	*	*	*	6	20	215	3
P-F	5310-012-1574	WASHER, LOCK: MS35338-31 (96906)		EA	4	*	*	*	*	*	*	6	20	215	4
P-F	5306-741-7084	BOLT, MACHINE: stop, trolley 7417084 (19207)		EA	2	*	*	*	*	*	*	6	10	215	5
P-F	5110-655-9284	NUT, PLAIN, HEXAGON: trolley stop bolt MS35691-1002 (96906)		EA	2	*	*	*	*	*	*	6	10	215	6
P-F	2590-418-0887	TRACK ASSEMBLY: trolley 7954574 (19207)		EA	1	*	*	*	*	*	*	3	5	215	7
P-F	5315-582-2583	PIN, GROOVED, HEADED: drum 8330478 (19207)		EA	1	*	*	*	*	*	*	6	10	215	8
P-F	5315-839-5822	PIN, COTTER: MS24665-353 (96906)		EA	1	*	*	*	*	*	*	8	10	215	9
X1		DRUM ASSEMBLY, WINCH: 7954590 (19207)			1									215	10
P-F	5305-903-7298	SCREW, CAP, HEXAGON HEAD: MS90725-189 (96906)		EA	2	*	*	*	*	*	*	6	10	215	11
P-F	5310-584-7888	WASHER, LOCK-SPRING: MS35338-51 (96906)		EA	8	*	*	*	*	*	*	6	20	215	12
P-F	5310-763-8921	NUT, PLAIN, HEXAGON: MS51967-23 (96906)		EA	2	*	*	*	*	*	*	6	10	215	13
P-F	2590-404-0752	TENSIONER, WINCH ASSEMBLY: 8690891 (19207)		EA	1	*	*	*	*	*	*	3	5	215	14
P-F	5305-939-9204	SCREW, CAP, HEXAGON HEAD: MS90725-187 (96906)		EA	6	*	*	*	*	*	*	6	20	215	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5310-880-7744	NUT, PLAIN, HEXAGON HEAD: trolley frame lock poppet latch MS51967-5 (96906)		EA	1	*	*	*	*	*	*	6	10	215	16
P-F	2540-740-9150	LATCH, DRUM POPPET LOCK: 7409150 (19207)		EA	1	*	*	*	*	*	*	4	8	215	17
P-F	2590-226-2347	NUT WINCH POPPET: 8344240 (19207)		EA	1	*	*	*	*	*	*	6	10	215	18
P-F	2590-753-8706	SPRING, HELICAL, COMPRESSION: trolley lock poppet 7538706 (19207)		EA	1	*	*	*	*	*	*	8	10	215	19
P-F	2590-652-5548	POPPET, LOCK, TROLLEY: 8741768 (19207)		EA	1	*	*	*	*	*	*	4	8	215	20
P-F	5315-282-2583	PIN, GROOVED, HEADED: drive sprocket 8330478 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	216	1
P-F	5315-839-5822	PIN, COTTER: drive sprocket MS24665-353 (96906)	HA, JA, FJ	EA	1	*	*	*	*	*	*	8	20	216	2
P-F	2590-287-8679	SPROCKET, DRIVEN: used with chain, FSN 2520-741-7085 and sprocket, FSN 2520-287-8678, used on vehicles after serial number 2427 5Y795 (24076)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	10	216	3
P-F	2590-569-8942	SPROCKET, DRIVEN: used with chain, FSN 2520-692-6165 and sprocket, FSN 2520-288-0846, used on vehicles after serial number 2427 126657R1 (31007)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	10	216	3
P-F	5330-740-9940	SEAL, OIL: worm gear end 111940R91 (31007)	HA, FJ, JA	EA	1	*	*	*	*	*	*	10	40	216	4
P-F	3110-277-0476	BEARING, BALL, ANNULAR: worm shaft 700290 (21450)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	216	5
P-F	3830-328-8862	WORM SHAFT: with key, screw and washer MS305791 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	10	216	6
P-F	5315-042-4950	KEY, MACHINE: worm shaft MS20067-305 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	216	7
P-F	2520-740-9669	CASE, GEAR WINCH: 7409669 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	2	5	216	8
P-F	3120-740-9666	BEARING, SLEEVE: drum shaft 7409666 (19207)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	216	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5330-166-4333	GASKET: gear case 7409931 (19207)	HA, JA, FJ	EA	2	*	*	*	*	*	*	8	20	216	10
P-F	5330-286-7060	SEAL, PLAIN, ENCASED: brake case to gear case 500136 (21450)	HA, FJ, JA	EA	1	*	*	*	*	*	*	10	100	216	11
X2-F		CASE: winch brake 7954588 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*			216	12
P-O	4730-289-5176	PLUG, PIPE: winch brake case MS49005-8 (96906)	HA, JA, FJ	EA	1	*	*	*	*	*	*	4	8	216	13
X2-O		PLUG, PIPE: winch brake case 501514 (21450)	HA, JA, FJ	EA	1	*	*	*	*	*	*			216	14
P-F	2590-740-9925	DRUM, BRAKE: drive worm automatic brake 7409925 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	216	15
X2-F		WASHER: winch brake 7066437 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*			216	16
P-F	5314-584-5272	WASHER, LOCK: winch brake MS35338-48 (96906)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	216	17
P-F	5305-761-4227	SCREW, CAP, HEXAGON HEAD: winch brake MS90726-111 (96906)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	216	18
P-F	5340-541-6501	SPRING, BRAKE BAND: automatic brake 5416501 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	8	10	216	19
P-F	5310-809-5998	WASHER, FLAT: winch brake MS15795-218 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	216	20
P-F	5305-716-8156	SCREW, CAP, HEXAGON HEAD: winch brake MS90726-128 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	216	21
P-F	5330-599-2934	GASKET: winch brake MS28775-112 (96906)	HA, JA, FJ	EA	1	*	*	*	*	*	*	10	100	216	22
P-F	2590-740-9663	BRAKE BAND ASSEMBLY: 7409663 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	10	20	216	23
P-F	2590-740-9936	LINING, FRICTION: brake band 7409936 (19207)	HA, JA, FJ	EA	1	*	*	*	*	*	*	6	10	216	24
X1		BAND, BRAKE: 7954564 (19207)	HA, JA, FJ		1									216	25

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		RIVET: brake band 589873 (21450)	HA,JA,FJ		1									216	26
P-F	5306-018-7527	BOLT, ASSEMBLED LOCKWASHER: 187527 (21450)	HA, JA, FJ	EA	4	*	*	*	*	*	*	6	20	216	27
P-F	2520-740-9675	COVER, BRAKE CASE: 7409673 (19207)	HA, FJ, JA	EA	4	*	*	*	*	*	*	2	5	216	28
X2-F		SCREW, MACHINE: winch brake cover 7954556 (19207)	HA, FJ, JA	EA	6	*	*	*	*	*	*			216	29
P-F	2520-740-9932	GASKET, BRAKE COVER: 7409932 (19207)	JA, FJ	EA	1	*	*	*	*	*	*	10	100	216	30
X2-F		SCREW, CAP, HEXAGON HEAD: winch brake case 738772 (21450)	HA, JA, FJ	EA	4	*	*	*	*	*	*			216	31
P-F	5310-584-7888	WASHER, LOCK: winch brake case MS35338-51 (96906)	HA, FJ, JA	EA	8	*	*	*	*	*	*	6	20	216	32
P-O	4730-088-8665	PLUG: winch gear case MS49005-10 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	8	216	33
P-F	5310-740-9977	WASHER, KEY: winch gear case 7409977 (19207)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	216	34
P-F	2590-740-9934	GEAR, WORM WHEEL: 7409934 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	10	216	35
P-F	5330-740-9933	GASKET: gear case cover 7409933 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	10	100	216	36
P-F	5305-958-8475	SCREW, CAP, HEXAGON: winch gear case MS90726-235 (96906)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	216	37
P-F	5310-740-9983	WASHER, WINCH MOUNTING: MS135319-6 (81336)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	216	38
P-F	5310-584-7889	WASHER, LOCK: winch gear case cover MS35338-53 (96906)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	216	39
P-F	5310-762-6239	NUT, PLAIN, HEXAGON: winch gear case cover MS51968-29 (96906)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	216	40
P-F	5305-051-0827	SCREW: winth gear case cover MS90725-164 (96906)	HA, FJ, JA	EA	8	*	*	*	*	*	*	6	10	216	41
P-F	5310-820-6653	WASHER, LOCK: winch gear case cover MS35338-50 (96906)	HA, FJ, JA	EA	8	*	*	*	*	*	*	6	10	216	42

(1) SMR Code	(2) Federal Stock Number	(3) Description / Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-740-9672	COVER, GEAR CASE: 7409672 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	3	5	216	43
P-F	2520-740-9667	CAP, WORM GEAR CASE: 7409667 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	3	5	216	44
P-F	5305-903-7298	SCREW, CAP, HEXAGON HEAD: worm gear case cap MS90725-189 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	216	45
P-F	5310-740-9977	WASHER, KEY: worm gear 7409977 (19207)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	217	1
X2-F		KEY, WOODRUFF: drum shaft 542973 (21450)	HA, FJ, JA	EA	4	*	*	*	*	*	*			217	2
P-F	3830-506-8451	SHAFT, STRAIGHT: winch drum 7954563 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	8	217	3
P-F	5330-585-3210	SEAL, PLAIN, ENCASED: end frame to drum and worm gear REVAPC15 (80064)	HA, FJ, JA	EA	2	*	*	*	*	*	*	10	100	217	4
X2-F		DRUM: rear winch 7954568 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*			217	5
P-F	5305-725-0194	SETSCREW: winch drum MS51963-170 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	217	6
X2-F		CHANNEL: 7409671 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*			217	7
P-F	5310-584-7888	WASHER, LOCK: channel MS35338-51 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	217	8
P-F	5305-939-9204	SCREW, CAP, HEXAGON HEAD: winch channel MS90725-187 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	217	9
P-F	5310-763-8921	NUT, PLAIN HEXAGON HEAD: winch channel MS51967-23 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	217	10
X2-F		FRAME, END: rear winch 7954585 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*			217	11
P-F	5315-753-3841	PIN, STRAIGHT, HEADLESS: winch frame end 589965 (21450)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	217	12
X2-F		SLEEVE: end frame 7954534 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*			217	13
P-F	3120-740-9666	BEARING, SLEEVE: end frame 7409666 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	8	217	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST. WINCH. CRANE ASSEMBLY—Continued													
P-F	5310-740-9979	WASHER, KEY: end frame 7409979 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	217	15
X2-F		GUARD: sheave trolley 7409893 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*			218	1
P-F	5310-637-9541	WASHER, LOCK: sheave guard MS35338-46 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	218	2
P-F	5305-269-2801	SCREW, CAP, HEXAGON: sheave guard MS90726-58 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	218	3
P-F	3110-227-3229	BEARING, ROLLER, NEEDLE: rear swivel sheave shaft 7409887 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	10	40	218	4
X2-F		SLEEVE: roller needle bearing M144 (24076)	HA, FJ, JA	EA	1	*	*	*	*	*	*			218	5
P-F	2590-506-8450	SPACER, BEARING: sleeve roller bearing 7954539 (19207)	HA, FJ, JA	EA	2	*	*	*	*	*	*	4	8	218	6
P-F	2590-740-9953	WASHER, THRUST: swivel sheave bearing 7409953 (19207)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	218	7
P-F	2540-740-9952	SHEAVE, SWIVEL, TROLLEY: 7409952 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	3	5	218	8
P-F	4730-506-1609	FITTING, LUBRICANT: swivel sheave 587305 (21450)	HA, FJ, JA	EA	6	*	*	*	*	*	*	8	20	218	9
P-F	5310-045-1071	NUT, SELF-LOCKING, HEXAGON: 7538770 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	218	10
P-F	5310-596-7797	WASHER, FLAT: rear swivel sheave shaft 7409955 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	218	11
P-F	5330-740-9956	WASHER, FELT: rear swivel sheave shaft 7409956 (19207)	HA, JA	EA	1	*	*	*	*	*	*	10	40	218	12
P-F	2520-740-9950	SHAFT, TROLLEY PIVOT: rear sheave 7409950 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	3	5	218	13
P-F	5315-058-9939	PIN, STRAIGHT, HEADLESS: swivel shaft sheave MS51025-56 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	218	14
X2-F		RING, RETAINING: rear swivel sheave shaft 7409898 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*			218	15
P-F	2590-740-9951	SHAFT, SWIVEL SHEAVE: 7409951 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	8	218	16

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-740-9892	FRAME, SWIVEL SHEAVE: 7409892 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	2	5	218	17
P-F	3110-740-9896	RING, BEARING, INNER: rear swivel sleeve 7409896 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	218	18
P-F	3110-100-6159	BALL, BEARING: rear trolley MS19059-59 (96906)	HA, FJ, JA	EA	45	*	*	*	*	*	*	8	10	218	19
P-F	2520-740-9897	RACE, SWIVEL SLEEVE: thrust bearing ball, outer 7409897 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	218	20
P-F	5310-045-1031	NUT, SELF-LOCKING: 451031 (21450)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	218	21
P-F	4730-172-0034	ELBOW, PIPE: trolley pivot shaft MS15003-6 (96906)	HA, FJ, JA	EA	1	*	*	*	*	*	*	4	5	218	22
P-F	8305-285-4849	FELT SHEET: rear swivel (sheave frame 2 ft)	HA; JA, FJ	FT	V	*	*	*	*	*	*	10	20	218	23
P-F	5340-727-2810	RING, RETAINING: rear trolley wheel 7409961 (19207)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	218	24
P-F	5310-740-9962	WASHER, FLAT: 7409962 (19207)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	218	25
P-F	5330-740-9959	WASHER, FELT: rear trolley wheel bearing 7409959 (19207)	HA, FJ, JA	EA	8	*	*	*	*	*	*	10	40	218	26
P-F	2510-740-9960	WHEEL, TROLLEY: rear winch 7409960 (19207)	HA, FJ, JA	EA	4	*	*	*	*	*	*	3	5	218	27
P-F	3110-227-3253	BEARING, ROLLER, NEEDLE: rear trolley wheel MS51961-30 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	10	40	218	28
P-F	3120-740-9958	WASHER, THRUST: rear trolley wheel 7409958 (19207)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	218	29
P-F	2510-740-9882	AXLE: rear trolley wheel 7409882 (19207)	HA, FJ, JA	EA	2	*	*	*	*	*	*	3	5	218	30
X2-F		FRAME: rear trolley assembly 7409891 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*			218	31
P-F	5305-740-9899	SCREW SET: rear swivel sheave frame. 7409899 (19207)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	218	32
P-F	5310-834-8732	NUT, PLAIN, HEXAGON: rear swivel frame MS35691-33 (96906)	HA, FJ, JA	EA	4	*	*	*	*	*	*	6	10	218	33

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-740-9668	BRACKET: tension sheave lever, left hand 7409668 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	3	5	219	1
P-F	2590-740-9945	SHAFT, STRAIGHT: tension sheave 7409945 (19207)	HA, FJ, JA	EA	2	*	*	*	*	*	*	4	8	219	2
P-O	4730-172-0034	FITTING, LUBRICATION: tension sheave shaft MS15003-6 (96906)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	219	3
P-O	4730-650-4208	FITTING, LUBRICATION: tension sheave MS15003-1 (96906)	HA, FJ, JA	EA	2	*	*	*	*	*	*	6	10	219	4
P-F	5315-849-5582	PIN, COTTER: frame MS24665-502 (96906)	HA,JA,FJ	EA	1	*	*	*	*	*	*	8	10	219	5
P-F	2520-740-9930	FRAME: adjustable 7409930 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	3	5	219	6
X2-F		PIN, STRAIGHT: tension sheave lever 583552 (21450)	HA,FJ,JA	EA	1	*	*	*	*	*	*			219	7
P-F	5315-839-5821	PIN, COTTER: MS24665-351 (96906)	HA,FJ,JA	EA	1	*	*	*	*	*	*	8	10	219	8
P-F	5315-187-9550	PIN, COTTER: MS24665-419 (96906)	HA,FJ,JA	EA	1	*	*	*	*	*	*	8	10	219	9
X2-F		PIN, STRAIGHT: tension sheave lever 583576 (21450)	HA,FH,JA	EA	1	*	*	*	*	*	*			219	10
P-F	2520-740-9935	LEVER: tension, sheave adjusting frame 7409935 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	3	5	219	11
P-F	2520-740-9665	BRACKET: tension sheave lever, right hand 7409665 (19207)	HA,JA,FJ	EA	1	*	*	*	*	*	*	3	5	219	12
P-F	2590-418-0887	FRAME ASSEMBLY: 7954574 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	3	5	219	13
P-F	2510-740-9948	SHEAVE ASSEMBLY: tensioner rear winch 7409948 (19207)	HA,FJ,JA	EA	2	*	*	*	*	*	*	3	5	219	14
P-F	3110-227-3245	BEARING, ROLLER, NEEDLE: tension sheave MS51961-15 (96906)	HA,FJ,JA	EA	2	*	*	*	*	*	*	10	40	219	15
P-F	2590-740-9929	PACKING, RETAINER: tension sheave shaft 7409929 (19207)	HA,FJ,JA	EA	4	*	*	*	*	*	*	6	10	219	16
P-F	5310-740-9975	WASHER, FLAT: tension sheave shaft 7409975 (19207)	HA,FJ,JA	EA	4	*	*	*	*	*	*	6	10	219	17
P-F	3120-740-9978	WASHER, THRUST: roller 7409978 (19207)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	220	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5305-269-2801	SCREW, CAP, HEXAGON HEAD: roller shaft plate MS90726-58 (96906)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	220	2
P-F	5310-637-9541	WASHER, LOCK: roller shaft plate MS35338-46 (96906)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	220	3
P-F	2590-400-7052	PLATE: roller shaft M305852 (24076)	HA,FJ,JA	EA	1	*	*	*	*	*	*	3	5	220	4
P-F	5310-740-9928	WASHER, FLAT: winch roller shaft 7409928 (19207)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	220	5
P-F	2520-740-9947	SHAFT: winch roller 7409947 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	4	8	220	6
P-F	2520-740-9939	ROLLER ASSEMBLY: rear winch, upper & lower 7409939 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	3	5	220	7
P-F	3110-120-3326	BEARING, ROLLER, NEEDLE: roller shaft 7974883 (19207)	HA,FJ,JA	EA	2	*	*	*	*	*	*	10	40	220	8
P-O	4730-172-0034	FITTING, LUBRICATION: rear winch MS15003-6 (96906)	HA,FJ,JA	EA	1	*	*	*	*	*	*	8	10	220	9
P-O	4730-050-4208	FITTING, LUBE: rear winch MS15003-1 (96906)	HA,FJ,JA	EA	1	*	*	*	*	*	*	8	10	220	10
P-F	5305-725-4100	SCREW, CAP, HEXAGON HEAD: roller shaft plate MS90726-161 (96906)	HA,FJ,JA	EA	4	*	*	*	*	*	*	6	10	221	1
X2-F		WASHER, LOCK: roller shaft plate 121754 (21450)	HA,FJ,JA	EA	4	*	*	*	*	*	*			221	2
X2-F		PLATE: roller shaft M307643 (24076)	HA,FJ,JA	EA	1	*	*	*	*	*	*			221	3
P-F	2590-404-5921	SPACER: winch roller M307644 (24076)	HA,FJ,JA	EA	1	*	*	*	*	*	*	4	8	221	4
P-F	3120-740-9978	WASHER, THRUST: winch roller bearing 7409978 (19207)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	221	5
P-F	5310-740-9928	WASHER, FLAT: winch roller bearing 7409928 (19207)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	221	6
P-F	2520-740-9939	ROLLER ASSEMBLY: rear winch side 7409939 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	3	5	221	7
P-F	3110-120-3326	BEARING, ROLLER, NEEDLE: winch roller shaft 7974883 (19207)	HA,FJ,JA	EA	4	*	*	*	*	*	*	10	40	221	8

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O	4730-050-4208	FITTING, LUBRICATION: short roller shaft MS15003-1 (96906)	HA,FJ,JA	EA	2	*	*	*	*	*	*	8	10	221	9
P-F	2520-740-9947	SHAFT: rear winch side roller 7409947 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	4	8	221	10
P-F	2590-400-7052	PLATE: roller shaft M305852 (24076)	HA,FJ,JA	EA	1	*	*	*	*	*	*	3	5	221	11
P-F	5310-637-9541	WASHER, LOCK: roller shaft plate MS35338-46 (96906)	HA,FJ,JA	EA	3	*	*	*	*	*	*	6	10	221	12
P-F	5305-269-2801	SCREW, CAP, HEXAGON HEAD: roller shaft plate MS90726-58 (96906)	HA,FJ,JA	EA	4	*	*	*	*	*	*	6	10	221	13
P-F	5305-226-7767	SCREW, CAP HEXAGON, HEAD: sprocket, drive wheel MS90726-109 (96906)	HA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	222	1
P-F	5310-584-5272	WASHER, LOCK: sprocket drive wheel (1) winch housing (4) MS35338-48 (96906)	HA,FJ,JA	EA	5	*	*	*	*	*	*	6	10	222	2
P-F	5310-595-5839	WASHER, FLAT: sprocket drive wheel 8330414 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	222	3
P-F	2520-287-8678	SPROCKET: drive (Used with chain, FSN2520-741-7085 and sprocket, FSN 2590-287-8679), (Used on vehicles through serial no. 2427) 5Y789 (24076)	HA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	222	4
P-F	2520-288-0846	SPROCKET: drive (Used with chain, FSN 2520-692-6165 and sprocket, FSN 2590-569-892), (Used on vehicles after serial no. 2427 (HA)) 12665R1 (31007)	FJ,HA,JA	EA	1	*	*	*	*	*	*	6	10	222	4
P-F	3120-740-9904	HOUSING: winch drive shaft, with bearings 7409904 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	3	5	222	5
P-F	2520-350-7400	SPACER: winch drive sprocket 6Y2057 (24076)	HA,FJ,JA	EA	2	*	*	*	*	*	*	4	8	222	6
X1		CAP: housing winch drive 8210708 (19207)	HA,FJ,JA		2									222	7
P-F	2520-350-5248	GASKET: winch drive sprocket pillow block 7Y2033 424076)	HA,FJ,JA	EA	2	*	*	*	*	*	*	15	40	222	8
P-F	5330-286-8150	SEAL, PLAIN ENCASED: winch drive sprocket pillow block 500097 (21450)	HA,FJ,JA	EA	2	*	*	*	*	*	*	10	100	222	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	3110-554-5302	BEARING, BALL: winch housing 1208 (21760)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	222	10
P-O	4730-172-0034	FITTING, LUBRICATION: winch housing MS15003-6 (96906)	HA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	222	11
P-O	4730-050-4208	FITTING, LUBRICATION: winch housing MS15003-1 (96906)	HA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	222	12
P-F	5305-716-8183	SCREW, CAP, HEXAGON HEAD: winch housing MS90726-116 (96906)	HA,FJ,JA	EA	4	*	*	*	*	*	*	6	10	222	13
P-F	2520-692-6129	HOUSING, WINCH DRIVE: 8331938 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	2	5	222	14
P-F	2520-740-9911	SHAFT, DRIVE: winch sprocket pillow block 7409911 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	2	5	222	15
P-F	5305-269-3213	SCREW, CAP, HEXAGON HEAD: winch housing cap MS90725-62 (96906)	HA,FJ,JA	EA	8	*	*	*	*	*	*	6	20	222	16
P-F	5310-637-9541	WASHER, LOCK: winch housing cap MS35338-46 (96906)	HA,FJ,JA	EA	8	*	*	*	*	*	*	6	20	222	17
P-F	5310-732-0560	NUT, PLAIN: winch housing MS51968-14 (96906)	HA,FJ,JA	EA	4	*	*	*	*	*	*	6	10	222	18
X1		NUT, PLAIN: winch housing 105685 (24076)	HA,FJ,JA		4									222	19
X1		STUD: winch housing 105822 (24076)	HA,FJ,JA		2									222	20
P-F	2520-740-9674	AIR CYLINDER ASSEMBLY: 7406974 (19207)	HA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	223	1
X2-O		BEARING: pillow block 6Y1353SA (24706)	HA,FJ,JA	EA	1	*	*	*	*	*	*			224	1
X2-O		SCREW: bearing 82X3005 (24706)	HA,FJ,JA	EA	1	*	*	*	*	*	*			224	2
P-O	4730-049-8126	FITTING, LUBRICATION: 1988 (70270)	HA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	224	3
P-O	4730-430-3221	ADAPTER: tube fitting 51942 (70270)	HA,FJ,JA	EA	1	*	*	*	*	*	*	4	8	224	4
X2-O		PIN: adapter pillow block 6Y6802 (24076)	HA,FJ,JA	EA	1	*	*	*	*	*	*			224	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O	3130-227-4054	BLOCK, PILLOW: rear drive shaft 6Y1127SA (24076)	HA,FJ,JA	EA	1	*	*	*	*	*	*	4	8	224	6
P-O	5310-067-9507	NUT, SELF-LOCKING: pillow block MS51922-37 (96906)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	224	7
P-O	5310-167-0823	WASHER, FLAT: pillow block 502268 (21450)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	224	8
P-O	5305-716-8181	SCREW, CAP, HEXAGON HEAD: pillow block MS90726-118 (96906)	HA,FJ,JA	EA	2	*	*	*	*	*	*	6	10	224	9
P-F	2530-741-3932	CHAMBER, AIR BRAKE: 7413932 (19207)	dA,FJ,JA	EA	1	*	*	*	*	*	*	6	10	225	1
P-F	2530-367-3653	BELLOWS, RUBBER: rod end 7704076 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	10	40	225	2
X1		YOKE: chamber, air brake 7413934 (19207)	HA, FJ, JA		1									225	3
P-F	2520-509-3036	VALVE ASSEMBLY, VACUUM: hand control, tensioner 7003615 (19207)	HA, FJ, JA	EA	1	*	*	*	*	*	*	6	10	226	1
P-F	2590-513-5786	CYLINDER ASSEMBLY, ACTUATOR: 8327979 (19207)	AK	EA	2	*	*	*	*	*	*	6	10	227	1
P-F	4730-740-9058	ADAPTER BUSHING: cylinder base 7409058 (19207)		EA	2	*	*	*	*	*	*	4	8	227	2
X1		WASHER, HOIST PISTON PLUG: 7409080 (19207)			3									227	3
P-F	4730-335-1812	RESTRICTOR, FLUID: orifice 8327982 (19207)		EA	1	*	*	*	*	*	*	6	10	227	4
P-F	5315-849-9854	PIN, COTTER: MS24665-498 (96906)		EA	1	*	*	*	*	*	*	8	10	227	5
P-F	3110-100-6159	BALL, BEARING: hoist cylinder MS19055-59 (96906)		EA	2	*	*	*	*	*	*	6	10	227	6
P-F	2590-597-4075	SPRING, HELICAL, COMPRESSOR: by pass plunger 7409054 (19207)		EA	2	*	*	*	*	*	*	8	10	227	7
P-F	4730-335-1811	PLUG, PIPE: check valve 8327981 (19207)		EA	3	*	*	*	*	*	*	8	10	227	8
X1		CYLINDER: hoist 8720944 (19207)			1									227	9
P-F	5330-291-2439	PACKING, PREFORMED: cylinder head 8327984 (19207)		EA	1	*	*	*	*	*	*	8	20	227	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-513-5787	HEAD, HOIST CYLINDER: 8327980 (19207)		EA	1	*	*	*	*	*	*	6	10	227	11
P-F	5310-595-7237	WASHER, LOCK: hoist retainer head MS35333-42 (96906)		EA	13	*	*	*	*	*	*	8	20	227	12
P-F	5305-269-2805	SCREW, CAP, HEXAGON HEAD: MS90726-62 (96906)		EA	10	*	*	*	*	*	*	8	20	227	13
P-F	2590-740-9050	RETAINER, PACKING: hoist head 7409050 (19207)		EA	1	*	*	*	*	*	*	6	10	227	14
P-F	5306-839-5690	BOLT, SELF-LOCKING: hoist retainer head MS35763-1035 (96906)		EA	3	*	*	*	*	*	*	6	10	227	15
P-F	2530-318-0912	ROD: cylinder hoist 8327986 (19207)		EA	1	*	*	*	*	*	*	4	8	227	16
P-F	2590-740-9051	PACKING, CYLINDER: HOIST: cylinder head 7409051 (19207)		EA	1	*	*	*	*	*	*	8	10	227	17
P-F	2590-287-8126	RING, PISTON: 8327985 (19207)		EA	3	*	*	*	*	*	*	8	10	227	18
P-F	2590-513-5788	PISTON, HOIST CYLINDER: 8327983 (19207)		EA	1	*	*	*	*	*	*	6	10	227	19
P-F	5310-849-6874	NUT, PLAIN: hoist rod MS35692-93 (96906)		EA	1	*	*	*	*	*	*	6	10	227	20
P-F	5305-089-1294	SCREW, CAP, HEXAGON HEAD: hoist cylinder MS51955-34 (96906)		EA	1	*	*	*	*	*	*	6	10	227	21
X1		PLUG: cylinder base 7409079 (19207)			1									227	22
P-F	4730-050-4208	FITTING, LUBRICATION: MS15003-1 (96906)	AK	EA	8	*	*	*	*	*	*	8	20	228	1
P-F	2520-512-9223	PIN: internally relieved hoist cylinder trunnion 7974962 (19207)	AK	EA	2	*	*	*	*	*	*	8	10	228	2
P-F	5305-269-2813	SCREW, CAP, HEXAGON HEAD: MS90726-69 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	228	3
P-F	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	228	4
P-F	4730-740-9037	RETAINER, UPPER: cylinder rod 7409037 (19207)	AK	EA	2	*	*	*	*	*	*	6	10	228	5
P-F	2520-332-0095	CROSSHEAD, HOIST: 7971949 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	228	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X2-F		RETAINER, LOWER: cylinder rod 7409038 (19207)	AK	EA	2	*	*	*	*	*	*			228	7
P-F	2520-740-9040	ARM, ROLLER, ASSEMBLY: 7409040 (19207)	AK	EA	2	*	*	*	*	*	*	3	5	228	8
P-F	2520-740-9041	ARM, ROLLER, CROSSHEAD: 7409041 (19207)		EA	2	*	*	*	*	*	*	3	5	228	9
P-F	3120-740-9299	BEARING, SLEEVE: 7409299 (19207)		EA	4	*	*	*	*	*	*	6	10	228	10
X1		PIN, GROOVED, HEADLESS: roller arm MS35671-51 (96906)			4									228	11
P-F	2520-740-9042	ROLLER, CROSS HEAD: 7409042 (19207)		EA	2	*	*	*	*	*	*	3	5	228	12
P-F	5315-740-9020	PIN, GROOVED, HEADLESS: roller arm 7409020 (19207)		EA	2	*	*	*	*	*	*	8	10	228	13
P-F-R	2540-740-9075	ADAPTER, CONTROL VALVE: with spring and plunger 7409075 (19207)	AK	EA	1	*	*	*	*	*	*	6	10	229	1
P-F	4730-740-9079	PLUG, MACHINE THREAD: end 2297564 (24617)		EA	1	*	*	*	*	*	*	4	8	229	2
P-F	2590-291-9756	PACKING, PREFORMED: adapter control valve 8331869 (19207)		EA	1	*	*	*	*	*	*	6	10	229	3
P-F	2590-740-9231	SPRING, HELICAL, COMPRESSION: control valve adapter plunger 7409231 (19207)		EA	1	*	*	*	*	*	*	6	10	229	4
P-F	2520-740-9077	PLUNGER: control valve adapter 7409077 (19207)		EA	1	*	*	*	*	*	*	3	5	229	5
P-F	2590-933-9580	BODY, ADAPTER, HYDRAULIC: 8758394 (19207)		EA	1	*	*	*	*	*	*	2	5	229	6
P-F	5310-637-9541	WASHER, LOCK: adapter control valve MS35338-46 (96906)	AK	EA	6	*	*	*	*	*	*	6	20	229	7
P-F	5305-071-2240	SCREW CAP, HEXAGON HEAD: control valve adapter MS90725-11 (96906)	AK	EA	6	*	*	*	*	*	*	6	20	229	8
X1		WASHER, LOCK: (Component of Parts Kit, Control Valve, FSN 2540-740-9205) 7740-38-15 (81336)	AK		4									229	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5305-269-3219	SCREW, CAP, HEXAGON HEAD: control valve adapter MS90725-69 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	229	10
P-F	5305-269-3228	SCREW, CAP HEXAGON HEAD: control valve adapter MS90725-18 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	229	11
X2-F		SCREW, CAP HEXAGON HEAD: control valve adapter 8758397 (19207)	AK	EA	1	*	*	*	*	*	*			229	12
P-F	2520-740-9083	VALVE, CONTROL ASSEMBLY: 7409083 (19207)	AK	EA	1	*	*	*	*	*	*	6	10	230	1
X1		PLUG, VALVE END CAP: (Component of Parts Kit, Control Valve FSN 2540-740-9205) 7728-2-10 (81336)			1									230	2
X1		SPRING, VALVE END CAP: (Component of Parts Kit Control Valve FSN 2540-740-9205) 7409073 (19207)			4									230	3
P-F	3110-100-6153	BALL BEARING: (Component of Parts Kit Control Valve, FSN 2540-740-9205) MS19059-51 (96906)		EA	1	*	*	*	*	*	*	6		230	4
X1		CAP, VALVE END: (Component of Parts Kit Control Valve, FSN 2540-740-9205) 7409086 (19207)			1									230	5
X1		WASHER, FLAT: valve cap (Component of Parts Kit Control Valve FSN 2540-740-9205) 7409080 (19207)			2									230	6
P-F	2590-179-3541	SPOOL, VALVE CONTROL: (Component of Parts Kit Control Valve FSN 2540-740-9205) 102955R1 (31007)		EA	1	*	*	*	*	*	*	6		230	7
X1		BODY: control valve 7409084 (19207)			1									230	8
P-F	5365-403-5798	PLUG, MACHINE: control valve 7409162 (19207)		EA	1	*	*	*	*	*	*	6	10	230	9

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		PACKING, PREFORMED: control valve 501461 (21450)			1									230	10
P-F	2590-563-4641	BOOT: control valve spool M2025601 (24076)		EA	1	*	*	*	*	*	*	8	20	230	11
P-F	2520-740-9087	TRUNION, VALVE SPOOL: (Component of Parts Kit Control Valve, FSN 2540-740-9205) 7409087 (19207)		EA	1	*	*	*	*	*	*	6		230	12
X1		NUT, VALVE SPOOL: (Component of Parts Kit Control Valve, FSN 2540-740-9205) 7740-3828 (81336)			1									230	13
P-F	2590-740-9089	GASKET: valve cover (Component of Parts Kit Control Valve FSN 2540-740-9205) 7409089 (19207)		EA	2	*	*	*	*	*	*	10		230	14
P-F	2520-740-9088	COVER, CONTROL VALVE: 7409088 (19207)		EA	1	*	*	*	*	*	*	3		230	15
X1		BOLT: hydraulic control valve (Component of Parts Kit Control Valve, FSN 2540-740-9205) 7740-3821 (81335)			7									230	16
P-F	2520-740-9081	GASKET: control valve to adapter 7409081 (19207)		EA	1	*	*	*	*	*	*	8	20	230	17
P-F	4730-623-6915	UNION: adapter 7409237 (19207)	AK	EA	4	*	*	*	*	*	*	4	8	230	18
X1		PLUG, PIPE: hydraulic hoist casting 143936 (21450)	AK		2									230	19
P-F	2520-740-9235	CASTING HYDRAULIC HOIST: 7409235 (19207)	AK	EA	2	*	*	*	*	*	*	4	8	230	20
P-O-R	2520-040-2318	PUMP ASSEMBLY: dump truck body hoist 8330480 (19207)	AK	EA	1	*	*	*	*	*	*	6	10	23	1
P-F	2520-301-7739	COVER: pump rear end 8330482 (19207)	AK	EA	1	*	*	*	*	*	*	2	5	231	2
P-F	5315-058-9949	PIN: pump front securing 589949 (19207)	AK	EA	2	*	*	*	*	*	*	6	10	231	3
P-O	2590-972-2649	PLUG: pump rear end cover 444688 (19207)	AK	EA	1	*	*	*	*	*	*	4	10	231	4
P-F	3110-156-4689	BEARING: pump shaft rear 714246 (19207)	AK	EA	4				*	*	*	6	10	231	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-586-1761	PLATE: pump front wear 8328153 (19207)	AK	EA	2	*	*	*	*	*	*	4	8	231	6
P-F	5315-616-5520	KEY: pump drive shaft front locking MS35756-14 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	231	7
P-F	5315-012-4553	KEY: shaft rear locking MS35756-17 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	231	8
P-F	2520-318-0978	SHAFT: hydraulic pump drive 8330484 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	231	9
P-F	2590-287-8212	GEAR: body hoist hydraulic pump 8330483 (19207)	AK	EA	2	*	*	*	*	*	*	6	10	231	10
P-F	2520-537-2174	BODY: hydraulic pump 8330481 (19207)	AK	EA	1	*	*	*	*	*	*	2		231	11
P-F	2590-593-1853	SEAL OIL: seat assembly pump drive shaft 8328155 (19207)	AK	EA	1	*	*	*	*	*	*	8	20	231	12
P-F	2805-532-9054	COVER: pump front end 8328151 (19207)	AK	EA	1	*	*	*	*	*	*	2	5	231	13
P-F	5310-809-4085	WASHER: MS27183-16 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	231	14
P-F	5305-069-5583	SCREW: MS90725-99 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	231	15
X1		SHAFT: hydraulic pump drive 8330485 (19207)	AK		1									231	16
P-O	5305-782-9495	SCREW: MS90725-111 (96906)	AK	EA	6	*	*	*	*	*	*	6	10	231	17
P-O	5310-584-5272	WASHER: MS35338-48 (96906)	AK	EA	6	*	*	*	*	*	*	6	10	231	18
P-O		GASKET: hydraulic pump 7409082 (19207)	AK	EA	1	*	*	*	*	*	*	8	20	231	19
P-O	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	232	1
P-O		BRACKET: control rod and shaft 8758698 (19207)	AK	EA	4	*	*	*	*	*	*	3	5	232	2
P-O	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	AK	EA	8	*	*	*	*	*	*	6	10	232	3
P-O	4730-050-4208	FITTING, LUBRICATION: control rod and shaft MS15003-1 (96906)	AK	EA	4	*	*	*	*	*	*	4	8	232	4
P-O		ROD ASSEMBLY: dump control box connecting 8758694 (19207)	AK	EA	1	*	*	*	*	*	*			233	1
P-O	5315-842-3154	PIN, CLEVIS: MS35810-36 (96906)	AK	EA	4	*	*	*	*	*	*	4	8	233	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O	5315-839-5822	PIN, COTTER: MS24665-353 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	233	3
P-O	5310-655-9371	NUT, PLAIN: control and connecting rod clevis MS35690-825 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	233	4
P-O	5340-534-8350	CLEVIS: control and connecting rod 144245 (79318)	AK	EA	1	*	*	*	*	*	*	4	8	233	5
X2-O		ROD: dump control connecting 8758695 (19207)	AK	EA	1	*	*	*	*	*	*			233	6
P-O		SHAFT: dump control connecting rod motion, transfer 8758699 (19207)	AK	EA	1	*	*	*	*	*	*			233	7
P-O		LEVER: dump body actuating 8758697 (19207)	AK	EA	2	*	*	*	*	*	*			233	8
P-O	5315-889-2776	PIN, CLEVIS: MS35672-44 (96906)	AK	EA	2	*	*	*	*	*	*	4	8	233	9
P-O		ROD ASSEMBLY: hand lever connecting 8758702 (19207)	AK	EA	1	*	*	*	*	*	*			233	10
X2-O		ROD: hand lever connecting 8758703 (19207)	AK	EA	1	*	*	*	*	*	*			233	11
P-O	2520-741-1413	LEVER: dump body front actuating 7411413 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	233	12
P-O	2520-741-1410	BRACKET: control lever support 7411410 (19207)	AK	EA	2	*	*	*	*	*	*	3	5	233	13
P-O	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	233	14
P-O	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	233	15
P-O	4730-050-4208	FITTING LUBRICATION: control lever support bracket MS15003-1 (96906)	AK	EA	2	*	*	*	*	*	*	4	8	233	16
P-O	5330-736-8416	SEAL ASSEMBLY: dump body front actuating lever 7368416 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	233	17
P-O		LEVER ASSEMBLY: dump truck car hand control 8758686 (19207)	AK	EA	1	*	*	*	*	*	*			233	18
P-O		KEY: 103907 (12204)	AK	EA	1	*	*	*	*	*	*			233	19
P-O	5305-716-8183	SCREW, CAP, HEXAGON: MS90726-116 (96906)	AK	EA	1	*	*	*	*	*	*			233	20
P-O	5310-062-4954	NUT, SELF-LOCKING: MS21045-8 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	233	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X2-O		LEVER: car hand control 8757719 (19207)	AK	EA	1	*	*	*	*	*	*			233	22
X2-O		SHAFT: lever motion transfer 7411415 (19207)	AK	EA	1	*	*	*	*	*	*			233	23
P-O		LOCK: lever 7411387 (19207)	AK	EA	1	*	*	*	*	*	*			233	24
P-O	2930-752-1975	SPRING: lever lock 7521975 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	233	25
P-O	5310-050-1488	NUT, SELF-LOCKING: MS51922-21 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	233	26
P-O	5310-080-6004	WASHER, SELF-LOCKING: MS27183-14 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	233	27
P-O		ROD ASSEMBLY: dump control box 8758691 (19207)	AK	EA	1	*	*	*	*	*	*			234	1
P-O	5315-842-3154	PIN, CLEVIS: MS35810-36 (96906)	AK	EA	3	*	*	*	*	*	*	4	8	234	2
P-O	5315-839-5822	PIN, COTTER: MS24665-353 (96906)	AK	EA	3	*	*	*	*	*	*	6	10	234	3
X2-O		ROD: dump control box 8758692 (19207)	AK	EA	1	*	*	*	*	*	*			234	4
P-O	5340-534-8350	CLEVIS: dump control box rod 144245 (79318)	AK	EA	1	*	*	*	*	*	*	4	8	234	5
P-O		CLEVIS: dump control power takeoff connecting 144245 (79318)	AK	EA	1	*	*	*	*	*	*			234	5
P-O	5310-655-9371	NUT, SELF-LOCKING: control box rod and connecting clevis MS35690-825 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	234	6
P-O		SHAFT: dump control power takeoff connecting rod motion traverse 8758690 (19207)	AK	EA	1	*	*	*	*	*	*			234	7
P-O		LEVER: dump body rear actuating 8758700 (19207)	AK	EA	1	*	*	*	*	*	*			234	8
P-O	5315-889-2776	PIN, STRAIGHT, HEADLESS: MS35672-44 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	234	9
P-O		LEVER: connecting rod, dump control power takeoff- 8758701 (19207)	AK	EA	1	*	*	*	*	*	*			234	10

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O		ROD ASSEMBLY: dump control power takeoff connecting 8758687 (19207)	AK	EA	1	*	*	*	*	*	*			234	11
P-O	5315-842-3044	PIN, COTTER: MS24665-283 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	234	12
P-O	5315-846-1270	PIN, CLEVIS: MS35810-35 (96906)	AK	EA	1	*	*	*	*	*	*	4	8	234	13
P-O	5315-842-3154	ROD: dump control power takeoff connecting MS35810-36 (96906)	AK	EA	1	*	*	*	*	*	*	3	5	234	14
X2-F		FRAME ASSEMBLY: dump body hoist 11608807 (19207)	AK	EA	1	*	*	*	*	*	*			235	1
X2-F		HOIST ASSEMBLY: dump truck 11608804 (19207)	AK	EA	1	*	*	*	*	*	*			235	2
P-F	5305-209-2818	SCREW, CAP, HEXAGON: MS90726-74 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	235	3
P-F	5310-982-4908	NUT, SELF-LOCKING: MS21045-6 (96906)	AK	EA	2	*	*	*	*	*	*	6	10	235	4
P-F	5315-740-9045	PIN, STRAIGHT, HEADLESS: 7409045 (19207)	AK	EA	2	*	*	*	*	*	*	4	8	235	5
P-O		SCREEN ASSEMBLY: fluid tank 7409025 (19207)	AK	EA	1	*	*	*	*	*	*	6	10	235	6
P-O		WASHER: hydraulic tank filler 7409080 (19207)	AK	EA	1	*	*	*	*	*	*	6	10	235	7
P-O	2590-740-9026	GAUGE ASSEMBLY: fluid tank liquid level 7409026 (19207)	AK	EA	1	*	*	*	*	*	*	4	5	235	8
P-O		PLUG: hydraulic fluid tank filler 7409027 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	235	9
P-O	4730-045-9771	PLUG: hydraulic fluid tank pipe coupling MS49006-8 (96906)	AK	EA	1	*	*	*	*	*	*	4	8	235	10
X2-F		BOLT, MACHINE: vane motor 7409741 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*			236	1
X2-F		WASHER, FLAT: vane motor 118125 (21450)	HA, JA, EF	EA	4	*	*	*	*	*	*			236	2
P-F	3950-706-2465	COVER: vane motor 137281 (63977)	HA, JA, EF	EA	1	*	*	*	*	*	*	3	5	236	3
X2-F		GASKET: vane motor housing 85725 (80048)	HA, JA, EF	EA	1	*	*	*	*	*	*			236	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5310-740-9652	**GASKET**: vane motor housing 7409652 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	10	40	236	5
P-F	4320-875-1514	**SEAT, BALL**: vane motor housing 137329 (63977)	HA, JA, EF	EA	2	*	*	*	*	*	*	6	10	236	6
P-F	3110-100-6168	**BALL, BEARING**: vane motor MS19059-63 (96906)	HA, JA, EF	EA	2	*	*	*	*	*	*	8	10	236	7
X2-F		**PLATE**: 13732B (80048)	HA, JA, EF	EA	1	*	*	*	*	*	*			236	8
P-F	5330-235-1675	**PACKING, PREFORMED**: (Component of Parts Kit, Vane Motor, FSN 4320-692-6188) 546895 (21450)	HA, JA, EF	EA	2	*	*	*	*	*	*	10		236	9
P-F	2520-740-9851	**RING VANE MOTOR**: 7409851 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	236	10
P-F	2520-740-9752	**ROTOR, VAN CRANE MOTOR**: 7409752 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	236	11
P-F	5315-740-9839	**PIN, STRAIGHT, HEADLESS**: vane motor 7409839 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	8	10	236	12
X2-F		**BODY**: vane motor 126676 (80048)	HA, JA, EF	EA	1	*	*	*	*	*	*			236	13
X2-F		**ELBOW**: vane motor 8327144 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*			236	14
P-F	3110-554-5302	**BEARING, BALL**: pump output shaft 1208 (21760)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	236	15
P-F	2520-740-9760	**SEAL**: oil drive shaft (Component of Parts Kit, Vane Motor, FSN 4320-692-6188) 7409760 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	8		236	16
X2-F		**SHAFT**: vane motor 127979 (80048)	HA, JA, EF	EA	1	*	*	*	*	*	*			236	17
P-F	3110-114-6001	**BEARING, BALL ANNULAR**: vane motor 7409738 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	8	10	236	18
P-F	5340-740-9853	**RING, SNAP** (Component of Parts Kit, Vane Motor, FSN 4320-692-6188) 7409853 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6		236	19
P-F	5315-979-7732	**KEY**: drive shaft (Component of Parts Kit, Vane Motor, FSN 4320-692-6188) MS20066-407 (96906)	HA, JA, EF	EA	1	*	*	*	*	*	*	6		236	20

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5340-536-2714	PACKING, PREFORMED: (Component of Parts Kit, Vane Motor, FSN 4320-692-6188) 117522 (21450)	HA, JA, EF	EA	2	*	*	*	*	*	*	8		236	21
X2-F		FLANGE: vane motor 115764 (80048)	HA, JA, EF	EA	2	*	*	*	*	*	*			236	22
P-F	4730-277-2654	BUSHING, PIPE: reducer hoist vane motor to elbow 8330174 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	6		236	23
X2-F		ELBOW: vane motor 8327155 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*			236	24
X2-F		SCREW: vane motor 180325 (21450)	HA, JA, EF	EA	2	*	*	*	*	*	*			236	25
P-F	2520-740-9855	VANE: (Component of Parts Kit, Vane Motor, FSN 4320-692-6188) 7409855 (19207)	HA, JA, EF	EA	12	*	*	*	*	*	*	8		236	26
P-O	4730-014-4574	PLUG, PIPE: vane motor 144574 (21450)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	236	27
P-F	4320-749-9847	PUMP ASSEMBLY, OIL POWER: 8327122 (19207)	HA	EA	1	*	*	*	*	*	*	6	10	237	1
P-F	2520-692-6135	PUMP ASSEMBLY, OIL: 8332591 (19207)	LA, MA, JA, EF	EA	1	*	*	*	*	*	*	6	10	237	1
X1		SCREW: hydraulic pump housing 108335 (21450)			4									237	2
P-F	5310-167-0826	WASHER, FLAT: hydraulic pump housing 801169 (19203)		EA	4	*	*	*	*	*	*	6	10	237	3
P-F	3820-354-9390	COVER: hydraulic pump 133895 (62983)		EA	1	*	*	*	*	*	*	3	5	237	4
X1		ELBOW: hydraulic pump housing 8327154 (19207)			1									237	5
P-F	4730-832-7185	NIPPLE, PIPE: hydraulic pump elbow 8327185 (19207)		EA	1	*	*	*	*	*	*	4	8	237	6
P-F	2590-740-9653	SPRING, HELICAL, COMPRESSION: (Component of Parts Kit, Hydraulic, FSN 4320-692-6189) 7409653 (19207)		EA	1	*	*	*	*	*	*	8		237	7
P-F	3820-831-4159	PLATE: hydraulic pump 861672 (12603)		EA	1	*	*	*	*	*	*	4		237	8
X1		PACKING, PREFORMED: (Component of Parts Kit, Hydraulic, FSN 4320-692-6189) 546887 (21450)			2									237	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	3830-625-4460	RING, HYDRAULIC PUMP: 117614R1 (31007)		EA	1	*	*	*	*	*	*	6	10	237	10
P-F	4320-509-1936	ROTOR: vane pump 126273 (62983)		EA	1	*	*	*	*	*	*	6	10	237	11
P-F	3930-333-0039	BODY, HYDRAULIC PUMP: 134023 (63977)		EA	1	*	*	*	*	*	*	2	5	237	12
P-F	4730-246-9222	ELBOW, PIPE: hydraulic pump body 8327159 (19207)		EA	1	*	*	*	*	*	*	4	5	237	13
P-F	3110-144-8526	BEARING, BALL: vane pump 700079 (21450)		EA	1	*	*	*	*	*	*	6	10	237	14
X1		SEAL: (Component of Parts Kit, Hydraulic, FSN 4320-692-6189) 7409641 (19207)			1									237	15
X1		BEARING, BALL: hydraulic output shaft 7409737 (19207)			1									237	16
P-F	2590-692-6149	SHAFT, SHOULDERED: vane motor 8332613 (19207)		EA	1	*	*	*	*	*	*	4	8	237	17
P-F	2610-051-9614	KEY: pump shaft (Component of Parts Kit, Hydraulic, FSN 4320-692-6189) MS35392-34 (96906)		EA	1	*	*	*	*	*	*	6		237	18
P-F	5340-536-2714	RING, SNAP: (Component of Parts Kit, Hydraulic, FSN 4320-692-6189) 117522 (21450)		EA	1	*	*	*	*	*	*	6		237	19
P-F	5315-740-9840	PIN, STRAIGHT HEADLESS: vane pump 7409840 (19207)		EA	2	*	*	*	*	*	*	6	10	237	20
P-F	3930-359-4748	VANE, ROTARY, PUMP: (Component of Parts Kit, Hydraulic, FSN 4320-692-6189) 126274 (62983)		EA	12	*	*	*	*	*	*	6		237	21
P-F	2590-970-1202	SUPPORT: pivot post crane 10899377 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	2	5	238	1
X2-F		STUD: support pivot post HCF1328 (04636)	HA, JA, EF	EA	8	*	*	*	*	*	*			238	2
X2-F		STUD: support base plate HCF1323B (04636)	HA, JA, EF	EA	8	*	*	*	*	*	*			238	3
P-F	5310-050-3367	NUT, SELF-LOCKING: 503367 (21450)	HA, JA, EF	EA	12	*	*	*	*	*	*	6	20	238	4
X2-F		PLATE: support pivot HCF1299G (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			238	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	4730-050-4208	FITTING, LUBRICATION: short male boom lift cylinder pivot shaft MS15003-1 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	238	6
X2-F		NUT, PLAIN: support pivot base 124934 (21450)	HA,JA,EF	EA	4	*	*	*	*	*	*			238	7
X2-F		SCREW: support pivot base AW758058 (04636)	HA,JA,EF	EA	4	*	*	*	*	*	*			238	8
P-F	2510-740-9750	ROLLER SWING MOTOR: cam pin 7409750 (19207)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	238	9
P-F	5315-694-0929	PIN, CAM: roller swing motor PGF9619 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	238	10
P-F	5310-732-0560	NUT, PLAIN: roller pin cam MS51968-14 (96906)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	238	11
X2-F		NUT, PLAIN: pivot base plate 124934 (21450)	HA,JA,EF	EA	2	*	*	*	*	*	*			238	12
X2-F		WASHER, LOCK: lever cam roller PGF8731 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*			238	13
P-F	5315-839-5821	PIN COTTER: control valve lever cam roller MS24665-351 (96906)	HA,JA,EF	EA	2	*	*	*	*	*	*	8	10	238	14
X2-F		NUT, PLAIN: roller pin cam AW726011 (04636)	HA,JA,EF	EA	16	*	*	*	*	*	*			238	15
P-F	5310-177-7569	WASHER, LOCK: pivot base plate AW771010 (94636)	HA,JA,EF	EA	16	*	*	*	*	*	*	6	20	238	16
X2-F		PLUG: pivot base plate 444598 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*			238	17
X2-F		STUD: support base plate HCF13248 (04636)	HA,JA,3G,EF	EA	16	*	*	*	*	*	*			238	18
X2-F		ELBOW: pivot post cap 504201 (21450)	HA,JA,EF	EA	2	*	*	*	*	*	*			239	1
X2-F		FITTING, LUBRICATION: pivot post cap 504208 (21450)	HA,JA,EF	EA	4	*	*	*	*	*	*			239	2
P-F	2590-937-0472	CAP: rivet post hydraulic HC63C (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	3	5	239	3
P-F	2590-786-4652	SUPPORT, SHIPPER: pivot assembly HCF2010A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	3	5	239	4
P-F	2590-179-3421	SHAFT, CYLINDER PIVOT: HCF1316A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8	239	5
X2-F		PIN: pivot cylinder shaft 103415 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*			239	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-177-9187	SHIM: pivot post HCF463 (04636)	HA,JA,EF	EA	3	*	*	*	*	*	*	6	10	239	7
P-F	3110-227-3080	CONE AND TAPERED ROLLER BEARING: upper pivot post roller bearing 7409658 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	8	10	239	8
P-F	3110-101-1799	CUP, TAPERED ROLLER: upper pivot post 706935 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	239	9
P-F	5305-838-8368	SCREW, CAP, SOCKET HEAD: boom turn table gear MS16997-124 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	19	239	10
P-F	5310-050-3367	NUT, SELF-LOCKING: pivot post 503367 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	239	11
P-F	3830-316-7635	POST, PIVOT: with gear 7974750 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8	239	12
P-F	5310-050-3449	NUT, HEXAGON: pivot plate 503409 (21450)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	239	13
X2-F		PLATE: pivot support HCF1311 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			239	14
P-F	4730-172-0034	FITTING, LUBRICATION: MS15003-6 (96906)	HA,JA,EF	EA	2	*	*	*	*	*	*	4	5	239	15
P-F	4730-050-4208	FITTING, LUBRICATION: universal joint MS15003-1 (96906)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	239	16
P-F	2590-177-9225	SHIELD: ring gear HCF1288C (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	3	5	239	17
P-F	5330-740-9788	FELT, MECHANICAL, PREFORMED: pivot post, outer 113552R1 (31007)	HA,JA,EF	EA	2	*	*	*	*	*	*	10	40	239	18
P-F	3110-278-6917	CONE AND ROLLERS TAPERED: pivot shaft 7409657 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	8	10	239	19
P-F	3110-278-6916	CUP, TAPERED ROLLER BEARING: pivot shaft 7409785 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	239	20
P-F	5330-740-9787	FELT: pivot post 7409787 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	40	239	21
X2-F		SCREW: pivot shield 16992R1 (31007)	HA,JA,EF	EA	1	*	*	*	*	*	*			239	22
X2-F		SCREW: pivot base shaft 123205 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*			239	23
P-F	5310-584-7889	WASHER, LOCK: pivot base shaft MS35338-53 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	239	24

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X2-F		PLATE: pivot shaft cap HCF481A (04636)	HA,JA,EF	EA	8	*	*	*	*	*	*			239	25
P-F	5310-982-6809	NUT, SELF-LOCKING: pivot shaft cap plate MS21044N10 (96906)	HA,JA,EF	EA	8	*	*	*	*	*	*	6	10	239	26
P-F	5306-269-4526	BOLT, MACHINE: ASF3784 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	240	1
P-F	2590-369-8869	PLATE: pivot post PGF8243A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	240	2
P-F	2590-740-9199	BEARING SLEEVE: swing motor ram rod crank end 7409199 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	240	3
P-F	3120-740-9747	BEARING SLEEVE: motor ram rod, inner 7409747 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	240	4
P-F	3120-740-9656	BEARING, SLEEVE: swing motor ram rod, outer 7409656 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	240	5
P-F	5305-937-0803	SCREW, PIVOT POST PINION: HCF518 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	240	6
P-F	2590-177-7826	PLATE: pinion drive HCF520A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	240	7
P-O	4730-050-4208	FITTING, LUBRICATION: pinion crank MS15003-1 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	240	8
P-F	3950-623-6954	CRANK: pivot post pinion 7409724 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	240	9
P-F	3110-100-3556	CONE AND ROLLERS, TAPERED ROLLER BEARING: swing motor crank 7409786 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	240	10
P-F	3110-100-0560	CUP, TAPERED ROLLER BEARING: worm gear inboard and swing motor crank 7376263 (19207)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	240	11
P-F	5315-801-1858	PIN: pinion swing gear PGF5523 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	25	100	240	12
P-F	2590-740-9841	GEAR SPUR: pivot post 7409841 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	240	13
P-F	2590-692-6146	GEAR, SPUR: pivot post 8332609 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	240	13
P-F	3110-100-0302	CUT TAPERED ROLLER: idler gear 114523H1 (31007)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	240	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	3110-100-0226	CONE AND ROLLERS TAPERED: idler gear 187541R1 (31007)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	240	15
P-F	2530-844-8715	SHIM: idler gear HCF1533 (04636)	HA,JA,EF	EA	3	*	*	*	*	*	*	10	20	240	16
X2-F		PLATE: idler gear HCF1531 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			240	17
X2-F		SCREW: idler gear plate HCF1518 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*			240	18
P-F	5330-584-1744	GASKET: pivot postcap BRF976 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	15	100	240	19
P-F	2990-937-0473	COVER: pivot post HC152A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	240	20
P-F	5305-937-0802	SCREW: pivot post cap AW917157 (04636)	HA,JA,EF	EA	4	*	*	*	*	*	*	6	10	240	20
P-O	4730-050-4208	FITTING, LUBRICATION: drive shaft MS15003-1 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	241	1
P-F	2590-102-9813	SHAFT: pivot post drive HCF527A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	241	2
P-F	3110-100-0226	CONE AND ROLLER TAPERED BEARING: pivot post drive gear 187541R1 (31007)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	241	3
P-F	5310-637-9541	WASHER, LOCK: pivot post cover MS35338-46 (96906)	HA,JA,EF	EA	4	*	*	*	*	*	*	6	10	241	4
P-F	5305-937-0803	SCREW: pivot post cover (4) cover plate (2) HCF518 (04636)	HA,JA,EF	EA	6	*	*	*	*	*	*	6	10	241	5
X2-F		COVER: pivot post HCF1359 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			241	6
P-F	2520-592-1150	GASKET: pivot post cover HCF1301 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	15	100	241	7
P-F	5330-584-1800	PACKING, FELT: drive post cover HCF1360 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	15	100	241	8
P-F	3810-893-6529	GEAR, SPUR: drive shaft HCF1284A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	241	9
P-F	5365-282-5040	RING, RETAINING: drive post gear PGF8439A (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	241	10
P-F	3110-100-0302	CUP TAPERED ROLLER BEARING: drive post pinion 105497H (31007)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	241	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cat-gry	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	3120-726-7643	WASHER, THRUST: drive post gear HCF562 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	241	12
P-F	5340-803-0763	SHIM: drive post HCF522 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	241	13
P-F	2520-177-8107	SHIM: drive post HCF523 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	241	14
X2-F		SHIM: drive post HCF521 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			241	15
P-F	3810-873-4411	RETAINER, SHAFT: drive post HCF544 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	241	16
P-F-R	2520-740-9871	MOTOR, HYDRAULIC: swing assembly 7409871 (19207)	HA	EA	1	*	*	*	*	*	*	6	10	242	1
P-F-R	2520-040-2350	MOTOR, HYDRAULIC: swing assembly 8332611 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	242	1
P-O	4730-050-4208	FITTING, LUBRICATION: shaft swing motor MS15003-1 (96906)		EA	1	*	*	*	*	*	*	10	20	242	2
X2-F		SCREW: swign motor shaft 10871053 (19207)		EA	1	*	*	*	*	*	*			242	3
X2-F		WASHER, LOCK: swing motor shaft 10871054 (19207)		EA	1	*	*	*	*	*	*			242	4
P-H	2510-740-9778	CAP: swing motor piston rod 7409778 (19207)		EA	1	*	*	*	*	*	*	6	10	242	5
P-H	5330-354-8822	WIPER, ASSEMBLY: swing motor piston rod cap 7409766 (19207)		EA	1	*	*	*	*	*	*	6	10	242	6
X1		SPRING: swing motor piston rod cap PGF7026-2 (04636)			1									242	7
P-H	5330-740-9790	FELT: swing motor piston rod cap 7409790 (19207)		EA	1	*	*	*	*	*	*	10	20	242	8
X1		RETAINER: swing motor piston rod cap 7409849 (19207)			1									242	9
P-H	5330-740-9850	RETAINER, PACKING: swing motor piston rod 7409850 (19207)		EA	1	*	*	*	*	*	*	6	10	242	10
P-H	5330-740-9780	PACKING, PREFORMED: swing motor 7409780 (19207)		EA	1	*	*	*	*	*	*	10	20	242	11
P-H	5310-045-1079	NUT, SELF-LOCKING: cylindet cap 451079 (21450)		EA	4	*	*	*	*	*	*	6	10	242	12
P-H	5310-982-5009	NUT, SELF-LOCKING: cylinder cap MS21045-10 (96906)		EA	4	*	*	*	*	*	*	6	10	242	13
X1		CAP: swing motor body PG1826A (04636)			1									242	14

(1) SMR Code	(2) Federal Stock Number	(3) Description	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code · Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-H	5340-141-1750	GASKET: swing motor cap 7409798 (19207)	EA	1	*	*	*	*	*	*	10	20	242	15
P-H	5330-196-5330	PACKING, PREFORMED: swing motor piston 32393 (78640)	EA	1	*	*	*	*	*	*	10	20	242	16
P-H	3805-354-8925	PISTON: swing motor 7409843 (19207)	EA	1	*	*	*	*	*	*	6	10	242	17
P-H	4730-740-9845	PLUG, MACHINE: swing motor body 7409845 (19207)	EA	1	*	*	*	*	*	*	6	10	242	18
P-H	5310-070-1902	NUT, SLOTTED HEXAGON: swing motor body MS35692-1625 (96906)	EA	1	*	*	*	*	*	*	6	10	242	19
P-H	5315-013-7214	PIN: slotted nut, swing motor body MS24665-359 (96906)	EA	1	*	*	*	*	*	*	8	10	242	20
X1		STUD: swing motor body PGF9769B (04636)		4									242	21
P-H	5330-227-9483	PACKING, PREFORMED: control valve actuating lever 805628 (21450)	EA	1	*	*	*	*	*	*	10	20	242	22
X1		PLUG, PIPE: control valve actuating lever 444691 (21450)		1									242	23
X1		BODY: swing motor PG18290 (04636)		1									242	24
P-H	2590-740-9746	BEARING SLEEVE: swing motor body 7409746 (19207)	EA	1	*	*	*	*	*	*	6	10	242	25
P-O	4730-639-9923	PLUG, PIPE: swing motor body 444679 (24617)	EA	1	*	*	*	*	*	*	6	10	242	26
P-O	4730-954-1281	PLUG, PIPE: swing motor body MS49005-4 (96906)	EA	1	*	*	*	*	*	*	6	10	242	27
X1		SPOOL: swing motor body HCF1113 (04636)		1									242	28
P-H	5340-740-9651	SPRING: swing motor valve 7409651 (19207)	EA	1	*	*	*	*	*	*	10	20	242	29
P-H	5330-253-3931	GASKET: swing motor valve 7409799 (19207)	EA	1	*	*	*	*	*	*	10	20	242	30
P-H	4730-740-9844	PLUG, MACHINE: swing motor valve 7409844 (19207)	EA	1	*	*	*	*	*	*	6	10	242	31
P-H	5330-350-9013	PACKING, PREFORMED: swing motor cam TAN6225-10 (81344)	EA	1	*	*	*	*	*	*	10	20	242	32
P-H	2590-369-8871	SLEEVE HYDRAULIC: swing motor cam 10871061 (19207)	EA	1	*	*	*	*	*	*	6	10	242	33
P-H	5305-275-8424	SETSCREW: swing motor cam PGF8252A (04636)	EA	1	*	*	*	*	*	*	6	10	242	34

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-H	2590-740-9781	LEVER, REMOTE CONTROL: swing motor valve 7409781 (19207)		EA	1	*	*	*	*	*	*	4	5	242	35
P-H	2510-740-9777	CAM: swing motor (Use with Motor Pin 10883535 Only) 7409777 (19207)		EA	1	*	*	*	*	*	*	6	10	242	36
P-H	5310-637-9541	WASHER, LOCK: motor valve lever MS35338-46 (96906)		EA	1	*	*	*	*	*	*	6	10	242	37
P-H	5305-068-0507	SCREW, CAP, HEXAGON HEAD: motor valve lever MS90726-7 (96906)		EA	1	*	*	*	*	*	*	6	10	242	38
X1		NUT: swing motor cam setscrew AW726003 (04636)			1									242	39
X1		SLEEVE: swing motor cam 10871062 (19207)			1									242	40
X1		PLUG, PIPE: swing motor body MS20913-45 (96906)			1									242	41
P-H	2590-740-9199	BEARING SLEEVE: swing motor lever 7409199 (19207)		EA	1	*	*	*	*	*	*	6	10	242	42
P-H	3120-740-9747	BEARING SLEEVE: swing motor lever 7409747 (19207)		EA	1	*	*	*	*	*	*	6	10	242	43
P-F	5310-720-5999	NUT, PLAIN, HEXAGON: shipper ASF3343 (04636)	HA,JA,EF	EA	4	*	*	*	*	*	*	6	10	243	1
X2-F		PLATE: shipper HCF740 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			243	2
P-F	3830-316-7638	SHIPPER: with plates 7974751 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	243	3
X2-O		SHIM: shipper HCF452 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			243	4
P-O	3110-100-3566	CONE AND ROLLERS, TAPERED ROLLER BEARING: top and bottom roller bearing 705475 (21450)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	243	5
P-O	3110-100-0569	CUP, TAPERED ROLLER BEARING: top and bottom rollers ST965 (31007)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	243	6
X2-O		CAP: top and bottom roller HC67 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	243	7
X2-O		COLLAR: shipper HCF469C (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*			243	8
X2-O		SHIM: shipper HCF1287 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*			243	9

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X2-O		ROLLER: shipper 7409749 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*			243	10
X2-O		SHIM: shipper HCF451 (04636)	HA,JA,EF	EA	V	*	*	*	*	*	*			243	11
P-O	4730-050-4208	FITTING, LUBRICATION: shipper MS15003-1 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	243	12
X2-O		SCREW: shipper cap AW42630 (04636)	HA,JA,EF	EA	4	*	*	*	*	*	*			243	13
P-F	3830-316-7639	BOOM: hydraulic crane 7974752 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	243	14
P-F	5315-240-6507	PIN, STRAIGHT, HEADLESS: boom HCF479 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	243	15
P-F	5315-234-1664	PIN, COTTER: boom MS24665-495 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	25	100	243	16
P-F	5135-740-9837	PIN: shipper pivot 7409837 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	25	100	243	17
P-F	3120-740-9745	BEARING, SLEEVE: shipper pivot pin 7409745 (19207)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	243	18
P-F	2590-177-9186	SHAFT: pivot, hydraulic HCF904 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	243	19
P-F	3830-625-6282	BRACE: shipper assembly 8331882 (19207)	HA,JA,EF	EA	1	*	*	*		*	*	6	10	243	20
P-F	5305-725-4098	SCREW: shipper brace MS90726-160 (96906)	HA,JA,EF	EA	4	*	*	*	*	*	*	6	19	243	21
P-O	5310-820-6653	WASHER, LOCK: shipper brace MS35338-50 (96906)	HA, JA, EF	EA	8	*	*	*	*	*	*	6	10	243	22
P-F	2520-740-9643	SHAFT: bottom roller 7409643 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	243	23
P-F	2590-706-9076	ROLLER: boom hoist 7409748 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	243	24
P-F	3120-740-9744	BEARING: shipper bottom rear roller 7409748 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	6	10	243	25
P-F	2590-740-9782	COLLAR, SHAFT: retaining shipper supporting brace with chain 7409782 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	243	26
P-F	3830-625-6283	BOOM STABILIZER: 8331883 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	243	27
P-F	5315-740-9829	PIN: stabilizing boom 7409829 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	10	20	243	28
X2-F		BOOM: HCF1232D (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			244	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5310-740-9860	WASHER, THRUST: boom point sheave 7409860 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	244	2
P-F	3110-902-3757	BEARING, ROLLER, NEEDLE: boom point sheave 382407 (32195)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	244	3
P-F	2520-740-9645	SHEAVE: boom point 7409645 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	6	10	244	4
P-O	4730-050-4208	FITTING, LUBRICATION: boom point sheave shaft MS15003-1 (96906)	HA, JA, EF	EA	2	*	*	*	*	*	*	10	20	244	5
P-F	2540-740-9825	SHAFT: boom point sheave 7409825 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	244	6
P-F	5315-316-1006	PIN: boom point sheave and crane block 8330506 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	10	20	244	6
X2-F		BOLT: boom point sheave shaft 9409113 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*			244	7
X2-F		SCREW: boom point sheave shaft AW923007 (04636)	HA, JA, EF	EA	2	*	*	*	*	*	*			244	8
X2-F		CHAIN: boom point sheave shaft 8330245 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*			244	9
P-F	5315-281-7744	PIN, LOCK: boom point sheave shaft 7409515 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	10	20	244	10
X2-F		PIN: boom point HCF1785 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			244	11
P-F	2590-245-8143	SPACER: boom sheave HCF1781 (04636)	HA, JA, EF	EA	2	*	*	*	*	*	*	6	10	244	12
P-F	3110-902-3777	BEARING, ROLLER NEEDLE: boom sheave MS17131-51 (96906)	HA, JA, EF	EA	2	*	*	*	*	*	*	6	10	244	13
P-F	5310-740-9861	WASHER, THRUST: block hook 7409861 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	6	10	244	14
P-F	5315-740-9828	PIN: crane block sheave 7409828 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	10	20	244	15
P-F	2510-740-9689	BLOCK: 7409689 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	244	16
P-F	5315-740-9826	PIN: cable anchor 7409826 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	10	20	244	17
X2-F		SHEAVE: 7409646 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*			244	18

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O	2590-135-6566	ROLLER, ASSEMBLY: upper shipper HCU234 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	245	1
P-F	2520-316-7640	CYLINDER, CROWD BOOM: with piston head and rod assembly 7974613 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	246	1
X1		STUD: cylinder crown HCF1544 (04636)			4									246	2
X1		CYLINDER ASSEMBLY: HCF1262 (04636)			1									246	3
P-F	3810-110-9767	RETAINER: boom cylinder HCF447 (04636)		EA	1	*	*	*	*	*	*	6	10	246	4
P-F	3810-110-9768	WIPER, BOOM CYLINDER: HCF448 (04636)		EA	1	*	*	*	*	*	*	6	10	246	5
P-F	3830-740-9865	WIPER AND SPRING: boom crowd ram rod 7409865 (19207)		EA	1	*	*	*	*	*	*	6	10	246	6
X1		SPRING: cylinder crown HCF449-2 (04636)			1.									246	7
P-F	5330-740-9867	WIPER: boom crown ram rod felt 7409867 (19207)		EA	1	*	*	*	*	*	*	6	10	246	8
P-F	5330-740-9762	PACKING, PREFORMED: boom crowd piston rod 7409762 (19207)		EA	1	*	*	*	*	*	*	10	20	246	9
X1		NUT, HEXAGON: boom crown head AW737007 (04636)			4									246	10
P-F	5315-849-9857	PIN COTTER: boom crown head MS24665-421 (96906)		EA	4	*	*	*	*	*	*	25	100	246	11
X1		HEAD: boom cylinder HC168A (04636)			1									246	12
P-F	5330-740-9761	PACKING, PREFORMED: boom crowd cylinder 7409761 (19207)		EA	1	*	*	*	*	*	*	10	20	246	13
X1		SPREADER: boom cylinder HCF472 (04636)		2	2									246	14
P-F	2590-740-9683	CUP: boom crowd ram 7409683 (19207)		EA	2	*	*	*	*	*	*	6	10	246	15
X1		SPACER: boom cylinder HC73 (04636)			1									246	16
X1		NUT, HEXAGON: boom crown cylinder HCF1257 (04636)			2									246	17
X1		ROD: boom crown cylinder HCF12630 (04636)			1									246	18

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	4730-359-4708	UNION: boom crown cylinder rod 8327151 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	246	19
P-F	4730-832-7150	ELBOW, PIPE: ram center HCF1593 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	246	20
P-F	2590-732-7581	BOOM, LIFT CYLINDER ASSEMBLY: HCU349 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	247	1
P-F	5315-849-5582	PIN, COTTER: boom lift cylinder shaft MS24665-502 (96906)		EA	8	*	*	*	*	*	*	25	100	247	2
P-F	3830-855-5761	CYLINDER: boom HCU974 (04636)		EA	1	*	*	*	*	*	*	3	5	247	3
X2-F		NUT, PLAIN, SLOTTED, HEAD: boom cylinder rod HCF5889 (04636)		EA	1	*	*	*	*	*	*			247	4
X2-F		WASHER: HCF6494 (04636)		EA	1	*	*	*	*	*	*			247	5
X2-F		PACKING, PREFORMED: boom lift piston PGF-9648-57 (04636)		EA	1	*	*	*	*	*	*			247	6
X1		PISTON: boom cylinder HCF6491 (04636)			1									247	7
P-F	5330-187-3638	PACKING, PREFORMED: boom piston A16860 (02248)		EA	1	*	*	*	*	*	*	10	20	247	8
P-F	5330-740-9764	PACKING, PREFORMED: "O" Ring boom lift cylinder 7409764 (19207)		EA	1	*	*	*	*	*	*	10	20	247	9
P-F	2590-627-6856	BEARING, SLEEVE: boom cylinder rod HCF1349A (04636)		EA	1	*	*	*	*	*	*	6	10	247	10
X1		HEAD: boom cylinder HC154E (04636)			1									247	11
P-F	5330-740-9763	PACKING, PREFORMED: boom lift piston rod 7409763 (19207)		EA	1	*	*	*	*	*	*	10	20	247	12
P-F	5330-179-1430	SEAL, PLAIN ENCASED: cam head 21158-1821 (73680)		EA	1	*	*	*	*	*	*	6	10	247	13
X2-F		ROD, PISTON: boom cylinder HCF6494 (04636)		EA	1	*	*	*	*	*	*			247	14
X1		FITTING, LUBRICATION: boom cylinder rod AW064541 (04636)			1									247	15
P-F	3120-740-9743	BEARING, SLEEVE: boom lift ram rod 7409743 (19207)		EA	2	*	*	*	*	*	*	6	10	247	16
X1		NUT, HEXAGON: boom cylinder head 192065 (21450)			12									247	17
X1		NIPPLE: boom cylinder head HCF2009 (04636)			1									247	18

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		ELBOW: boom cylinder head 8327153 (19207)			2									247	19
X1		STUD: boom cylinder case HCF1337 (04636)			12									247	20
P-F	2590-179-3421	SHAFT: cylinder, pivot HCF1316A (04636)		EA	1	*	*	*	*	*	*	6	10	247	21
X2-F		ROD, PISTON WITH BUSHING: HCF973 (04636)		EA	1	*	*	*	*	*	*	*	*	247	22
P-F	5310-877-5795	NUT, HEXAGON: cable drum drive worm case cap MS21044N8 (96906)	HA, JA, EF	EA	6	*	*	*	*	*	*	6	10	248	1
X2-F		CAP: cable drum drive worm case HC143A (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			248	2
P-F	5330-740-9630	GASKET: worm shaft bearing cap 7409630 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	10	20	248	3
X2-F		NUT, HEXAGON: worm shaft bearing cap AW310010 (04636)	HA, JA, EF	EA	2	*	*	*	*	*	*			248	4
X2-F		WASHER, FLAT: worm shaft bearing cap AW309010 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			248	5
X2-F		BEARING, BALL: worm shaft bearing cap 701365 (21450)	HA, JA, EF	EA	2	*	*	*	*	*	*			248	6
X2-F		CAGE: worm shaft HC145A (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			248	7
X2-F		SLINGER: worm shaft HCF1259A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			248	8
X2-F		SCREW, CAP: drum housing inspection hole cover AW917151 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*			248	9
X2-F		COVER: drum housing inspection hole HCF1305 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			248	10
P-F	5330-740-9796	GASKET: drum housing inspection hole cover 7409796 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	248	11
X2-F		CASE: cable drum drive HC148C (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			248	12
X2-F		STUD: cable drum drive worm case HCF1340 (04636)	HA,JA,EF	EA	8	*	*	*	*	*	*			248	13
X2-F		WORM: drum drive shaft 7409632 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*			248	14
X2-F		SLINGER: drive worm shaft HCF1321 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			248	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	3110-516-5491	BEARING, BALL: fluid motor wormshaft, motor end 171140 (52676)	HAJA,EF	EA	1	*	*	*	*	*	*	6	10	248	16
P-F	3830-710-6868	COUPLING: hoist shaft HCF1261C (04636)	HAJA,EF	EA	1	*	*	*	*	*	*	6	10	248	17
P-F	2520-740-9797	GASKET: fluid motor 7409797 (19207)	HAJA,EF	EA	1	*	*	*	*	*	*	10	20	248	18
P-F	5315-979-7732	KEY: fluid motor MS20066-407 (96906)	HAJA,EF	EA	1	*	*	*	*	*	*	10	20	248	19
P-F	2520-740-9635	MOTOR, HYDRAULIC: fluid, cable hoist 7409635 (19207)	HAJA,EF	EA	1	*	*	*	*	*	*	4	5	248	20
P-F	5307-687-7328	STUD, PLAIN: hydraulic motor HCF1332 (04636)	HAJA,EF	EA	4	*	*	*	*	*	*	10	20	248	21
P-F	5310-982-6809	NUT, HEXAGON: hydraulic motor MS21044N10 (96906)	HAJA,EF	EA	4	*	*	*	*	*	*	6	10	248	22
P-O	4730-088-8665	PLUG: cable drum drive worm case MS49005-10 (96906)	HAJA,EF	EA	1	*	*	*	*	*	*	6	10	248	23
X2-F		STUD: cable drum drive worm case HCF1264 (04636)	HAJA,EF	EA	4	*	*	*	*	*	*			248	24
X2-F		STUD: cable drum drive worm case HCF1338 (04636)	HAJA,EF	EA	6	*	*	*	*	*	*			248	25
X2-F	5365-660-1496	SHIM: cable drum drive worm case K22205 (60038)	HAJA,EF	EA	1	*	*	*	*	*	*			248	26
X2-F		CAP: tub PGF9374B (04636)	HAJA,EF	EA	1	*	*	*	*	*	*			249	1
P-F	5310-877-5795	NUT, HEXAGON: drum gear case cap MS21044N8 (96906)	HAJA,EF	EA	6	*	*	*	*	*	*	6	10	249	2
X2-F		CAP: drum gear case bearing HC142 (04636)	HAJA,EF	EA	1	*	*	*	*	*	*			249	3
P-F	3830-740-9794	GASKET: drum gear case bearing cap 7409794 (19207)	HAJA,EF	EA	2	*	*	*	*	*	*	10	20	249	4
X2-F		SHIM: drum gear case bearing cap HCF1266 (04636)	HAJA,EF	EA	1	*	*	*	*	*	*			249	5
P-O	4730-954-1281	PLUG: cable drum drive shaft MS49005-4 (96906)	HAJA,EF	EA	1	*	*	*	*	*	*	6	10	249	6
X2-F		STUD: drive worm case cover and drive shaft case HCF1350 (04636)	HAJA,EF	EA	12	*	*	*	*	*	*			249	7
P-F	5310-950-0039	NUT, HEXAGON: drive worm case cover MS21044N6 (96906)	HAJA,EF	EA	10	*	*	*	*	*	*	6	10	249	8

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X2-F		COVER: worm drive case HC149B (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			249	9
P-F	2590-740-9629	GASKET: worm drive case cover 7409629 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	249	10
P-F	3110-100-0305	CUP, TAPERED ROLLER BEARING: worm gear outboard 043001 (90940)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	249	11
P-F	3110-100-0236	CONE AND ROLLERS, TAPERED ROLLER BEARING: worm gear outboard A175498 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	249	12
P-F	2590-937-0400	SPACER: cable drum drive shaft HCF1276B (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	249	13
P-F	2520-740-9631	GEAR: worm wheel 7409631 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	249	14
P-F	6605-740-8644	SHAFT, CAM: drive amplifier cable drum S1054 (03487)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	249	15
P-F	2590-937-0475	SPACER: cable drum drive shaft HCF1322 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	249	16
P-F	3110-100-3556	CONE AND ROLLERS, TAPERED: cable drum drive shaft 7409786 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	249	17
X2-F		CUP: cable drum drive shaft 712179 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*			249	18
X2-F		STUD: drum housing inspection hole HCF1339 (04636)	HA,JA,EF	EA	4	*	*	*	*	*	*			249	19
P-F	5330-632-7955	GASKET: drum housing inspection hole cover 7409795 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	249	20
X2-F		COVER: drum housing inspection hole HCF1304 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			249	21
P-F	5306-045-1976	BOLT, ASSEMBLED LOCK WASHER: drum housing inspection hole 451976 (21450)	HA,JA,EF	EA	4	*	*	*	*	*	*	6	10	249	22
X2-F		ELBOW: 108687 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*			249	23
X2-F		TUB: cap HCF1712A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			249	24
X2-F		SCREW: spring cable guide 16995R1 (31007)	HA,JA,EF	EA	2	*	*	*	*	*	*			250	1
P-F	2590-342-6535	SPRING: cable guide HCF1398 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	250	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-592-1147	BEARING, SLEEVE: cable drum roller HCF1236A (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	250	3
P-F	2590-221-4825	ROLLER: cable drum HCF12358 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	250	4
X2-F		SHAFT: cable drum roller HCF1234 (04636)	HA,JA,EF		1	*	*	*	*	*	*			250	5
P-F	3830-679-0732	SPRING: cable guide HCF1399A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	250	6
X2-F		SPACER: cable drum shaft HCF1271A (04636)	HA,JA,EF		1	*	*	*	*	*	*			250	7
X2-F		WASHER, LOCK: cable drum shaft PGF8706A (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			250	8
P-F	5330-740-9791	GASKET: cable drum housing cap 7409791 (19207)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	250	9
P-O	4730-050-4208	FITTING, LUBRICATION: cable drum housing cap MS15003-1 (96906)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	250	10
P-F	5310-950-0039	NUT, HEXAGON: cable drum housing cap MS21044N6 (96906)	HA,JA,EF	EA	4	*	*	*	*	*	*	6	10	250	11
P-F	1450-687-9731	COVER, PLATE: cable drum housing cap HC146 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	250	12
X2-F		NUT, HEXAGON: cable drum shaft PGF8708 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			250	13
P-F	3110-107-7556	BEARING, BALL: cable drum shaft 7409733 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	250	14
X2-F		CAGE: cable drum housing HC147 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			250	15
X2-F		STUD: cable drum housing HCF1341 (04636)	HA,JA,EF	EA	4	*	*	*	*	*	*			250	16
X2-F		SCREW, CAP: cable drum housing HC42937 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*			250	17
P-F	4030-740-9864	WEDGE: cable 7409864 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	6	10	250	18
X2-F		DRUM: cable AW778021 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			250	19
X2-F		SCREW, CAP: cable drum housing AW42933 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*			250	20
X2-F		WASHER, LOCK: cable drum housing AW778021 (04636)	HA,JA,EF	EA	4	*	*	*	*	*	*			250	21

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	4730-887-1007	NUT, HEXAGON: cable drum housing AW914010 (04636)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	10	250	22
X2-F		HOUSING: cable drum HCF1292F (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			250	23
P-F	5310-887-5795	NUT, HEXAGON: cable drum housing MS21044N8 (96906)	HA,JA,EF	EA	6	*	*	*	*	*	*	6	10	250	24
X2-F		CAGE: drum gear bearing retainer HC144B (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*			250	25
P-F	5330-740-9793	GASKET: drum gear bearing retainer 7409793 (19207)	HA,JA,EF	EA	2	*	*	*	*	*	*	10	20	250	26
P-F	5365-660-1496	SHIM: drum gear bearing retainer K22005 (60038)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	250	27
P-F	5330-286-7067	SEAL, PLAIN ENCASED: cable drum driveshaft bearing RIXS152 (81351)	HA,JA,EF	EA	1	*	*	*	*	*	*	10	20	250	28
P-F	2590-740-9655	VALVE ASSEMBLY, RELIEF: 7409655 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	251	1
P-F	2520-740-9923	VALVE ASSEMBLY, SWIVEL: 7409923 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	252	1
P-F	5330-154-8447	SEAL, OIL: valve plug 735001 (19207)		EA	1	*	*	*	*	*	*	6	10	252	2
P-F	5330-740-9628	GASKET: valve cap 7409628 (19207)		EA	1	*	*	*	*	*	*	10	20	252	3
P-F	5330-178-4669	SEAL, PLAIN, ENCASED: valve cap 7409759 (19207)		EA	1	*	*	*	*	*	*	6	10	252	3
P-F	2530-062-9719	VALVE, BRAKE: clutch air control 11602159 (19207)	HA	EA	1	*	*	*	*	*	*	6	10	253	1
X1		ELBOW: hoist air clutch release brake valve 143342 (21450)			3									253	2
P-F	5310-422-7746	NUT: hoist air clutch release brake valve 7413938 (19207)		EA	1	*	*	*	*	*	*	6	10	253	3
X1		SPRING: intake valve (Component of valve Repair Kit, FSN 2530-447-1148) 203265 (06853)			1									253	4
X1		VALVE: intake and exhaust (Cofnponent of valve Repair Kit, FSN 2530-447-1148) 5340152 (19207)			1									253	5
X1		BODY: clutch air control valve 203252 (06853)			1									253	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code — Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-F	2530-367-4548	SPRING, HELICAL COMPRESSION: return piston 203253 (06853)	EA	1	*	*	*	*	*	*	10	20	253	7
P-F	5310-350-6612	NUT: return piston 203256 (76040)	EA	1	*	*	*	*	*	*	6	10	253	8
X1		CUP: piston (Component of valve repair kit, FSN 2530-447-1148) 7349777 (19207)		1									253	9
P-F	2530-367-4544	PISTON, ASSEMBLY: 215305 (06853)	EA	1	*	*	*	*	*	*	6	10	253	10
P-F	2530-367-3888	SPRING, HELICAL COMPRESSION: return piston 7413939 (19207)	EA	1	*	*	*	*	*	*	10	20	253	11
P-F	2530-367-4546	SHIM: piston return 7347820 (19207)	EA	V	*	*	*	*	*	*	10	20	253	12
P-F	2530-270-8830	SHIM: piston return 7347819 (19207)	EA	V	*	*	*	*	*	*	10	20	253	12
P-F	5310-045-5215	WASHER, FLAT: return piston MS15795-615 (07860)	EA	1	*	*	*	*	*	*	6	10	253	13
P-F	2530-367-4536	CAGE: hand control valve spring 203257 (06853)	EA	1	*	*	*	*	*	*	6	10	253	14
P-F		NUT, SELF-LOCKING, HEXAGON: clutch air control valve housing MS51922-21 (96906)	EA	1	*	*	*	*	*	*	6	10	253	15
P-F	2530-737-7792	COVER: clutch air control valve 7377792 (19207)	EA	1	*	*	*	*	*	*	4	5	253	16
P-F	5310-407-9566	WASHER, LOCK: clutch air control valve housing MS35338-45 (96906)	EA	4	*	*	*	*	*	*	6	10	253	17
P-F	5305-269-2805	SCREW, CAP, HEXAGON: clutch air control valve body MS90726-62 (96906)	EA	2	*	*	*	*	*	*	6	10	253	18
P-F	5305-225-8497	SCREW, CAP, HEXAGON: MS90725-32 (96906)	EA	4	*	*	*	*	*	*	6	10	253	19
P-F	5340-741-3936	HANDLE: hand control valve 7413936 (19207)	EA	1	*	*	*	*	*	*	4	5	253	20
X1		SCREW, SET: valve handle (Component of valve repair kit, FSN 2530-447-1148) 8330409 (19207)		1									253	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		BEARING, BALL: (Component of valve repair kit, FSN 2530-447-1148) 147487 (21450)			1									253	22
X1		SPRING: lock valve (Component of valve repair kit, FSN 2530-447-1148) 204185 (06853)			1									253	23
X1		PLUG: clutch air control valve 7413940 (19207)			1									253	24
X1		VENT: clutch housing control valve body HCF1722 (06853)			1									253	25
P-O	5355-740-9732	KNOB: control valve lever 7409732 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	5	254	1
P-F	2520-040-2349	LEVER, CONTROL: valve, swing motor 8332472 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	4	5	254	2
P-F	5315-842-3651	PIN, COTTER: control valve rod end MS24665-295 (96906)	HA, JA, EF	EA	12	*	*	*	*	*	*	25	100	254	3
P-F	2520-740-9634	CONNECTING LINK: control valve lever to eye bolt 7409634 (19207)	HA, JA, EF	EA	8	*	*	*	*	*	*	6	10	254	4
P-F	5340-740-9740	CONNECTOR, ROD END: eye, control valve 7409740 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	5
P-F	5340-740-9767	CLEVIS, ROD END: control valve 7409767 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	6
X2-F		BODY: control valve HC1698 (04636)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	7
P-F	2520-573-5549	GASKET: control valve body 8720300 (19207)	HA, JA, EF	EA	5	*	*	*	*	*	*	10	20	254	8
P-F	5305-725-4114	SCREW, CAP: control valve cover MS90726-166 (96906)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	254	9
P-F	5310-982-6809	NUT, HEXAGON: control valve cover MS21044N10 (96906)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	254	10
X2-F		PLUG: control valve cover MS20913-85 (96906)	HA, JA, EF	EA	2	*	*	*	*	*	*			254	11
P-F	4730-200-0516	UNION: swivel valve body drain line hose 8327141 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	254	12
P-F	4730-359-4708	ELBOW: control valve cover 9409179 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	254	13
P-F	5310-985-0782	NUT, HEXAGON: control valve cover MS27151-28 (96906)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5340-550-9359	SEAL, LEAD: control valve cover rod 596449 (04636)	HA, JA, EF	EA	2	*	*	*	*	*	*	10	20	254	15
X2-F		NUT, HEXAGON: control valve cover rod 426754 (21450)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	16
X2-F		WASHER, COCK: control valve cover rod HCF375A (04636)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	17
X2-F		PLUG: control valve cover AW812002 (04636)	HA, JA, EF	EA	2	*	*	*	*	*	*			254	18
X2-F		COVER: valve bank HC 1878 (04636)	HA, JA, EF	EA	2	*	*	*	*	*	*			254	19
X2-F		VALVE, ASSEMBLY: control HCU89301 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			254	20
P-F	2590-937-8731	VALVE ASSEMBLY: control HCF11727 (04636)	HA, JA, EF	EA	2	*	*	*	*	*	*	4	8	254	21
P-F	5310-576-0197	WASHER, FLAT: control valve cap spring lower 7409857 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	28
X2-F		PLUG, PIPE: control valve cover 444691 (21450)	HA, JA, EF	EA	1	*	*	*	*	*	*			254	29
X2-F		ROD: control valve HCF 2123 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			254	30
P-F	4730-832-7157	ELBOW: control valve cover 8327157 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	254	31
X2-F		ROD: control valve HCF 2119 (04636)	HA, JA, EF	EA	1	*	*	*	*	*	*			254	32
X2-F		SPOOL: control valve HCF 1988 (04636)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	33
P-F	5330-576-0197	RETAINER, PACKING: control valve plug 7409512 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	34
X2-F		SCREW, ASSEMBLED COCKWASHER: control valve cap 192414 (21450)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	22
X2-F		CAP: control valve HC170 (04636)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	23
P-F	5330-740-9792	GASKET: control valve cap 7409792 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	10	20	254	24
P-F	5310-740-9858	WASHER, SLOTTED: control valve cap spring, upper 7409858 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	25

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-663-1242	SPRING, HELICAL COMPRESSION: swing motor valve (2) and control valve cap (4) 8332452 (19207)	HA, JA, EF	EA	6	*	*	*	*	*	*	10	20	254	26
X2-F		SLEEVE: control valve cap spring HCF223 (04636)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	27
P-F	5330-740-9779	PACKING, PREFORMED: control valve 7409779 (19207)	HA, JA, EF	EA	12	*	*	*	*	*	*	10	20	254	35
P-F	5340-740-9859	SPACER, RING: control valve cap 7409859 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	36
X2-F		COVER: control valve HCF583A (04636)	HA, JA, EF	EA	4	*	*	*	*	*	*			254	37
X2-F		SCREW, CAP: control valve yoke 122223 (21450)	HA, JA, EF	EA	8	*	*	*	*	*	*			254	38
P-F	5310-880-7745	NUT, PLAIN, HEXAGON: control valve yoke MS51968-11 (96906)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	39
P-F	5315-846-1270	PIN, STRAIGHT, HEADED: end control valve MS35810-35 (96906)	HA, JA, EF	EA	12	*	*	*	*	*	*	10	20	254	40
P-F	5310-017-7587	NUT, PLAIN, HEXAGON: control valve eye bolt 177587 (21450)	HA, JA, EF	EA	4	*	*	*	*	*	*	6	10	254	41
P-O-R	2520-040-2351	VALVE CONTROL ASSEMBLY: 8332616 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10	254	42
P-O-R	2520-304-9411	VALVE CONTROL ASSEMBLY: 8330173 (19207)	HA	EA	1	*	*	*	*	*	*	6	10	254	42
P-F	2590-059-5380	PULLEY ASSEMBLY, TRUCK: outer boom 10876406 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	255	1
P-F	3040-143-6390	PIN, STRAIGHT, HEADLESS: truck pulley 10900203 (19207)		EA	1	*	*	*	*	*	*	10	20	255	2
P-F	5315-013-7308	PIN, COTTER: truck pulley MS24665-627 (96906)		EA	3	*	*	*	*	*	*	25	100	255	3
P-F	3120-404-3206	BEARING, SLEEVE: truck pulley 10900217 (19207)		EA	2	*	*	*	*	*	*	6	10	255	4
P-F	2590-504-8930	BEARING, SLEEVE: truck pulley 10876158 (19207)		EA	2	*	*	*	*	*	*	6	10	255	5
P-F	4730-172-0034	FITTING, LUBRICATION: truck pulley MS15003-6 (96906)		EA	2	*	*	*	*	*	*	10	20	255	6
X1		SHEAVE: truck pulley 10900056 (19207)			1									255	7
P-F	2590-080-7529	BUSHING HINGE PIN: outer boom 10899974 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	255	8

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5310-982-6812	NUT, SELF-LOCKING HEXAGON: outer boom pin MS21044N20 (96906)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	255	9
P-O	4730-050-4208	FITTING, LUBRICATION: outer boom pin MS15003-1 (96906)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	255	10
P-O	2590-086-7459	BOOM OUTER: crane 10876190 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	255	11
P-F	5310-820-6653	WASHER, LOCK: boom cylinder roller MS35338-50 (96906)	BD, FJ	EA	12	*	*	*	*	*	*	6	10	255	12
P-F	5305-727-5677	SCREW, CAP, HEXAGON HEAD: boom cylinder roller MS90726-162 (96906)	BD, FJ	EA	12	*	*	*	*	*	*	6	10	255	13
P-F	2540-740-9019	HOOK, PIN: outer boom 7409019 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	255	14
X1		LINK: 10900096 (19207)	BD, FJ		1									255	15
X2-F		PLATE: outer boom crane 10899983 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			255	16
P-F	5310-584-5272	WASHER, LOCK: outer boom plate MS35338-48 (96906)	BD, FJ	EA	4	*	*	*	*	*	*			255	17
P-F	5305-226-7767	SCREW, CAP, HEXAGON HEAD: outer boom plate MS90726-109 (96906)	BD, FJ	EA	4	*	*	*	*	*	*			255	18
X1		TUBE: boom support 10899978 (19207)	BD, FJ		1									255	19
P-F	5315-013-7228	PIN, COTTER: boom support MS24665-423 (96906)	BD, FJ	EA	1	*	*	*	*	*	*			255	20
P-F	2590-052-0110	PIN AND CHAIN ASSEMBLY: 10899366 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			255	21
P-F	2590-101-5594	TUBE, SUPPORT LEG: outer boom 10910347 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			255	22
P-F	2590-857-2782	TUBE: boom support 10876437 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	255	23
P-F	5305-269-2805	SCREW, CAP, HEXAGON HEAD: plate MS90726-62 (96906)	BD, FJ	EA	4	*	*	*	*	*	*	6	10	255	24
P-F	5310-637-9541	WASHER, LOCK: plate MS35338-46 (96906)	BD, FJ	EA	4	*	*	*	*	*	*	6	10	255	25
X2-F		PLATE: outer boom 10899980 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			255	26

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-740-9807	BEARING, SLEEVE: outer boom 7409807 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	255	27
X2-F		SHAFT: outer boom 10899979 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			255	28
P-F	2590-933-9579	PIN, STRAIGHT, HEADED: outer boom 10876292 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	255	29
P-F	2590-179-7053	BOOM ASSEMBLY: inner 10876205 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	256	1
P-F	2590-134-1121	TRACK: roller boom 10899986 (19207)		EA	4	*	*	*	*	*	*	6	10	256	2
P-F	5305-050-9221	SCREW, CAP: roller boom track MS24667-41 (96906)		EA	96	*	*	*	*	*	*	6	10	256	3
X-1		PIN: inner boom 10899976 (19207)			1									256	4
P-F	5315-846-0126	PIN, COTTER: inner boom MS24665-628 (96906)		EA	4	*	*	*	*	*	*	25	100	256	5
P-F	2590-177-9194	SPACER: sheave, boom 10900247 (19207)		EA	2	*	*	*	*	*	*	6	10	256	6
P-F	5310-832-9719	NUT: sheave boom MS51922-61 (96906)		EA	1	*	*	*	*	*	*	6	10	256	7
P-F	5310-984-8818	WASHER, FLAT: sheave boom MS15795-31 (96906)		EA	1	*	*	*	*	*	*	6	10	256	8
X1		SHEAVE: boom assembly 10876383 (19207)			2									256	9
P-F	3120-509-8270	BUSHING: inner boom sheave 7064597 (19207)		EA	2	*	*	*	*	*	*	6	10	256	10
P-F	3120-740-9729	WASHER, THRUST: inner boom sheave 7409729 (19207)		EA	2	*	*	*	*	*	*	6	10	256	11
X1		PIN: inner boom 10899989 (19207)			1									256	12
P-F	4730-172-0034	FITTING, LUBRICATION: inner boom sheave MS15003-6 (96906)		EA	1	*	*	*	*	*	*	10	20	256	13
P-F	5305-728-0216	SCREW, HEXAGON HEAD: inner boom sheave MS90726-199 (96906)		EA	1	*	*	*	*	*	*	6	10	256	14
P-F	2590-086-7460	BOOM, INNER: crane 10876182 (19207)		EA	1	*	*	*	*	*	*	4	5	256	15
P-F	2590-972-2638	CYLINDER ASSEMBLY HYDRAULIC: elevating 10876213 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	257	1
X1		CYLINDER, HYDRAULIC: elevating 10876311 (19207)			1									257	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		ROD: hydraulic cylinder 10876312 (19207)			1									257	3
P-F	2590-951-1850	BEARING, SLEEVE: piston rod, elevating cylinder 10911102 (19207)		EA	1	*	*	*	*	*	*	6	10	257	4
P-O	4730-050-4208	FITTING, LUBRICATION: piston rod, elevating cylinder MS15003-1 (96906)		EA	1	*	*	*	*	*	*	10	20	257	5
P-F	2590-972-2635	SEAL, HYDRAULIC CYLINDER: elevating 10876449 (19207)		EA	2	*	*	*	*	*	*	10	20	257	6
X1		NUT, SLOTTED: piston rod, elevating cylinder 10876461 (19207)			1									257	7
P-F	2590-523-4235	PACKING ASSEMBLY: lift, cylinder winch, truck mounted left cylinder head left (1) right (1) 10900300 (19207)		EA	1	*	*	*	*	*	*	10	20	257	8
P-F	2590-826-5630	BEARING, SLEEVE: hoist cylinder head left (1) right (1) 10876159 (19207)		EA	2	*	*	*	*	*	*	6	10	257	9
P-F	2590-177-9196	HEAD: cylinder boom 10876310 (19207)		EA	1	*	*	*	*	*	*	4	5	257	10
X1		RING: cylinder boom head 546885 (21450)			1									257	11
P-F	2590-504-8923	RING, PISTON: hoist cylinder left (2) right (2) 10876153 (19207)		EA	4	*	*	*	*	*	*	6	10	257	12
P-F	5330-684-2547	PACKING, PREFORMED: hoist cylinder left (1) right (1) MS29561-249 (96906)		EA	2	*	*	*	*	*	*	10	20	257	13
P-F	2590-972-2634	PISTON, HYDRAULIC CYLINDER: crane elevating 10876570 (19207)		EA	1	*	*	*	*	*	*	6	10	257	14
P-F	2590-523-4305	CUP, COMPRESSION: left cylinder, hoist, truck mounted lift cylinder left (1) right (1) 10900304 (19207)		EA	2	*	*	*	*	*	*	6	10	257	15
P-F-R	2590-504-9030	MOTOR, HYDRAULIC: swing 10876151 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	263	1
P-F-R	2590-504-8999	MOTOR, HYDRAULIC: hoist winch 10876150 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	*	*	263	1
X1		COVER: crane swing motor 10900464 (19207)			1									263	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-H	5315-816-1329	PIN, STRAIGHT HEADLESS: crane swing motor cover MS16555-77 (96906)	EA	4	*	*	*	*	*	*	10	20	263	3
X1		ADAPTER: drive shaft, swing motor 10900150 (19207)		2									263	4
P-H	5330-727-2240	PACKING, PREFORMED: swing motor MS29561-229 (96906)	EA	2	*	*	*	*	*	*	10	20	263	5
P-H	2590-893-4211	PACKING WITH RETAINER: sand rubber, swing motors 10900463 (19207)	EA	2	*	*	*	*	*	*	6	10	263	6
P-H	3110-155-7423	BEARING, ROLLER, CYLINDRICAL: swing motor 10876160 (19207)	EA	4	*	*	*	*	*	*	6	10	263	7
P-H	2590-533-3395	PLATE, WEAR: swing motor 10876343 (19207)	EA	2	*	*	*	*	*	*	6	10	263	8
P-H	5340-753-3578	RING, RETAINING: 10876154 (19207)	EA	2	*	*	*	*	*	*	6	10	263	9
X1		SPACER: swing motor 10900142 (19207)		4									263	10
P-H	2520-533-3389	SHAFT, DRIVE: gear swing motor	EA	1	*	*	*	*	*	*	*	*	263	11
P-H	2520-533-3391	SHAFT, DRIVE GEAR, SWING MOTOR: 10876509 (19207)	EA	1	*	*	*	*	*	*	6	10	263	11
P-H	2520-533-3393	SHAFT, DRIVE GEAR: hoist motor 10876507 (19207)	EA	1	*	*	*	*	*	*	*	*	263	11
X1		BODY: 10876305 (19207)		1									263	12
X1		COVER: 10876217 (19207)		1									263	13
P-H	5310-823-8803	WASHER, FLAT: MS27183-21 (96906)	EA	8	*	*	*	*	*	*	6	10	263	14
P-H	5305-835-9810	SCREW, CAP, HEXAGON HEAD: swing motor 10900307 (19207)	EA	4	*	*	*	*	*	*	6	10	263	15
P-H	5305-827-2824	SCREW, CAP, HEXAGON HEAD: swing motor 10900306 (19207)	EA	4	*	*	*	*	*	*	6	10	263	16
P-H	5340-803-9978	RING, RETAINING: swing motor MS16624-137 (96906)	EA	2	*	*	*	*	*	*	6	10	263	17
P-H	2520-533-3390	SHAFT, IDLER, SWING MOTOR: 10876510 (19207)	EA	1	*	*	*	*	*	*	6	10	263	18
P-H	2520-533-3392	SHAFT, IDLER: hoist motor 10876508 (19207)	EA	1	*	*	*	*	*	*	*	*	263	18

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code — Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-H	2590-933-9585	SWINGER GEAR CASE ASSEMBLY: BD, FJ 10876198 (19207)	EA	1	*	*	*	*	*	*	4	5	264	1
P-H	5305-782-9495	SCREW, CAP, HEXAGON HEAD: swinger gearcase assembly MS90725-111 (96906)	EA	22	*	*	*	*	*	*	6	10	264	2
P-H	5310-584-5272	WASHER, LOCK: swinger gearcase assembly MS353338-48 (96906)	EA	23	*	*	*	*	*	*	6	10	264	3
X1		PLUG: swinger gearcase assembly 444673 (21450)		1									264	4
X1		COVER: swinger gearcase 10876226 (19207)		1									264	5
P-	2590-826-5203	GASKET: swinger gearcase cover 10876132 (19207)	EA	1	*	*	*	*	*	*	6	10	264	6
P-	5305-761-4227	SCREW, CAP, HEXAGON HEAD: swinger pinion shaft bearing MS90726-111 (96906)	EA	1	*	*	*	*	*	*	6	10	264	7
P-	5310-753-8215	WASHER, FLAT: swinger pinion shaft bearing 10876166 (19207)	EA	1	*	*	*	*	*	*	6	10	264	8
P-	3110-554-3468	BEARING, BALL, ANNULAR: worm gear shaft 550026 (79419)	EA	3	*	*	*	*	*	*	6	10	264	9
X1		WASHER: worm gear shaft 10900202 (19207)		1									264	10
P-	2590-262-7572	GEAR, WORM WHEEL: swinger gearcase 7538688 (19207)	EA	1	*	*	*	*	*	*	6	10	264	11
X1		WASHER: pinion shaft 10900232 (19207)		1									264	12
P-H	3110-554-3411	BEARING, BALL, ANNULAR: pinion shaft 5212 (21335)	EA	1	*	*	*	*	*	*	6	10	264	13
P-H	5330-178-2191	SEAL, PLAIN ENCASED: pinion shaft	EA	1	*	*	*	*	*	*	6	10	264	14
P-H	2590-504-9038	SHAFT, PINION: swinger gearcase 10876163 (19207)	EA	1	*	*	*	*	*	*	6	10	264	15
X1		CASE: swing gear assembly 10876186 (19207)		1									264	16
P-H	2590-972-2641	GEAR, WORM: swinger gearcase 10876360 (19207)	EA	1	*	*	*	*	*	*	6	10	264	17
X1		WASHER: worm gear 10900212 (19207)		2									264	18
X1		SPACER: worm gear 10900204 (19207)		2									264	19
P-H	2590-136-4759	SPRING, HELICAL COMPRESSION: swinger gearcase 10900189 (19207)	EA	2	*	*	*	*	*	*	6	10	264	20

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-H	2590-937-1164	BUSHING, SLEEVE: swinger gearcase spring 10899994 (19207)		EA	2	*	*	*	*	*	*	6	10	264	21
P-H	2590-069-3047	COUPLING, SWING GEAR: swinger gearcase 10899996 (19207)		EA	1	*	*	*	*	*	*	6	10	264	22
P-H	5315-616-5500	KEY, WOODRUFF: swing gear coupling MS35756-21 (96906)		EA	2	*	*	*	*	*	*	10	20	264	23
P-H	2590-826-5202	GASKET: swinger case bearing cap end (1) and bearing adapter end (1) 10876133 (19207)		EA	2	*	*	*	*	*	*	10	20	264	24
P-H	2590-177-9266	ENDCAP, GEARCASE: swinger assembly 10876232 (19207)		EA	1	*	*	*	*	*	*	6	10	264	25
X1		PLUG: swinger gearcase 502398 (21450)			1									264	26
P-H	2590-972-2640	SHAFT, SHOULDERED: swinger gearcase 10876361 (19207)		EA	1	*	*	*	*	*	*	6	10	264	27
X1		CAP: swinger gear case assembly 10876382 (19207)			1									264	28
P-H	5315-616-5501	KEY, WOODRUFF: swinger gearcase shaft MS35756-20 (96906)		EA	2	*	*	*	*	*	*	10	20	264	29
P-H	5315-281-7651	KEY, MACHINE: pinion shaft 8328341 (19207)		EA	1	*	*	*	*	*	*	10	20	264	30
X1		WASHER, FLAT: hydraulic cylinder elevating 10876454 (19207)			1									257	16
X1		WASHER, FLAT: hydraulic cylinder elevating 10876506 (19207)			1									257	17
X1		NUT: hydraulic cylinder elevating 10900151 (19207)			1									257	18
P-O	4730-050-4208	FITTING, LUBRICATION: roller hanger shaft MS15003-1 (9606)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	258	1
P-F	3040-255-5700	SHAFT, STRAIGHT: roller hanger 10900018 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	258	2
P-F	2590-740-9807	BEARING, SLEEVE: roller hanger 7409807 (19207)	BD, FJ	EA	4	*	*	*	*	*	*	6	10	258	3
P-F	2590-045-4205	HANGER, ROLLER: boom 10900021 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	258	4
X2-F		TUBE: roller hanger 1090017 (19207)	BD, FJ	EA	2	*	*	*	*	*	*			258	5
P-F	2590-045-4204	HANGER, ROLLER: boom 10900022 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	258	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5315-013-7214	PIN, COTTER: roller hanger MS24665-359 (96906)	BD, FJ	EA	2	*	*	*	*	*	*	25	100	258	7
P-F	2590-045-4202	HANGER, ROLLER: boom 10876564 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	258	8
P-F	5305-761-4227	SCREW, CAP, HEXAGON HEAD: roller hanger MS90726-111 (96906)	BD, FJ	EA	8	*	*	*	*	*	*	6	10	258	9
P-F	2590-045-4206	HANGER, ROLLER: boom 10876563 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	258	10
P-O	2590-974-9670	WINCH, DRUM: vehicle mounting 10876197 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	258	11
P-O	5310-584-5272	WASHER, LOCK: drum winch mounting MS35338-48 (96906)	BD, FJ	EA	6	*	*	*	*	*	*	6	10	258	12
P-O	5305-053-8965	SCREW, CAP, HEXAGON HEAD: drum winch mounting MS90726-167 (96906)	BD, FJ	EA	6	*	*	*	*	*	*	6	10	258	13
P-F	5305-761-4227	SCREW, CAP, HEXAGON HEAD: hoist winch adapter MS90726-111 (96906)	BD, FJ	EA	6	*	*	*	*	*	*	6	10	259	1
P-F	5310-584-5272	WASHER, LOCK: hoist winch adapter MS35338-48 (96906)	BD, FJ	EA	15	*	*	*	*	*	*	6	10	259	2
X1		ADAPTER: hoist winch motor 10876252 (19207)	BD, FJ		1									259	3
P-F	2590-064-3691	GASKET, ENCASE: motor adapter 10900090 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	4
X2-F		COVER: hoist winch motor 10876247 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			259	5
P-F	3110-155-6679	BEARING, BALL: input shaft winch hoist A22846 (35351)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	259	6
P-F	2590-522-1174	GASKET: crane case cover, hoist winch reduction unit 10876131 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	259	7
P-F	5315-616-5500	KEY WOODRUFF: hoist reduction shaft MS35756-21 (96906)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	259	8
P-F	2590-504-8913	SHAFT, REDUCTION: hoist winch 10876364 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	9
P-F	2590-522-1175	GEAR, HELICAL: hoist winch reduction unit 10876134 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	10

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	5340-803-9981	RING, RETAINING: drive gear, reduction gear case MS16624-150 (96906)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	11
P-F	5315-058-9931	PIN, STRAIGHT HEADLESS: reduction gear case 589931 (21450)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	259	12
P-F	2530-711-4714	CASE, ASSEMBLY: reduction gear 10876246 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	2	5	259	13
P-F	5330-057-3823	GASKET: drive worm end bearing 7409822 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	259	14
P-F	5330-286-8149	SEAL, PLAIN ENCASED: worm gear (1) brake case (1) 500094 (21450)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	259	15
P-F	3110-554-3929	BEARING, BALL: hoist winch worm shaft 143030 (21450)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	259	16
P-O	4730-288-8555	PLUG, EXPANSION: MS49005-9 (96906)	BD, FJ	EA	5	*	*	*	*	*	*	10	20	259	17
P-F	5305-782-9494	SCREW, CAP HEXAGON HEAD: reduction gear case MS90726-114 (96906)	BD, FJ	EA	8	*	*	*	*	*	*	6	10	259	18
P-F	2590-522-1177	GEAR, HELICAL: hoist winch reduction unit 10876135 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	19
P-F	5310-407-9566	WASHER, LOCK: hoist winch motor cover MS35338-45 (96906)	BD, FJ	EA	10	*	*	*	*	*	*	6	10	259	20
P-F	5306-225-9088	SCREW, CAP, HEX: hoist winch motor cover MS90726-33 (96906)	BD, FJ	EA	10	*	*	*	*	*	*	6	10	259	21
P-F	2590-504-9037	WORM SHAFT: hoist winch 10876164 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	22
P-F	2590-118-5554	HOUSING: winch brake 7954475 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	259	23
P-O	5340-050-1589	PLUG: MS35648-3 (96906)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	259	24
P-F	2520-740-9817	DRUM, DISK: winch brake 7409817 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	259	25

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-740-9565	BRAKE BAND ASSEMBLY: winch brake 7409565 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	259	26
P-F	2520-740-9816	COVER: brake case 7409816 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	27
P-F	5306-018-7527	BOLT, ASSEMBLED WASHER: brake case cover 187527 (21450)	BD, FJ	EA	6	*	*	*	*	*	*	6	10	259	28
P-F	2590-895-3424	GASKET: brake case cover 7973339 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	259	29
P-F	5340-664-4374	SPRING: automatic brake adjusting bolt 5277992 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	259	30
P-F	5305-226-7767	SCREW, CAP HEXAGON HEAD: hoist winch housing MS90726-109 (96906)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	31
P-F	5310-595-5839	WASHER, FLAT: hoist winch housing 8330414 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	32
P-F	5330-584-0265	PACKING, PREFORMED: winch brake housing MS28775-012 (96906)	BD, FJ	EA	1	*	*	*	*	*	*	10	20	259	33
P-F	5310-080-6004	WASHER, FLAT: winch brake housing MS27183-14 (96906)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	259	34
P-F	5305-269-2818	SCREW, CAP: winch brake housing MS90726-74 (96906)	BD, FJ		1									259	35
X2-F		CASE: winch hoist 7954484 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			259	36
P-F	5315-042-3293	KEY, MACHINE: worm shaft, hoist winch MS20067-270 (96906)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	259	37
P-F	5305-761-4227	SCREW, CAP HEXAGON HEAD: worm gearshaft, hoist winch MS90726-111 (96906)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	260	1
P-F	5310-584-5272	WASHER, FLAT: worm gearshaft, hoist winch MS35338-48 (96906)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	260	2
P-F	5310-512-5213	WASHER, FLAT: worm gearshaft, hoist winch 10900102 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	260	3
P-F		SCREW, CAP: gear case cover, hoist winch MS35190-142 (96906)	BD, FJ	EA	4	*	*	*	*	*	*			260	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X2-F		COVER: gear case, hoist winch 10876253 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			260	5
P-F	2590-740-9821	GASKET: cover gearcase, hoist winch 7409821 (19207)	BD, FJ	EA	V	*	*	*	*	*	*	10	20	260	6
P-F	3120-740-9800	BEARING, SLEEVE: worm gearshaft 7409800 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	260	7
P-F	5315-281-7652	KEY, MACHINE: worm gearshaft 8327444 (19207)	BD, FJ	EA	4	*	*	*	*	*	*	10	20	260	8
X1		SHAFT: worm gear 10876355 (19207)	BD, FJ		1									260	9
P-F	2590-740-9823	GEAR, WORM WHEEL: hoist winch 7409823 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	260	10
X2-F		SUPPORT: hoist winch drum 10876357 (19207)	BD, FJ	EA	1	*	*	*	*	*	*			260	11
X2-F		SCREW,MACHINE: hoist winch drum support MS35190-176 (96906)	BD, FJ	EA	6	*	*	*	*	*	*			260	12
P-F		SCREW, CAP: hoist winch drum MS51025-90 (96906)	BD, FJ		1									260	13
X2-F		WASHER, FLAT: hoist winch drum support 8344242 (19207)	BD, FJ	EA	2	*	*	*	*	*	*			260	14
P-F	2590-504-8929	BUSHING: hoist winch drum support 10876157 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	6	10	260	15
P-F	2590-177-7830	SUPPORT: hoist winch drum 10876356 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	260	16
P-O	4730-050-4208	FITTING, LUBRICATION: hoist winch drum support MS15003-1 (96906)	BD, FJ	EA	2	*	*	*	*	*	*	10	20	260	17
P-F	2590-235-4400	DRUM: winch cable 10876174 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	260	18
P-F	5310-820-6653	WASHER, LOCK: worm gearshaft cover MS35338-50 (96906)	BD, FJ	EA	4	*	*	*	*	*	*	6	10	260	19
P-F	5305-724-5911	SCREW, CAP HEXAGON HEAD: worm gearshaft cover MS90725-163 (96906)	BD, FJ	EA	4	*	*	*	*	*	*	6	10	260	20
P-F	5330-286-7057	SEAL, PLAIN, ENCASED: worm gearshaft hoist winch 500130 (21450)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	260	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2590-972-2639	EXTENSION, CYLINDER ASSEMBLY: 10875210 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	261	1
X1		CYLINDER: 10876307 (19207)			1									261	2
X1		WIRE: piston cylinder crown MS20995-F91-12 (96906)			1									261	3
X1		NUT, HEXAGON: piston cylinder crown 10900151 (19207)			1									261	4
X1		WASHER, FLAT: piston cylinder crown 10876506 (19207)			1									261	5
X1		WASHER, LOCK: piston cylinder crown 10876454 (19207)			2									261	6
P-F	2590-523-4305	CUP, COMPRESSION: boom cylinder 10900304 (19207)		EA	2	*	*	*	*	*	*	6	10	261	7
P-F	2590-972-2632	PISTON, HYDRAULIC CYLINDER: crown 10876453 (19207)		EA	1	*	*	*	*	*	*	6	10	261	8
P-F	2590-504-8923	RING, PISTON: boom cylinder 10876153 (19207)		EA	1	*	*	*	*	*	*	6	10	261	9
X1		RING: cylinder head boom 546885 (21450)			1									261	10
P-F	2590-177-9196	HEAD: boom cylinder 10876310 (19207)		EA	1	*	*	*	*	*	*	4	5	261	11
P-F	2590-826-5630	BEARING, SLEEVE: boom cylinder head 10876159 (19207)		EA	1	*	*	*	*	*	*	6	10	261	12
P-F	2590-523-4235	PACKING: boom cylinder head 10900300 (19207)		EA	1	*	*	*	*	*	*	6	10	261	13
P-F	4730-238-5594	NUT, PACKING: boom cylinder head 10876461 (19207)		EA	1	*	*	*	*	*	*	6	10	261	14
P-F	2590-972-2635	SEAL: hydraulic cylinder 10876449 (19207)		EA	1	*	*	*	*	*	*	6	10	261	15
X1		ROD: cylinder 10876309 (19207)			1									261	16
P-O	4780-050-4208	FITTING, LUBRICATION: cylinder rod MS15003-1 (96906)		EA	1	*	*	*	*	*	*	10	20	261	17
P-F	2590-504-9066	PUMP ASSEMBLY, HYDRAULIC: 10876152 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	262	1
P-F	5305-827-2824	SCREW, CAP, HEXAGON HEAD: hydraulic oil pump 10900306 (19207)		EA	4	*	*	*	*	*	*	6	10	262	2
P-F	5310-823-8803	WASHER, FLAT: hydraulic oil pump MS27183-21 (96906)		EA	8	*	*	*	*	*	*	6	10	262	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-O	4730-044-4688	PLUG, PIPE: hydraulic oil pump wear plate 444688 (24617)	EA	1	*	*	*	*	*	*	10	20	262	4
X2-F		COVER, REAR: hydraulic oil pump 10876224 (19207)	EA	1	*	*	*	*	*	*			262	5
P-F	3110-155-7423	BEARING, ROLLER, CYLINDRICAL: hydraulic oil pump 10876160 (19207)	EA	4	*	*	*	*	*	*	6	10	262	6
P-F	2590-533-3399	PLATE, WEAR: hydraulic oil pump 10875342 (19207)	EA	2	*	*	*	*	*	*	6	10	262	7
P-F	5310-584-5272	WASHER, LOCK: hydraulic pump body adapter MS35338-48 (96906)	EA	4	*	*	*	*	*	*	6	10	262	8
P-F	5305-836-3654	SCREW, CAP, HEXAGON HEAD: hydraulic pump body adapter MS90725-211 (96906)	EA	4	*	*	*	*	*	*	6	10	262	9
X1		ADAPTER: hydraulic pump 10900088 (19207)		1									262	10
P-F	5330-579-7927	PACKING, PREFORMED: hydraulic pump body to adapter MS28775-225 (96906)	EA	1	*	*	*	*	*	*	10	20	262	11
X2-F		BODY: hydraulic pump 10876211 (19207)	EA	1	*	*	*	*	*	*			262	12
P-F	5340-753-3578	RING, RETAINING: hydraulic oil pump 10876154 (19207)	EA	2	*	*	*	*	*	*	6	10	262	13
P-F	5315-816-1329	PIN, STRAIGHT, HEADLESS: hydraulic pump body MS16555-77 (96906)	EA	2	*	*	*	*	*	*	10	20	262	14
X1		SPACER: hydraulic pump drive shaft 10900142 (19207)		4									262	15
P-F	2520-533-3389	SHAFT: drive with integral gear, hydraulic oil pump 10876511 (19207)	EA	1	*	*	*	*	*	*	6	10	262	16
P-F	2520-972-2636	SEAL ASSEMBLY: hydraulic pump, gear shaft 10911098 (19207)	EA	1	*	*	*	*	*	*	6	10	262	17
P-F	2590-133-0987	SEAT: hydraulic pump 10911099 (19207)	EA	1	*	*	*	*	*	*	6	10	262	18
X2-F		COVER, FRONT: hydraulic pump 10876212 (19207)	EA	1	*	*	*	*	*	*			262	19
P-F	5340-803-9978	RING, RETAINING: hydraulic oil pump MS16624-137 (96906)	EA	3	*	*	*	*	*	*	6	10	262	20
P-F	2520-533-3390	SHAFT: idler, with integral gear, hydraulic oil pump 10876510 (19207)	EA	1	*	*	*	*	*	*	6	10	262	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		ADAPTER: hydraulic pump body 10900087 (19207)			1									262	22
P-F	5305-042-6417	SCREW, CAP, HEXAGON HEAD: hydraulic pump body adapter MS90725-113 (96906)		EA	4	*	*	*	*	*	*	6	10	262	23
P-F	5330-579-7918	PACKING, PREFORMED: hydraulic pump to adapter MS28775-229 (96906)		EA	1	*	*	*	*	*	*	6	10	262	24
P-F	5305-835-9810	SCREW, CAP, HEXAGON HEAD: hydraulic oil pump 10900307 (19207)		EA	4	*	*	*	*	*	*	6	10	262	25
X2-F		BASE: lever mounting 11621122 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	1
P-F	5305-071-1780	SCREW: MS90725-127 (96906)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	265	2
X1		LEVER ASSEMBLY: left side 11621121-1 (19207)	BD,FJ		1									265	3
P-F		LEVER ASSEMBLY: left side intermidate 11640398-1 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	4
P-F		LEVER ASSEMBLY: right side intermidate 11640398-2 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	5
P-F		RING: retaining MS90707-1050 (96906)	BD,FJ	EA	8	*	*	*	*	*	*			265	6
P-F		LEVER ASSEMBLY: right side 11621121-2 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	7
P-O		KNOB: lever 10900172 (19207)	BD,FJ	EA	4	*	*	*	*	*	*			265	8
P-F		PIN: 11621118 (19207)	BD,FJ	EA	8	*	*	*	*	*	*			265	9
X1-F		VALVE ASSEMBLY: control 11621116 (19207)	BD,FJ		1									265	10
P-F		CONNECTOR: tube 11621892 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	11
P-F	5330-816-3546	"O" RING: tube connector MS28778-20 (96906)	BD,FJ	EA	1	*	*	*	*	*	*	8	20	265	12
P-F		TUBE ASSEMBLY: 11621120 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	13
X2-F		BRACKET: control valve mtg, right hand 11621124 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	14
P-F	5330-990-2127	"O" RING: tube connector MS28778-16 (96906)	BD,FJ	EA	5	*	*	*	*	*	*	8	20	265	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F		ELBOW: 11621894-1 (19207)	BD,FJ	EA	2	*	*	*	*	*	*			265	16
P-F		ELBOW: 11621894-2 (19207)	BD,FJ	EA	2	*	*	*	*	*	*			265	17
P-F	4730-231-3019	ELBOW: 90° MS20822-16 (96906)	BD,FJ	EA	2	*	*	*	*	*	*	4	8	265	18
P-F		ADAPTER: 90° elbow 11621893 (19207)	BD,FJ	EA	2	*	*	*	*	*	*			265	19
P-F		TUBE ASSEMBLY: 11621119 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	20
P-F		CONNECTOR: tube 11621890 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	21
P-F	4730-803-5693	CONNECTOR: tube MS24392-16 (96906)	BD,FJ	EA	1	*	*	*	*	*	*	4	8	265	22
P-F	5310-768-0318	NUT: MS51967-14 (96906)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	265	23
P-F	5310-584-5272	WASHER: MS35338-48 (96906)	BD,FJ	EA	8	*	*	*	*	*	*	6	10	265	24
P-F	5310-062-4954	NUT: MS21045-8 (96906)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	265	25
X2-F		BRACKET: control valve mtg, left hand 11621123 (19207)	BD,FJ	EA	1	*	*	*	*	*	*			265	26
P-F	5305-761-4227	SCREW: MS90726-111 (96906)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	265	27
P-F	5330-702-5643	"O" RING: adapter MS28775-128 (96906)	BD,FJ	EA	1	*	*	*	*	*	*	8	20	265	28
P-F	4730-249-4416	ADAPTER: nipple 11621891 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	4	8	265	29
P-F		NIPPLE: adapter MS51953-154 (96906)	BD,FJ	EA	1	*	*	*	*	*	*	4	8	265	30
P-F	2590-449-5059	VALVE ASSEMBLY: crane gondola control 11621117 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	265	31
		Non-Illustrated													
P-F		PARTS KIT: spool seal 1652-656845 (19207) Consisting of:	BD,FJ	EA	1	*	*	*	*	*	*	6	10		
	5330-542-1329	2-"O" RING MS28775-120 (96906) 2-SEAL 11640446 (19207) 2-RETAINER 11640447 (19207)													

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
		Non-Illustrated—Continued													
P-F		PARTS KIT: load check valve	BD,FJ	EA	1	*	*	*	*	*	*	6	10		
		1652-656846 (19207)													
		Consisting of:													
	5330-702-5220	2-"O" RING MS28775-117 (96906)													
	5330-579-7916	2-"O" RING MS28775-115 (96906)													
	5330-618-0801	2-"O" RING MS28775-114 (96906)													
	5330-801-3440	2-RETAINER MS28774-115 (96906)													
	5330-576-3206	4-RETAINER MS28774-114 (96906)													
P-F		PARTS KIT: relief valve	BD,FJ	EA	1	*	*	*	*	*	*	6	10		
		1652-614087 (19207)													
		Consisting of:													
		1-CAP 1652-695008 (19207)													
		1-SEAT 1652-612176 (19207)													
		1-SPRING 1652-612668 (19207)													
		1-SLEEVE 1652-695009 (19207)													
		1-SEAT 1661-582515 (19207)													
		1-PLUNGER 1652-562392 (19207)													
		1-SPRING 1652-582007 (19207)													
		2-RING 109 x 117 (19207)													
		1-SCREW 27 x 58 (19207)													
		1-NUT 17 x 36 (19207)													
		1-NUT 37 x 5 (19207)													
		2-STAT-O-SEAL 103 x 4 (19207)													
		2-"O" RING 104 x 117A (19207)													
		1-"O" RING 105 x 14L (19207)													
		1-PLUG 108 x 14 (19207)													
		1-POPPET ASSEMBLY													
		1653-636228 (19207)													
P-O	2520-740-9090	BOX CONTROL ASSEMBLY:	AK	EA	1	*	*	*	*	*	*	4	5	266	1
		7409090 (19207)													
P-O	2520-740-9099	LEVER, CONTROL BOX: control rod		EA	1	*	*	*	*	*	*	4	5	266	2
		7409099 (19207)													
X1		SCREW: control lever			2									266	3
		181568 (21450)													
X1		HOUSING, CONTROL BOX:			1									266	4
		7409091 (19207)													
X1		SHAFT: control box assembly			1									266	5
		7409092 (19207)													
P-O	5315-616-5513	KEY, WOODRUFF: control box assembly		EA	4	*	*	*	*	*	*	10	20	266	6
		MS35756-7 (96906)													

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		CAM: control box assembly 7409096 (19207)			1									266	7
P-O	2520-740-9093	CAM, CONTROL BOX: 7409093 (19207)		EA	1	*	*	*	*	*	*	6	10	266	8
X1		ROLLER: control box lever 7409248 (19207)			2									266	9
P-O	2590-740-9100	GASKET: control box cover 7409100 (19207)		EA	1	*	*	*	*	*	*	10	20	266	10
P-O	2520-740-9101	COVER, CONTROL BOX, 7409101 (19207)		EA	1	*	*	*	*	*	*	6	10	266	11
P-O	5305-042-0993	SCREW, ASSEMBLED WASHER: control box cover 420993 (21450)		EA	4	*	*	*	*	*	*	6	10	266	12
X1		FITTING: control box cover 172-0034 (19207)			1									266	13
P-O	2520-740-9094	LEVER, REMOTE CONTROL: control box assembly 7409094 (19207)		EA	1	*	*	*	*	*	*	4	5	266	14
P-O	5310-582-5965	WASHER, LOCK: control box lever MS35338-44 (96906)		EA	2	*	*	*	*	*	*	6	10	266	15
P-O	5310-768-0319	NUT, PLAIN HEXAGON HEAD: control box lever MS51968-2 (96906)		EA	2	*	*	*	*	*	*	6	10	266	16
P-O	5310-732-0559	NUT, PLAIN HEXAGON: control box lever MS51968-8 (96906)		EA	1	*	*	*	*	*	*	6	10	266	17
P-O	5310-637-9541	WASHER, LOCK: control box lever MS35338-46 (96906)		EA	1	*	*	*	*	*	*	6	10	266	18
P-O	2520-740-9097	LEVER, CONTROL BOX: 7409097 (19207)		EA	2	*	*	*	*	*	*	4	5	266	19
X1		LEVER, CONTROL BOX: 7409098 (19207)			1									266	20
P-O	3040-489-6022	SHAFT, SHOULDERED: control box assembly 7409095 (19207)		EA	1	*	*	*	*	*	*	6	10	266	21
X1		SCREW: control box lever 189330 (21450)			1									266	22
P-F	2590-933-9581	GEARCASE ASSEMBLY, BEVEL: 10876196 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	5	267	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		7001—HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-F	2590-999-5434	COUPLING ASSEMBLY: bevel gearcase shaft 10876275 (19207)	EA	1	*	*	*	*	*	*	6	10	267	2
X1		HUB: bevel gearcase shaft 10900002 (19207)		2									267	3
X1		BUSHING: bevel gearcase shaft 10900098 (19207)		2									267	4
X1		SLEEVE: bevel gearcase shaft 10900001 (19207)		1									267	5
P-F	2590-933-9586	RING SUPPORT ASSEMBLY: bevel gearcase assembly 10876285 (19207)	EA	1	*	*	*	*	*	*	6	10	267	6
X1		RING: bevel gearcase shaft 109000026 (19207)		1									267	7
P-F	5305-954-7341	SCREW, MACHINE: ring support MS35191-273 (96906)	EA	1	*	*	*	*	*	*	6	10	267	8
P-F	2590-504-9033	LEAD, ELECTRICAL: insulating ring 10876168 (19207)	EA	1	*	*	*	*	*	*	6	10	267	9
X1		LEAD, ELECTRICAL: insulating ring 10876549 (19207)		1									267	10
P-F	2590-504-9060	RING, INSULATING: bevel gearcase shaft 10876149 (19207)	EA	3	*	*	*	*	*	*	6	10	267	11
P-F	2590-504-9035	LEAD, ELECTRICAL: insulating ring 10876167 (19207)	EA	1	*	*	*	*	*	*	6	10	267	12
P-F	2590-602-0503	RING, INSULATING: bevel gearcase shaft 10876148 (19207)	EA	1	*	*	*	*	*	*	6	10	267	13
X1		SUPPORT: bevel gearcase cover 10900025 (19207)		1									267	14
P-F	5310-045-3296	WASHER, LOCK: support MS35338-43 (96906)	EA	1	*	*	*	*	*	*	6	10	267	15
P-O	5305-984-6208	SCREW, MACHINE: support MS35206-261 (96906)	EA	1	*	*	*	*	*	*	6	10	267	16
P-F	5340-803-9978	RING, RETAINING: cover MS16624-137 (96906)	EA	1	*	*	*	*	*	*	6	10	267	17
X1		COVER: bevel gearcase 10876442 (19207)		1									267	18
P-F	5330-545-1324	GASKET: bevel gearcase cover 605818 (24617)	EA	1	*	*	*	*	*	*	10	20	267	19

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		2001 HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-F	3110-965-9908	BEARING, BALL, ANNULAR: bevel gearcase cover MS17107-8 (96906)	EA	1	*	*	*	*	*	*	6	10	267	20
P-F	2590-135-6535	SHAFT, SHOULDERED: bevel gearbox 10876276 (19207)	EA	1	*	*	*	*	*	*	6	10	267	21
P-F		KEY, WOODRUFF: bevel gearbox shaft 111487 (21450)		2									267	22
P-F	5340-938-2046	SPACER, EXPANSION: bevel gearbox cover 10906729 (19207)	EA	1	*	*	*	*	*	*	6	10	267	23
P-F		SCREW: bevel gearbox cover MS90725-02 (96906)		10									267	24
P-F	5310-637-9541	WASHER, LOCK: bevel gearbox cover MS35338-46 (96906)	EA	18	*	*	*	*	*	*	6	10	267	25
X1		COVER: bevel gearbox 10876204 (19207)		1									267	26
P-F	2590-826-5204	GASKET: gearbox 10876130 (19207)	EA	1	*	*	*	*	*	*	6	10	267	27
P-F	3110-554-3899	BEARING, BALL, ANNULAR: gearbox 5208 (21760)	EA	1	*	*	*	*	*	*	6	10	267	28
P-F	5340-806-4636	RING, RETAINING: pinion shaft lower, bevel gearbox MS16625-315 (96906)	EA	1	*	*	*	*	*	*	6	10	267	29
P-F	2590-972-2644	GEAR, BEVEL: gearbox (Component of Gear Set, Bevel Matched, FSN 2590-930-9254) 10876288 (19207)	EA	1	*	*	*	*	*	*	6		267	30
P-F	5310-595-5839	WASHER, FLAT: gearbox 8330414 (19207)	EA	2	*	*	*	*	*	*	6	10	267	31
P-F	5310-584-5272	WASHER, LOCK: gearbox MS35338-10 (96906)	EA	2	*	*	*	*	*	*	6	10	267	32
P-F	5305-044-4153	SCREW, CAP, HEXAGON HEAD: gearbox MS90725-109 (96906)	EA	2	*	*	*	*	*	*	6	10	267	33
P-F	5330-350-5248	GASKET: drive end cover (1) bevel gear inputt shaft end cover (1) 6210696 (19207)	EA	2	*	*	*	*	*	*	10	20	267	34
P-F	3110-554-5302	BEARING: bevel gearbox shaft 700081 (21450)	EA	2	*	*	*	*	*	*	6	10	267	35

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-F	2520-039-6493	RETAINER: gearbox 6210670 (19207)		EA	1	*	*	*	*	*	*	6	10	267	36
P-F	5305-269-3211	SCREW, CAP, HEXAGON HEAD: gearbox gasket MS90725-60 (96906)		EA	8	*	*	*	*	*	*	6	10	267	37
X1		SHIM: gearbox 10900042 (19207)			1									267	38
X1		SHIM: gearbox 10900043 (19207)			1									267	38
X1		PLUG: gearbox 444673 (19207)			1									267	39
P-F	2520-767-5433	HOUSING, GEARBOX: 10875171 (19207)		EA	1	*	*	*	*	*	*	4	5	267	40
X1		PLUG: gearbox 502398 (21450)			2									267	41
P-F	2520-134-1204	SHAFT, SHOULDERED: gearbox 10876271 (19207)		EA	1	*	*	*	*	*	*	6	10	267	42
P-F	2590-933-9578	SPACER, SLEEVE: bevel gearbox shaft 10911094 (19207)		EA	1	*	*	*	*	*	*	6	10	267	43
P-F	2590-933-9583	HOUSING, DRIVE AND BEVEL GEAR: 10876248 (19207)		EA	1	*	*	*	*	*	*	4	5	267	44
P-F	2590-933-9582	YOKE DRIVE, BEVEL GEAR: 10876290 (19207)		EA	1	*	*	*	*	*	*	6	10	267	45
P-F	4730-044-4688	PLUG, PIPE: gearbox housing 444688 (24617)		EA	1	*	*	*	*	*	*	10	20	267	46
P-F	4730-639-9923	PLUG, PIPE: gearbox 444679 (24617)		EA	1	*	*	*	*	*	*	6	10	267	47
P-F	2590-972-2643	GEAR, BEVEL: gearbox (Component of Gear Set, Bevel Matched, FSN 2590-930-9254) 10876289 (19207)		EA	1	*	*	*	*	*	*	6		267	48
P-F	4820-726-4719	VALVE, AIR PRESSURE: gearbox cover 5196397 (19207)		EA	2	*	*	*	*	*	*	6	10	267	49
P-F	5330-285-1346	SEAL, PLAIN ENCASED: oil pinion shaft upper, bevel gearbox A145910 (19207)		EA	1	*	*	*	*	*	*	6	10	267	50
P-F	2590-933-9584	DRIVE ASSEMBLY, GEAR: 10876251 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	268	1

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(10) (b) Item No
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued												
P-F	5305-269-2807	SCREW, CAP, HEXAGON HEAD: adapter drive end MS90726-64 (96906)	EA	6	*	*	*	*	*	*	6	10	268	2
P-F	5310-261-7340	WASHER, LOCK: adapter drive end MS35338-8 (96906)	EA	16	*	*	*	*	*	*	6	10	268	3
P-F	2590-522-1447	GASKET: adapter drive end, transfer drive 10876129 (19207)	EA	1	*	*	*	*	*	*	10	20	268	4
P-F	5340-806-4636	RING, RETAINING: transfer drive MS16625-315 (96906)	EA	1	*	*	*	*	*	*	6	10	268	5
P-F	3110-554-5302	BEARING, BALL, ANNULAR: drive shaft 1208 (21760)	EA	1	*	*	*	*	*	*	6	10	268	6
X1		HOUSING: drive assembly 10876245 (19207)		1									268	7
P-F	4820-726-4719	VALVE, AIR PRESSURE: housing 5196397 (19207)	EA	1	*	*	*	*	*	*	4	5	268	8
X1		KEY: drive shaft 108626 (21450)		2									268	9
X1		SHAFT: drive assembly 10876421 (19207)		1									268	10
X1		PLUG: bevel gear housing 144673 (21450)		1									268	11
P-F	4730-044-4688	PLUG, PIPE: bevel gear housing 144688 (21450)	EA	1	*	*	*	*	*	*	6	10	268	12
P-F	5310-584-5272	WASHER, LOCK: bevel yoke MS35338-48 (96906)	EA	1	*	*	*	*	*	*	6	10	268	13
P-F	5305-269-2811	SCREW, CAP, HEXAGON HEAD: shaft assembly MS90726-67 (96906)	EA	6	*	*	*	*	*	*	6	10	268	14
P-F	2590-504-9039	SHAFT ASSEMBLY: power divider to bevel gearbox 10876162 (19207)	EA	1	*	*	*	*	*	*	6	10	268	15
P-F	5305-226-7767	SCREW: bevel yoke MS90726-109 (96906)	EA	1	*	*	*	*	*	*	6	10	268	16
P-F	5310-595-5839	WASHER, FLAT: bevel yoke 8330414 (19207)	EA	1	*	*	*	*	*	*	6	10	268	17
P-F	2590-087-9196	YOKE FITTING, BEVEL: bevel gear housing 10876422 (19207)	EA	1	*	*	*	*	*	*	6	10	268	18
P-F	5305-269-2803	SCREW, CAP, HEXAGON HEAD: bevel gear housing MS90726-60 (96906)	EA	4	*	*	*	*	*	*	6	10	268	19
P-F	2590-933-9583	HOUSING, DRIVE AND BEVEL GEAR: 10876248 (19207)	EA	1	*	*	*	*	*	*	4	5	268	20

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(10) (b) Item No
		2001 HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		PLUG: bevel gear housing 502398 (21450)			1									268	21
P-F	5330-350-5248	GASKET: bevel gear housing 6210696 (19207)		EA	1	*	*	*	*	*	*	10	20	268	22
P-F	2590-533-3388	BOOT, DUST AND MOISTURE SEAL: drive 10876130 (19207)		EA	1	*	*	*	*	*	*	10	20	269	23
P-O-R	2590-179-5581	BOOM ROLLER ASSEMBLY: 10876227 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	4	5	269	1
P-F		SCREW: roller support MS90726-112 (96906)		EA	8	*	*	*	*	*	*	6	10	269	2
P-F	5310-584-5272	WASHER, LOCK: roller support MS35338-48 (96906)		EA	8	*	*	*	*	*	*	6	10	269	3
X1		SUPPORT: boom roller 10876412 (19207)			2									269	4
X1		SHIM: roller support 10900004 (19207)			1									269	5
X1		SHIM: roller support 10900005 (19207)			1									269	5
P-F	2590-221-4824	HOUSING, BOOM ROLLER: 10876231 (19207)		EA	1	*	*		*	*	*	4	5	269	6
P-F	2590-059-5371	WHEEL, BOOM: 10876359 (19207)		EA	2	*	*	*	*	*	*	4	5	269	7
P-F	3110-227-3381	BEARING, BALL, ANNULAR: boom wheel 99610LT (24617)		EA	2	*	*	*	*	*	*	6	10	269	8
X1		KEY, WOODRUFF: roller shaft 113782 (21450)			2									269	9
P-F	2590-118-8694	SHAFT, SHOULDERED: boom roller 10876370 (19207)		EA	1	*	*	*	*	*	*	6	10	269	10
P-O	2590-089-6193	TUBE ASSEMBLY, HYDRAULIC: 10876430 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	1
X1		CLAMP: 10910298 (19207)	BD,FJ		7									270	2
P-O	5310-935-9021	NUT, SELF-LOCKING, HEXAGON HEAD: MS51943-35 (96906)	BD,FJ	EA	3	*	*	*	*	*	*	6	10	270	3
P-O	5365-557-8555	BUSHING, RUBBER: 10906323 (19207)	BD,FJ	EA	10	*	*	*	*	*	*	6	10	270	4
P-O	2520-134-1122	VALVE ASSEMBLY, HYDRAULIC: 10900080 (19207)	BD,FJ	EA	2							6	10	270	5
P-O	2590-933-9587	TUBE ASSEMBLY, METAL: 10876428 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O	4730-359-4708	UNION: 9409179 (19207)	BD,FJ	EA	3	*	*	*	*	*	*	6	10	270	7
P-O	4730-231-3019	ELBOW, PIPE TO TUBE: MS20822-16 (96906)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	270	8
P-O	4730-456-9831	ELBOW, PIPE TO TUBE: 10900266 (19207)	BD,FJ	EA	2	*	*	*	*	*	*	6	10	270	9
P-O	4730-044-4655	PLUG, PIPE: 444655 (24617)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	270	10
X1		CONNECTOR: 9402714 (19207)	BD,FJ		10									270	11
P-O	4730-193-0883	BUSHING, PIPE: 125915 (21450)	BD,FJ	EA	2	*	*	*	*	*	*	6	10	270	12
P-O	2590-087-9187	TUBE ASSEMBLY, HYDRAULIC: 10876426 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	13
P-O	2590-522-1449	HOSE ASSEMBLY, RUBBER: hoist cylinder to reservoir 10876145 (19207)	BD,FJ	EA	2	*	*	*	*	*	*	6	10	270	14
P-O	4720-826-5610	HOSE ASSEMBLY, NONMETALLIC: swivel to hoist cylinder 10876144 (19207)	BD,FJ	EA	2	*	*	*	*	*	*	6	10	270	15
P-O	4730-087-0313	COUPLING, PIPE: 10913149 (19207)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	270	16
X1		NIPPLE: 191492 (21450)	BD,FJ		2									270	17
X1		UNION: 9409188 (19207)	BD,FJ		4									270	18
P-O	2590-522-1216	HOSE ASSEMBLY, RUBBER: control valve to boom flow control valve 10876140 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	19
P-O	2590-133-0988	TUBE ASSEMBLY, METAL: 10900242 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	20
X1		CONNECTOR: 9402791 (19207)	BD,FJ		3									270	21
P-O	4730-439-6028	ADAPTER: 10900108 (19207)	BD,FJ	EA	2	*	*	*	*	*	*	6	10	270	22
P-O	2590-826-5607	HOSE ASSEMBLY, RUBBER: valve to traverse 10876139 (19207)	BD,FJ	EA	2	*	*	*	*	*	*	6	10	270	23
P-O	2590-826-5606	HOSE ASSEMBLY, RUBBER: valve to hoist cylinder 10876142 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	24

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
P-O	2590-522-1467	HOSE ASSEMBLY, RUBBER: reservoir to pump and control valve to hoist motor 10876146 (19207)	BD,FJ	EA	2	*	*	*	*	*	*	6	10	270	25
P-O	2590-135-6537	FILTER, FLUID, PRESSURE: 10921633 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	26
X1		PLUG: 444673 (21450)	BD,FJ		1	*	*	*	*	*	*	*	*	270	27
P-O	4820-461-4216	COCK, SHUTOFF SCREW: 10900185 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	28
X1		ELBOW: 111001 (21450)	BD,FJ		1									270	29
P-O	2590-826-5605	HOSE ASSEMBLY, RUBBER: oil return to reservoir 10876143 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	30
X1		UNION: 9409180 (19207)	BD,FJ		1									270	31
X1		TEE: 218709 (21450)	BD,FJ		2									270	32
P-O	4730-168-2028	ELBOW, PIPE: 10913151 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	33
X1		ELBOW: 10913152 (19207)	BD,FJ		1									270	34
X1		ELBOW: 9402909 (19207)	BD,FJ		1									270	35
P-F	4730-718-2621	CONNECTOR: 9402713 (21450)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	36
P-O	4730-168-2029	ELBOW, PIPE: 10913150 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	37
X1		NIPPLE: 431929 (21450)	BD,FJ		1									270	38
X1		NIPPLE: 219359 (21450)	BD,FJ		1									270	39
P-O	2590-443-4847	REGULATOR, HYDRAULIC: 10900112 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	4	5	270	40
P-O	2540-832-7162	HOSE ASSEMBLY, RUBBER: 8327162 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	41
P-O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON HEAD: MS21044N6 (96906)	BD,FJ	EA	4	*	*	*	*	*	*	6	10	270	42
X1		BLOCK: 10910299 (19207)	BD,FJ		4									270	43

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
X1		NIPPLE: 187867 (21450)	BD,FJ		2									270	44
P-O	2590-533-3396	HOSE ASSEMBLY, RUBBER: control valve to hoist motor 10876530 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	6	10	270	45
X1		UNION: 9409173 (19207)	BD,FJ		1									270	46
X1		ELBOW: 120063 (21450)	BD,FJ		1									270	47
P-O	2590-826-5604	HOSE ASSEMBLY, RUBBER: drain valve to reservoir 10876147 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	270	48
P-O	4720-177-5787	HOSE ASSEMBLY NON-METALLIC: 10922162 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	270	49
X1		ELBOW: 120702 (21450)	BD, FJ		1									270	50
X1		COUPLING: 187396 (21450)	BD, FJ		1									270	51
X1		BUSHING: 119931 (21450)	BD, FJ		1									270	
P-O	4730-196-2055	NIPPLE: 105405 (21450)	BD, FJ	EA	1	*	*	*	*	*	*	4	8	270	53
P-O	2590-832-9019	TUBE ASSEMBLY, METAL: 10876424 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	6	10	270	54
X1		TEE: 9403025 (19207)	BD, FJ	EA	1									270	55
		Non-Illustrated													
P-F	2340-602-5734	BOOM SHIPPER, HYDRAULIC CRANE: 7739716 (19207)	JA	EA	1							1	2		
P-F	2520-040-2098	SHAFT: drive, propeller, hydraulic pump 8328400 (19207)	JA	EA	1							3	5		
P-F-R	2520-040-2350	MOTOR, HYDRAULIC: swing assembly 8332611 (19207)	JA	EA	1							6	10		
P-F	2520-318-0956	HOSE ASSEMBLY, RUBBER: clutch-control valve to roto-chamber 7412581 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	10		
P-F	2520-318-0972	HOSE ASSEMBLY, RUBBER: tensioner control valve to air diaphragm 8330250 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	10		

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued Non-Illustrated—Continued													
P-F	2520-692-6147	PLATE, PRESSURE: vane motor, subassembly 8332610 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	5		
P-O	2520-692-6165	CHAIN: rear winch drive (used with Sprocket, FSN 2520-288-0846 and FSN 2590-569-8942) (used on vehicles after serial No. 2427 M62 and all M543 vehicles) 126658R91 (31007)	HA, BD, FJ	EA	1	*	*	*	*	*	*	4	5		
P-O	2520-740-9243	LEVER, CONTROL, POWER: control relay cam, with welded shaft 7409243 (19207)	AK	EA	1	*	*	*	*	*	*	3	5		
P-O	2520-740-9245	RELAY CONTROL: with cam and shaft 7409245 (19207)	AK	EA	1	*	*	*	*	*	*	3	5		
P-F	2520-740-9813	CHANNEL: tension, top, front winch 7409813 (19207)	AD	EA	1	*	*	*	*	*	*	3	5		
P-F	2520-741-7085	CHAIN: winch sprocket (used with Sprocket, FSN 2520-287-8678 and FSN 2590-287-8678) (used on vehicles through serial No. 2427 M62 and all M543 vehicles) 20X59 (24076).	HA, BD, FJ	EA	1	*	*	*	*	*	*	4	5		
P-O	2520-832-7203	TUBE ASSEMBLY: crane cylinder headline to valve 8327203 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	10		
P-O	2520-832-7204	TUBE HOIST, VALVE: front port to hoist vane motor, 8327204 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	10		
P-O	2520-832-7206	TUBE ASSEMBLY, METAL: rear boom crown valve port to ram center hose 8327206 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	10		
P-F	2530-270-8830	SHIM: hoist air clutch release brake valve 7347819 (19207)	HA	EA	V	*	*	*	*	*	*	4	5		
P-F	2530-367-4546	SHIM: hoist air clutch release brake valve 7347820 (19207)	HA	EA	V	*	*	*	*	*	*	4	5		
P-F	2540-604-5775	BOOM EXTENSION, HYDRAULIC CRANE: 7739718 (19207)	JA, EF	EA	1	*	*	*	*	*	*	1	2		
P-O	2540-832-7160	HOSE ASSEMBLY, NONMETALLIC: relief valve to swivel valve plug outlet 8327160 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued Non-Illustrated— Continued													
P-F	2540-930-6580	CHAIN WITH HOOK: winch assembly 20,000 lbs. capacity 10944639-3 (19207)	AD	FT	V	*	*	*	*	*	*	4	5		
P-F	2590-449-5059	VALVE, ASSEMBLY CONTROL: 11621117 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	10		
P-	2590-533-3386	SEAL, OIL, DRIVE SHAFT: transfer to pump 10876533 (19207)	BD, FJ	EA	2	*	*	*	*	*	*	10	20		
P-F	2590-533-3400	BOOT, DUST AND MOISTURE SEAL: oil pump cover (1), crane swinger motor (1), hoist motor (1) 10876534 (19207)	BD, FJ	EA	3	*	*	*	*	*	*	10	20		
P-O	2590-679-9648	CLAMP ASSEMBLY: two bar universal 6799648 (19207)	HA	EA	2	*	*	*	*	*	*	4	5		
P-O	2590-692-6173	TUBE ASSEMBLY, METAL: boom lift valve rear port to hose 8333354 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-692-6174	TUBE ASSEMBLY, METAL: hoist valve front port to hose 8333355 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-692-6175	TUBE ASSEMBLY, METAL: hoist valve rear port to hose 8333356 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-692-6177	TUBE ASSEMBLY, METAL: crown valve rear port to hose 8333358 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-729-7088	HOSE ASSEMBLY, RUBBER: control valve to pump 10876138 (19207)	BD, FJ	EA	1	*	*	*	*	*	*	4	10		
P-F	2590-740-9847	PUMP, HYDRAULIC POWER DIVIDER: 7409847 (19207)	JA, EF	EA	1	*	*	*	*	*	*	6	10		
P-H	2590-740-9934	GEAR, WORM WHEEL: 7409934 (19207)	HA, FJ, BD	EA	1				*	*	*	4	5		
P-F	2590-741-2380	BRACKET: support angle 7412380 (19207)	AD	EA	2	*	*	*	*	*	*	2	5		
P-O	2590-826-5609	HOSE ASSEMBLY, RUBBER: flow control valve to boom cylinder 10876141 (19207)	BD,FJ	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-832-7166	HOSE ASSEMBLY, RUBBER: lift ram head to rear valve port tube 8327166 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued Non-Illustrated— Continued													
P-O	2590-832-7169	HOSE ASSEMBLY, RUBBER: swivel valve plug to relief valve 8327169 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-832-7171	HOSE ASSEMBLY, RUBBER: low port junction block to left swing motor 8327171 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-832-7175	HOSE ASSEMBLY, RUBBER: rear hoist valve port tube to hoist vane motor 8327175 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-832-7178	HOSE ASSEMBLY, RUBBER: valve port tube to ram center 8327178 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-832-7201	TUBE ASSEMBLY, METAL: valve bank to swivel valve body 8327201 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-832-7202	TUBE ASSEMBLY, METAL: front valve port to rear 8327202 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-832-7205	TUBE ASSEMBLY, METAL: rear hoist valve port to hoist van motor 8327205 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8		
P-O	2590-832-7207	TUBE ASSEMBLY, METAL: front boom crowd valve port to ram top hose 8327207 (19207)	JA,EF	EA	1	*	*	*	*	*	*	4	8		
P-H	3010-530-8321	SPRING, HELICAL COMPRESSION: relief valve 7409649 (19207)	HA	EA	1	*	*	*	*	*	*	6	10		
P-F	3110-100-3568	CONE AND ROLLERS, TAPERED ROLLER BEARING: pivot post pinion 705007 (21450)	HA,3G, JA,EF	EA	2	*	*	*	*	*	*	4	5		
P-F	3110-155-6745	BEARING, BALL, ANNULAR: shipper roller 700658 (21450)	HA	EA	4	*	*	*	*	*	*	6	8		
P-F	3120-740-9949	BEARING ASSEMBLY END FRAME: 7409949 (19207)	HA, FJ, BD	EA	1	*	*	*	*	*	*	6	8		
P-F	3830-546-4762	CABLE ASSEMBLY, FLEXIBLE: throttle control 8735973 (19207)	AD	EA	1	*	*	*	*	*	*	3	5		
P-F	3830-625-6281	PIN ASSEMBLY: upper shipper brace 8331881 (19207)	HA	EA	2	*	*	*	*	*	*	6	10		
P-O	3830-832-7168	HOSE ASSEMBLY, RUBBER: valve to swivel body 8327168 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued "Non-Illustrated"—Continued													
P-O	3830-832-7176	HOSE ASSEMBLY, RUBBER: front hoist valve port tube to hoist vane motor, and lift ram base to front port 8327176 (19207)	HA,JA,EF	EA	2	*	*	*	*	*	*	4	10		
P-O	3830-832-7179	HOSE ASSEMBLY, RUBBER: hoist vane motor to swivel valve body 8327179 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-F	4010-129-6046	CHAIN, WELDED: rear spade safety close winch cable (6 feet) RR-C-271 (81348)	HA,JA,EF	FT	V	*	*	*	*	*	*	4	5		
P-O	4010-274-5170	LINK, CHAIN, SWING: winch cable 7717025 (19207)	BD,HA,JA,EF	EA	2	*	*	*	*	*	*	4	8		
P-O	4010-274-6817	ROPE, WIRE: steel 280 feet RRW00410 (81348)	AD	FT	V	*	*	*	*	*	*	4	5		
P-O	4010-274-6840	LINK CHAIN END: winch cable 7717009 (19207)	HA,FJ,BD	EA	2	*	*	*	*	*	*	4	8		
P-O	4010-285-4208	CABLE: hoist 7409975 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4010-286-5535	CHAIN: welded, link, winch cable 6 feet H008-0819783 (19207)		EA	1	*	*	*	*	*	*	4	5		
P-F	4030-163-0802	HOOK, HOIST: winch cable MILH13568 (81349)	HA,FJ,BD	EA	1	*	*	*	*	*	*	2	5		
P-O	4030-350-8963	CLIP, WIRE ROPE: 500821 (21450)	HA,JA,EF	EA	4	*	*	*	*	*	*	6	10		
P-O	4710-162-1022	PIPE, STEEL: hydraulic tank elbow to hydraulic pump hose 3⅛ in. WWP406 (81348)	HA	FT	V	*	*	*	*	*	*	2	5		
P-O	4710-289-2913	PIPE, STEEL: hydraulic tank to relief valve (12 inches) WWP404 (81348)	HA,JA,EF	FT	V	*	*	*	*	*	*	2	5		
P-O	4710-639-9879	TUBE, STEEL: 44T5330-540 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	2	5		
P-O	4720-189-9715	TUBING, RUBBER: 1⅝ in. ZZT831 (81348)	HA,JA,EF	FT	V	*	*	*	*	*	*	4	10		
P-O	4720-203-1159	HOSE, NONMETALLIC: return line 5½ in. MILH7938 (81349)	HA,JA,EF	FT	1	*	*	*	*	*	*	4	10		
P O	4720-289-2618	HOSE, NONMETALLIC: swivel valve to rear port of swing motor 5 ft. H25-1 (79470)	JA,EF	FT	V	*	*	*	*	*	*	4	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 20-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued "Non-Illustrated"—Continued													
P-O	4720-528-2940	HOSE ASSEMBLY, NONMETALLIC: hoist motor drain line 8328167 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-528-2947	HOSE ASSEMBLY, NONMETALLIC: swing valve front port to swivel valve body 8327164 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-566-7145	HOSE, RUBBER: pump to tank hydraulic crane HCF4414 (04636)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-692-6169	HOSE ASSEMBLY, NONMETALLIC: swivel valve to front port of swing motor 8333343 (19207)	JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-832-7161	HOSE ASSEMBLY, NONMETALLIC: relief valve to swivel valve plug, inlet 8327161 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-832-7170	HOSE ASSEMBLY, NONMETALLIC: junction block to right swing motor, 23 in. long 8327170 (19207)	HA,JA,EF	EA	2	*	*	*	*	*	*	4	10		
P-O	4720-832-7172	HOSE ASSEMBLY, NONMETALLIC: high port junction block to left swing motor 8327172 (19207)	HA	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-832-7174	HOSE ASSEMBLY, NONMETALLIC: valve bank to swivel valve body drain line 8327174 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	4720-832-7177	HOSE ASSEMBLY, NONMETALLIC: valve port tube to ram top elbow 8327177 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	10		
P-O	4730-010-6644	PLUG, PIPE: hydraulic relief valve 264057R1 (31007)	HA	EA	1	*	*	*	*	*	*	4	5		
P-O	4730-018-9566	PLUG, PIPE: roller pin G1251 (24617)	AK	EA	2	*	*	*	*	*	*	4	5		
P-O	4730-019-3450	NUT, TUBE COUPLING: compression, safety sleeve 193450 (21450)	HA,JA,EF	EA	2	*	*	*	*	*	*	6	8		
P-O	4730-044-4692	PLUG, PIPE: end frame 444692 (72582)	AD	EA	1	*	*	*	*	*	*	4	5		
P-O	4730-187-1417	BUSHING: pipe, reducing, hoist vane motor hose to swivel valve tee 116524 (21450)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued "Non-Illustrated"—Continued													
P-O	4730-196-1493	NIPPLE, PIPE: drain line N155-46821 (81348)	JA,EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-197-6626	NIPPLE, PIPE: relief valve tee to hydraulic tank 218339 (24617)	HA,EF,JA	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-200-0515	COUPLING, PIPE: hydraulic tank to swivel valve body plug hose 8327142 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-202-6672	BUSHING, PIPE: shoulder, relief valve to tee (1) and hoist vane motor to elbow (2) 10203 (61848)	HA, JA, EF	EA	3	*	*	*	*	*	*	4	8		
P-O	4730-249-2031	TEE, PIPE: drain hose from swivel valve and swing motor to tank X5248 (14351)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-265-6907	NIPPLE, PIPE: lift ram head to elbow, hoist vane motor elbow to check valve, and relief valve to tee 8330131 (19207)	HA, JA, EF	EA	3	*	*	*	*	*	*	4	8		
P-O	4730-277-2654	BUSHING, PIPE: boom hoist motor oil inlet WWP471 Type 1 (81348)	HA	EA	2	*	*	*	*	*	*	4	8		
P-O	4730-277-6851	ADAPTER, STRAIGHT PIPE: hose, flared tube, assembly rear hoist valve port tube to hoist motor 90 (01292)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-277-9735	SLEEVE CLINCH, TUBE-HOSE FITTING: crowd valve front port to hose 8165X18 (79470)	JA,EF	EA	2	*	*	*	*	*	*	4	8		
P-O	4730-278-2062	CLAMP HOSE: hydraulic tank to pump hose 7057810 (19207)	HA, JA, EF	EA	4	*	*	*	*	*	*	4	8		
P-O	4730-278-8765	SLEEVE, COMPRESSION, TUBE-HOSE FITTING: MS39177-5 (96906)	HA	EA	4	*	*	*	*	*	*	4	8		
P-O	4730-289-3273	ELBOW, PIPE: valve bank to swivel valve body hose, swing valve rear port to swivel valve body and swivel valve front port to swivel valve body B7261583 (19207)	HA	EA	3	*	*	*	*	*	*	4	5		
P-O	4730-289-5176	PLUG, PIPE: MS49005-8 (96906)	AK	EA	1	*	*	*	*	*	*	4	5		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued "Non-Illustrated"—Continued													
P-O	4730-335-2478	ADAPTER, STRAIGHT TUBE: rear hoist valve port tube to hoist vane motor 8334000 (19207)	HA	EA	1	*	*	*	*	*		4	8		
P-O	4730-338-1865	NIPPLE, PIPE: elbow to relief valve pressure side pump 8333346 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-338-1868	NIPPLE, PIPE: elbow to elbow pressure side pump 8333347 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-338-1869	NIPPLE, PIPE: tee to elbow return line 8333348 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-338-1870	ADAPTER, STRAIGHT PIPE: elbow to return line tank hose 8333349 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-338-1874	NIPPLE, PIPE: relief valve reducer to return line tee 8333350 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-338-1876	NIPPLE, PIPE: crowd ram top to elbow 8333351 (19207)	JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-545-8615	ADAPTER, STRAIGHT, PIPE TO HOSE: suction line 169757R91 (31007)	HA, JA, EF	EA	2	*	*	*	*	*	*	4	8		
P-O	4730-545-8616	CLAMP, HOSE: pump to tank 169756R1 (31007)	HA, JA, EF	EA	4	*	*	*	*	*	*	4	8		
P-O	4730-590-7839	UNION PIPE TO HOSE: swivel end relief valve outlet (1), control valve bank inlet line to control valve bank (1), swivel valve nipple coupling to swing motor junction block lines (2), and reservoir inlet tee (1) 9409170 (19207)	HA, JA, EF	EA	5	*	*	*	*	*	*	4	8		
P-F	4730-639-9978	ADAPTER, STRAIGHT PIPE: cylinder head 591384 (21450)	AK	EA	2	*	*	*	*	*	*	4	8		
P-O	4730-699-8472	UNION, PIPE: pump to relief valve 8332093 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-832-7152	ELBOW, PIPE: swivel, junction block hose to right swing motor and junction block hose to left motor 8327152 (19207)	HA, 3G, JA, EF	EA	2	*	*	*	*	*	*	4	5		
P-O	4730-832-7180	NIPPLE, PIPE: swivel elbow to right swing motor and swivel elbow to left swing motor 8327180 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	4	8		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
		Non-Illustrated—Continued													
P-O	4730-832-7181	NIPPLE, PIPE: swivel valve body to junction block hose 8327181 (19207)	HA, JA, EF	EA	2	*	*	*	*	*	*	4	8		
P-O	4730-832-7186	NIPPLE, PIPE LIFT: ram base elbow 8327186 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-832-7187	NIPPLE, PIPE: lift ram base 8327187 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-832-7189	NIPPLE, PIPE: hydraulic pump elbow to hydraulic relief valve elbow 8327189 (19207)	HA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-832-7199	TEE, SWIVEL VALVE: body to hoist motor drain line 8327199 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-840-9796	TEE, PIPE: relief valve 7096787 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	4	8		
P-O	4730-908-3194	CLAMP, HOSE: hydraulic tank to relief valve tube hose MS35842-11 (96906)	HA, JA, EF	EA	2	*	*	*	*	*	*	4	8		
P-O	4730-954-1281	PLUG, PIPE: front winch MS49005-4 (96906)	AD	EA	1	*	*	*	*	*	*	4	8		
P-H	5305-550-0863	SCREW, CAP: vane motor 1375 (62983)	HA, JA, EF	EA	4				*	*	*	6	10		
P-F	5305-855-0961	SCREW, TAPPING, THREAD FORMING: relief valve 447811 (21450)	HA	EA	1	*	*	*	*	*	*	6	10		
P-F	5305-958-0589	SCREW, MACHINE: MS35207-311 (96906)	AK	EA	1	*	*	*	*	*	*	6	10		
P-H	5306-753-8725	BOLT, INTERNALLY RELIEVED BODY: cable drum lock plunger front winch 7538725 (19207)	Front Winch Models Except HA, JA, DC, EF	EA	1				*	*	*	6	10		
P-F	5306-842-8223	BOLT SELF-LOCKING: MS35763-433 (96906)	AK	EA	2	*	*	*	*	*	*	6	10		
P-H	5310-527-7972	WASHER, FLAT: retaining input shaft end 5277972 (19207)	HA, FJ, BD	EA	2	*	*	*	*	*	*	6	10		
P-F	5310-732-0560	NUT, PLAIN, HEXAGON: control valve lever cam MS51968-14 (96906)	HA, JA, EF	EA	2	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued Non-Illustrated—Continued													
P-F	5310-740-9894	NUT TROLLEY LOCK: rear winch 7409894 (19207)	HA, BD, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-834-7834	NUT, PLAIN, HEXAGON: control valve lever cam MS35691-37 (96906)	HA, JA	EA	2	*	*	*	*	*	*	6	10		
P-F	5310-842-7783	NUT, PLAIN, HEXAGON: MS35692-53 (96906)	AD	EA	4	*	*	*	*	*	*	6	10		
P-F	5310-880-7744	NUT, PLAIN HEXAGON: front trolley lock poppet latch MS51967-5 (96906)	HA, EF, JA, FJ, BD	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-042-3293	KEY MACHINE: worm square models with front winch 7409197 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-298-0995	PIN, LOCK: pin, boom jack and shipper braces 112782R1 (31007)	HA, JA, EF	EA	7	*	*	*	*	*	*	6	10		
P-F	5315-316-1014	PIN, STRAIGHT HEADED: upper, boom, stabilizing tubes 8333071 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-354-8859	PIN GROOVED HEADLESS: swing motor base 7409838 (19207)	HA	EA	2	*	*	*	*	*	*	6	10		
P-F	5315-740-9024	PIN, STRAIGHT: pivot, safety brace 7409024 (19207)	AK	EA	2	*	*	*	*	*	*	6	10		
P-F	5320-262-6492	RIVET, TUBULAR: MS16536-170 (96907)	AD	EA	9	*	*	*	*	*	*	6	20		
P-F	5320-264-3169	RIVET, TUBULAR: MS16536-99 (96906)	AD	EA	2	*	*	*	*	*	*	6	10		
P-F	5330-196-5314	PACKING, PREFORMED: hydraulic oil pump AN6227-26 (88044)	BD, FJ	EA	1	*	*	*	*	*	*	6	10		
P-F	5330-198-6190	PACKING, PREFORMED: pump adapter outlet AN6227-27 (88044)	BD,FJ	EA	1	*	*	*	*	*	*	6	10		
P-O	5330-740-9613	PACKING, PREFORMED: drive worm automatic brake adjusting screw, hoist winch XA-744C (19728)	BD,FJ	EA	2	*	*	*	*	*	*	6	10		
P-F	5330-727-2240	PACKING, PREFORMED: hydraulic pump MS29561-229 (96906)	BD,FJ	EA	2	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
		Non-Illustrated— Continued													
P-F	5330-740-9697	SEAL, OIL: cable drum gearcase end 7409697 (19207)	BD,FJ	EA	2	*	*	*	*	*	*	6	10		
P-F	5340-050-1589	PLUG, EXPANSION: brake case MS35648-3 (96906)	AD	EA	1	*	*	*	*	*	*	4	10		
P-F	5340-050-1592	PLUG, EXPANSION: brake case 501592 (21450)	HA,BD,FJ	EA	1	*	*	*	*	*	*	4	10		
P-O	5340-740-9648	PLUG: end frame 7409684 (19207)	AD	EA	1	*	*	*	*	*	*	4	10		
P-O	5340-809-1492	CLAMP, LOOP: for air hose 573036	HA	EA	5	*	*	*	*	*	*	4	8		
P-O	5340-832-4488	CLAMP, LOOP: drive shaft, transfer to pump 3005457 (24076)	BD,FJ	EA	2	*	*	*	*	*	*	4	8		
P-O	5340-832-4489	CLAMP, LOOP: steel, transfer to pump drive shaft 10876532 (19207)	AD	EA	2	*	*	*	*	*	*	4	10		
P-F	2520-999-7808	PARTS KIT, UNIVERSAL JOINT: (Used with Shaft, FSN 2520-999-7809) 8712087 (19207) Consisting of:	AD	EA	V	*	*	*	*	*	*	6	20		
	5306-050-1238	4-SCREW MS90727-32 (96906)												214	2
	2520-358-9294	2-PLATE 4598J (76260)												214	3
	2520-675-1353	4-WASHER 8917J (76260)												N/I	
		1-SPIDER 112-2102 (76260)												N/I	
		2-BEARING 113-2129 (76260)												N/I	
		2-BEARING 113-2130 (76260)												N/I	
		1-BEARING 113-2131 (76260)												N/I	
P-F	2540-740-9205	PARTS KIT, CONTROL VALVE: 7409205 (19207) Consisting of:	AK	EA	V	*	*	*	*	*	*	6	20		
		1-PLUG 7728-3-10 (81336)												230	2
		1-SPRING 7409073 (19207)												230	3
	3110-100-6153	1-BALL MS19059-51 (96906)												230	4
		1-CAP 7409086 (19207)												230	5
	5365-182-9635	2-SPACER 7409080 (19207)												230	6
	2590-179-3541	1-SPOOL 102955R1 (31007)												230	7
		7-WASHER 7740-38-15 (81336)												230	9
	2520-740-9087	1-TRUNNION 7409087 (19207)												230	12
		1-NUT 7440-3828 (81336)												230	13
	2590-740-9089	1-GASKET 7409089 (19207)												230	14
		7-BOLT 7740-3821 (81335)												230	16

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2001—HOIST, WINCH, CRANE ASSEMBLY—Continued													
		1-PACKING 104443R1 (31007)												N/I	
		1-PLUG 11967 (97025)												N/I	
P-F	4320-692-6188	PARTS KIT, VANE MOTOR:	HA,JA,EF	EA	V	*	*	*	*	*	*	6	20		
		8333792 (19207)													
		Consisting of:													
	5330-235-1675	2-PACKING 546895 (21450)												236	9
	2520-740-9760	1-SEAL 7409760 (19207)												236	16
	5340-740-9852	1-RING 7409853 (19207)												236	19
	5315-979-7732	1-KEY MS20066-407 (96906)												236	20
	5340-536-2714	2-PACKING 117522 (21450)												236	21
	2520-740-9855	12-VANE 7409855 (19207)												236	26
	5310-740-9652	1-WASHER 142881 (62983)												N/I	
	5330-054-6894	1-PACKING 546894 (21450)												N/I	
P-F	4320-692-6189	PARTS KIT, HYDRAULIC:	HA,JA,EF	EA	V	*	*	*	*	*	*	6	20		
		8333793 (19207)													
		Consisting of:													
	2590-740-9653	1-SPRING 7409653 (19207)												237	7
		2-PACKING 546887 (21450)												237	9
		1-SEAL 7409641 (19207)												237	15
	2610-051-9614	1-KEY MS35392-34 (96906)												237	18
	5340-536-2714	1-RING 117522 (62983)												237	19
	3930-359-4748	12-VANE 126274 (62983)												237	21
P-F	2530-447-1148	VALVE REPAIR KIT: clutch air control	HA	EA	V	*	*	*	*	*	*	6	20		
		221367 (06853)													
		Consisting of:													
		1-SPRING 203265 (06853)												253	4
		1-VALVE 5340152 (19207)												253	5
		1-CUP 7349777 (19207)												253	9
	5305-207-4380	1-SETSCREW 8330409 (19207)												253	21
		1-BALL 147487 (21450)												253	22
		1-SPRING 204185 (06853)												253	23
P-F	2590-930-9254	GEAR SET, BEVEL, MATCHED:	BD,FJ	EA	1	*	*	*	*	*	*	6	10		
		bevel gearcase assembly													
		5703713 (19207)													
		Consisting of:													
	2590-972-2644	1-BEVEL GEAR												267	30
		10876288 (19207)													
	2590-972-2643	1-BEVEL GEAR												267	48
		10876289 (19207)													

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2002—POWER CONTROL UNIT ASSEMBLY													
P-F-R	2520-741-3950	DIVIDER ASSEMBLY POWER: 7413950 (19207)	HA,BD,FJ,JA, EF,LA,MA	EA	1	*	*	*	*	*	*	6	10	271	1
P-H	5305-269-3211	SCREW, CAP, HEXAGON MS90725-60 (96906)		EA	22	*	*	*	*	*	*	8	20	271	2
P-H	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)		EA	42	*	*	*	*	*	*	8	20	271	3
P-H	2520-039-6493	RETAINER: output shaft (1) input shaft (1) 6210670 (19207)		EA	2	*	*	*	*	*	*	3	5	271	4
P-H	5330-350-5248	GASKET: shaft cover 6210696 (19207)		EA	4	*	*	*	*	*	*	10	40	271	5
P-H	3110-554-5302	BEARING, BALL ANNULAR: driveshaft bevel gear box 1208 (21760)		EA	3	*	*	*	*	*	*	6	10	271	6
P-H	2590-741-4256	GEAR SPUR: sliding winch output shaft 7414256 (19207)		EA	1	*	*	*	*	*	*	8	10	271	7
P-H	2520-741-4263	SHAFT WINCH OUTPUT: 7414263 (19207)		EA	1	*	*	*	*	*	*	4	8	271	8
P-H	5310-842-7783	NUT, SLOTTED, HEXAGON: MS35692-53 (96906)		EA	4	*	*	*	*	*	*	6	10	271	9
X1		BRACKET: mounting 10876386 (19207)			1									271	10
X1		CASE, POWER DIVIDER: 7413945 (19207)			1									271	11
P-H	5330-286-8150	SEAL, PLAIN, ENCASED: pump output shaft, input shaft and pump shaft 500097 (21450)		EA	3	*	*	*	*	*	*	10	40	271	12
P-H	3110-350-7384	PLATE, RETAINING BEARING: 6210708 (19207)		EA	2	*	*	*	*	*	*	3	5	271	13
P-H	5310-527-7972	WASHER, FLAT: input shaft 5277972 (19207)		EA	2	*	*	*	*	*	*	6	10	271	14
P-H	5305-269-2804	SCREW, CAP, HEXAGON: MS90726-61 (96906)		EA	2	*	*	*	*	*	*	6	10	271	15
P-H	3110-144-8671	BEARING, BALL ANNULAR: input shaft 12Z369-33 (10001)		EA	2	*	*	*	*	*	*	6	10	271	16
P-H	2520-741-3946	CLUTCH, SLIDING SLEEVE: 7413946 (19207)		EA	2	*	*	*	*	*	*	4	8	271	17
P-H	2520-741-4259	SHAFT, SHOULDERED: input 7414259 (19207)		EA	1	*	*	*	*	*	*	4	8	271	18
P-H	2590-741-4267	WASHER, THRUST: input shaft gear 7414267 (19207)		EA	2	*	*	*	*	*	*	6	10	271	19
P-H	2590-741-4254	GEAR, SPUR: input shaft 7414254 (19207)		EA	1	*	*	*	*	*	*	6	10	271	20

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code — Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2002—POWER CONTROL UNIT ASSEMBLY—Continued												
P-H	3110-120-4371	BEARING, ROLLER, NEEDLE: input shaft gear 112045R91 (31007)	EA	1	*	*	*	*	*	*	10	40	271	21
X1		ADAPTER: hydraulic pump 7413942 (19207)		1									271	22
P-H	5305-269-3213	SCREW, CAP, HEXAGON: MS90725-62 (96906)	EA	16	*	*	*	*	*	*	8	20	271	23
P-F	4730-044-4655	PLUG, PIPE: pump adapter 444655 (24617)	EA	1	*	*	*	*	*	*	4	8	271	24
P-F	2520-741-4252	GASKET: governor valve adapter (2) and hydraulic pump adapter (1) 7414252 (19207)	EA	3	*	*	*	*	*	*	10	40	271	25
P-H	5305-724-5883	SETSCREW: coupling shaft MS51963-102 (96906)	EA	1	*	*	*	*	*	*	6	10	271	26
P-H	2520-741-3947	COUPLING, SHAFT, RIGID: pump output shaft 7413947 (19207)	EA	1	*	*	*	*	*	*	6	10	271	27
P-H	2520-091-9767	SEAL: static, hydraulic pump coupling 8333868 (19207)	EA	1	*	*	*	*	*	*	10	40	271	28
P-H	5315-616-5499	KEY, WOODRUFF: MS35756-22 (96906)	EA	1	*	*	*	*	*	*	6	10	271	29
P-H	2520-741-4261	SHAFT, PUMP OUTPUT: 7414261 (19207)	EA	1	*	*	*	*	*	*	4	8	271	30
P-F	4730-088-8665	PLUG, PIPE: case (1) and input and pump shifter cover (1) MS49005-10 (96906)	EA	2	*	*	*	*	*	*	4	8	271	31
P-H	2590-741-4266	WASHER, THRUST: cluster gear 7414266 (19207)	EA	2	*	*	*	*	*	*	6	10	271	32
P-H	3110-108-8002	ROLLER ASSEMBLY, JOURNAL: cluster gear 112057R91 (31007)	EA	2	*	*	*	*	*	*	6	10	271	33
P-H	2520-741-4255	GEAR, CLUSTER: pump output shaft 7414255 (19207)	EA	1	*	*	*	*	*	*	4	8	271	34
P-H	2520-741-4265	SPACER, GEAR BEARING: 7414265 (19207)	EA	1	*	*	*	*	*	*	4	8	271	35
P-H	3110-516-5490	BEARING, BALL, ANNULAR: pump output shaft B103787 (06840)	EA	1	*	*	*	*	*	*	6	10	271	36
P-H	5330-050-0036	SEAL, PLAIN, ENCASED: oil pump output shaft 7205944 (19207)	EA	1	*	*	*	*	*	*	10	40	271	37
X1		ADAPTER: 7413943 (19207)		1									271	38
X1		STUD: power divider housing 10900283 (19207)		4									271	39

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2002—POWER CONTROL UNIT ASSEMBLY—Continued												
P-H	5305-267-8183	SCREW, CAP, HEXAGON: MS90726-116 (96906)	EA	3	*	*	*	*	*	*	6	10	271	40
P-F	5310-584-5272	WASHER, LOCK: MS35338-48 (96906)	EA	3	*	*	*	*	*	*	6	10	271	41
P-F	2590-235-4362	LEVER, SHAFT, POWER DIVIDER: 7413944 (19207)	EA	3	*	*	*	*	*	*	4	8	271	42
P-H	2520-741-4260	SHAFT, INPUT SHIFTER: 7414260 (19207)	EA	1	*	*	*	*	*	*	4	8	271	43
P-F	4820-726-4719	VALVE, AIR PRESSURE: input shaft and pump shaft shifter cover 5196397 (19207)	EA	1	*	*	*	*	*	*	6	8	271	44
P-H	4730-014-4074	COUPLING, PIPE: input shaft and pump shaft shifter cover 144074 (21450)	EA	1	*	*	*	*	*	*	4	8	271	45
P-H	4730-012-1211	NIPPLE, PIPE: input shaft and pump shaft shifter cover 121211 (19207)	EA	1	*	*	*	*	*	*	4	8	271	46
P-H	5330-741-4275	SEAL, PLAIN ENCASED: 7414275 (19207)	EA	4	*	*	*	*	*	*	10	40	271	47
X1		COVER: input shaft and pump shaft shifter 7413948 (19207)		1									271	48
P-H	2520-741-4258	PLUG PUMP OUTPUT: shifter shaft end 7414258 (19207)	EA	2	*	*	*	*	*	*	4	5	271	49
P-H	2520-741-4251	GASKET: input and hydraulic pump output shifter shaft cover 7414251 (19207)	EA	1	*	*	*	*	*	*	10	40	271	50
P-H	5315-058-9939	PIN, STRAIGHT HEADLESS: MS51025-56 (96906)	EA	2	*	*	*	*	*	*	6	16	271	51
P-H	2520-741-4386	YOKE SHIFTER ROD: sliding gear 7414386 (19207)	EA	2	*	*	*	*	*	*	3	5	271	52
P-H	5310-627-6128	WASHER, LOCK: MS35335-35 (96906)	EA	3	*	*	*	*	*	*	6	10	271	53
P-H	5305-269-2802	SCREW, CAP, HEXAGON: MS90726-59 (96906)	EA	3	*	*	*	*	*	*	6	10	271	54
P-H	2520-741-4262	SHAFT PUMP OUTPUT: shifter, hydraulic pump 7414262 (19207)	EA	1	*	*	*	*	*	*	3	5	271	55
P-H	5305-269-3219	SCREW, CAP, HEXAGON: MS90725-69 (96906)	EA	2	*	*	*	*	*	*	6	10	271	56
P-H	2540-541-6517	PLUNGER: detent, shifter shaft 5416517 (19207)	EA	3	*	*	*	*	*	*	4	8	271	57

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	(3) Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2002—POWER CONTROL UNIT ASSEMBLY—Continued													
P-H	2520-527-7984	SPRING, HELICAL COMPRESSION: shifter shaft lock ball 5277984 (19207)		EA	2	*	*	*	*	*	*	6	10	271	58
X1		BALL: MS19059-96 (96906)			3									271	59
P-	2520-030-7262	SHAFT ASSEMBLY SHIFTER: A2843A105 (78500)		EA	1	*	*	*	*	*	*	4	8	271	60
P-	2520-770-3976	SPRING, HELICAL, COMPRESSION: shifter shaft lock ball 7703976 (19207)		EA	1	*	*	*	*	*	*	6	10	271	61
X1		COVER: output shaft shifter 7413949 (19207)			1									271	62
P-	2520-741-4253	GASKET: winch output shifter shaft cover 7414253 (19207)		EA	1	*	*	*	*	*	*	10	40	271	63
P-F	4730-277-8274	ELBOW: 137423 (21450)	HA, BD, FJ, HA, EF, LA, MA	EA	4	*	*	*	*	*	*	6	10	272	1
X2-F		REDUCER: valve assembly 444012 (21450)	HA,BD,FJ,HA, EF, LA, MA	EA	2	*	*	*	*	*	*			272	2
P-F	2590-040-2288	VALVE ASSEMBLY: winch governor power divider 8327440 (19207)	BD, FJ, HA, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10	272	3
X2-F		BRACKET: 10900074 (19207)		EA	1	*	*	*	*	*	*			272	4
P-F	2590-972-2637	SPACER, SLEEVE: valve, stop-check 10899301 (19207)	BD, FJ, HA, JA, EF, LA, MA	EA	2	*	*	*	*	*	*	4	8	272	5
P-F	2990-808-6905	VALVE, STOP-CHECK: power divider 11640318 (19207)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	4	8	272	6
P-F	4730-278-4822	ELBOW: valve, stop-check 444042 (24617)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	4	5	272	7
P-F	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)	HA,BD,FJ,JA EF, LA, MA	EA	2	*	*	*	*	*	*	6	10	272	8
P-F	4710-177-8376	TUBE ASSEMBLY, METAL: 10876540 (19207)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10	272	9
P-F	4730-289-1254	ADAPTER, STRAIGHT, PIPE TO TUBE: 137407 (24167)		EA	1	*	*	*	*	*	*	4	8	272	10
X1		WASHER: 10876542 (19207)			1									272	11

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2002—POWER CONTROL UNIT ASSEMBLY—Continued													
P-F	4730-014-2433	INVERTED NUT, TUBE COUPLING: 142433 (21450)		EA	2	*	*	*	*	*	*	4	8	272	12
X1		TUBE: 10876541 (19207)			1									272	13
P-F	5305-071-2237	SCREW, CAP, HEXAGON: MS90725-14 (96906)	HA, BD, FJ, JA, EF, LA, MA	EA	2	*	*	*	*	*	*	6	10	272	14
P-F	5310-543-5060	WASHER, LOCK: MS35338-39 (9606)	HA, BD, FJ, JA, EF, LA, MA	EA	2	*	*	*	*	*	*	6	10	272	15
P-F	5310-637-9541	WASHER, LOCK: MS35338-46 (96906)	HA, BD, FJ, JA, EF, LA, MA	EA	2	*	*	*	*	*	*	6	10	272	16
P-F	5305-267-8978	SCREW, CAP, HEXAGON: MS90726-12 (96906)	HA, BD, FJ, JA, EF, LA, MA	EA	2	*	*	*	*	*	*	6	10	272	17
P-F	5305-269-3213	SCREW, CAP, HEXAGON: MS90725-62 (96906)	HA, JA, BD, FJ, EF, LA, MA	EA	2	*	*	*	*	*	*	6	10	272	18
P-F	2520-740-9908	JOINT, UNIVERSAL: transfer to power divider assembly 2A5988 (76260)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10	273	1
P-F	2520-741-7091	JOINT, UNIVERSAL: 7417091 (19207)	HA, BD, JA, FJ, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10	273	2
P-F		KEY: drive shaft MS20068-277 (96906)	HA, BD, JA, FJ EF, LA, MA	EA	2	*	*	*	*	*	*	6	10	273	3
P-F	2590-740-9912	SHAFT, STRAIGHT: drive, power divider to rear drive shaft universal joint, front 7409912 (19207)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	4	8	273	4
P-F	2520-740-9910	UNIVERSAL JOINT: rear drive shaft to front drive shaft pillow block end 7409910 (19207)	HA,BD,FJ,JA, EF,LA,MA	EA	1	*	*	*	*	*	*	6	10	273	5
		Non-Illustrated													
P-F	2520-692-6164	VALVE, GOVERNOR ASSEMBLY: at transfer case 8333099 (19207)	HA,BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10		
P-F	2530-741-3937	VALVE RELEASE BRAKE: two-way, 7413937 (19207)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10		
P-F	5305-270-7328	SETSCREW! lock shifter fork 105992R1 (31007)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-741-4257	PIN, STRAIGHT, HEADLESS: governor drive 7414257 (19207)	HA, BD, FJ, JA, EF, LA, MA	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY													
P-F-R	2520-740-9588	POWER TAKE OFF, TRANSMISSION: (all models with Winch except M51) 7409588 (19207)	AD	EA	1	*	*	*	*	*	*	10	20	274	1
P-F-R	2520-740-9589	POWER TAKE-OFF, TRANSMISSION: 7409589 (19207)	AK	EA	1	*	*	*	*	*	*	10	20	274	1
P-F	2520-447-3406	GASKET: mounting 8327322 (19207)	AD	EA	1	*	*	*	*	*	*	10	20	274	2
P-F	2520-706-1160	CASE WITH NAME PLATE: 7061160 (19207)	AD	EA	1	*	*	*	*	*	*	2	5	274	3
P-F	2520-706-1270	GASKET: case to housing or cap (Component of Kit, Repair Power Take-Off, FSN 2520-692-6187) 7061270 (19207)	AD	EA	1	*	*	*	*	*	*	10		274	4
X1		HOUSING: (used on Power Take Off, Transmission, FSN 2520-740-9589) 7061194 (19207)	AK		1									274	5
P-F	2520-706-1269	CAP OUTPUT: closed end, rear bearing (used on Power-Take-Off, Transmission, FSN 2520-740-9588) 7061269 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	274	6
P-F	5330-559-8733	SEAL: cap (Component of Kit, Repair Power-Take-Off, FSN 2520-692-6187) 7376546 (19207)	AD	EA	1	*	*	*	*	*	*	10		274	7
P-F	5305-225-8499	SCREW, CAP, HEXAGON: front bearing MS90725-34 (96906)	AD	EA	9	*	*	*	*	*	*	8	20	274	8
P-F	5310-407-9566	WASHER, LOCK: housing MS35338-45 (96906)	AD	EA	9	*	*	*	*	*	*	8	20	274	9
P-F	2520-447-3406	GASKET: cover to case (Component of Kit, Repair Power-Take-Off, FSN 2520-692-6187) 5214787 (19207)	AD	EA	1	*	*	*	*	*	10		274	10	
P-F	2520-354-0771	COVER, ACCESS: case 5323473 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	274	11
P-F	5310-637-9541	WASHER, LOCK: cover case MS35338-46 (96906)	AD	EA	7	*	*	*	*	*	*	6	20	274	12
P-F	5305-269-3208	SCREW, CAP, HEXAGON: cover, access MS90725-57 (96906)	AD	EA	6	*	*	*	*	*	*	6	20	274	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	2520-532-3606	GASKET: cap to case (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 5323606 (19207)	AD	EA	1	*	*	*	*	*	*	10		274	14
P-F	5330-404-3210	SEAL, PLAIN ENCASED: output shaft (Component of Kit, Repair Power-Take-Off, FSN 2520-692-6187) 11640317 (19207)	AD	EA	1	*	*	*	*	*	*	10		274	15
P-F	2540-626-2467	CAP: output shaft front bearing 6262467 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	274	16
P-F	5307-740-9590	STUD, PLAIN THREADED: mounting 7409590 (19207)	AD	EA	6	*	*	*	*	*	*	6	20	274	17
P-F	5305-269-2801	SCREW, CAP, HEXAGON: shaft, shifter fork MS90726-58 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	274	18
P-F	5310-080-6004	WASHER, FLAT: shaft, shifter fork MS27183-14 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	274	19
P-F	2520-706-1278	BELLOWS, RUBBER: (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 7061278 (19207)	AD	EA	3	*	*	*	*	*	*	10		274	20
P-H	5330-737-6534	RETAINER, PACKING: bellows, shifter shaft (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 7376534 (19207)	AD	EA	3	*	*	*	*	*	*	10		274	21
P-F	5330-404-3210	SEAL, PLAIN, ENCASED: (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 11640317 (19207)	AD	EA	3	*	*	*	*	*	*	10		274	22
P-F	2520-392-3561	RETAINER, POPPET: shifter shaft detent ball spring 2770M (50513)	AD	EA	1	*	*	*	*	*	*	6	10	274	23
P-F	2520-692-6128	SPRING, HELCIAL, COMPRESSION shifter shaft detent ball (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 8331588 (19207)	AD	EA	1	*	*	*	*	*	*	8		274	24
P-F		BALL, BEARING: MS19059-96 (96906)	AD		1									274	25

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	2520-740-9592	SHAFT, STRAIGHT: shifter fork 7409592 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	274	26
P-F	2520-706-1273	SHIFTER FORK: 7061273 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	274	27
P-F	5306-404-0075	BOLT, MACHINE: shifter fork	AD	EA	1	*	*	*	*	*	*	6	10	274	28
P-F	5310-558-5227	WASHER, FLAT: shaft, shifter fork (Component of Kit, Repair Power Take-Off, FSN 2520-692-6187) AL1256-37 (08484)	AD	EA	1	*	*	*	*	*	*	6		274	29
P-F	5305-269-2805	SCREW, CAP, HEXAGON: arm, shift extension MS90726-62 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	274	30
P-F	2520-740-9408	ARM SHIFT EXTENSION: 7409408 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	274	31
P-F	5310-950-0039	NUT, SELF-LOCKING: arm shift extension MS21044N6 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	274	32
X2-F		SPACER POWER TAKE-OFF: output shaft bearing 7061265 (19207)	AD	EA	1	*	*	*	*	*	*			274	33
P-F	3110-516-5490	BEARING, BALL, ANNULAR: shaft output B103787 (06840)	AD	EA	1	*	*	*	*	*	*	6	10	274	34
P-F	2520-318-0908	GEAR, SPUR: sliding output shaft 7538671 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	274	35
P-F	2520-740-9593	SHAFT OUTPUT 7409593 (19207)	AD	EA	1	*	*	*	*	*	*	6	8	274	36
P-F	5315-616-5527	KEY, WOODRUFF: shaft output MS35756-18 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	274	37
P-F	2520-740-9585	GEAR, HELICAL: high speed output shaft 7409585 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	274	38
P-F	5310-753-8661	WASHER, THRUST: key high speed shaft gear thrust washer 7538681 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	274	39
P-F	5340-508-4691	RING, RETAINING: output shaft high speed gear thrust washer (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 7538660 (19207)	AD	EA	1	*	*	*	*	*	*	6		274	40
P-F	3110-554-6149	BEARING, BALL, ANNULAR: 5207X1 (24617)	AD	EA	1	*	*	*	*	*	*	6	10	274	41

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	2520-740-9580	YOKE, UNIVERSAL JOINT: drive shaft to power take-off 7409580 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	274	42
P-F	5305-725-0168	SETSCREW: yoke, universal joint MS51963-137 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	274	43
P-F	3110-902-1686	BEARING, ROLLER, NEEDLE: reverse gear shaft M20161XOH (60380)	AD	EA	1	*	*	*	*	*	*	10	40	274	44
P-F	5315-839-2326	PIN, COTTER: pin, straight MS24665-281 (96906)	AD	EA	1	*	*	*	*	*	*			274	45
P-F	2950-126-8009	KEY, WOODRUFF: reverse gear 455334 (21450)	AD	EA	1	*	*	*	*	*	*	6	10	274	46
P-F	2520-740-9594	SHAFT REVERSE GEAR: with bushing assembly 7409594 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	274	47
X1		SHAFT: reverse gear 10900574 (19207)	AD		1									274	48
P-F	2520-706-1211	SHAFT, SHOULDERED: drive (used on Power-Take-Off, Transmission FSN 2520-740-9589) 7061211 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	274	55
P-F	3110-144-8518	BEARING, BALL, ANNULAR: (used on Power-Take-Off, Transmission FSN 2520-740-9589) 5224006 (10001)	AK	EA	1	*	*	*	*	*	*	6	10	274	56
X1		RING: bearing retaining (Component of Kit, Repair, Power-Take-Off FSN 2520-692-6187) 7061277 (19207)	AD		1					274	57				
P-F	2520-706-1274	SHIFTER FORK: sliding gear rear output shaft (used on Power-Take-Off, Transmission, FSN 2520-740-9589) 7061274 (19207)	AK	EA	1	*	*	*	*	*	*	3	5	274	58
X1		SCREW: output shaft fork (used on Power-Take-Off, Transmission, FSN 2520-740-9589) 7521058 (19207)	AK		1									274	59
P-F	3120-737-3115	BEARING, SLEEVE: reverse gear shaft 7373115 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	274	49
P-F	2520-706-1281	WASHER: reverse gear shaft 7061281 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	274	50

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	2520-740-9587	GEAR, SHAFT, REVERSE: 7409587 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	274	51
P-F	3110-183-6723	BEARING, ROLLER, NEEDLE: reverse gear shaft rear MS17131-35 (96906)	AD	EA	1	*	*	*	*	*	*	10	40	274	52
P-F	5340-706-1276	RING, RETAINING: clutch gear (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 7061276 (19207)	AD	EA	1	*	*	*	*	*	*	6		274	53
P-F	2520-706-1210	CLUTCH, SLIDING SLEEVE: clutch accessory drive (used on Power Take-Off Transmission, FSN 2520-740-9589) 7061210 (19207)	AK	EA	1	*	*	*	*	*	*	10		274	54
P-F	2520-706-1268	SHAFT, STRAIGHT: shifter rear (used on Power-Take-Off, Transmission, FSN 2520-740-9589) 7061268 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	274	60
P-F	5365-769-6481	PLUG, MACHINE THREAD: (used on Power-Take-Off, Transmission, FSN 2520-740-9589) 7696481 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	274	61
P-F	2520-521-4784	SPRING, HELICAL, COMPRESSION: rear shifter shaft ball (Component of Kit, Repair, Power-Take-Off, FSN 2520-692-6187) 5214784 (19207)	AD	EA	1	*	*	*	*	*	*	6		274	62
P-F	2530-692-8405	BALL, POPPET: shifter shaft (used on Power-Take-Off, Transmission, FSN 2520-740-9589) A226147 (21450)	AK	EA	1	*	*	*	*	*	*	4	8	274	63
P-F	5310-975-2075	NUT, PLAIN, HEXAGON: bolt eye shifter shaft (used on Power Take-Off, Transmission, FSN 2520-740-9589) MS35691-21 (96906)	AK	EA	1	*	*	*	*	*	*	6	10	274	64
P-F	5340-532-3611	CONNECTOR, ROD END: eye rear shifter shaft (used on Power-Take-Off Transmission, FSN 2520-740-9589) A226131 (19207)	AK	EA	1	*	*	*	*	*	*	4	8	274	65
P-F	3120-753-8656	WASHER, THRUST: input shaft gear 7538656 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	274	66

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	3110-227-3074	ROLLER, ASSEMBLY, JOURNAL BEARING: input shaft gear 7538658 (19207)	AD	EA	2	*	*	*	*	*	*	6	10	274	67
P-F	2520-740-9[illegible]86	GEAR INPUT SHAFT: 7409586 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	274	68
P-F	2520-706-1266	SHAFT, SHOULDERED: input 7061266 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	274	69
P-F		PIN, COTTER: MS24665-497 (96906)	AD	EA	1	*	*	*	*	*	*	10	20	274	70
P-F	5315-735-1406	PIN, STRAIGHT, HEADED: reverse gear shaft 7351406 (19207)	AD	EA	1	*	*	*	*	*	*			274	71
P-F-R	2520-967-6281	POWER TAKE-OFF, TRANSFER: 10922134 (19207)	HA,FJ,BD	EA	1	*	*	*	*	*	*	6	10	275	1
X1		GASKET: mounting 7375291 (19207)			1									275	2
P-F	2520-832-7115	COUPLING, SHAFT, RIGID: 8327115 (19207)		EA	1	*	*	*	*	*	*	4	8	275	3
P-F	5340-737-5285	RING, RETAINING: shaft coupling 7375285 (19207)		EA	1	*	*	*	*	*	*	6	10	275	4
P-F	2520-832-7114	SHAFT: solid drive 8327114 (19207)		EA	1	*	*	*	*	*	*	4	8	275	5
P-F	2520-832-7113	CASE POWER TAKE-OFF: 8327113 (19207)		EA	1	*	*	*	*	*	*	3	5	275	6
P-F	5310-209-0965	WASHER, LOCK: case MS35338-47 (96906)		EA	4	*	*	*	*	*	*	6	10	275	7
P-F	5305-071-1789	SCREW, CAP, HEXAGON: case MS90728-88 (96906)		EA	4	*	*	*	*	*	*	6	10	275	8
X1		PLUG: case 7735571 (19207)			1									275	9
P-F	2520-832-7127	PLUNGER OIL PUMP: 8327127 (19207)		EA	1	*	*	*	*	*	*	4	8	275	10
P-H	3110-554-5719	BEARING, BALL, ANNULAR: drive shaft 7308M (29337)		EA	1				*	*	*	6	8	275	11
P-F	5330-832-7118	GASKET: cap, retaining 8327118,(19207)		EA	1	*	*	*	*	*	*	10	40	275	12
X1		CAP, RETAINING: 8327117 (19207)			1									275	13
P-F	5330-599-4986	SEAL, PLAIN, ENCASED: retaining, cap 8327116 (19207)		EA	1	*	*	*	*	*	*	10	100	275	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued												
P-F	5310-637-9541	WASHER. LOCK: cap. retaining MS35338-46 (96906)	EA	4	*	*	*	*	*	*	6	10	275	15
P-F	5305-543-2419	SCREW. CAP. HEXAGON: MS90728-61 (96906)	EA	4	*	*	*	*	*	*	6	10	275	16
P-F	5120-795-0177	YOKE. UNIVERSAL JOINT: 8327121 (19207)	EA	1	*	*	*	*	*	*	4	8	275	17
P-F	5310-481-9485	WASHER: shaft 8327120 (19207)	EA	1	*	*	*	*	*	*	6	8	275	18
P-F	5310-832-7119	NUT. PLAIN. BLIND RIVET: 8327119 (19207)	EA	1	*	*	*	*	*	*	6	10	275	19
P-F	5315-012-0123	PIN. COTTER: nut. plain MS24665-355 (96906)	EA	1	*	*	*	*	*	*	8	10	275	20
X1		TUBE: 8758301 (19207)		1									275	21
P-F	5325-741-2204	GROMMET. RUBBER: tube 7412204 (19207)	EA	1	*	*	*	*	*	*	10	20	275	22
X1		CLAMP TUBE: 7412202 (19207)		1									275	23
P-F	4820-786-1579	VALVE. CHECK ASSEMBLY: oil pump line to transfer 7363012 (19207)	EA	1	*	*	*	*	*	*	6	10	275	24
X1		SCREW: valve, check 8744222 (19207)		1									275	25
P-F	5330-855-6045	GASKET: check valve screw MS35769-9 (96906)	EA	1	*	*	*	*	*	*	10	40	275	26
P-F	2520-741-3283	SPRING: check valve 7413283 (19207)	EA	1	*	*	*	*	*	*	6	10	275	27
P-F	3110-100-6155	BALL: check valve MS19059-53 (96906)	EA	1	*	*	*	*	*	*	6	10	275	28
X1		VALVE. CHECK 7363011 (19207)		1									275	29
P-F	4730-273-8561	ADAPTER. STRAIGHT. PIPE TO TUBE: 28888 (16004)	EA	1	*	*	*	*	*	*	4	8	275	30
P-F	5310-809-4085	WASHER. FLAT: adapter MS27183-16 (96906)	EA	1	*	*	*	*	*	*	6	10	275	31
P-F	5305-225-8498	SCREW. CAP. HEXAGON: housing valve MS90725-33 (96906)	EA	4	*	*	*	*	*	*	6	10	275	32
P-F	5310-637-9541	WASHER. LOCK: housing valve MS35338-46 (96906)	EA	4	*	*	*	*	*	*	6	10	275	33

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	2520-741-2206	PUMP ASSEMBLY OIL: 7412206 (19207)		EA	1	*	*	*	*	*	*	6	10	275	34
X1		PLUG: relief valve 10938290 (19207)			1							275	35		
X1		HOUSING: relief valve 8728192 (19027)			1									275	36
P-H	2520-741-3283	SPRING, HELICAL COMPRESSION: oil pump release ball 7413283 (19207)		EA	2				*	*	*	6	10	275	37
P-F	3110-100-6155	BALL BEARING: relief valve housing MS19059-53 (96906)		EA	2	*	*	*	*	*	*	6	8	275	38
X1		CONNECTOR: relief valve housing 7761651 (19207)			1								275	39	
P-F	5330-741-2203	GASKET: valve assembly 7412203 (19207)		EA	1	*	*	*	*	*	*	10	40	275	40
P-F	5310-880-7745	NUT, PLAIN, HEXAGON: case MS51968-11 (96906)		EA	2	*	*	*	*	*	*	6	10	275	41
P-F	5310-685-3228	WASHER, LOCK: case MS35333-43 (96906)		EA	2	*	*	*	*	*	*	6	10	275	42
X1		STUD: case 179124 (21450)			2									275	43
P-F-R	2520-967-6282	POWER TAKE-OFF, TRANSFER: 10922135 (19207)	JA, EF, FE,MA	EA	1	*	*	*	*	*	*	6	10	276	1
P-F	5310-926-5916	NUT, PLAIN, HEXAGON: case MS51968-12 (96906)		EA	2	*	*	*	*	*	*	6	10	276	2
P-F	5310-685-3228	WASHER, LOCK: case MS35333-43 (96906)		EA	2	*	*	*	*	*	*	6	10	276	3
P-F	5307-017-9125	STUD: power-take-off positioning 179125 (24617)		EA	2	*	*	*	*	*	*	6	10	276	4
P-F	2520-232-6037	LEVER, SHIFTING: 7412205 (19207)		EA	1	*	*	*	*	*	*	3	5	276	5
P-F	5310-809-5998	WASHER, FLAT: lever shifting MS27183-18 (96906)		EA	1	*	*	*	*	*	*	6	10	276	6
P-F	5315-842-3044	PIN, COTTER: shifter shaft lever MS24665-283 (96906)		EA	1	*	*	*	*	*	*	8	10	276	7
P-F	5310-655-9497	NUT, SLOTTED, HEXAGON: shifter shaft lever MS35692-825 (96906)		EA	1	*	*	*	*	*	*	6	10	276	8
X1		GASKET, COVER PLATE: case 8333103 (19207)			1									276	9
X1		COVER, PLATE: case 8758308 (19207)			1									276	10

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued												
P-F	5310-407-9566	WASHER, LOCK MS35338-45 (96906)	EA	10	*	*	*	*	*	*	8	20	276	1
P-F	5306-225-8497	SCREW, CAP, HEXAGON: MS90725-32 (96906)	EA	6	*	*	*	*	*	*	6	20	276	12
P-F	2520-614-3903	SHIM, BEARING, RETAINER: 6143903 (19207)	EA	1	*	*	*	*	*	*	6	10	276	13
X1		SHIM, BEARING RETAINER: 5186593 (19207)		1									276	14
P-F	2520-518-6592	SHIM, BEARING, RETAINER: 5186592 (19207)	EA	V	*	*	*	*	*	*	6	10	276	15
P-F	5330-231-0285	RETAINER ASSEMBLY, BEARING: 8757686 (19207)	EA	1	*	*	*	*	*	*	6	10	276	16
P-F		SEAL, PLAIN, ENCASED: MS51911-3-5 (96906)	EA	1	*	*	*	*	*	*	10	100	276	17
P-F	2520-773-5601	RETAINER: 7735601 (19207)	EA	1	*	*	*	*	*	*	6	10	276	18
P-F	5365-482-1034	WASHER, BRACKET: shifting lever 8758307 (19207)	EA	4	*	*	*	*	*	*	6	10	276	19
P-F	5340-481-2856	BRACKET, SHIFTING LEVER: 8758306 (19207)	EA	1	*	*	*	*	*	*	3	5	276	20
P-F	5306-226-4827	SCREW, CAP, HEXAGON: MS90728-34 (96906)	EA	2	*	*	*	*	*	*	6	10	276	21
X1		NUT, DRIVE SHAFT: 10896749 (19207)		1									276	22
P-F	5315-298-1481	PIN, COTTER: drive shaft MS24665-357 (96906)	EA	1	*	*	*	*	*	*	8	10	276	23
P-F	5306-262-9619	BOLT, MACHINE: shifter shaft lock spring 7412211 (19207)	EA	1	*	*	*	*	*	*	6	10	276	24
P-F	2520-492-4348	WASHER, SHAFT, SHIFTER FORK: 10896746 (19207)	EA	1	*	*	*	*	*	*	6	10	276	25
X1		SPRING, SHAFT, SHIFTER FORK: 6156769 (19207)		1									276	26
P-F	3110-961-9033	BALL, BEARING: shaft shifter fork MS19059-90 (96906)	EA	1	*	*	*	*	*	*	6	10	276	27
P-F	5315-032-1872	KEY, DRIVE SHAFT: 5168861 (19207)	EA	1	*	*	*	*	*	*	6	10	276	28
P-F	2520-615-6756	GASKET, BEARING RETAINER: 6156756 (19207)	EA	1	*	*	*	*	*	*	10	40	276	29
P-F	3110-100-0799	CUP, TAPERED ROLLER BEARING: drive shaft A285277B (19207)	EA	1	*	*	*	*	*	*	6	10	276	30

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued												
P-F	3110-142-4364	CONE AND ROLLERS, TAPERED: drive shaft 705022 (19207)	EA	2	*	*	*	*	*	*	8	20	276	31
P-F	2520-692-6362	GEAR, POWER TAKE-OFF: 8333063 (19207)	EA	1	*	*	*	*	*	*	4	8	276	32
P-F	2520-741-3282	SHAFT, DRIVE: 7413282 (19207)	EA	1	*	*	*	*	*	*	4	8	276	33
P-F	2520-741-2206	VALVE ASSEMBLY, PUMP: 7412206 (19207)	EA	1	*	*	*	*	*	*	6	10	276	34
P-F	5306-226-4826	SCREW, CAP, HEXAGON: valve, oil pump MS90728-33 (96906)	EA	4	*	*	*	*	*	*	6	10	276	35
P-F	4710-493-9048	TUBE, VALVE ASSEMBLY: 10921795 (19207)	EA	1	*	*	*	*	*	*	4	8	276	36
P-F	4820-786-1579	VALVE, CHECK ASSEMBLY: 7363012 (19207)	EA	1	*	*	*	*	*	*	6	10	276	37
X1		CLAMP, LUBE TUBE: 7412202 (19207)		1									276	38
P-F	5310-809-4085	WASHER, FLAT: lube tube MS27183-16 (96906)	EA	1	*	*	*	*	*	*	6	10	276	39
P-F	5325-741-2204	GROMMET, RUBBER: lube tube 7412204 (19207)	EA	1	*	*	*	*	*	*	8	10	276	40
P-F	2520-741-3284	SPRING, VALVE PLUNGER: 7413284 (19207)	EA	1	*	*	*	*	*	*	6	10	276	41
P-F	2520-741-3266	PLUNGER, VALVE ASSEMBLY: 7413266 (19207)	EA	1	*	*	*	*	*	*	4	8	276	42
P-F	5330-741-2203	GASKET, VALVE ASSEMBLY: 7412203 (19207)	EA	1	*	*	*	*	*	*	10	40	276	43
X1		CASE, POWER TAKE-OFF: 8758304 (19207)		1									276	44
P-F	2520-615-6763	CLUTCH, DRIVESHAFT: 6156763 (19207)	EA	1	*	*	*	*	*	*	6	10	276	45
P-F	2520-232-6028	COUPLING, POWER TAKE-OFF: 10923484 (19207)	EA	1	*	*	*	*	*	*	4	8	276	46
X1		GASKET: mounting 7375291 (19207)		1									276	47
X1		SETSCREW: coupling 127822 (21450)		1									276	48
P-F		LOCK WIRE: coupling MS20995F41-12 (96906)	EA	1	*	*	*	*	*	*	10	20	276	49
P-F	5305-276-7328	SETSCREW: shifter fork 8328007 (19207)	EA	1	*	*	*	*	*	*	6	10	276	50

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	4730-142-1629	PLUG, PIPE: case 5192948 (19207)		EA	1	*	*	*	*	*	*	4	8	276	51
P-F	5310-209-0965	WASHER, LOCK: MS35338-47 (96906)		EA	4	*	*	*	*	*	*	6	10	276	52
P-F	5305-071-1789	SCREW, CAP, HEXAGON: case MS90728-88 (96906)		EA	4	*	*	*	*	*	*	6	10	276	53
P-F	2520-734-9606	FORK, SHIFT: sliding clutch 7349606 (19207)		EA	1	*	*	*	*	*	*	4	8	276	54
P-F	5330-585-1064	PACKING, PREFORMED: shifter shaft fork MS29561-12 (96906)		EA	1	*	*	*	*	*	*	10	40	276	55
P-F	2520-734-9680	SHAFT, SHIFTER FORK: 7349680 (19207)		EA	1	*	*	*	*	*	*	4	8	276	56
P-F	5315-010-6749	KEY, WOODRUFF: governor drive gear A214868 (19207)		EA	1	*	*	*	*	*	*	6	10	276	57
P-F	2520-040-2334	LOCK ASSEMBLY: winch lever assembly 8332227 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	277	1
X1		PIN: lock winch lever 10871441 (19207)			1									277	2
X1		LEAF: 10871440 (19207)			2									277	3
P-F	5305-068-0505	SCREW, CAP, HEXAGON HEAD: lock assembly MS90726-5 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	277	4
P-F	2520-864-3016	LEVER, HAND: 8332237 (19207)	AD	EA	2	*	*	*	*	*	*	4	8	277	5
X1		LEVER: hand shaft 10871433 (19207)			2									277	6
P-F	2520-692-6155	BEARING, SLEEVE: lever, hand 8332655 (19207)		EA	4	*	*	*	*	*	*	8	10	277	7
P-F	2520-740-9424	SPACER WINCH: lever, hand 7409424 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	8
P-F	5315-842-3154	PIN, STRAIGHT, HEADED: connecting link MS35810-36 (96906)	AD	EA	5	*	*	*	*	*	*	8	10	277	9
P-F	5315-839-5822	PIN, COTTER: connecting link MS24665-353 (96906)	AD	EA	5	*	*	*	*	*	*	8	10	277	10
P-F	2520-740-9544	CONNECTING LINK: control assembly, all vehicles with winch 7409544 (19207)	AD	EA	2	*	*	*	*	*	*	4	8	277	11
P-F	2520-740-9434	LEVER CONTROL: relay shaft left hand 7409434 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	5310-950-0039	NUT, SELF-LOCKING: MS21044N6 (96906)	AD	EA	14	*	*	*	*	*	*	8	20	277	13
P-F	5305-269-2809	SCREW, CAP, HEXAGON: MS90726-66 (19207)	AD	EA	5	*	*	*	*	*	*	6	10	277	14
P-F	5310-809-8533	WASHER, FLAT: hand control lever MS27183-23 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	277	15
P-F	5315-849-9857	PIN, COTTER: hand lever shaft MS24665-421 (96906)	AD	EA	1	*	*	*	*	*	*	8	10	277	16
P-F	2520-740-9547	SHAFT, HAND LEVER: 7409547 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	17
P-F	2520-740-9546	ROD ASSEMBLY, CONTROL 8332233 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	18
P-F	5340-534-8350	CLEVIS: control rod 144245 (79318)		EA	1	*	*	*	*	*	*	4	8	277	19
P-F	5310-732-0560	NUT, PLAIN, HEXAGON: MS51968-14 (96906)		EA	2	*	*	*	*	*	*	6	10	277	20
X1		CLEVIS: 7413445 (19207)			1									277	21
X2-F		WASHER: 7974676 (19207)	AD	EA	2	*	*	*	*	*	*			277	22
P-F	2520-740-9542	LEVER, REMOTE CONTROL: transfer 7409542 (19207)	AD	EA	2	*	*	*	*	*	*	4	8	277	23
P-F	5305-269-2805	SCREW, CAP, HEXAGON: MS90726-62 (96906)	AD	EA	7	*	*	*	*	*	*	6	10	277	24
P-F	5315-616-5526	KEY, WOODRUFF: shaft relay MS35756-8 (96906)	AD	EA	4	*	*	*	*	*	*	6	10	277	25
P-F	3040-237-3689	SHAFT: relay 8332234 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	26
P-F	2520-740-9436	SUPPORT, CONTROL: 7409436 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	277	27
X2-F		BRACKET: relay left hand support angle 8332229 (19207)	AD	EA	1	*	*	*	*	*	*			277	28
P-F	5305-269-2807	SCREW, CAP, HEXAGON: bracket MS90726-64 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	277	29
P-F	2520-740-9538	BRACKET SHAFT: 7409538 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	277	30
P-F	2520-740-9540	LEVER, CONTROL SHAFT: right hand end of relay (cross) shaft 7409540 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	31
P-F	2520-740-9408	ARM, SHIFT EXTENSION: 7409408 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	32

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued													
P-F	5310-637-9541	WASHER, LOCK: arm shift extension MS35338-46 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	277	33
P-F	2520-741-8957	ROD ASSEMBLY POWER TAKE-OFF: relay lever to arm assembly 7418957 (19207)	AD	EA	1	*	*	*	*	*	*	6	10	277	34
P-F	5340-741-8958	CLEVIS, ROD END: 7418958 (19207)		EA	1	*	*	*	*	*	*	4	5	277	35
P-F	5340-692-6060	CLEVIS, ROD END: adjustable relay lever to arm rod 7373234 (19207)		EA	1	*	*	*	*	*	*	4	5	277	36
P-F	3110-277-0119	BALL, BEARING: clevis, rod end MS19060-21 (96906)		EA	1	*	*	*	*	*	*	6	10	277	37
P-F	2520-692-6059	SPRING, HELICAL COMPRESSION: 7373229 (19207)		EA	1	*	*	*	*	*	*	6	10	277	38
P-F	5340-739-7542	CLEVIS, ROD END: 7397542 (19207)		EA	1	*	*	*	*	*	*	4	5	277	39
P-F	5315-737-3224	PIN, GROOVED HEADED: clevis, rod end 7373224 (19207)		EA	1	*	*	*	*	*	*	6	10	277	40
P-F	2520-177-7907	SHAFT, TRANSMISSION: 10871438 (19207)	AD	EA	1	*	*	*	*	*	*	4	8	277	41
P-F	2520-230-0229	BRACKET: 8332654 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	277	42
P-F	5310-959-7600	NUT, SELF-LOCKING, HEXAGON: MS51922-5 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	277	43
P-F	5305-269-2803	SCREW, CAP, HEXAGON: bracket MS90726-60 (96906)	AD	EA	2	*	*	*	*	*	*	6	10	277	44
P-F	2520-740-9539	BRACKET HAND LEVER: 7409539 (19207)	AD	EA	1	*	*	*	*	*	*	3	5	277	45
P-F	2520-859-5967	LOCK SHAFT, HAND CONTROL: 7409543 (10207)	AD	EA	1	*	*	*	*	*	*	4	8	277	46
P-F	5305-068-0506	SCREW, CAP, HEXAGON: MS90726-6 (96906)	AD	EA	1	*	*	*	*	*	*	6	10	277	47
		Non-Illustrated													
P-F	1055-385-7968	BEARING, SLEEVE: 8402911 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	2520-692-6153	BEARING, SLEEVE: control shaft 8332653 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	2520-692-6163	GEAR, HELICAL: drive, governor 8333063 (19207)	AD	EA	1	*	*	*	*	*	*	4	8		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued Non-Illustrated—Continued													
P-F	2520-711-5379	LEVER ASSEMBLY: 8402971 (19207)	AD	EA	1	*	*	*	*	*	*	4	8		
P-F	2520-713-8979	SPRING, HELICAL, TORSION: 7138979 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	3040-741-1174	COUPLING HALF, SHAFT 7411174 (19207)	AD	EA	1	*	*	*	*	*	*	4	8		
P-F	3120-516-7516	BEARING, SLEEVE: bushing type, governor drive pinion A283266 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	4710-162-1019	PIPE, STEEL: hand lever spacer WWP 406 (81348)	AD	FT	V	*	*	*	*	*	*	4	8		
P-F	2520-734-8745	ROD ASSEMBLY CLUTCH RELEASE: 7348745 (19207)		EA	1	*	*	*	*	*	*	6	10		
P-F	2520-740-9548	SHAFT RELAY LEVER: 7409548 (19207)		EA	1	*	*	*	*	*	*	4	8		
P-F	2520-832-7122	PUMP ASSEMBLY OIL 8327122 (19207)	HA, FJ, BD	EA	1	*	*	*	*	*	*	6	10		
P-F	2930-752-1975	SPRING, HELICAL COMP: 7521975 (19207)	HA, JA, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	2990-699-8480	GEAR SHAFT, HELICAL: driven, governor spinner valve 8333100 (19207)	AD	EA	1	*	*	*	*	*	*	4	8		
P-F	2990-699-8482	SEAL, OIL ADAPTER GOVERNOR: governor spinner 8333102 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	4710-200-0306	TUBE, STEEL: oil pump 11T531974 (80244)	HA, IA, HB, BD, JA, FJ, EF	EA	2	*	*	*	*	*	*	4	8		
P-F	4730-263-4983	ELBOW PIPE TO TUBE: oil pump line line to transfer 140306 (24617)	HA, FJ, BD	EA	1	*	*	*	*	*	*	4	5		
P-F	5305-068-0507	SCREW, CAP, HEXAGON HEAD: valve to bracket MS90726-7 (96906)	HA,IA,HB,BD, JA,FJ,EF	EA	2	*	*	*	*	*	*	6	10		
P-H	5305-590-7914	SCREW, CAP, HEXAGON HEAD: valve to adapter MS35300-7 (96906)	HA, IA, HB, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5306-741-1175	BOLT, INTERNALLY REL: drive clutch retainer 7411175 (19207)	HA, ZA, HB, LA, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued Non-Illustrated—Continued													
P-F	5307-350-5532	STUD PLAIN: 8328010 (19207)	HA, IA, HB, BD, JA, FJ, EF	EA	2	*	*	*	*	*	*	6	10		
P-F	5310-012-5250	NUT, SLOTTED, HEXAGON: drive clutch 125250 (24617)	HA, IA, HB, LA BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		
	5310-194-1483	WASHER, LOCK: drive clutch bolt MS35333-27 (96906)	HA IA,HB,BD,JA,FJ,EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-529-4103	NUT, PLAIN, BLIND RIVET: shaft 6222H (31007)	HA, IA, HB, LA,BD,JA,FJ,EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-595-7237	WASHER, LOCK shifter shaft MS35333-59 (96906)	HA, IA, HB, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-732-0559	NUT, PLAIN, HEXAGON: MS51968-8 (96906)	AD	EA	6	*	*	*	*	*	*	6	10		
P-F	5310-741-2201	WASHER, FLAT: retaining driving clutch 7412201 (19207)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	5310-768-0319	NUT, PLAIN, HEXAGON: valve to adapter (2), valve to bracket (2) MS51968-2 (96906)	HA,IA,HB,LA, BD,JA,FJ,EF	EA	4	*	*	*	*	*	*	6	10		
P-F	5310-809-4058	WASHER, FLAT: MS27183-10 (96906)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-013-7137	PIN, COTTER: rod to valve MS24665-814 (96906)	HA, IA, HB, LA, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-013-8085	PIN, STRAIGHT HEADED: rod to power take-off 138085 (21450)	HA	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-050-5004	PIN, STRAIGHT, HEADED, 6764618 (24617)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-234-1671	PIN, COTTER: shaft nut MS24665-633 (96906)	HA, IA, HB, CA, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-816-1794	PIN, COTTER: shift lever stud nut MS24665-285 (96906)	HA, IA, HB, LA, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-839-2325	PIN, COTTER: MS24665-132 (96906)	AD	EA	1	*	*	*	*	*	*	6	10		
P-F	5315-842-3651	PIN, COTTER: MS24665-295 (96906)	HA,IA,HB,LA, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	6	10		
P-F	5330-291-2866	SEAL, PLAIN ENCASED: oil type R1XS152	HA, IA, HB, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	10	100		
P-F	5330-297-7091	GASKET: governor spinner valve 120824R1 (31007)	HA, IA, HB, LA, BD, JA, FJ, EF	EA	1	*	*	*	*	*	*	10	40		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2004—POWER TAKE-OFF ASSEMBLY—Continued Non-Illustrated—Continued													
P-F	5330-736-8416	SEAL HOIST SHIFT: lever 7368416 (19207)	EF, HA, JA, AK	EA	1	*	*	*	*	*	*	10	40		
P-H	5330-899-9920	GASKET, PAPER: HHP96 (81348)	AD	FT	V	*	*	*	*	*	*	10	40		
P-F	5340-739-7542	CLEVIS, ROD END: control used on vehicles with winch 7397542 (19207)	AD	EA	1	*	*	*	*	*	*	4	8		
P-F	5340-741-8959	CLEVIS, ROD END: power take-off control 7418958 (19207)	AD	EA	2	*	*	*	*	*	*	4	8		
P-F	9505-191-3680	WIRE, STEEL, CARBON: QQW461 (81348)		FT	V	*	*	*	*	*	*	6	10		
P-F	2520-769-9003	SHIM SET: main shaft bearing retainer 7699003 (19207) Consisting of:	HA, IA, HB, BD, JA, FJ, EF	EA	V	*	*	*	*	*	*	10	20		
	2520-518-6592	1-SHIM (0.010 362SP81 (76040)													
	2520-614-3903	3-SHIM (0.003) 362SP79 (76040)													
		2-SHIM (0.005) 362SP80 (76040)													
P-F	2520-692-6187	KIT, REPAIR POWER TAKE-OFF: Power Take-off, Transmission FSN 2520-740-9588 and FSN 2520-740-9589 8333791 (19207) Consisting of:	AD	EA	1	*	*	*	*	*	*	15	30		
	2520-706-1270	1-GASKET 7061270 (19207)												274	4
	5330-559-8733	1-SEAL 7376546 (19027)												274	7
	2520-447-3406	2-GASKET 5214787 (19207)												274	10
	2520-532-3606	1-GASKET 5323606 (19207)												274	14
	5330-404-3210	1-SEAL 11640317 (19207)												274	15
	2520-706-1278	3-BELLOWS 7061278 (19207)												274	20
	5330-737-6534	3-RETAINER 7376534 (19207)												274	21
	5330-404-3210	3-SEAL 11640317 (19207)												274	22
	2520-692-6128	1-SPRING 8331558 (19207)												274	24
	5310-558-5227	1-WASHER AL1256-37 (08484)												274	29
	5340-508-4691	1-RING 7538660 (19207)												274	40
	5340-706-1276	1-RING 7061276 (19207)												274	53
		1-RING 7061277 (19207)												274	57
	2520-521-4784	1-SPRING 5214784 (19207)												274	62
	5340-706-1280	2-RING 7061280 (19207)													
		1-POPPET 50-80-1 (78080)													
		1-POPPET 50-80-4 (78080)													

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		GROUP 22—BODY, CHASSIS AND HULL ACCESSORY ITEMS													
		2201—CANVAS, RUBBER OR PLASTIC ITEMS													
P-O	5340-679-0252	TARPAULIN ASSEMBLY: 7253784 (19207)	CA, CB, DA, DB FA, FB, RA, TA, ZA	EA	1	*	*	*	*	*	*	8	10	278	1
P-O	2540-740-968	CURTAIN VEHICULAR: end cargo body 7409681 (19207)	CA, CB, FA, FB	EA	2	*	*	*	*	*	*	8	10	278	2
P-O	2540-505-6722	CURTAIN VEHICULAR: end cargo body 501486 (21450)	RA, TA, ZA	EA	2	*	*	*	*	*	*	8	10	278	2
P-O	2540-860-0516	CURTAIN, VEHICULAR: end assembly 10899231 (19207)	DA, DB	EA	1	*	*	*	*	*	*	8	10	278	2
P-O	2540-200-1911	CURTAIN, VEHICULAR: end cargo body 501487 (19207)	CA,CB	EA	2	*	*	*	*	*	*	8	10	278	2
P-O	2540-770-3227	PAULIN: cargo body 7392938 (19207)	RA, TA, ZA	EA	1	*	*	*	*	*	*	8	10	278	3
P-O	2540-740-9679	PAULIN: cargo body 7409679 (19207)	CA, CB, FA, FB	EA	1	*	*	*	*	*	*	8	10	278	3
P-O	4240-594-8032	STRAP: safety assembly 8724381 (19207)	DA, DB	EA	1	*	*	*	*	*	*	8	10	278	4
P-O	4240-350-9056	STRAP, WEBBING: safety assembly 545546 (19207)	CA, CB, FA FB, RA, TA, ZA, IC, ID	EA	1	*	*	*	*	*	*	8	10	278	4
P-O	2540-737-2723	COVER: cab top with rear curtain assembly 66048 (82278)	AE	EA	1	*	*	*	*	*	*	8	10	279	1
P-F	5325-281-8642	SOCKET, TURN BUTTON FASTENER: large cab top cover 400 (61864)	AE	EA	12	*	*	*	*	*	*	6	10	279	2
P-O	2510-737-2713	BAR: cross front bow 66032 (82278)	AE	EA	1	*	*	*	*	*	*	8	10	279	3
P-O	2510-740-9596	POST PILLAR CAB TOP: (left) 7409596 (19207)	AE	EA	1	*	*	*	*	*	*	8	10	279	4
P-O	2510-740-9597	POST PILLAR CAB TOP: (right) 7409597 (19207)	AE	EA	1	*	*	*	*	*	*	8	10	279	4
P-F	2510-693-0589	RETAINER, CAB TOP DOOR: cab top left door header weather strip 7372716 (19207)		EA	1	*	*	*	*	*	*	8	10	279	5
P-F	5305-879-7941	SCREW, TAPPING, THREAD 144811 (21450)		EA	15	*	*	*	*	*	*	6	10	279	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code — Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2201—CANVAS, RUBBER OR PLASTIC ITEMS—Continued												
M-F		WEATHER SEAL: cab top door 7372722 (19207) Fabricate from:	EA	1	*	*	*	*	*	*	8	10	279	7
P-F	9390-641-1119	WEATHER SEAL, NON-METALLIC SPECIAL: 30219 8724456 (19207)	FT	V	*	*	*	*	*	*				
M-F		WEATHER SEAL left door pillar post 7322720 (19207) Fabricate from:	EA	1	*	*	*	*	*	*	8	10	279	8
P-F	9390-641-1119	WEATHER SEAL NON-METALLIC SPECIAL: 8724456 (19207)	FT	V	*	*	*	*	*	*				
M-F		WEATHER SEAL: right door pillar post 7322721 (19207) Fabricate from:	EA	1	*	*	*	*	*	*	8	10	279	8
P-F	9390-641-1119	WEATHER SEAL NONMETALIC SPECIAL: 8724456 (19207)	FT	V	*	*	*	*	*	*				
P-F	2510-693-0591	RETAINER: left door pillar post weather strip 7372718 (19207)	EA	1	*	*	*	*	*	*	8	10	279	9
P-F	2510-693-0592	RETAINER: right door pillar post weather strip 7372719 (19207)	EA	1	*	*	*	*	*	*	8	10	279	9
P-F	2510-740-9686	RAIL SIDE CAB TOP: pillar left with bow and side rail, assembly without weather strip 7409686 (19207)	EA	1	*	*	*	*	*	*	8	10	279	10
P-F	2510-740-9687	RAIL, SIDE CAB TOP: pillar, cab top, right with bow and side rail, assembly without weather strip 7409687 (19207)	EA	1	*	*	*	*	*	*	8	10	279	10
P-F	5305-267-8976	SCREW, CAP, HEXAGON: bar assembly MS90726-11 (96906)	EA	1	*	*	*	*	*	*	8	10	279	11
P-F	5325-282-7435	STUD, TURN BUTTON FASTENER: 583244 (21450)	EA	14	*	*	*	*	*	*	6	10	279	12
X1		BAR ASSEMBLY: left 7005602 (19207)		1									279	13
X1		BAR ASSEMBLY: right 7005603 (19207)		1									279	13
X1		RIVET: 106899 (21450)		2									279	14
P-F	2510-737-2711	BOW: (right) 7372711 (19207)	EA	1	*	*	*	*	*	*	8	10	279	15
P-F	2510-737-2712	BOW (left) 7372712 (19207)	EA	1	*	*	*	*	*	*	8	10	279	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2201—CANVAS, RUBBER OR PLASTIC ITEMS—Continued													
P-F	5310-959-7600	NUT, SELF-LOCKING: MS51922-5 (96906)		EA	1	*	*	*	*	*	*	6	10	279	16
P-F	2540-891-7830	CATCH, CAB TOP: (left) 7005798 (19207)		EA	1	*	*	*	*	*	*	4	8	279	17
X1		CATCH, CAB TOP: (right) 7005638 (19207)			1									279	17
P-O	4020-240-2159	CORD: sash	AE	FT	V	*	*	*	*	*	*			279	18
P-F	5325-202-2054	GROMMET, METALLIC: plain cab top cover 549187 (21450)	AE	EA	7	*	*	*	*	*	*	6	10	279	19
P-O	2520-740-9678	BAR: cross cab top bow 67314 (82278)	AE	EA	1	*	*	*	*	*	*	4	8	279	20
P-O	2540-860-2355	CANOPY: gondola canvas 10876433 (19207)	BD, HA, FJ	EA	1	*	*	*	*	*	*	8	10	280	1
P-O	2540-860-2358	BRACE: gondola top steel 10900249 (19207)	BD, HA, FJ	EA	3	*	*	*	*	*	*	4	8	280	2
P-O	2540-860-2356	FRAME: canopy tabular steel front 10876566 (19207)	BD, HA, FJ	EA	1	*	*	*	*	*	*	4	8	280	3
P-O	2540-860-2357	FRAME: canopy tabular steel rear 10876565 (19207)	BD, HA, FJ	EA	1	*	*	*	*	*	*	4	8	280	4
P-O	2541-933-8645	COVER: cargo body 11608799 (19207)	BE, BF, BG	EA	1	*	*	*	*	*	*	8	10	281	1
P-O	2540-770-3429	COVER: long cargo body top 7392938 (19207)	FH, EG	EA	1	*	*	*	*	*	*	8	10	281	1
P-O	2540-740-9679	COVER: cargo body top 7409679 (19207)	BC	EA	1	*	*	*	*	*	*	8	10	281	1
P-O	2540-402-2157	CURTAIN: cargo body end MS51324-16 (96906)	BE, BF, FH, EG BC,BG	EA	2	*	*	*	*	*	*	8	10	281	2
		"Non-Illustrated"													
P-F	2510-693-0590	RETAINER: cab to right door header weather strip 66036 (82278)	AE	EA	1	*	*	*	*	*	*	6	10		
P-F	2540-040-1968	SEAL, RUBBER SPECIAL: roof cab 7085352 (19207)	AE	EA	2	*	*	*	*	*	*	8	10		
		2202—ACCESSORY ITEMS													
P-O	2540-640-2267	BLADE, WINDSHIELD WIPER: (12 inches long) MS53048-12 (96906)	A	EA	2	*	*	*	*	*	*	10	20	282	1
P-O	2540-050-0810	ARM, WINDSHIELD WIPER: (adjustable) 500810 (19207)	A	EA	2	*	*	*	*	*	*	4	8	282	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2202—ACCESSORY ITEMS—Continued													
P-O	5310-705-8965	NUT, PLAIN, CAP: windshield wiper arm to motor shaft 7058965 (19207)	A	EA	2	*	*	*	*	*	*	6	10	282	3
P-O	5305-531-0452	SCREW, ASSEMBLED WASHER: motor mounting 594269 (21450)	A	EA	4	*	*	*	*	*	*	6	10	282	4
P-O	2540-753-9697	BRACKET: inside rear view mirror 7539697 (19207)	A	EA	1	*	*	*	*	*	*	4	5	282	5
X2-O		SCREW: 164475 (21450)	A	EA	2	*	*	*	*	*	*			282	6
P-O	2540-054-7201	MIRROR ASSEMBLY, REAR VIEW: 547201 (21450)	A	EA	1	*	*	*	*	*	*	4	10	282	7
P-O	2540-930-9102	MOTOR, WINDSHIELD WIPER: MS53017-1 (96096)	A	EA	2	*	*	*	*	*	*	6	10	282	8
P-O	4730-908-3195	CLAMP, HOSE: MS35842-10 (96906)	A	EA	8	*	*	*	*	*	*	4	8	282	9
P-O	5305-836-9566	SCREW, TAPPING, THREAD FORMING N145P1708C (03538)	A	EA	4	*	*	*	*	*	*	6	10	282	10
P-O	4720-203-2668	HOSE, NONMETALLIC: windshield wiper line A12876 (65909)	A	FT	V	*	*	*	*	*	*	4	10	282	11
P-O	4710-277-5525	TUBE, COPPER: windshield wiper line BB3338 (50513)	A	FT	V	*	*	*	*	*	*	4	10	282	12
P-O	5340-200-2741	CLAMP, LOOP: windshield wiper upper line AN742-6 (88044)	A	EA	4	*	*	*	*	*	*	4	8	282	13
P-O	5340-057-3039	CLAMP, LOOP: tee to right windshield wiper motor line 3PT573039 (81348)	A	EA	1	*	*	*	*	*	*	4	8	282	14
P-O	4730-737-2701	TEE, HOSE: windshield wiper motor line 7372701 (19207)	A	EA	1	*	*	*	*	*	*	4	8	282	15
P-O	2540-740-9423	MIRROR ASSEMBLY, REAR VIEW: 7409423 (19207)	A	EA	2	*	*	*	*	*	*	10	20	283	1
P-O	5310-768-0319	NUT, PLAIN, HEXAGON: MS51968-2 (96906)		EA	2	*	*	*	*	*	*	6	10	283	2
P-O	5310-012-1753	WASHER, LOCK: MS35335-19 (96906)		EA	2	*	*	*	*	*	*	6	10	283	3
X1		ARM ASSEMBLY: 10883206 (19207)			2									283	4
P-O	2540-952-7034	ARM, REAR VIEW MIRROR: MS51388-2 (96906)		EA	2	*	*	*	*	*	*	6	10	283	5
P-O	5310-080-6004	WASHER, FLAT: MS15795-214 (96906)		EA	4	*	*	*	*	*	*	6	10	283	6
P-O	5330-483-2408	GASKET: 7372705 (19207)		EA	4	*	*	*	*	*	*	10	20	283	7

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2202—ACCESSORY ITEMS—Continued													
P-O	5305-269-2807	SCREW, CAP, HEXAGON: MS90726-64 (96906)		EA	2	*	*	*	*	*	*	6	10	283	8
P-O	5310-639-8062	WASHER, LOCK: 138489 (21450)		EA	4	*	*	*	*	*	*	6	10	283	9
P-O	5310-732-0559	NUT, PLAIN, HEXAGON: MS51968-8 (96906)		EA	2	*	*	*	*	*	*	6	10	283	10
P-O	2540-737-2703	BRACKET: rear view mirror 7372703 (19207)		EA	2	*	*	*	*	*	*	3	5	283	11
P-O	2540-840-0022	MIRROR: MS53015-1 (96906)		EA	1	*	*	*	*	*	*			283	12
P-O	5310-061-7325	NUT, SELF-LOCKING: door support plate (4) mirror braces (8) MS21045-4 (96906)	A	EA	12	*	*	*	*	*	*	6	10	284	1
P-O	2540-933-6262	PLATE, DOOR SUPPORT: 11608938 (19207)	A	EA	2	*	*	*	*	*	*	3	5	284	2
P-O	5310-809-4058	WASHER, FLAT: door support plate (4), mirror braces (8) MS27183-10 (96906)	A	EA	12	*	*	*	*	*	*	6	10	284	3
P-O	2540-933-6263	CLIP: upper door brace 11608933 (19207)	A	EA	2	*	*	*	*	*	*	4	8	284	4
P-O	5305-267-8975	SCREW, CAP, HEXAGON: door support and clip MS90726-9 (96906)	A	EA	4	*	*	*	*	*	*	6	10	284	5
X2-O		WASHER: mirror brace rod 7372705 (19207)	A	EA	4	*	*	*	*	*	*			284	6
X2-O		ROD, MIRROR BRACE: 11608936 (19207)	A	EA	2	*	*	*	*	*	*			284	7
P-O	2540-933-6869	BRACE, UPPER HINGE: 11608926 (19207)	A	EA	2	*	*	*	*	*	*	4	8	284	8
X2-O		BRACE ASSEMBLY, MIRROR: 11608924 (19207)	A	EA	2	*	*	*	*	*	*			284	9
P-O	2540-788-5637	MIRROR ASSEMBLY, REAR VIEW: MS53015-2 (96906)	A	EA	2	*	*	*	*	*	*	10	20	284	10
P-O	2540-933-6870	BRACE, LOWER HINGE: 11608927 (19207)	A	EA	2	*	*	*	*	*	*	3	5	284	11
P-O	2540-933-6868	BRACE, DOOR: 11608928 (10297)	A	EA	2	*	*	*	*	*	*	3	5	284	12
X2-O		BRACE, LOWER DOOR: 11608929 (19207)	A	EA	2	*	*	*	*	*	*			284	13
X2-O		BRACE, ROD SUPPORT: 11608925 (19207)	A	EA	2	*	*	*	*	*	*			284	14
P-O	2540-459-3185	BRACE, UPPER DOOR: 11664425 (19207)	A	EA	2	*	*	*	*	*	*	3	5	284	15

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2202—ACCESSORY ITEMS—Continued													
P-O	5306-409-4066	BOLT, MACHINE: upper door hinge 1160893 (19207)	A	EA	4	*	*	*	*	*	*	6	10	284	16
P-O	5305-068-0506	SCREW, CAP, HEXAGON: upper door brace clip MS90726-6 (96906)	A	EA	2	*	*	*	*	*	*	6	10	284	17
P-O	9905-205-2795	REFLECTOR, RED: van body MS35387-1 (96906)	CD, CF, CG	EA	4	*	*	*	*	*	*	6	10	285	1
P-O		SCREW: MS51861-68 (96906)	CE, CF, CG	EA	16	*	*	*	*	*	*	6	10	285	2
P-O	9905-202-3639	REFLECTOR, AMBER: van body MS35387-2 (96906)	CE,CF,CG	EA	4	*	*	*	*	*	*	6	10	285	3
P-O	5305-988-1724	SCREW, MACHINE: MS35206-280 (96906)	ZC	EA	12	*	*	*	*	*	*	6	10	286	1
P-O	9905-202-3639	REFLECTOR, AMBER: drop side cargo truck MS35387-2 (96906)	ZC	EA	4	*	*	*	*	*	*	6	10	286	2
P-O	5310-088-1251	NUT, SELF-LOCKING: MS51922-1 (96906)	ZC	EA	12	*	*	*	*	*	*	6	10	286	3
P-O	5310-209-0786	WASHER, LOCK: MS35335-33 (96906)	ZC	EA	4	*	*	*	*	*	*	6	10	286	4
P-O	5305-052-6920	SCREW: MS24629-56 (96906)	ZC	EA	4	*	*	*	*	*	*	6	10	286	5
P-O	9905-205-2795	REFLECTOR, RED: drop side cargo truck, (2) side rear, (2) rear MS35387-1 (96906)	ZC	EA	4	*	*	*	*	*	*	6	10	286	6
P-O	9905-205-2795	REFLECTOR, RED: bridge truck MS35387-1 (96906)	BE, DC	EA	4	*	*	*	*	*	*	6	10	287	1
P-O	5305-988-1724	SCREW, MACHINE: MS35206-280 (96906)	BE, DC	EA	16	*	*	*	*	*	*	6	20	287	2
P-O	9905-202-3639	REFLECTOR, AMBER: bridge truck MS35387-2 (96906)	BE, DC	EA	4	*	*	*	*	*	*	6	10	287	3
P-O	5310-209-0786	WASHER, LOCK: MS35335-33 (96906)	BE, DC	EA	16	*	*	*	*	*	*	6	20	287	4
P-O	5310-088-1251	NUT, SELF-LOCKING: MS51922-1 (96906)	BE, DC	EA	16	*	*	*	*	*	*	6	20	287	5
P-O	5305-988-1724	SCREW, MACHINE: MS35206-280 (96906)	HA, JA, EF, BD, FJ	EA	12	*	*	*	*	*	*	6	20	288	1
P-O	9905-202-3639	REFLECTOR, AMBER: wrecker MS35387-2 (96906)	HA, JA, EF, BD, FJ	EA	2	*	*	*	*	*	*	6	10	288	2
P-O	5310-088-1251	NUT, SELF-LOCKING: MS51922-1 (96906)	HA, JA, EF, BD, FJ	EA	12	*	*	*	*	*	*	6	20	288	3
P-O	9905-205-2795	REFLECTOR, RED: wrecker MS35387-1 (96906	HA, JA, EF, BD, FJ	EA	4	*	*	*	*	*	*	6	10	288	4

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No
		2202—ACCESSORY ITEMS—Continued													
P-O	5305-068-0505	SCREW, CAP, HEXAGON: MS90726-5 (96906)	AK	EA	16	*	*	*	*	*	*	6	20	289	1
P-O	9905-205-2795	REFLECTOR, RED: dump truck MS35387-1 (96906)	AK	EA	4	*	*	*	*	*	*	6	10	289	2
P-O	5310-061-7325	NUT, SELF -LOCKING: MS21045-4 (96906)	AK	EA	16	*	*	*	*	*	*	6	20	289	3
P-O	9905-282-3039	REFLECTOR, AMBER: dump truck MS35387-2 (96906	AK	EA	4	*	*	*	*	*	*	6	10	289	4
P-O	5305-951-8261	SCREW, MACHINE: MS24649-55 (96906	FA, FB, 1C, 1D, FE, FG, ZC, ZB	EA	8	*	*	*	*	*	*	6	20	290	1
P-O	9905-202-3639	REFLECTOR, AMBER: cargo body truck MS35387-2 (96906)	FA, FB, 1C, 1D, FE, FG, ZC, ZB	EA	4	*	*	*	*	*	*	6	10	290	2
P-O	9905-205-2795	REFLECTOR RED: cargo body truck MS35387-1 (96906)	FA, FB, 1C, 1D, FE, FG, ZC, CB	EA	4	*	*	*	*	*	*	6	10	290	3
P-O	5305-988-1724	SCREW, MACHINE: MS35206-280 (96906)	FA, FB, 1C, 1D, FE, FG, ZC, ZB,	EA	8	*	*	*	*	*	*	6	20	290	4
P-O	5310-088-1251	NUT, SELF-LOCKING: MS51922-1 (96906)	FA, FB, 1C, 1D, FE, FG, ZC, ZB	EA	8	*	*	*	*	*	*	6	20	290	5
P-O	5305-068-0505	SCREW, CAP, HEXAGON: MS90726-5 (96906)	EA, EB, EC, 1A, 1B, DE, DF	EA	16	*	*	*	*	*	*	6	20	291	1
P-O	9905-202-3639	REFLECTOR, AMBER: tractor, (2 fuel tank deck, 1 spare tire clamp 1 tool box) MS35387-2 (96906)	EA, EB, EC, 1A, 1B, DE, DF	EA	4	*	*	*	*	*	*	6	10	291	2
P-O	5310-061-7325	NUT, SELF-LOCKING: MS21045-4 (96906)	EA, EB, EC, 1A, 1B, DE, DF	EA	16	*	*	*	*	*	*	6	20	291	3
P-O	9905-205-2795	REFLECTOR, RED: tractor MS35387-1 (96906)	EA, EB, EC, 1A, 1B, DE, DF	EA	4	*	*	*	*	*	*	6	10	291	4
P-O	5305-988-1724	SCREW, MACHINE: MS35206-280 (96906)	AH	EA	8	*	*	*	*	*	*	6	20	292	1
P-O	5310-209-0786	WASHER, LOCK: MS35335-33 (96906)	AH	EA	8	*	*	*	*	*	*	6	20	292	2
P-O	9905-202-3639	REFLECTOR, AMBER: cargo body MS35387-2 (96906)	AH	EA	2	*	*	*	*	*	*	6	10	292	3
P-O	9905-205-2795	REFLECTOR, RED: cargo body MS35387-1 (96906)	AH	EA	4	*	*	*	*	*	*	6	10	292	4
P-O	5310-088-1251	NUT, SELF-LOCKING: MS51922-1 (96906)	AH	EA	8	*	*	*	*	*	*	6	20	292	5
P-O	5305-988-1724	SCREW, MACHINE: MS35206-280 (96906)	AH	EA	8	*	*	*	*	*	*	6	20	292	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2210—DATA PLATES AND INSTRUCTION HOLDERS													
P-O	2590-740-9711	PLATE IDENTIFICATION: vehicle data used on vehicles with winch 7409711 (19207)	CB	EA	1	*	*	*	*	*	*	2		293	1
P-O	2590-740-9712	PLATE, IDENTIFICATION: vehicle data winch 7409712 (19207)	DB	EA	1	*	*	*	*	*	*	2		293	1
P-O	2590-740-9713	PLATE, IDENTIFICATION: vehicle data 7409713 (19207)	CA	EA	1	*	*	*	*	*	*	2		293	1
P-O	2590-740-0714	PLATE, IDENTIFICATION: vehicle data 7409714 (19207)	DA	EA	1	*	*	*	*	*	*	2		293	1
P-O	2590-740-9715	PLATE INSTRUCTION: vehicle operation 7409715 (19207)	OB, BG, CA, CB, FA, FB, ZA, HA, 1A, BE, RA, BF	EA	1	*	*	*	*	*	*	2		293	1
P-O	2590-740-9716	PLATE, INSTRUCTION: vehicle operation 7409716 (19207)	AK	EA	1	*	*	*	*	*	*	2		293	1
P-O	2590-592-1165	PLATE, INSTRUCTION: shifting front and rear winch 7024227 (19207)	HA	EA	2	*	*	*	*	*	*	2		293	2
P-O	2590-594-5919	PLATE, INSTRUCTION: shifting, power divider 8735849 (19207)	HA	EA	1	*	*	*	*	*	*	2		293	2
P-O	2590-575-2654	PLATE, IDENTIFICATION: weight dimension data 105711R1 (31007)	HA	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-678-8325	PLATE IDENTIFICATION: weight dimension data 7066007 (19207)	EB	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-678-8327	PLATE, IDENTIFICATION: weight dimension data 7066004 (19207)	GB	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-678-8328	PLATE, IDENTIFICATION: weight dimension data 7066003 (19207)	FB	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-678-8329	PLATE IDENTIFICATION: weight dimension data 7066002 (19207)	CB	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-678-8330	PLATE, IDENTIFICATION: weight dimension data 7066001 (19207)	BG, BF	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-678-8331	PLATE, IDENTIFICATION: weight dimension data 7066000 (19207)	BA	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-678-8336	PLATE IDENTIFICATION: weight dimension data 70-1024-6 (78880)	1A	EA	1	*	*	*	*	*	*	2		293	3
P-O	2590-849-4931	PLATE, IDENTIFICATION: weight dimension data 105708-21 (31007)	FA	EA	1	*	*	*	*	*	*	2		293	3
P-O	9905-491-6845	PLATE, IDENTIFICATION: weight dimension data 11593229 (19207)	CF	EA	1	*	*	*	*	*	*	2		293	3
P-O	9905-498-2423	PLATE, IDENTIFICATION: weight dimension data 11593227 (19207)	CE	EA	1	*	*	*	*	*	*	2		293	3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2210—DATA PLATES AND INSTRUCTION HOLDERS—Continued													
P-O	2590-608-2267	PLATE, IDENTIFICATION: 8741701 (19207)	MA	EA	1	*	*	*	*	*	*	2		293	4
P-O	2590-630-5480	PLATE INSTRUCTION: service publication data 8735863 (19207)	GA	EA	1	*	*	*	*	*	*	2		293	4
P-O	2590-678-8312	PLATE INSTRUCTION: service publication data 8735867 (19207)	EB	EA	1	*	*	*	*	*	*	2		293	4
P-O	2590-678-8313	PLATE, INSTRUCTION: service publication data 8735865 (19207)	BE, 1A	EA	1	*	*	*	*	*	*	2		293	4
P-O	2590-678-8314	PLATE INSTRUCTION: service publication data 8735864 (19207)	HA	EA	1	*	*	*	*	*	*	2		293	4
P-O	2590-678-8316	PLATE, INSTRUCTION: service publication data 8735862 (19207)	BA	EA	1	*	*	*	*	*	*	2		293	4
P-O	2590-740-9709	PLATE, IDENTIFICATION: service publication data 7409709 (19207)	CA, CB FA, FB, RA, TA, ZA	EA	1	*	*	*	*	*	*	2		293	4
P-O	2590-740-9710	PLATE, INSTRUCTION: service publication data 7409410 (19207)	DA, DB	EA	1	*	*	*	*	*	*	2		293	4
P-O	5305-855-0961	SCREW: MS24629-35 (96906)	BF	EA	56	*	*	*	*	*	*	10	20	293	5
P-O	2590-594-5916	PLATE, IDENTIFICATION: responsible agency 8735846 (19207)	BF, BG, FA, FB, HA	EA	1	*	*	*	*	*	*	2		293	6
P-O	2590-740-9717	PLATE, IDENTIFICATION: responsible agency 7409717 (19207)		EA	1	*	*	*	*	*	*	2		293	6
P-O	2590-607-3524	PLATE, INSTRUCTION: deep water ford 7037055 (19207)	HA	EA	1	*	*	*	*	*	*	2		293	7
P-O	2590-633-9848	PLATE INSTRUCTION: warning, low air pressure, used on vehicle without winch 7409719 (19207)	A	EA	1	*	*	*	*	*	*	2		293	8
P-O	2590-740-9707	PLATE, INSTRUCTION: warning, low air pressure, power take off and winch operation used on vehicles with winch 7409707 (19207)	AD	EA	1	*	*	*	*	*	*	2		293	8
P-O	2590-973-0705	PLATE INSTRUCTION: warning data 10931804 (19207)	A	EA	1	*	*	*	*	*	*	2		293	9
		Non-Illustrated,													
P-O	1560-065-7229	BASE PLATE ASSEMBLY: S6192-61022-1 (78286)	A	EA	1	*	*	*	*	*	*	2			
P-O	2540-318-0114	PLATE, INSTRUCTION: power plant heater 7531701 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2540-740-9718	PLATE, NAME: transmission 7409718 (19207)	A	EA	1	*	*	*	*	*	*	2			

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2210—DATA PLATES AND INSTRUCTION HOLDERS—Continued Non-Illustrated—Continued													
P-O	2590-060-7229	PLATE, INSTRUCTION: anti-dieseling control cable 10883397 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-065-9641	PLATE, INSTRUCTION: 10929829 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-088-4924	PLATE IDENTIFICATION: 10931931 (19207)	1C	EA	1	*	*	*	*	*	*	2			
P-O	2590-088-4925	PLATE, IDENTIFICATION: 10931930 (19207)	1D	EA	1	*	*	*	*	*	*	2			
P-O	2590-088-4926	PLATE, IDENTIFICATION: 10931928 (19207)	1A	EA	1	*	*	*	*	*	*	2			
P-O	2590-088-4927	PLATE, IDENTIFICATION: 10931927 (19207)	1B	EA	1	*	*	*	*	*	*	2			
P-O	2590-262-9929	PLATE, INSTRUCTION: caution winch 8344235 (19207)	HA	EA	1	*	*	*	*	*	*	2			
P-O	2590-607-3522	PLATE, INSTRUCTION: lubrication, crane 7037056 (19207)	HA	EA	1	*	*	*	*	*	*	2			
P-O	2590-607-3523	PLATE, INSTRUCTION: boom jack 7037054 (19207)	HA	EA	1	*	*	*	*	*	*	2			
P-O	2590-639-8597	PLATE, IDENTIFICATION: 8724357 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-736-8523	PLATE INSTRUCTION: instrument panel 7368523 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-740-9708	PLATE, INSTRUCTION: power-take-off shifting lever used on vehicles with winch 7409708 (19207)	AD	EA	1	*	*	*	*	*	*	2			
P-O	2590-740-9721	PLATE, INSTRUCTION: service air line 7409721 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-740-9868	PLATE, IDENTIFICATION: tractor, used on vehicle with winch 7409868 (19207)	EB, 1A	EA	1	*	*	*	*	*	*	2			
P-O	2590-740-9869	PLATE IDENTIFICATION: tractor used on vehicle without winch 7409869 (19207)	EA, EC	EA	1	*	*	*	*	*	*	2			
P-O	2590-753-8793	PLATE, IDENTIFICATION: caution, winch front 7538793 (19207)	AD	EA	1	*	*	*	*	*	*	2			
P-O	2590-753-8794	PLATE, IDENTIFICATION: name, power-take-off case used on vehicles with winch 7538794 (19207)	AD	EA	1	*	*	*	*	*	*	2			

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2210—DATA PLATES AND INSTRUCTION HOLDERS—Continued Non-Illustrated—Continued													
P-O	2590-774-4284	PLATE, INSTRUCTION: emergency air line 7744284 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-831-6271	PLATE, INSTRUCTION: vehicle overhaul 7996977 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-831-6273	PLATE, INSTRUCTION: secondary item overhaul engine accessory 7996979 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-858-5681	PLATE, INSTRUCTION: engine overhaul 10929991 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-858-5682	PLATE, INSTRUCTION: 10930014 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-858-5683	PLATE, INSTRUCTION: secondary item overhaul 10930015 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-903-4809	PLATE INSTRUCTION: instrument panel 7409990 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-912-1861	PLATE, IDENTIFICATION: 10938216 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-912-3106	PLATE, IDENTIFICATION: 10938230 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	2590-951-7547	PLATE, IDENTIFICATION: 10931936 (19207)	1A, 1B	EA	1	*	*	*	*	*	*	2			
P-O	2520-951-7548	PLATE, IDENTIFICATION: 10931937 (19207)	1C, 1D	EA	1	*	*	*	*	*	*	2			
P-O	2590-951-7549	PLATE, INSTRUCTION: 10931929 (19207)	1A, 1B 1C, 1D	EA	1	*	*	*	*	*	*	2			
P-O	2590-973-0705	PLATE, INSTRUCTION: engine 10931804 (19207)	AA	EA	1	*	*	*	*	*	*	2			
P-O	5305-253-5612	SCREW, DRIVE: name plate to transmission(4), power takeoff case nameplate (2) MS21318-15 (96906)	AD	EA	6	*	*	*	*	*	*	6	20		
P-O	5305-253-5618	SCREW, DRIVE: identification plate front winch 145373 (21450)	AD	EA	8	*	*	*	*	*	*	6	20		
P-O	5305-855-0961	SCREW, TAPPING THREAD: MS24629-35 (96906)	A	EA	4	*	*	*	*	*	*	6	20		
P-O	7690-851-0172	DECAL, BATTERY: generators 7368516 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	7690-912-3504	DECAL, BATTERY: used with alternators 10944793 (19207)	A	EA	1	*	*	*	*	*	*	2			

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2210—DATA PLATES AND INSTRUCTION HOLDERS—Continued Non-Illustrated—Continued													
P-O	9905-252-5586	PLATE INSTRUCTION: instrument panel 7059462 (19207)	A	EA	1	*	*	*	*	*	*	2			
P-O	9905-252-5587	PLATE INSTRUCTION: instrument panel 7409993 (19207)	A	EA	1	*	*	*	*	*	*	2			
		GROUP 33—SPECIAL PURPOSE KITS													
		3301—REUSABLE SHIPPING CONTAINER Note. Refer to Group 0100 Figure 1.													
P-F	8115-973-2228	CONTAINER, SHIPPING AND STORAGE: gasoline and diesel 10899380 (19207)	AA, AC	EA	1	*	*	*	*	*	*			1	3
P-F	8115-967-3343	CONTAINER, SHIPPING AND STORAGE: multifuel 10935322 (19207)	AB	EA	1	*	*	*	*	*	*			1	3
X1		CONTAINER, UPPER, ENGINE SHIPPING AND STORAGE: 10912235 (19207)	AA, AC		1									1	4
P-F	5305-051-0827	SCREW, CAP, HEXAGON engine container MS90725-164 (96906)	A	EA	30	*	*	*	*	*	*	6	10	1	5
X1		GASKET: engine container 10912228 (19207)	AA, AC		1									1	6
P-F	5310-012-1574	WASHER, LOCK: engine shipping and storage container MS35338-31 (96906)	A	EA	30	*	*	*	*	*	*	6	10	1	7
X1		NUT, PLAIN: engine container MS35690-1005 (96906)	A		30									1	8
X1		CONTAINER, LOWER, ENGINE SHIPPING AND STORAGE 10935323 (19207)	AA,AC		1									1	9
X1		VALVE, SAFETY, RELIEF: engine container 8376454 (19207)	AA, AC		1									1	10
X1		VALVE AIR, PRESSURE: engine container 8376442 (19207)	AA, AC		1									1	11
X1		INDICATOR, HUMIDITY: engine container 8365883 (19207)	AA,AC		1									1	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3301—REUSABLE SHIPPING CONTAINER—Continued													
		Note. Refer to Group 0700 Figure 40.													
P-F-S	8115-972-2591	CONTAINER, TRANSMISSION: shipping and storage 108992 (19207)	AC	EA	1	*	*	*	*	*	*			40	3
X1		CONTAINER, UPPER: 1093287 (19207)	AC		1									40	4
P-F	5305-051-0827	SCREW, CAP, HEXAGON: upper container to lower container MS90725-164 (96906)	AC	EA	30	*	*	*	*	*	*	6	10	40	5
X1		GASKET: 10932085 (19207)	AC		1							40	6		
P-F	5310-012-1574	WASHER, LOCK: upper container to lower container MS35338-31 (96906)	AC	EA	30	*	*	*	*	*	*	6	10	40	7
X1		NUT, PLAIN, HEXAGON: upper container to lower container MS35690-1002 (96906)	AC		30									40	8
X1		CONTAINER, LOWER: 10932087 (19207)	AC		1									40	9
X1		VALVE, AIR PRESSURE: upper container 8376442 (19207)	AC		1									40	10
X1		VALVE, SAFETY RELIEF: upper container 8376456 (19207)	AC		1									40	11
X1		INDICATOR, HUMIDITY: upper container 8355883 (19207)	AC		1									40	12
		Note. Refer to Group 0700 Figure 41.													
P-F-S	8115-972-2591	SHIPPING AND STORAGE CONTAINER transmission 10899260 (19207)	AA, AB	EA	1	*	*	*	*	*	*			41	5
X1		SHELL, UPPER: 10899250 (19207)	AA, AB		1									41	6
P-F	5305-269-3213	SCREW, CAP, HEXAGON: upper shell to lower shell MS90725-62 (96906)	AA, AB	EA	14	*	*	*	*	*	*	6	10	41	7
P-F	5310-080-6004	WASHER, FLAT: upper shell to lower shell MS15795-214 (96906)	AA, AB	EA	14	*	*	*	*	*	*	6	10	41	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3301—REUSABLE SHIPPING CONTAINER Continued													
P-F	5330-936-8303	GASKET: 10899249 (19207)	AA, AB	EA	1	*	*	*	*	*	*	6	10	41	9
X1		SHELL, LOWER: 10899240 (19207)	AA, AB		1									41	10
P-F	5310-637-9541	WASHER, LOCK: upper shell to lower shell MS35338-27 (96906)	AA, AB	EA	14	*	*	*	*	*	*	6	10	41	11
P-F	5310-732-0558	NUT, PLAIN, HEXAGON: upper shell to lower shell MS51967-8 (96906)	AA, AB	EA	14	*	*	*	*	*	*	6	10	41	12
P-F	4820-620-8123	VALVE, SAFETY RELIEF: lower shell 8376456 (19027)	AA, AB	EA	1	*	*	*	*	*	*	4	5	41	13
X1		PLATE: lower shell 10899247 (19207)	AA, AB		1									41	14
P-F	5310-407-9566	WASHER, LOCK: plate to lower shell MS35338-26 (96906)	AA, AB	EA	2	*	*	*	*	*	*	6	10	41	15
P-F	5310-081-4219	WASHER, FLAT: plate to lower shell MS35425-22 (96906)	AA, AB	EA	2	*	*	*	*	*	*	6	10	41	16
P-F	5310-828-8185	NUT, PLAIN, WING: plate to lower shell MS35425-22 (96906)	AA, AB	EA	2	*	*	*	*	*	*	6	10	41	17
P-F	6685-076-7112	INDICATOR HUMIDITY: lower shell 10906697 (19207)	AA, AB	EA	1	*	*	*	*	*	*	6	10	41	18
		Note. Refer to Group 0801 Figure 49.													
P-F	8115-907-0695	CONTAINER ASSEMBLY: 10932088 (19207)	A	EA	1	*	*	*	*	*	*			50	3
X1		CONTAINER, UPPER: 10932087 (19207)	A		1									50	4
P-F	5305-051-0827	SCREW, CAP, HEXAGON: upper container to lower MS90725-164 (96906)	A	EA	1	*	*	*	*	*	*	6	10	50	5
X1		GASKET: upper container to lower 10932085 (19207)	A		1									50	6
P-F	5310-012-1574	WASHER, LOCK: upper container to lower MS35338-31 (96906)	A	EA	30	*	*	*	*	*	*	6	10	50	7
X1		NUT, PLAIN, HEXAGON: upper container to lower MS35690-1002 (96906)	A		30									50	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3301—REUSABLE SHIPPING CONTAINER—Continued													
X1		CONTAINER LOWER: 10932087 (19207)	A									50	9		
X1		VALVE, AIR, PRESSURE: upper container 8376442 (19207)	A		1									50	10
P-F	4820-620-8123	VALVE, SAFETY, RELIEF: upper container 8376456 (19207)	A	EA	1	*	*	*	*	*	*	4	5	50	11
P-F	6685-906-0156	INDICATOR, HUMIDITY: upper container 8355883 (19207)	A	EA	1	*	*	*	*	*	*	4	5	50	12
		3303—WINTERIZATION KITS													
P-F	2990-213-1279	VALVE ASSEMBLY, FUEL CONTROL: (24V) 7520336 (19207)	AA,AC	EA	1	*	*	*	*	*	*	8	10	294	1
P-F	5305-054-6667	SCREW, MACHINE: solenoid coil MS51957-42 (96906)		EA	2	*	*	*	*	*	*	6	10	294	2
P-F	5310-559-0070	WASHER: solenoid coil MS3533-38 (96906)		EA	2	*	*	*	*	*	*	6	10	294	3
P-F	5950-310-4655	COIL, SOLENOID: valve control 8359617 (19207)		EA	1	*	*	*	*	*	*	8	10	294	4
P-F	5310-285-5112	WASHER, FLAT, NON-METALLIC: coil insulating 8359678 (19207)		EA	2	*	*	*	*	*	*	6	10	294	5
P-F	5950-645-8838	COIL, SOLENOID: valve control 8359613 (19207)		EA	1	*	*	*	*	*	*	8	10	294	6
P-F	2540-039-8247	BOX ASSEMBLY, CONTROL: (with switches) 7951656 (19207)	AA,AC	EA	1	*	*	*	*	*	*	2	5	295	1
X1		SCREW: 145183 (21450)			2									295	2
X1		PANEL: 7951728 (19207)			1									295	3
P-F	6115-039-8253	PANEL: housing support 7951726 (19207)		EA	1	*	*	*	*	*	*	2	5	295	4
P-F	5930-655-1521	SWITCH: MS35058-29 (96906)		EA	1	*	*	*	*	*	*	4	6	295	5
P-F	6210-295-1909	LIGHT, INDICATOR: MS25331-4 (96906)		EA	1	*	*	*	*	*	*	4	6	295	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued													
P-F	2510-795-1735	WIRE ASSEMBLY: 7951735 (19207)		EA	1	*	*	*	*	*	*	6	10	295	7
P-F	6150-039-8256	LEAD, ELECTRICAL: 7951734 (19207)		EA	1	*	*	*	*	*	*	6	10	295	8
X1		BREAKER, CIRCUIT: 7016441 (19207)			1									295	9
P-F	2590-944-6252	LEAD ASSEMBLY, ELECTRIC: 7951732 (19207)		EA	1	*	*	*	*	*	*	6	10	295	10
P-F	2540-169-5732	BRACKET, CONNECTOR: 7951727 (19207)		EA	1	*	*	*	*	*	*	2	5	295	11
P-F	2540-104-2222	CASE, ASSEMBLY, CONTROL: 7951725 (19207)		EA	1	*	*	*	*	*	*	2	5	295	12
P-F	5310-194-8191	NUT, PLAIN, HEXAGON: case mounting 220069 (21450)		EA	2	*	*	*	*	*	*	6	10	295	13
P-F	5310-889-2528	WASHER, LOCK: case mounting MS45904-68 (96906)		EA	2	*	*	*	*	*	*	6	10	295	14
P-F	5305-105-6871	SCREW, MACHINE: case mounting 187745 (21450)		EA	2	*	*	*	*	*	*	6	10	295	15
P-F	5305-531-0450	SCREW, ASSEMBLED WASHER: connector bracket mounting 487274 (21450)		EA	4	*	*	*	*	*	*	6	10	295	16
P-F	5305-940-8838	SCREW, ASSEMBLED WASHER: lead assembly mounting 7951752 (19207)		EA	4	*	*	*	*	*	*	6	10	295	17
P-F	5310-333-7341	NUT, PLAIN, HEXAGON: circuit breaker mounting 7951221 (19207)		EA	2	*	*	*	*	*	*	6	10	295	18
P-F	2540-914-4706	SPACER, SLEEVE: circuit breaker mounting 7951730 (19207)		EA	2	*	*	*	*	*	*	6	10	295	19
X1		SCREW, MACHINE: circuit breaker mounting 170914 (57733)		EA	2									295	20
X1		WIRE ASSEMBLY: 7951736 (19207)			1									295	21
P-F	5930-615-7897	SWITCH: MS35059-31 (96906)		EA	1	*	*	*	*	*	*	4	6	295	22
P-F	5325-276-4993	GROMMET, RUBBER: 1975 (71296)		EA	1	*	*	*	*	*	*	8	100	295	23
P-F	2990-374-8333	CONTROL ASSEMBLY, INDICATOR: C3647G2 (46522)	AA,AC	EA	1	*	*	*	*	*	*	4	5	296	1

best copy available

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued												
P-F	6240-155-8714	LAMP, INCANDESCENT: MS25231-313 (96906)	EA	1	*	*	*	*	*	*	6	10	296	2
P-F	5305-012-1832	SCREW, MACHINE: plate mounting (2) receptacle bracket (4) 121832 (31007)	EA	6	*	*	*	*	*	*	6	10	296	3
P-F	2990-795-0204	PLATE, INSTRUCTION: 8366984 (19207)	EA	1	*	*	*	*	*	*	2		296	4
X1		PANEL: 8366977 (19207)		1									296	5
X1		SOCKET ASSEMBLY: 7417524 (19207)		1									296	6
X1		WIRE ASSEMBLY: C3657G6 (46522)		1									296	7
X1		WIRE ASSEMBLY: 8375957 (19207)		1									296	8
X1		WIRE ASSEMBLY: C3657G5 (46522)		1									296	9
X1		WIRE ASSEMBLY: C3657G10 (46522)		1									296	10
X1		WIRE ASSEMBLY: C3657G9 (46522)		1									296	11
X1		WIRE ASSEMBLY: C3657G4 (46522)											296	12
X1		BRACKET: receptacle mounting 7417427 (19207)		1									296	13
P-F	5310-011-4777	NUT, PLAIN, HEXAGON: receptacle mounting YLE1 (81348)	EA	4	*	*	*	*	*	*	6	10	296	14
P-F	5310-193-7577	WASHER, LOCK: receptacle mounting MS35333-36 (96906)	EA	4	*	*	*	*	*	*	6	10	296	15
P-F	5935-682-0568	CONNECTOR, RECEPTACLE: MS3102R16S8P (96906)	EA	1	*	*	*	*	*	*	4	10	296	16
P-F	5310-797-9421	NUT, PLAIN, HEXAGON: plate mounting C6052-832-27 (21387)	EA	2	*	*	*	*	*	*	6	10	296	17
P-F	5305-889-2997	SCREW, MACHINE: receptacle mounting MS35206-215 (96906)	EA	4	*	*	*	*	*	*	6	10	296	18
X1		BOX: control 8366978 (19207)		1									296	19
P-F	5310-559-0070	WASHER, LOCK: receptacle bracket mounting MS35333-38 (96906)	EA	4	*	*	*	*	*	*	6	10	296	20
X1		WIRE, ASSEMBLY: C3695G2 (46522)		1									296	21

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued													
X1		WIRE ASSEMBLY: A3658 (46522)			1									296	22
P-F	4520-318-7547	WIRE, JUMPER: A11650G1 (46522)		EA	1	*	*	*	*	*	*	8	10	296	23
P-F	5930-615-7897	SWITCH, TOGGLE: MS35059-31 (96906)		EA	1	*	*	*	*	*	*	4	5	296	24
P-F	5925-802-1243	CIRCUIT BREAKER: MS24506-10 (96906)		EA	1	*	*	*	*	*	*	6	10	296	25
X1		WIRE ASSEMBLY: 83656 (46522)			1									296	26
P-F	5325-276-4265	GROMMET, RUBBER: 8606 (71294)		EA	1	*	*	*	*	*	*	8	100	296	27
P-F	5305-984-4983	SCREW, MACHINE: circuit breaker mounting MS35206-226 (96906)		EA	2	*	*	*	*	*	*	6	10	296	28
P-O-R	2910-735-4014	PUMP, FUEL PERSONNEL: (24V) (for negative ground only) 8376299 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5	297	1
X1		HOUSING ASSEMBLY: 476357 (72850)			1									297	2
P-F	2910-741-3711	PLUNGER ASSEMBLY: 7413711 (19207)		EA	1	*	*	*	*	*	*	6	10	297	3
P-F	2910-741-3778	SPRING, HELICAL, COMPRESSION: 7413778 (19207)		EA	1	*	*	*	*	*	*	6	10	297	4
P-F	5330-202-2252	GASKET: plunger cup 7413773 (19207)		EA	1	*	*	*	*	*	*	8	100	297	5
P-F	2910-741-3776	CUP, PLUNGER SPRING: 7413776 (19207)		EA	1	*	*	*	*	*	*	6	10	297	6
X1		SCREW: 128273 (21450)			3									297	7
P-F	5330-741-3774	GASKET: cover 7413774 (19207)		EA	1	*	*	*	*	*	*	8	100	297	8
P-F	2910-679-9721	STRAINER, SEDIMENT: 7413775 (19207)		EA	1	*	*	*	*	*	*	6	10	297	9
P-F	2910-741-3777	COVER, FUEL PUMP: 7413777 (19207)		EA	1	*	*	*	*	*	*	4	5	297	10
P-O	4330-776-1059	FILTER, FLUID, PRESSURE: 7416350 (19207)	AA,AC	EA	1	*	*	*	*	*	*	8	10	298	1
X1		HEAD: 7416621 (19207)			1									298	2

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued													
P-F	2910-203-3322	ELEMENT, FILTER, FLUID PRESSURE: 8328647 (19207)		EA	1	*	*	*	*	*	*	6	10	298	3
P-F	5330-265-1089	PACKING, PREFORMED: head to bowl MS29513-125 (96906)		EA	1	*	*	*	*	*	*	8	10	298	4
P-F	2910-031-9083	BOWL, SEDIMENT: 7413736 (19207)		EA	1	*	*	*	*	*	*	4	5	298	5
X1		HOOD: (Component of hot Water Kit, FSN 2540-301-7269) 7951428 (19207)	AA,AC		1									299	1
X1		ADAPTER ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 7951057 (19207)	AA,AC		1									299	2
P-F	4720-809-2430	HOSE, AIR DUCT: 8711056 (19207)	AA,AC	EA	1	*	*	*	*	*	*	8	10	299	3
X1		GASKET, THERMOSTAT: (Component of Hot Water Kit, FSN 2540-301-7269) 7375221 (19207)	AA,AC		1									299	4
P-O	6685-335-9479	THERMOSTAT: (Component of Hot Water Kit, FSN 2540-301-7269) 7531811 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10	299	5
P-F	4710-245-8339	TUBE ASSEMBLY, METALLIC: 870871 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	20	299	6
X1		TEE: (Component of Hot Water Kit FSN 2540-301-7296) 218699 (21450)	AA,AC		1									299	7
X1		ELBOW: 144119 (21450)	AA,AC											299	8
X1		COCK, SHUT OFF: (Component of Hot Water Kit, FSN 2540-301-7296) 7524043 (19207)	AA,AC		1									299	9
X2-F		HOSE: 8710560 (19207)	AA,AC	EA	V	*	*	*	*	*	*			299	10
X1		DUCT: (Component of Hot Water Kit, FSN 2540-301-7269) 7951086 (19207)	AA,AC		1									299	11
X1		DUCT: (Component of Hot Water Kit FSN 2540-301-7269) 7401666 (19207)	AA,AC		1									299	12
X1		CLAMP: (Component of Hot Water Kit, FSN 2540-301-7269) 7537473 (19207)	AA,AC		10									299	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued													
P-F	2540-010-1851	DIVERTER ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 7700251 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	8	299	14
P-F	2590-711-5824	CABLE ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 7700248 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	299	15
P-O	9905-410-5831	PLATE, IDENTIFICATION: 7700351 (19207)	AA,AC	EA	1	*	*	*	*	*	*	2		299	16
P-F	9905-248-4758	PLATE, IDENTIFICATION: (Component of Hot Water Kit, FSN 2540-301-7269) 7951468 (19207)	AA,AC	EA	1	*	*	*	*	*	*	2	6	299	17
X1		DUCT: (Component of Hot Water Kit, FSN 2540-301-7269) 7951506 (19207)	AA,AC		1									299	18
P-F	2540-087-3463	ADAPTER ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 7700374 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	8	299	19
X1		DUCT: (Component of Hot Water Kit, FSN 2540-301-7269) 7390367 (19207)	AA,AC		1									299	20
X1		BRACKET: (Component of Hot Water Kit, FSN 2540-301-7269) 8710615 (19207)	AA,AC		1									299	21
X1		BRACKET: (Component of Hot Water Kit, FSN 2540-301-7269) 8710613 (19207)	AA,AC		1									299	22
X2-F		ADAPTER ASSEMBLY: 8386434 (19207)	AA,AC	EA	1	*	*	*	*	*	*			299	23
X1		SCREEN: (Component of Hot Water Kit, FSN 2540-301-7269) 7390375 (19207)	AA,AC		1									299	24
P-F	2540-020-8591	HEATER, VEHICULAR: (Component of Hot Water Kit, FSN 2540-301-7269) 8380651 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5	299	25
P-O	5340-168-6714	CLAMP, SPECIAL: 8707521 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	299	26
P-F	5905-777-8491	RESISTOR ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 8710856 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5	299	27

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued													
X1		BRACKET: (Component of Hot Water Kit, FSN 2540-301-7269) 8359586 (19207)	AA,AC		1									299	28
X1		BRACKET: (Component of Hot Water Kit, FSN 2540-301-7269) 8710612 (19207)	AA,AC		1									299	29
P-F	5930-655-1513	SWITCH, TOGGLE: (Component of Hot Water Kit, FSN 2540-301-7269) MS35058-21 (96906)	AA,AC	EA	1	*	*	*	*	*	*	6	10	299	30
P-F	2590-770-0353	CONTROL ASSEMBLY, PUSH-PULL: (Component of Hot Water Kit, FSN 2540-301-7269) 7700353 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	299	31
X1		CONNECTOR ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 7982404 (19207)	AA,AC		1									299	32
P-F	2540-752-4078	ADAPTER ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 7524078 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	299	33
X1		CABLE ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 8710639 (19207)	AA,AC		1									299	34
X1		CABLE ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 8710638 (19207)	AA,AC		1									299	35
X1		CABLE ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 8710637 (19207)	AA,AC		1									299	36
P-O	4730-908-3194	CLAMP, HOSE: (Component of Hot Water Kit, FSN 2540-301-7269) MS35842-11 (96906)	AA,AC	EA	4	*	*	*	*	*	*	6	10	299	37
P-F	2540-235-1841	LEAD, ELECTRICAL: (Component of Hot Water Kit, FSN 2540-301-7269) 8710633 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	299	38
X1		BUSHING: (Component of Hot Water Kit, FSN 2540-301-7269) 144039 (21450)	AA,AC		1									299	39
X1		CABLE ASSEMBLY: (Component of Hot Water Kit, FSN 2540-301-7269) 8710670 (19207)	AA,AC		1									299	40

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued													
X1		BREAKER, CIRCUIT: (Component of Hot Water Kit. FSN 2540-301-7269) 8376915 (19207)	AA,AC		1									299	41
P-F	2540-401-1440	HEATER KIT, BATTERY BOX: All Gasoline Models (Component of Winterization Kit, FSN 2540-570-1469) 7531682 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5	300	1
P-F	2540-693-3404	LEAD, ELECTRICAL: All Gasoline Models (Component of Winterization Kit, FSN 2540-570-1469) 8366735 (19207)		EA	2	*	*	*	*	*	*	6	10	300	2
P-F	2540-770-0402	PAD ASSEMBLY, HEATER: All Gasoline Models, battery box (Component of Winterization Kit, FSN 2540-570-1469) 7700402 (19207)		EA	1	*	*	*	*	*	*	6	10	300	3
P-F	2540-692-8820	TUBE ASSEMBLY, REAR HEATER: All Gasoline Models, to transmission 7531727 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	301	1
P-F	2540-200-1296	HEATER, VEHICULAR, COOLANT: All Gasoline Models, (24 Volt) 7531654 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5	301	2
P-F	1660-025-3493	FILTER, FLUID, PRESSURE: All Gasoline Models, fuel line 7416350 (19207)		EA	1	*	*	*	*	*	*	6	10	301	3
P-F	2910-735-4014	PUMP FUEL, PERSONNEL: All Gasoline Models (for negative ground only) (24 Volt) 7354014 (19207)		EA	1	*	*	*	*	*	*	4	5	301	4
P-F	4720-235-4133	HOSE, NON-METALLIC: All Gasoline Models, low pressure fuel and oil lines MILH7938 (81349)	AA,AC	FT	V	*	*	*	*	*	*	6	10	301	5
P-F	2940-740-8773	KIT: evaporator, alcohol, All Gasoline Models 7408773 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5	301	6
X2-F		CABLE ASSEMBLY, POWER: All Gasoline Models 7531653 (19207)	AA,AC	EA	1	*	*	*	*	*	*			301	7
P-F	6685-335-9479	THERMOSTAT: engine temperature control (180 degree) All Gasoline Models 7531811 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10	301	8

(1) SMR Code	(2) Federal Stock Number	(3) Description		(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
		Reference Number & Mfr. Code	Usable On Code			(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued													
P-F	2590-695-8835	GROMMET, WIRING HARNESS: All Gasoline Models 7531676 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	301	9
P-O	2540-570-1469	WINTERIZATION KIT: power plant 5701469 (19207)	AA,AC	EA	V	*	*	*	*	*	*	4	5	302	1
P-O	2540-735-5719	COVER ASSEMBLY, ENGINE: (Component of Winterization Kit, FSN 2540-570-1469) 7355719 (19207)		EA	1	*	*	*	*	*	*	6	10	302	2
		Note. Electrical Tool Kit, FSN 5180-876-9336, authorized by T. O. & E. will be utilized for applicable replacement parts not specified in this group.													
P-F-R	2540-960-3630	HEATER, VEHICULAR COOLANT: multifuel models 8364020 (19207)	AB	EA	1	*	*	*	*	*	*	4	5	303	1
X1		SCREW, MACHINE: blower housing 18672 (21450)			8									303	2
P-F	5305-531-0450	SCREW: tube 487274 (21450)		EA	3	*	*	*	*	*	*	6	10	303	3
X1		TUBE: blower housing 701649 (21450)			1									303	4
X1		ELBOW: tube 701682 (21450)			1									303	5
P-F	2540-960-3629	WASHER, COMBUSTION, ELBOW: sealing 701716 (78385)		EA	1	*	*	*	*	*	*	6	10	303	6
P-F	5330-752-0346	WICK: fuel stand pipe vaporizer 7520346 (19207)		EA	1	*	*	*	*	*	*	10	20	303	7
P-F	4520-790-8417	IGNITER ASSEMBLY: housing 7324355 (19207)		EA	1	*	*	*	*	*	*	6	10	303	8
P-F	5305-145-0828	SCREW, MACHINE: fuel control valve (2) overheat switch (4) 701761 (78385)		EA	6	*	*	*	*	*	*	6	10	303	9
P-F	2540-960-3622	VALVE ASSEMBLY, FUEL: G701700 (78385)		EA	1	*	*	*	*	*	*	6	10	303	10
X1		TUBE: valve control 701714 (21450)			1									303	11
P-F	5905-610-3290	RESISTOR ASSEMBLY: control valve 7971638 (19207)		EA	1	*	*	*	*	*	*	6	10	303	12
P-F	2540-960-3627	PIPE, FUEL, HEATER: G701707 (78385)		EA	1	*	*	*	*	*	*	6	10	303	13
X1		TUBE ASSEMBLY: pipe, fuel 701651 (21450)			1									303	14

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code Usable-On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 90-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued												
P-F	5310-606-8281	NUT: switch assembly 488756 (57733)	EA	4	*	*	*	*	*	*	6	10	303	15
X1		LOCKWASHER: switch assembly 79372 (21450)		4									303	16
P-F	5930-322-9441	SWITCH, THERMOSTATIC: overheat 8359600 (19207)	EA	1	*	*	*	*	*	*	6	10	303	17
P-F	5305-456-2582	SCREW: flame detector (2) cable clamp (1) 170677 (57733)	EA	3	*	*	*	*	*	*	6	10	303	18
X1		GUARD ASSEMBLY: blower housing 701668 (21450)		1									303	19
P-F	2540-049-4199	SWITCH, FLAME DETECTOR: 7971642 (19207)	EA	1	*	*	*	*	*	*	6	10	303	20
X1		RECEPTACLE ASSEMBLY: 701704 (21450)		1									303	21
X1		HOUSING ASSEMBLY, BLOWER: 701673 (21450)		1									303	22
P-F	5305-135-3032	SCREW, MACHINE: receptacle assembly 488558 (21450)	EA	4	*	*	*	*	*	*	6	10	303	23
P-F	2540-960-3617	EXCHANGER ASSEMBLY, HEAT: 701662 (57733)	EA	1	*	*	*	*	*	*	8	10	303	24
X1		HOUSING: 701702 (21450)		1									303	25
P-F	6105-961-8365	MOTOR, DIRECT CURRENT: 701646 (78385)	EA	1	*	*	*	*	*	*	4	5	303	26
P-O	4730-720-1398	CLAMP, HOSE: air duct MS35842-5 (96906)	EA	1	*	*	*	*	*	*	6	10	303	27
X2-F		DUCT: 7401666 (19207)	EA	1									303	28
X2-F		DEFLECTOR: 10896487 (19207)	EA	1	*	*	*	*	*	*			303	29
P-O	5930-296-6318	SWITCH, TOGGLE: emergency MS39061-1 (96906)	EA	1	*	*	*	*	*	*	6	10	303	30
X2-F		GUARD: toggle switch 10896521 (19207)	EA	1	*	*	*	*	*	*			303	31
X2-F		LEAD ASSEMBLY: 10932060-2 (19207)	EA	1	*	*	*	*	*	*			303	32
P-F	5935-833-8561	SHELL, ELECTRICAL: 8338561 (19207)	EA	1	*	*	*	*	*	*	6	10	303	33
P-F	5935-214-0904	DUMMY CONNECTOR, PLUG: 7982907 (19207)	EA	1	*	*	*	*	*	*	6	10	303	34

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued												
P-F	2540-087-3463	ADAPTER, WINTERIZING KIT: 7700374 (19207)	EA	1	*	*	*	*	*	*	4	5	303	35
P-F	4720-809-2430	HOSE, AIR DUCT: 8711056 (19207)	FT	V	*					*	6	10	303	36
X2-F		DUCT: 7951086 (19207)	EA	1	*	*	*	*	*	*			303	37
P-F	2540-010-1851	DIVERTER ASSEMBLY: 7700251 (19207)	EA	1	*	*	*	*	*	*	6	10	303	38
P-F	2590-930-3533	WIRING HARNESS, BRANCHED: 10932060-3 (19207)	EA	1	*	*	*	*	*	*	6	10	303	39
P-F	2590-930-3530	WIRING HARNESS, BRANCHED: 10932060-4 (19207)	EA	1	*	*	*	*	*	*	6	10	303	40
P-F	2590-930-3532	WIRING HARNESS BRANCHED: 10932060-1 (19207)	EA	1	*	*	*	*	*	*	6	10	303	41
P-F	2540-953-0110	BOX ASSEMBLY, CONTROL: 10885798 (19207)	EA	1	*	*	*	*	*	*	4	5	303	42
P-F	2590-770-0353	CONTROL ASSEMBLY, PUSH-PULL: 7700353 (19207)	EA	1	*	*	*	*	*	*	4	5	303	43
X2-F		DECAL: 10896515 (19207)	EA	1	*	*	*	*	*	*			303	44
P-F	5935-900-6281	ADAPTER, CONNECTOR: MS27147-1 (96906)	EA	1	*	*	*	*	*	*	6	10	303	45
X2-F		PLATE: 10896371 (19207)	EA	1	*	*	*	*	*	*			303	46
P-O	9905-248-4758	NAME PLATE: 7951468 (19207)	EA	1	*	*	*	*	*	*	2		303	47
P-O	9905-410-5831	NAME PLATE: 7700351 (19207)	EA	1	*	*	*	*	*	*	2		303	48
X2-F		BRACKET: 835986 (19207)	EA	1	*	*	*	*	*	*			303	49
X2-F		HARNESS: 8359927 (19207)	EA	1	*	*	*	*	*	*			303	50
P-O	2590-282-8280	PLATE, IDENTIFICATION: 7951661 (19207)	EA	2	*	*	*	*	*	*	2		303	51
P-F	2590-711-5824	CONTROL, ASSEMBLY: 7700248 (19207)	EA	1	*	*	*	*	*	*	4	5	303	52
X2-F		SHIELD: 10932116 (19207)	EA	1	*	*	*	*	*	*			303	53
P-F	2910-073-0165	PUMP, FUEL, ELECTRICAL: 7748814 (19207)	EA	1	*	*	*	*	*	*	4	5	303	54

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued												
X2-F		TEE: 444147 (21450)	EA	1	*	*	*	*	*	*			303	55
P-F	1660-025-3493	FILTER, FLUID PRESSURE: MS51085-1 (96906)	EA	1	*	*	*	*	*	*	8	10	303	56
P-F	4730-930-7774	ADAPTER, STRAIGHT, PIPE: MS39206-4 (96906)	EA	2	*	*	*	*	*	*	6	10	303	57
P-F	4730-278-3853	ELBOW, PIPE TO TUBE: MS39202-4 (96906)	EA	1	*	*	*	*	*	*	6	10	303	58
P-O	4730-221-2136	PLUG: MS20913-1S (96906)	EA	1	*	*	*	*	*	*	6	10	303	59
P-F	4820-274-3646	COCK PLUG: 543852 (21450)	EA	1	*	*	*	*	*	*	6	6	303	60
P-F	4730-274-7406	CLAMP HOSE: 7951827 (19207)	EA	1	*	*	*	*	*	*	6	10	303	61
P-F	2540-752-4078	ADAPTER ASSEMBLY: 7524078 (19207)	EA	1	*	*	*	*	*	*	6	10	303	62
P-O	4730-542-5947	ADAPTER, STRAIGHT, PIPE: MS39203-4 (96906)	EA	1	*	*	*	*	*	*	6	10	303	63
X2-F		TUBE: 7986268 (19207)	EA	1	*	*	*	*	*	*			303	64
P-F	5340-598-0225	CLAMP, LOOP: 8707524 (19207)	EA	1	*	*	*	*	*	*	6	10	303	65
P-F	5340-993-6207	CLAMP, LOOP: MS21333-99 (96906)	EA	1	*	*	*	*	*	*	6	10	303	66
X2-F		ELBOW: 7951084 (19207)	EA	1	*	*	*	*	*	*			303	67
P-F	2540-039-8223	EXTENSION: 7700245 (19207)	EA	1	*	*	*	*	*	*	6	10	303	68
P-O	2940-740-8773	KIT, EVAPORATOR, ALCOHOL: 7408773 (19207)	EA	1	*	*	*	*	*	*	4	5	303	69
P-F	2590-994-7495	BASE: 10931988 (19207)	EA	1	*	*	*	*	*	*	2		303	70
X2-F		ELBOW: 444038 (21450)	EA	1	*	*	*	*	*	*			303	71
P-O	5315-059-0187	PIN, COTTER: MS24665-363 (96906)	EA	1	*	*	*	*	*	*	6	10	303	72
P-O	5310-770-0243	WASHER, FLAT: 7700243 (19207)	EA	1	*	*	*	*	*	*	6	10	303	73
P-O	2540-770-0242	PACKING, PERFORMED: 7700242 (19207)	EA	1	*	*	*	*	*	*	6	10	303	74
P-F	4710-277-5526	TUBE, COPPER: 8689207 (19207)	FT	V	*	*	*	*	*	*	6	10	303	75

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued													
X2-F		COVER: 7978798 (19207)		EA	1	*	*	*	*	*	*			303	76
P-F	2590-693-4180	RECEPTACLE WITH CABLE: 7731421 (19207)		EA	1	*	*	*	*	*	*	6	10	303	77
P-F	2590-737-3246	BUSHING, RUBBER COATED: 7373246 (19207)		EA	1	*	*	*	*	*	*	6	10	303	78
X2-F		BRACKET: 10931990 (19207)		EA	1	*	*	*	*	*	*			303	79
P-F	4730-915-7904	ADAPTER, STRAIGHT, PIPE: MS38206-6 (96906)		EA	1	*	*	*	*	*	*	6	10	303	80
P-F	5325-141-7270	GROMMET, RUBBER: 7951712 (19207)		EA	1	*	*	*	*	*	*	8	10	303	81
P-F		GROMMET: MS35489-79 (96906)		EA	1	*	*	*	*	*	*	8	10	303	82
X2-F		COUPLING: 444014 (21450)		EA	1	*	*	*	*	*	*			303	83
X2-F		TEE: 444120 (21450)		EA	1	*	*	*	*	*	*			303	84
P-F	4730-193-2707	NIPPLE, PIPE: 121830 (21450)		EA	1	*	*	*	*	*	*	6	10	303	85
X2-F		COVER: 7389745 (19207)		EA	1	*	*	*	*	*	*			303	86
P-F	2540-039-8364	BOOT: gear shift lever 8370841 (91207)		EA	1	*	*	*	*	*	*	6	10	303	87
P-F	2540-953-0111	HEATER, COOLANT: power-plant (multifuel) 10914540 (19207)	AB	EA	1	*	*	*	*	*	*	4	5	304	1
X2-F		PLATE: 489406 (21450)		EA	1	*	*	*	*	*	*			304	2
P-F	5305-531-0450	SCREW: 487274 (21450)		EA	1	*	*	*	*	*	*	6	10	304	3
P-F	2540-312-2017	IGINITER, HEATER (COOLANT): 7718093 (19207)		EA	1	*	*	*	*	*	*	4	5	304	4
P-F	6150-279-6097	LEAD, ELECTRICAL: 7413564 (19207)		EA	1	*	*	*	*	*	*	6	10	304	5
X2-F		WASHER, LOCK: 475005 (21450)		EA	1	*	*	*	*	*	*			304	6
P-F	2540-752-0358	GASKET:coolant heater igniter 7520358 (19207)		EA	1	*	*	*	*	*	*	8	100	304	7
P-F	5330-752-0346	WICK: fuel standpipe vaporizer 7520346 (19207)		EA	2	*	*	*	*	*	*	6	10	304	8

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code — Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued												
P-F	4730-278-8764	SLEEVE, COMPRESSION: 114631 (21450)	EA	1	*	*	*	*	*	*	6	10	304	9
X2-F		NUT: 114630 (21450)	EA	1	*	*	*	*	*	*			304	10
X2-F		PLATE: 488163 (21450)	EA	1	*	*	*	*	*	*			304	11
P-F	2990-983-0055	STANDPIPE ASSEMBLY: G489443 (78385)	EA	1	*	*	*	*	*	*	6	10	304	12
P-F	5905-651-7272	RESISTOR, FIXED WIRE: 489852 (78385)	EA	1	*	*	*	*	*	*	6	10	304	13
P-F	2540-960-3619	VALVE ASSEMBLY, FUEL: coolant heater (24 volt) G701345 (78385)	EA	1	*	*	*	*	*	*	6	10	304	14
X2-F		NUT: 64459 (12204)	EA	1	*	*	*	*	*	*			304	15
X2-F		WASHER, LOCK: 61086 (12204)	EA	1	*	*	*	*	*	*			304	16
X2-F		COVER: 489414 (21450)	EA	1	*	*	*	*	*	*			304	17
X2-F		SCREW: 489426 (21450)	EA	2	*	*	*	*	*	*			304	18
P-F	6680-075-2392	THERMOSTAT, FLOW CONTROL: restriction 700220 (78385)	EA	1	*	*	*	*	*	*	6	10	304	19
P-F	4520-678-7768	CONTROL, TEMPERATURE: overheat 700245 (78385)	EA	1	*	*	*	*	*	*	6	10	304	20
P-F	5330-250-0224	PACKING, PREFORMED: heater coolant MS29513-20 (96906)	EA	1	*	*	*	*	*	*	6	10	304	21
X2-F		SCREW: 488559 (21450)	EA	1	*	*	*	*	*	*			304	22
X2-F		RECEPTACLE ASSEMBLY: G489428 (78385)	EA	1	*	*	*	*	*	*			304	23
P-F	5305-135-3032	SCREW: 488558 (21450)	EA	1	*	*	*	*	*	*	6	10	304	24
P-F	5930-678-1214	SWITCH, FLAME DETECTOR: G489439 (78385)	EA	1	*	*	*	*	*	*	6	10	304	25
P-F	6115-787-8528	BLOWER, COMBUSTION: G489460 (78385)	EA	1	*	*	*	*	*	*	6	10	304	26
P-F	2540-039-8086	ROD: quartz 7416552 (19207)	EA	1	*	*	*	*	*	*	6	10	304	27

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued												
X 2-F		GROMMET: 475127 (21450)	EA	1	*	*	*	*	*	*			304	28
X 2-F		RIVET: 488755 (21450)	EA	4	*	*	*	*	*	*			304	29
X 2-F		PLATE: 489389 (21450)	EA	1	*	*	*	*	*	*			304	30
X 1		HOUSING: G489455 (78385)		1									304	31
X 2-F		FLANGE: 488164 (21450)	EA	1	*	*	*	*	*	*			304	32
X 2-F		SCREW: flange mounting 700158 (21450)	EA	2	*	*	*	*	*	*			304	33
X 2-F		STRIP: 488960 (21450)	EA	1	*	*	*	*	*	*			304	34
X 2-F		CLAMP, LOOP: 489408 (21450)	EA	1	*	*	*	*	*	*			304	35
X 2-F		DUCT: 484105 (21450)	EA	1	*	*	*	*	*	*			304	36
X 2-F		CLAMP: 488788 (21450)	EA	1	*	*	*	*	*	*			304	37
P-F	6115-787-8526	BURNER ASSEMBLY, HEATER: G489424 (78385)	EA	1	*	*	*	*	*	*	4	5	304	38
X 2-F		DECAL: 10896514 (19207)	EA	1	*	*	*	*	*	*			304	39
X 2-F		HEARNESS: 10923528 (19207)	EA	1	*	*	*	*	*	*			304	40
X 2-F		FRAME: 7700398 (19207)	EA	1	*	*	*	*	*	*			304	41
X 2-F		PLATE: 10931992 (19207)	EA	1	*	*	*	*	*	*			304	42
P-O	2540-953-0110	BOX ASSEMBLY, CONTROL: 10885798 (19207)	EA	1	*	*	*	*	*	*	4	5	304	43
X 2-F		CABLE ASSEMBLY: 10938140-1 (19207)	EA	1	*	*	*	*	*	*			304	44
P-F	5325-141-7270	GROMMET, RUBBER: 7951712 (19207)	EA	1	*	*	*	*	*	*	8	10	304	45
X 2-F		EXTENSION: 7700444 (19207)	EA	1	*	*	*	*	*	*			304	46
P-F	5325-276-6343	GROMMET, RUBBER: MS35489-23 (96906)	EA	1	*	*	*	*	*	*	6	10	304	47
P-F	6135-245-3880	BATTERY BOX: 7700422 (19207)	EA	1	*	*	*	*	*	*	4	5	304	48

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued												
X2-F		COVER: 7700387 (19207)	EA	1	*	*	*	*	*	*			304	49
X2-F		INSULATION: 7700413 (19207)	EA	1	*	*	*	*	*	*			304	50
P-F	5306-770-0409	SPACER: 7700409 (19207)	EA	1	*	*	*	*	*	*	6	10	304	51
P-F	5306-770-0409	BOLT, HOOK: 7700409 (19207)	EA	1	*	*	*	*	*	*	8	10	304	52
P-F	5315-059-0187	PIN, COTTER: MS24665-363 (96906)	EA	1	*	*	*	*	*	*	6	10	304	53
P-F	5340-598-0225	CLAMP, LOOP: 8707524 (19207)	EA	4	*	*	*	*	*	*	6	10	304	54
X2-F		TUBE: 7986268 (19207)	EA	V	*	*	*	*	*	*			304	55
X2-F		HOSE: 8376141 (19207)	EA	V	*	*	*	*	*	*			304	56
P-F	4730-908-3195	CLAMP: hose MS35842-10 (96906)	EA	1	*	*	*	*	*	*	6	10	304	57
P-F	4730-289-0147	BUSHING, PIPE: 120322 (21450)	EA	1	*	*	*	*	*	*	6	10	304	58
X2-F		BRACKET: 10931985 (19207)	EA	1	*	*	*	*	*	*			304	59
X2-F		COCK, DRAIN: 596800 (21450)	EA	1	*	*	*	*	*	*			304	60
P-F	4730-917-6781	ELBOW, PIPE TO HOSE: MS24518-7 (96906)	EA	1	*	*	*	*	*	*	6	10	304	61
X2-F		SHROUD: 10896359 (19207)	EA	1	*	*	*	*	*	*			304	62
X2-F		PLATE: 10896364 (19207)	EA	1	*	*	*	*	*	*			304	63
P-F	4720-752-0366	HOSE, AIR DUCT: 7520366 (19207)	FT	V	*	*	*	*	*	*	6	10	304	64
P-F	2590-930-3533	WIRING HARNESS, BRANCHED: 10932060-3 (19207)	EA	1	*	*	*	*	*	*	6	10	304	65
P-F	5935-214-0904	DUMMY CONNECTOR, PLUG: 7982907 (19207)	EA	1	*	*	*	*	*	*	4	10	304	6
P-F	5935-572-9180	SHELL ELECTRICAL CONNECTOR: 8338566 (19207)	EA	1	*	*	*	*	*	*	6	10	304	67
P-F	2540-075-2386	COVER HOOD, TOP: 7978825 (19207)	EA	1	*	*	*	*	*	*	4	5	304	68

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued													
P-F	2540-075-2388	COVER HOOD, LEFT SIDE: 10938119 (19207)		EA	1	*	*	*	*	*	*	4	5	304	69
P-F	2540-075-2387	COVER HOOD, RIGHT SIDE: 10938122 (19207)		EA	1	*	*	*	*	*	*	4	5	304	70
P-F	2540-953-0111	HEATER, COOLANT: 10914540 (19207)		EA	1	*	*	*	*	*	*	6	10	304	71
P-F	4730-274-7406	CLAMP, HOSE: 7951827 (19207)		EA	2	*	*	*	*	*	*	6	10	304	72
P-F	1660-025-3493	FILTER, FLUID, PRESSURE: MS51085-1 (96906)		EA	1	*	*	*	*	*	*	6	10	304	73
P-F	4730-278-3853	ELBOW, PIPE TO TUBE: MS39202-4 (96906)		EA	1	*	*	*	*	*	*	6	10	304	74
P-F	4820-274-3646	COCK PLUG: 543852 (21450)		EA	1	*	*	*	*	*	*	6	10	304	75
P-F	4710-277-5526	TUBE, COPPER: 8689207 (19207)		FT	V	*	*	*	*	*	*	6	10	304	76
P-F	4730-930-7774	ADAPTER, STRAIGHT, PIPE: MS39206-4 (96906)		EA	1	*	*	*	*	*	*	6	10	304	77
P-F	5340-993-6207	CLAMP, LOOP: MS21333-99 (96906)		EA	1	*	*	*	*	*	*	6	10	304	78
X2-F		BRACKET: 10931984 (19207)		EA	1	*	*	*	*	*	*			304	79
X2-F		BAFFLE: 7700424 (19207)		EA	1	*	*	*	*	*	*			304	80
X2-F		SHIELD: 10931983 (19207)		EA	1	*	*	*	*	*	*			304	81
X2-F		PLATE: 10896366 (19207)		EA	1	*	*	*	*	*	*			304	82
X2-F		SADDLE: 10896477 (19207)		EA	1	*	*	*	*	*	*			304	83
		Non-Illustrated													
P-F	2540-039-8364	BOOT: gear lever 8370841 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	8		
P-F	2540-563-5409	TUBE ASSEMBLY, AIR: compressor to water pump 7531738 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	2540-692-8819	TUBE ASSEMBLY: front heater to shroud 7531726 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued Non-Illustrated—Continued													
P-O	2540-752-0358	GASKET: igniter 7520358 (19207)	AA,AC	EA	1	*	*	*	*	*	*	8	10		
P-F	2540-753-7382	BAND, EXHAUST TUBE: 7537382 (19207)	AA,AC	EA	6	*	*	*	*	*	*	6	10		
P-F	2540-770-0242	PACKING, PREFORMED: exhaust 7700242 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	2590-693-3382	LEAD ELECTRICAL: fuel control ground (9 inches) 7531730 (19207)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	2590-693-3383	WIRING HARNESS: thermostat to heater 7531734 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	2590-693-3384	WIRING HARNESS: vehicle circuit breaker to heater control box 7531737 (19207)	AA,AC	EA	3	*	*	*	*	*	*	6	10		
P-F	2590-693-3389	LEAD, ELECTRICAL: Y connector to control box 7951742 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	2590-693-3390	WIRING HARNESS, HEATER: control box to plug 7951744 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	10		
P-O	2590-695-5164	IGNITER ASSEMBLY: 7520367 (19207)	AA,AC	EA	2	*	*	*	*	*	*	4	5		
P-F	2590-795-1690	LEAD ASSEMBLY, ELECTRICAL: hot wire 7951690 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	2910-314-0305	LINE: fuel (13½ inches) 7531690 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	2910-314-0306	LINE: fuel 7531692 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	2910-314-0323	HOSE: heater 8366733 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-O	2990-374-8308	IGNITER ASSEMBLY: 7390869 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5		
P-F	2990-374-8333	CONTROL, INDICATOR: (12 and 24 volt) C3647G2 (46522)	AA,AC	EA	1	*	*	*	*	*	*	4	5		
P-F	2990-740-1017	GASKET: elbow to engine block bushing 7401017 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	3950-318-3084	SPRING, HELICAL, COMPRESSED: compressor adapter plate 61404-2 (65177)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4710-277-5524	TUBE, COPPER: heater fuel line 31089R (24617)	AA,AC	FT	V	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued Non-Illustrated—Continued													
P-F	4710-277-5525	TUBE, COPPER: fuel line ERLA220 (81336)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	4720-313-7556	HOSE, METALLIC: exhaust 485301 (57733)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	4720-535-1994	HOSE: air duct 8724785 (19207)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	4720-535-7615	HOSE, AIR DUCT: heater ducting (11 feet) 8724787 (19207)	AA,AC	EA	V	*	*	*	*	*	*	6	10		
P-F	4720-540-1778	HOSE, NONMETALLIC: 839615 (21450)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	4730-013-7409	ADAPTER, STRAIGHT, PIPE: compressor to coolant hose 137409 (12204)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-186-3026	BUSHING, PIPE: hose to shut-off cock (Use with Hot Water Heater)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-202-9039	ELBOW, PIPE TO TUBE: fuel filter to fuel lines A2083 (80684)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	4730-230-1996	NIPPLE, PIPE: fuel line 470394 (57733)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-231-3956	ELBOW, PIPE TO HOSE: engine heater to coolant hose 7401999 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	4730-270-4578	ADAPTER, STRAIGHT, PIPE: fuel line 7399088 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-270-4597	CONNECTOR, PIPE TO TUBE: fuel control valve 7390046 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-277-2120	BUSHING, PIPE: engine block to coolant hose WWP471 Type 2 (81348)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-277-5361	SLEEVE, FLARED, TUBE: fitting MS20819-3 (96906)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	4730-277-5552	ELBOW, PIPE: fuel line 120401 (18876)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-278-2480	CLAMP, HOSE: 7048628 (19207)	AA,AC	EA	4	*	*	*	*	*	*	8	10		
P-F	4730-278-4357	ADAPTER, STRAIGHT, PIPE: fuel line 114795 (21450)	AA,AC	EA	3	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued **Non-Illustrated—Continued**													
P-F	4730-278-4559	ELBOW, PIPE TO HOSE: engine heater to coolant hose 7392022 (19207)	AA,AC	EA	4	*	*	*	*	*	*	6	10		
P-F	4730-278-8763	SLEEVE, COMPRESSION: fuel line MS39177-3 (96906)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	4730-287-1766	ELBOW, PIPE TO TUBE: fuel line	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	4730-313-6438	TEE, PIPE: engine filter to heater fuel line 7700264 (19207)		EA	1	*	*	*	*	*	*	6	10		
P-F	4730-356-1085	TEE ASSY, PRIMER: fuel line to manifold 8625-1 (82815)	AA,AC	EA	4	*	*	*	*	*	*	6	10		
P-F	4730-695-8836	TEE, COMPRESSION: vehicle fuel filter inlet line 7531740 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-740-1014	ADAPTER, BUSHING: engine block to coolant hose elbow 7401014 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	4730-836-6166	TEE: fuel line 8366166 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-908-3193	CLAMP, HOSE: exhaust tube MS35842-12 (96906)	AA,AC	EA	3	*	*	*	*	*	*	8	10		
P-F	4730-908-3194	CLAMP, HOSE: heater hose MS35842-11 (96906)	AA,AC	EA	10	*	*	*	*	*	*	8	10		
P-F	4730-908-6294	CLAMP, HOSE: heater outlet adapter MS35842-16 (96906)	AA,AC	EA	2	*	*	*	*	*	*	8	10		
P-F	4810-791-8883	VALVE ASSEMBLY, FUEL SAFETY: (24 volt) (multifuel) G700308 (78385)	AB	EA	1	*	*	*	*	*	*	4	10		
P-F	4820-684-0880	COCK, DRAIN: hot water heater vent MS35782-1 (96906)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	4820-741-6960	COCK, SHUT-OFF ASSEMBLY: fuel 7416960 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5305-269-2803	SCREW, CAP, HEXAGON: MS90726-60 (96906)	AA,AC	EA	4	*	*	*	*	*	*	6	10		
P-F	5305-282-9830	SCREW ASSEMBLED WASHER: fuel filter to mounting bracket 7951217 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	5305-984-6208	SCREW, MACHINE: MS35206-261 (96906)	AA,AC	EA	4	*	*	*	*	*	*	6	10		
P-F	5310-770-0243	WASHER, FLAT: 7700213 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued Non-Illustrated—Continued													
P-F	5310-950-0039	NUT, SELF-LOCKING: MS21044N6 (96906)	AA,AC	EA	4	*	*	*	*	*	*	6	10		
P-F	5325-281-4369	GROMMET, RUBBER: heater wiring harness 8410623 (19204)	AA,AC	EA	4	*	*	*	*	*	*	10	20		
P-O	5330-297-7581	GASKET: igniter 7375815 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5340-598-0225	CLAMP, LOOP: exhaust hose	AA,AC	EA	3	*	*	*	*	*	*	6	10		
P-F	5340-629-7273	BUSHING, RUBBER: hot lead wire 7762603 (19207)	AA,AC	EA	1	*	*	*	*	*	*	10	20		
P-F	5340-753-7364	STRAP, RETAINING: power heater wire 7537364 (19207)	AA,AC	EA	3	*	*	*	*	*	*	6	10		
P-F	5640-599-6169	INSULATION SLEEVING, THERMAL: exhaust tube MIL13042 (81349)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	5925-553-2274	CIRCUIT BREAKER: (in control box) (multifuel) 135587HA (31007)	AB	EA	1	*	*	*	*	*	*	4	5		
P-F	5930-322-9444	SWITCH ASSEMBLY: flame detector (model 590, 591) 8376101 (19207)	AA,AC	EA	1	*	*	*	*	*	*	4	5		
P-O	5930-615-7897	SWITCH, TOGGLE: (in control box) (multifuel) MS35059-31 (96906)	AB	EA	1	*	*	*	*	*	*	4	5		
P-O	5930-655-1520	SWITCH, TOGGLE: (in control box) (multifuel) MS35058-28 (96906)	AB	EA	1	*	*	*	*	*	*	4	5		
P-F	5930-695-8838	SWITCH, ASSEMBLY: flame detector G486085 (57733)	AA,AC	EA	1	*	*	*	*	*	*	4	5		
P-F	5935-776-0599	CONNECTOR, PLUG, ELECTRICAL: 7760599 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: heater wiring 8338561 (19207)	AA,AC	EA	5	*	*	*	*	*	*	6	10		
P-F	5940-057-2929	FERRULE, ELECTRICAL: hot lead wire MS27148-2 (96906)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5940-057-2930	FERRULE, ELECTRICAL: cable heater power wire (2) and power wire (1) 572930 (21450)	AA,AC	EA	3	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued **Non-Illustrated—Continued**													
P-F	5940-107-1481	TERMINAL, LUG: control valve ground (1) and pump power lead (2) MS20659-104 (96906)	AA,AC	EA	3	*	*	*	*	*	*	6	10		
P-F	5940-501-7669	TERMINAL, LUG: heater wire MS20659-5 (96906)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5940-399-6676	TERMINAL ASSEMBLY: heater wiring 8338564 (19207)	AA,AC	EA	5	*	*	*	*	*	*	6	10		
P-F	5940-718-9919	TERMINAL, LUG: wire No. 8 AWG hole for No. 10 screw ground cable 7189919 (19207)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	5940-826-3705	TERMINAL, LUG: MS35436-30 (96906)	AA,AC	EA	2	*	*	*	*	*	*	6	10		
P-F	5970-833-8562	INSULATOR, BUSHING: heater wiring 8338562 (19207)	AA,AC	EA	5	*	*	*	*	*	*	6	10		
P-F	5975-280-3357	BUSHING, ELECTRICAL: power wire to Y connector 7765237 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5975-335-2586	TUBE, FLEXIBLE NON-METALLIC: fuel line 15039R (24617)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	5975-335-2588	TUBE, FLEXIBLE NONMETALLIC: fuel line 8376125 (19207)		FT	V	*	*	*	*	*	*	6	10		
P-F	6115-787-8527	LEAD ELECTRICAL: (multifuel) G489436 (78385)	AB	EA	1	*	*	*	*	*	*	6	10		
P-F	6115-886-1003	SWITCH, THERMOSTATIC: (in fuel control valve) (multifuel) 701194 (78385)	AB	EA	1	*	*	*	*	*	*	4	10		
P-F	6145-538-8222	WIRE, ELECTRICAL: ground 7056677 (19207)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	6145-705-6678	WIRE, ELECTRICAL: 7056678 (19207)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	6145-705-6679	WIRE, ELECTRICAL: M13486-1-6 (81349)	AA,AC	FT	V	*	*	*	*	*	*	6	10		
P-F	6145-772-0853	WIRE, ELECTRICAL: heater wiring 15C2165170 (80244)	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-O	6240-155-8714	LAMP, INCANDESCENT: control box indicator light (multifuel) MS35231-313 (96906)	AB	EA	1	*	*	*	*	*	*	10	20		
P-F	6675-160-7504	COCK: coolant hose 45-2416-075-040 (81336)	AA,AC	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued													
		Non-Illustrated—Continued													
M-F		CABLE ASSEMBLY: circuit breaker to heater switch (Use with Hot Water Heater) Fabricate from:	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5935-258-7192	CONNECTOR		EA	1	*	*	*	*	*	*				
P-F	5940-050-7095	TERMINAL		EA	1	*	*	*	*	*	*				
P-F	6145-772-0853	WIRE (13 inches)		FT	V	*	*	*	*	*	*				
M-F		CABLE ASSEMBLY: circuit breaker to Y connector (Use with Hot Water Heater) Fabricate from:	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5935-258-7192	CONNECTOR		EA	2	*	*	*	*	*	*				
P-F	6145-772-0853	WIRE (13 inches)		FT	V	*	*	*	*	*	*				
M-F		CABLE ASSEMBLY: connector to ground lead (use with Hot Water Heater) Fabricate from:	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5935-258-7192	CONNECTOR		EA	1	*	*	*	*	*	*				
P-F	5935-030-1561	SHELL		EA	1	*	*	*	*	*	*				
P-F	6145-772-0853	WIRE		FT	V	*	*	*	*	*	*				
M-F		CABLE ASSEMBLY: connector to hot lead (Use with Hot Water Heater) Fabricate from:	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5935-776-0598	CONNECTOR		EA	1	*	*	*	*	*	*				
P-F	5935-258-7192	CONNECTOR		EA	1	*	*	*	*	*	*				
P-F	6145-772-0853	WIRE (8 inches)		FT	V	*	*	*	*	*	*				
M-F		CABLE ASSEMBLY: control switch to heater (Use with Hot Water Heater) Fabricate from:	AA,AC	EA	1	*	*	*	*	*	*	6	10		
P-F	5935-258-7192	CONNECTOR		EA	1	*	*	*	*	*	*				
P-F	5940-050-7095	TERMINAL		EA	1	*	*	*	*	*	*				
P-F	6145-772-0853	WIRE FSN		FT	V	*					*				
M-F		HOSE: heater inlet Fabricate from:	AA,AC	EA	1	*					*	6	20		
P-F	5720-200-0369	HOSE		FT	V	*					*				
M-F		HOSE: heater outlet Fabricate from:	AA,AC	EA	1	*					*	6	20		
P-F	4720-540-1778	HOSE, RUBBER: 33-H-1277 (80244)	AA,AC	FT	V	*					*				

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued Non-Illustrated—Continued													
P-F	2540-301-7269	KIT, HOT WATER: 5702006 (19207) Consisting of:	AA,AC	EA	1	*	*	*	*	*	*	6	10		
		1-HOOD 7951428 (19207)												299	1
		1-ADAPTER ASSEMBLY 795105 (19207)												299	2
		1-GASKET 7375221 (19207)												299	4
		2-THERMOSTAT 7531811 (19207)												299	5
		1-TEE 218699 (21450)												299	7
		1-COCK 7524043 (19207)												299	9
		1-DUCT 7951086 (19207)												299	11
		1-DUCT 7401666 (19207)												299	12
		10-CLAMP 7537473 (19207)												299	13
		1-DIVERTER ASSEMBLY 7700251 (19207)												299	14
		1-CABLE ASSEMBLY 7700248 (19207)												299	15
		1-PLATE 7951468 (19207)												299	17
		1-DUCT 7951506 (19207)												299	18
		1-ADAPTER ASSEMBLY 7700374 (19207)												299	19
		1-DUCT 7390367 (19207)												299	20
		1-BRACKET 8710615 (19207)												299	21
		1-BRACKET 8710613 (19207)												299	22
		1-SCREEN 7390375 (19207)												299	24
		1-HEATER 8380651 (19207)												299	25
		1-BRACKET 8359586 (19207)												299	28
		1-BRACKET 8710612 (19207)												299	29
	5930-655-1513	1-SWITCH MS35058-21 (96906)												299	30
		1-CONTROL ASSEMBLY 7700353 (19207)												299	31
		1-CONNECTOR ASSEMBLY 7982404 (19207)												299	32
		1-ADAPTER ASSEMBLY 7524078 (19207)												299	33
		1-CABLE ASSEMBLY 8710639 (19207)												299	34
		1-CABLE ASSEMBLY 8710638 (19207)												299	35
		1-CABLE ASSEMBLY 8710637 (19207)												299	36

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3303—WINTERIZATION KITS—Continued												
		Non-Illustrated—Continued												
	4730-908-3194	4-CLAMP MS35842-11 (96906)											299	37
	2540-235-1841	1-LEAD 8710633 (19207)											299	38
		1-BUSHING 144039 (21450)											299	39
		1-CABLE ASSEMBLY 8710670 (19207)											299	40
		1-CIRCUIT BREAKER 8376915 (19207)											299	41
	5305-052-7401	1-ELBOW MS24637-58 (96906)											N/I	
	5305-068-0500	2-SCREW MS90725-3 (96906)											N/I	
	5305-068-0501	3-SCREW MS90725-5 (96906)											N/I	
	5305-855-0973	2-SCREW MS24629-24 (96906)											N/I	
	5305-984-6196	2-BOLT MS35206-248 (96906)											N/I	
	5305-989-7435	2-SCREW MS35207-264 (96906)											N/I	
	5305-993-1848	4-SCREW MS35207-265 (96906)											N/I	
	5306-225-8499	8-SCREW MS90725-34 (96906)											N/I	
	5310-061-0004	11-WASHER MS45904-57 (96906)											N/I	
	5310-080-9786	4-WASHER MS45904-60 (96906)											N/I	
	5310-559-0070	2-WASHER MS35333-38 (96906)											N/I	
	5310-579-0079	2-WASHER MS35333-37 (96906)											N/I	
	5310-582-5965	2-WASHER MS35338-44 (96906)											N/I	
	5310-728-2044	8-WASHER MS45904-73 (96906)											N/I	
	5310-880-7744	8-NUT MS51967-5 (96906)											N/I	
	5310-889-2528	3-WASHER MS45904-68 (96906)											N/I	
	2540-735-5715	1-COVER ASSEMBLY 7355715 (19207)											N/I	
	2540-924-5223	1-HOSE 8710562 (19207)											N/I	
	4720-728-4219	1-HOSE 7384219 (19207)											N/I	
	4730-196-1503	1-NIPPLE 192069 (21450)											N/I	
	4730-629-1081	1-ADAPTER 594467 (19207)											N/I	
	5310-761-6882	5-NUT MS51967-2 (96906)											N/I	
	5310-934-9757	2-NUT MS35649-282 (96906)											N/I	
	5325-141-7270	1-GROMMET 7951712 (19207)											N/I	
	5340-772-4765	2-CLAMP 7724765 (19207)											N/I	
		1-BULLETIN TB 9-2855-52 (72217)											N/I	
		4-NUT 120614 (21450)											N/I	
		11-SCREW 170466 (21450)											N/I	
		1-ADAPTER ASSEMBLY 7700253 (19207)											N/I	
		2-NUT 7951286 (19207)											N/I	
		1-HOSE 8710563 (19207)											N/I	

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued													
		Non-Illustrated—Continued													
P-F	2540-570-1469	WINTERIZATION KIT: power plant 5701469 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	251	1
		Consisting of:													
	2540-401-1440	1-HEATER KIT, BATTERY BOX 75316821 (19207)												249	1
	2540-735-5719	1-COVER, HOOD, LOUVRE, OR GRILLE CANVAS SET 7355719 (19207)												251	2
		1-ENGINE HEATER SET 7531683 (19207)													
	9320-232-2451	3-RUBBER SHEET, CELLULAR: 10515445 (19207)												NI	
P-F	2540-039-7804	INSTALLATION KIT: (to be available whenever Power Plant Heater Kit, FSN 2540-570-1469 is required on vehicles after serial No. Mack 1001, IHC 2336 and Diamond T M52-1101	AA,AC	EA	1	*	*	*	*	*	*	6	10	NI	
		Consisting of:													
	5305-225-3839	4-SCREW MS90725-8 (96906)													
	5340-597-0182	2-CLAMP MS21333-39 (96906)													
	2590-737-3246	2-BUSHING 7373246 (19207)													
	5310-761-6882	4-NUT MS51967-2 (96906)													
		1-RECEPTACLE 8383072 (19207)													
	5305-851-9414	2-SCREW MS24617-30 (96906)													
	5310-637-9541	4-WASHER MS35338-46 (96906)													
		Non-Illustrated													
P-F	2540-039-7809	INSTALLATION KIT: (to be made available whenever Personnel Heater Kit, FSN 2540-570-1468 is required on vehicles after serial No. Mack 1001, IHC 2336 and Diamond M52-1101 571917 (19207)		EA	1	*	*	*	*	*	*	6	10	NI	
		Consisting of:													
	5305-068-0505	1-SCREW MS90726-5 (96906)													
		1-BRACKET 8383070 (19207)													
P-F	4730-196-0930	1-BUSHING: 112877 (21450)													
	5340-809-1490	2-CLAMP MS21333-98 (96906)													
	5340-282-7519	1-CLAMP, LOOP MS21333-34 (96906)													
	4730-540-2612	1-ADAPTER 137405 (24617)													
	4730-277-8769	1-ADAPTER 7413827 (19207)													
	4730-900-3296	1-CONNECTOR MS39158-3 (96906)													
		1-LINE 7142305 (19207)													
		2-NOZZLE 7734003 (19207)													
	2910-773-4004	4-NOZZLE 7734004 (19207)													
	4730-014-2432	2-INVERTED NUT 142432 (24617)													

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3303—WINTERIZATION KITS—Continued Non-Illustrated—Continued													
P-F	8010-615-5370	REPAIR KIT, EPOXY PLASTIC: DAPD262 Type 1 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	20	NI	
P-F	2540-318-0149	KIT: fuel pre-heater (24V) 8359820 (19207)	AA,AC	EA	1	*	*	*	*	*	*	6	10	NI	
P-F	2540-570-1468	WINTERIZATION KIT, VEHICULAR: All gasoline models 5701468 (19207) Consisting of:	AA,AC	EA	1	*	*	*	*	*	*	6	10	NI	
	2540-735-5715	1-COVER 7355715 (19207) 1-DEFROSTER 7351618 (19207) 1-HEATER 7355713 (19207)													
P-F	2540-757-9946	KIT, HEATER: coolant power plant (multifuel) 5703535 (19207)	AB	EA	V	*	*	*	*	*	*	6	10	NI	
P-F	2540-939-7105	KIT, HEATER, HOT WATER: (multifuel) 5703706 (19207)	AB	EA	V	*	*	*	*	*	*	6	10	NI	
P-F	2540-960-3632	KIT, HEATER, FUEL BURNING: (multifuel) 5703530 (19207)	AB	EA	V	*	*	*	*	*	*	6	10	NI	
		3305—DEEP WATER FORDING KITS													
X1		BRACE ASSEMBLY: air cleaner inlet tube (Component of Water Fording Kit, FSN 2540-977-2661) 73RUAX21403 (19207)	1A, 1B, 1C, 1D		1									305	1
P-F	5305-269-2808	SCREW, CAP, HEXAGON: inlet tube and brace clamp (Component of Water Fording Kit, FSN 2540-977-2661) MS90726-65 (96906)	1A, 1B, 1C, 1D	EA	2	*	*	*	*	*	*	6	10	305	2
X1		TUBE: inlet (Component of Water Fording Kit, FSN 2540-977-2661) 2MDX178 (76040)	1A, 1B, 1C, 1D		1									305	3
X1		CLAMP: inlet tube (Component of Water Fording Kit, FSN 2540-977-2661) 48RUX2176 (76040)	1A, 1B, 1C, 1D		2									305	4
X1		CAP: inlet tube (Component of Water Fording Kit, FSN 2540-977-2661) 2MDX294 (76040)	1A, 1B, 1C, 1D		1									305	5
P-F	5310-950-0039	NUT, SELF-LOCKING: upper extension to wheel housing bracket (2), inlet tube clamp (2) (Component of Water Fording Kit, FSN 2540-977-2661) MS21044N6 (96906)	1A, 1B, 1C, 1D	EA	4	*	*	*	*	*	*	6	10	305	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3305- -DEEP WATER FORDING KITS—Continued													
P-F	4730-266-0538	CONNECTOR: vent manifold (1), air cleaner (1) (Component of Water Fording Kit, FSN 2540-977-2661) 144315 (24617)	1A, 1B, 1C, 1D	EA	2	*	*	*	*	*	*	6	10	305	7
X1		HOSE ASSEMBLY: vent manifold to air cleaner (Component of Water Fording Kit, FSN 2540-977-2661) 36RUA 347P20 (76040)	1A, 1B, 1C, 1D		1									305	8
X1		BRACKET: inlet tube support (Component of Water Fording Kit, FSN 2540-977-2661) 6MDX244 (70434)	1A, 1B, 1C, 1D		1									305	9
P-F	4730-704-8625	CLAMP, HOSE: inlet tube hose (Component of Water Fording Kit, FSN 2540-977-2661) MS35842-4 (96906)	1A, 1B, 1C, 1D	EA	2	*	*	*	*	*	*	6	10	305	10
X1		HOSE: inlet tube (Component of Water Fording Kit, FSN 2540-977-2661) 5MDX1188 (80063)	1A, 1B, 1C, 1D		1									305	11
X1		PIPE ASSEMBLY, EXHAUST EXTENSION: upper section (Component of Water Fording Kit, FSN 2540-977-2661) 1MEX3993 (76040)	1A, 1B, 1C, 1D		1									305	1
P-F	5305-269-2807	SCREW, CAP, HEXAGON: lower and upper exhaust pipe extention (Component of Water Fording Kit, FSN 2540-977-2661) MS90726-64 (96906)	1A, 1B, 1C, 1D	EA	6	*	*	*	*	*	*	6	10	305	2
P-F	5310-950-0039	NUT, SELF-LOCKING: upper and lower exhaust extension (3) wheel house bracket (2) (Component of Water Kit, FSN 2540-977-2661) MS21044N6 (96906)	1A, 1B, 1C, 1D	EA	5	*	*	*	*	*	*	6	10	306	3
X1		PIPE, EXHAUST EXTENSION: lower section (Component of Water Fording Kit, FSN 2540-977-2661) 4MEX39922 (76040)	1A, 1B, 1C, 1D		1									306	4
X1		GASKET: lower exhaust pipe (Component of Water Fording Kit, FSN 2540-977-2661) 94RUX235 (76040)	1A, 1B, 1C, 1D		2									306	5
P-F	5305-269-2805	SCREW, CAP, HEXAGON: exhaust extension to wheel housing (Component of Water Fording Kit, FSN 2540-977-2661) MS90726-62 (96906)	1A, 1B, 1C, 1D	EA	2	*	*	*	*	*	*	6	10	306	6

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3305—DEEP WATER FORDING KITS—Continued													
X1		TUBE, ASSEMBLY: ANEX2 (80058)	1A, 1B, 1C, 1D		3									307	1
P-F	4730-595-1867	CONNECTOR, MULTIPLE: 2150123 (24617)	1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	6	10	307	2
P-O	2540-272-7965	VALVE, SAFETY, RELIEF: multiple fitting (multifuel and diesel) (Component of Water Fording Kit, FSN 2540-977-2661) 8340111 (19207)	1A, 1B, 1C, 1D	EA	2	*	*	*	*	*	*	8	10	307	3
P-F	4730-896-0837	TEE, TUBE: MS39188-2 (96906)	1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	6	10	307	4
X1		TUBE ASSEMBLY: (Component of Water Fording Kit, FSN 2540-977-2661) 59RUX348 (76040)	1A, 1B, 1C, 1D		1									307	5
P-F	5340-809-1490	CLAMP, LOOP: tube support MS21333-98 (96906)	1A, 1B, 1C, 1D	EA	2	*	*	*	*	*	*	6	10	307	6
X1		CONNECTOR, TUBE: 63AX1098 (76040)	1A, 1B, 1C, 1D		1									307	7
X1		UNION TUBE: steering vent tube (Component of Water Fording Kit, FSN 2540-977-2661) 137413 (21450)	1A, 1B, 1C, 1D		1									307	8
P-F	2530-040-2315	LINE: union to reservoir (Component of Water Fording Kit, FSN 2540-977-2661) 8330334 (19207)	1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	6	10	307	9
X1		CLAMP, LOOP: lower hydraulic steering vent tube, (Component of Water Fording Kit, FSN 2540-977-2661) 1HC100770H (31007)	1A, 1B, 1C, 1D		1									307	10
X1		BRACKET: vent control valve mounting (Component of Water Fording Kit, FSN 2540-977-2661) 73RUX21397 (76040)	1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	*	*	307	11
P-F	4730-890-2376	SWIVEL, VALVE LINK: operating plate (2), crankcase ventilation link (3), (Component of Water Fording Kit, FSN 2540-977-2661) 183GC162 (89619)	1A, 1B, 1C, 1D	EA	5	*	*	*	*	*	*	6	10	307	12
X1		BRACKET: control cable anchor (Component of Water Fording Kit, FSN 2540-977-2661) 72RUX11205 (76040)	1A, 1B, 1C, 1D		1									307	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3305—DEEP WATER FORDING KITS—Continued													
P-F	2910-737-6147	CONTROL ASSEMBLY, MANIFOLD: dual vent valve (Component of Water Fording Kit, FSN 2540-977-2661) 7376147 (19207)	1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	4	5	307	14
X1		CLAMP: control cable (Component of Water-Fording Kit, FSN 2540-977-2661) 83AX222 (76040)	1A, 1B, 1C, 1D		1									307	15
X1		TUBE: pressure regulator valve (Component of Water Fording Kit, FSN 2540-977-2661) 245AX12	1A, 1B, 1C, 1D		1									307	16
P-F	4730-069-1187	ELBOW, PIPE TO TUBE: pressure regulator valve (Component of Water Fording Kit, FSN 2540-977-2661) MS39182-3 (96906)	1A, 1B, 1C, 1D	EA	1	*	*	*	*	*	*	6	10	307	17
X1		VALVE, PRESSURE REGULATOR: clutch housing vent (Component of Water Fording Kit, FSN 2540-977-2661) 20QEX279 (76040)	1A, 1B, 1C, 1D		1									307	18
X1		VALVE: (Component of Water Fording Kit, FSN 2540-977-2661) 20QEX1134 (76040)	1A, 1B, 1C, 1D		1									307	19
X1		HOSE ASSEMBLY: control valve tee to flywheel housing (Component of Water Fording Kit, FSN 2540-977-2661) 36RUA352P20 (76040)	1A, 1B, 1C, 1D		1									307	20
X1		TEE: vent valve (Component of Water Fording Kit, FSN 2540-977-2661) 63AX72 (76040)	1A, 1B, 1C, 1D		1									307	21
P-F	4730-044-4040	ELBOW, PIPE: vent valve (Component of Water Fording Kit, FSN 2540-977-2661) 44040 (21450)	1A, 1B, 1C, 1D	EA	2	*	*	*	*	*	*	6	10	307	22
P-F	4730-222-1837	NIPPLE, PIPE: vent valve (Component of Water Fording Kit, FSN 2540-977-2661) 120286 (21450)	1A, 1B, 1C, 1D	EA	3	*	*	*	*	*	*	6	10	307	23
P-F	2805-621-2527	VALVE, SHUT OFF: clutch housing vent (1), crankcase vent (2) (Component of Water Fording Kit, FSN 2540-977-2661) 7529127 (19207)	1A,1B,1C,1D	EA	3	*	*	*	*	*	*	6	10	307	24

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3305—DEEP WATER FORDING KITS—Continued													
X1		BOLT-U: vent valve mounting (Component of Water Fording Kit, FSN 2540-977-2661) 120AX73 (21450)	1A,1B,1C,1D		2									307	25
X1		ELBOW: vent valve (Component of Water Fording Kit, FSN 2540-977-2661) 8744043 (19207)	1A,1B,1C,1D		2									307	26
P-F	5310-194-1540	WASHER, FLAT: u-bolt MS15795-210 (96906)	1A,1B,1C,1D	EA	4	*	*	*	*	*	*	6	10	307	27
P-F	5310-959-7600	NUT, SELF-LOCKING: control anchor bracket (2), Control valve mounting bracket (4), U-bolt (4) (Component of Water Fording Kit, FSN 2540-977-2661) MS51922-5 (96906)	1A,1B,1C,1D	EA	10	*	*	*	*	*	*	6	10	307	28
P-F	5340-053-8994	CLAMP, LOOP: vent hose MS21333-126 (96906)	1A,1B,1C,1D	EA	1	*	*	*	*	*	*	6	10	307	29
X1		CONNECTOR: vent hose 118752 (21450)	1A,1B,1C,1D		1									307	30
X1		HOSE ASSEMBLY: vent 36RUA348-P34 (76040)	1A,1B,1C,1D		1									307	31
P-F	4730-204-1993	BUSHING, PIPE: reservoir (Component of Water Fording Kit, FSN 2540-977-2661) 119933 (21450)	1A,1B,1C,1D	EA	1	*	*	*	*	*	*	6	10	307	32
P-F	4730-277-8273	ELBOW, PIPE TO TUBE: reservoir (Component of water Fording Kit, FSN 2540-977-2661) 137421 (21450)	1A,1B,1C,1D	EA	1	*	*	*	*	*	*	6	10	307	33
X1		CONNECTOR: tube 140288 (21450)	1A,1B,1C,1D		1									307	34
X1		SCREW, ASSEMBLED WASHER: tube clamp 145933 (21450)	1A,1B,1C,1D		3									307	35
P-F	5305-267-8974	SCREW, CAP, HEXAGON: multiple fitting MS90726-8 (96906)	1A,1B,1C,1D	EA	2	*	*	*	*	*	*	6	10	307	36
		Non-Illustrated													
P-F	2910-737-6147	CONTROL ASSEMBLY, MANIFOLD: shut-off valve 7376147 (19207)	A	EA	1	*	*	*	*	*	*	4	5		
P-F	4710-277-5529	TUBE, COPPER: vent line 44T5080-30 (80244)	A	FT	V	*	*	*	*	*	*	5	10		
P-F	4720-235-4125	HOSE, RUBBER: air cleaner to compressor breather pipe 33-H-771 (80244)	A	FT	V	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3305—DEEP WATER FORDING KITS—Continued Non-Illustrated—Continued													
P-F	4730-014-2437	NUT, TUBE COUPLING: vent lines 142437 (24617)	A	EA	6	*	*	*	*	*	*	6	10		
P-F	4730-202-6489	BUSHING, PIPE: fuel tank vent line to air cleaner	A	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-222-1838	NIPPLE, PIPE: at air cleaner for vent line connection 120288 (21450)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-277-8273	ELBOW, PIPE TO TUBE: fuel tank vent line at air cleaner 137421 (21450)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-254-6373	CROSS: at air cleaner for vent line connection	A			*	*	*	*	*	*	6	10		
P-F	4730-287-1707	TEE: fuel tank vent lines at right frame	A	EA	1	*	*	*	*	*	*	6	10		
P-F	4730-278-8765	SLEEVE, COMPRESSION, FITTING: master cylinder to air power unit vent line	A	EA	2	*	*	*	*	*	*	6	10		
P-F	4730-278-8767	SLEEVE, COMPRESSION, FITTING: air cleaner to air power unit vent line	A	EA	4	*	*	*	*	*	*	6	10		
M-F		LINE: master cylinder to air power unit 101477R1 (31007) Fabricate from:	A	EA	1	*	*	*	*	*	*				
P-F	4710-277-5527	TUBE COPPER: vent lines (37 in) 230523 (37159)		FT	V	*	*	*	*	*	*	6	10		
M-F		LINE: right fuel tank to frame tee vent 127748R91 (31007) Fabricate from:	HA,BD	EA	1	*	*	*	*	*	*				
P-F	4710-277-5525	TUBE, COPPER: vent lines 183712 (15434)		FT	V	*	*	*	*	*	*	6	10		
P-F	4730-014-2432	NUT, TUBE COUPLING: vent lines (4 used on M63, M139, M139C, M139D) (6 used on M51, M52, M61) 142423 (24617)	HA,BD	EA	2	*	*	*	*	*	*	6	10		
P-F	2540-977-2661	WATER FORDING, KIT: 5703525 (19207) Consisting of:	1A,1B,1C,1D	EA	1	*	*	*	*	*	*	4	5		
		1-BRACE ASSEMBLY 73RUAX21403 (19207)												305	1
	5305-269-2808	2-SCREW MS90726-65 (96906)												305	2
		1-TUBE 2MDX178 (76040)												305	3
		2-CLAMP 48RUX2176 (76040)												305	4
		1-CAP 2MDX294 (76040)												305	5
	5310-950-0039	10-NUT MS21044N6 (96906)												305 306	6 3

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code / Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3305—DEEP WATER FORDING KITS—Continued												
	4730-266-0538	2-CONNECTOR 144315 (21450)											305	7
		1-HOSE ASSEMBLY 36RUA347P20 (76040)											305	8
		1-BRACKET 6MDX244 (70434)											305	9
	4730-704-8625	2-CLAMP MS35842-4 (96906)											305	10
		1-HOSE 5MDX1188 (76040)											305	11
		1-PIPE 4MEX3993 (76040)											306	1
	5305-269-2807	6-SCREW MS90726-64 (96906)											306	2
		1-PIPE 4MEX3992 (76040)											306	4
		2-GASKET 94RUX235 (76040)											306	5
	5305-269-2805	2-SCREW MS90726-62 (96906)											306	6
	2540-272-7965	2-VALVE 8340111 (19207)											307	3
	4730-896-0837	1-TEE MS39188-2 (96906)											307	4
		1-TUBE ASSEMBLY 59RUX348 (76040)											307	5
		1-UNION 137413 (21450)											307	8
	2530-040-2315	1-LINE 8330334 (19207)											307	9
		1-CLAMP 1HC100770H (31007)											307	10
		1-BRACKET 73RUX21397 (76040)											307	11
	4730-890-2376	5-SWIVEL 183GC162 (89619)											307	12
		1-BRACKET 72RUX11205 (74040)											307	13
	2910-737-6147	2-CONTROL 7376147 (19207)											307	14
		1-CLAMP 83AX222 (76040)											307	15
		1-TUBE 245AX12 (91024)											307	16
	4730-069-1187	1-ELBOW MS39182-3 (96906)											307	17
		1-VALVE 20QEX279 (76040)											307	18
		1-VALVE 20QEX1134 (76040)											307	19
		1-HOSE 36RUA352P20 (76040)											307	20
		1-TEE 63AX72 (76040)											307	21
	4730-044-4040	2-ELBOW 444040 (21450)											307	22
	4730-222-1837	3-NIPPLE 120286 (21450)											307	23
	2805-621-2527	3-VALVE 7529127 (19207)											307	24
		2-BOLT-U 120AX73 (21450)											307	25
		1-ELBOW 8744043 (19207)											307	26
	5310-194-1540	4-WASHER MS15795-210 (96906)											307	27
	5310-959-7600	10-NUT MS51922-5 (96906)											307	28
	4730-204-1993	1-BUSHING 119933 (21450)											307	32
	4730-277-8273	1-ELBOW 137421 (21450)											307	33
	5315-234-1650	5-PIN MS24665-132 (96906)												
		2-CLIP 137188 (21450)												
	4730-424-5871	1-CONNECTOR 187321 (24617)												
		1-BRACKET 253GC1272 (70434)												

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3305—DEEP WATER FORDING KITS—Continued													
		1-PLUG 112304 (21450) 1-ELBOW 63AX1214 (76040) 2-NIPPLE 63AX376 (76040) 1-ADAPTER 63AX558 (76040) 1-PLATE 71BUX11961 (72619) 1-LINK 922GC134 (70434)													
P-F	2540-039-8392	KIT: water fording 5701840 (19207)	CA,CB	EA	1	*	*	*	*	*	*	4	5	N/I	
P-F	2540-039-8393	KIT: water fording 5701841 (19207)		EA	1	*	*	*	*	*	*	4	5	N/I	
P-F	2540-039-8394	KIT: water fording 5701842 (19207)	EA,EB,EC	EA	1	*	*	*	*	*	*	4	5	N/I	
P-F	2540-039-8395	KIT: water fording 5701843 (19207)	BG,BF,FA,FB	EA	1	*	*	*	*	*	*	4	5	N/I	
P-F	2540-039-8396	KIT: water fording 5701844 (19207)	HA,JA,EF	EA	1	*	*	*	*	*	*	4	5	N/I	
P-F	2540-039-8397	KIT: water fording 5701845 (19207)	BE,IA	EA	1	*	*	*	*	*	*	4	5	N/I	
P-F	2540-197-5347	WATER-PROOFING KIT: 5703702 (19207)	A	EA	1	*	*	*	*	*	*	4	5	N/I	
		3307—SPECIAL PURPOSE KITS													
X1		TUBE: air line tee to controller (Component of Electric Brake Kit, FSN 2530-693-0581) 7999927 (19207)	A		1									308	1
P-F	2530-040-2186	CONTROLLER, BRAKE: air operated brake (Component of Electric Brake Kit, FSN 2530-693-0581) 8333092 (19207)	A	EA	1	*	*	*	*	*	*	6	10	308	2
P-F	2590-644-7716	LEAD, ELECTRICAL: battery to electric brake load control rheostat (Component of Electric Brake Kit, FSN 2530-693-0581) 7999931 (19207)	A	EA	1	*	*	*	*	*	*	6	10	308	3
P-F	2590-349-3652	LEAD ASSEMBLY, ELECTRICAL: rheostat to controller (Component of Electric Brake Kit, FSN 2530-693-0581) 8347011 (19207)	A	EA	1	*	*	*	*	*	*	6	10	308	4
P-F	5905-735-4001	RHEOSTAT, TRAILER, ELECTRIC: brake control (Component of Electric Brake Kit, FSN 2530-693-0581) 7354001 (19207)	A	EA	1	*	*	*	*	*	*	6	10	308	5

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3307—SPECIAL PURPOSE KITS—Continued													
P-F	6145-705-6679	WIRE, ELECTRICAL: controller to rheostat (15 feet) (Component of Electric Brake Kit, FSN 2530-693-0581) MILC13486-1 (81349)	A	FT	V	*	*	*	*	*	*	6	10	308	6
X1		BRACKET: rheostat mounting (Component of Electric Brake Kit, FSN 2530-293-0581) 8347013 (19207)	A		1									308	7
P-F	2530-349-3631	SPRING, HELICAL, TORSION: splicer (Component of Electric Brake Kit, FSN 2530-693-0581) 8376532 (19207)	A	EA	6	*	*	*	*	*	*	6	10	308	8
X1		WASHER: special spacer (Component of Electric Brake Kit, FSN 2530-693-0581) 7999926 (19207)	A		3									308	9
P-F	5340-057-3044	CLAMP, LOOP: air line retaining (Component of Electric Brake Kit, FSN 2530-693-0581) 573044 (19207)	A	EA	1	*	*	*	*	*	*	6	10	308	10
X1		CLAMP, LOOP: harness retaining (Component of Electric Brake Kit, FSN 2530-693-0581) 8337110 (19207)	A		2									308	11
X1		ELBOW, TUBE: (with safety sleeve) (Component of Electric Brake Kit, FSN 2530-693-0581) 423836 (21450)	A		1									308	12
P-F	4730-595-2840	TEE, TUBE: air service (Component of Electric Brake Kit, FSN 2530-693-0581) 45-4250-815-050 (81336)	A	EA	1	*	*	*	*	*	*	6	10	308	13
X1		PIPE: tee to connector (Component of Electric Brake Kit, FSN 2530-693-0581) 8347009 (19207)	A		1									308	14
X1		TUBE: air line tee to controller (Component of Electric Brake Kit, FSN 2530-693-0581) 7999932 (19207)	A		1									308	15
X1		BRACKET: controller mounting (Component of Electric Brake Kit, FSN 2530-693-0581) 8347014 (19207)	A		1									308	16
X1		BRACKET: brake load control rheostat mounting (Component of Electric Brake Kit, FSN 2530-693-0581) 7999033 (19207)	A		1									308	17

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		3307—SPECIAL PURPOSE KITS—Continued													
P-F	4730-202-9037	ADAPTER, STRAIGHT, PIPE: pipe to controller (Component of Electric Brake Kit, FSN 2530-693-0581) 570809 (21450)	A	EA	1	*	*	*	*	*	*	6	10	308	18
P-F	4730-289-2864	TEE, TUBE: air service (Component of Electric Brake Kit, FSN 2530-693-0581) 64F (30327)	A	EA	1	*	*	*	*	*	*	6	10	308	19
P-F	4730-202-9036	ADAPTER, STRAIGHT, PIPE: air service (Component of Electric Brake Kit, FSN 2530-693-0581) 504356 (21450)	A	EA	1	*	*	*	*	*	*	6	10	308	20
		Non-Illustrated													
P-F	2530-318-0949	DIAPHRAGM, CHAMBER: brake controller 8713636 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	2530-799-1277	CONTROLLER ASSEMBLY, ELECTRIC: air operated brake 7991277 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	2590-608-5604	SWITCH CONNECTOR ASSEMBLY: used with 12 pole prime mover receptacle, to 4 pole trailer cable 8689342 (19207)	A	EA	V	*	*	*	*	*	*	6	10		
P-F	4730-278-3873	ELBOW, PIPE TO TUBE: brake air line 8405X8X8 (79470)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5905-316-7760	RESISTOR: controller 8713641 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5905-316-7769	RESISTOR, FIXED, WIRE WOUND: controller 8713606 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5905-316-7803	RESISTOR, FIXED, WIRE WOUND: controller 8713604 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5330-235-1675	PACKING, PREFORMED: controller body cover 546895 (21450)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5935-604-6817	CONNECTOR, PLUG, ELECTRICAL: circuit breaker cable 573443 (21450)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5940-113-9826	TERMINAL, LUG: circuit breaker cable MS25036-114 (96906)	A	EA	1	*	*	*	*	*	*	6	10		
P-F	5970-334-7722	INSULATING MATERIAL: circuit breaker cable connector 307959-1 (56232)	A	FT	V	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description — Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		3307—SPECIAL PURPOSE KITS—Continued Non-Illustrated—Continued													
P-F	6145-705-6678	WIRE, ELECTRICAL: circuit breaker cable (11 feet) 7056678 (19207)	A	FT	V	*	*	*	*	*	*	6	10		
P-F	2530-693-0581	KIT, ELECTRIC BRAKE: (24 V universal) 5701908 (19207) Consisting of:	A	EA	1	*	*	*	*	*	*	4	5		
		1-TUBE 7999927 (19207)												308	1
		1-CONTROLLER 8333092 (19207)												308	2
	2590-644-7716	1-LEAD 7999931 (19207)												308	3
	2590-349-3652	1-LEAD ASSEMBLY 8347011 (19207)												308	4
	5905-735-4001	1-RHEOSTAT 7354001 (19207)												308	5
	6145-705-6699	1-WIRE MILC13486-1 (81349)												308	6
		1-BRACKET 8347013 (19207)												308	7
	2530-864-2995	6-SPRING 8376532 (19207)												308	8
		3-WASHER 7999926 (19207)												308	9
	5340-057-3044	1-CLAMP 573044 (21450)												308	10
		2-CLAMP 8337110 (19207)												308	11
		1-ELBOW 423836 (21450)												308	12
		1-TEE 45-4250-815-050 (81336)												308	13
		1-PIPE 8347009 (19207)												308	14
		1-TUBE 7999932 (19207)												308	15
		1-BRACKET 8347014 (19207)												308	16
		1-BRACKET 7999933 (19207)												308	17
	4730-202-9037	1-ADAPTER 570809 (21450)												308	18
	4730-289-2864	1-TEE 64F (30327)												308	19
	4730-202-9036	1-ADAPTER 504356 (21450)												308	20
	5305-068-0504	2-SCREW MS90726-3 (96906)												N/I	
	5305-068-0505	2-SCREW MS90726-5 (96906)												N/I	
	5306-225-8499	2-SCREW MS90725-34 (96906)												N/I	
	5305-269-2807	4-SCREW MS90726-64 (96906)												N/I	
	5310-081-4219	4-WASHER, FLAT MS27183-12 (96906)												N/I	
	5310-814-0672	4-NUT, SELF-LOCKING 451011 (24617)												N/I	
	5310-877-5796	2-NUT, SELF-LOCKING MS21044N4 (96906)												N/I	
	5310-880-7744	2-NUT, PLAIN, HEXAGON MS51967-5 (96906)												N/I	

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) -yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		3307—SPECIAL PURPOSE KITS—Continued													
	5310-959-7600	2-NUT, SELF-LOCKING MS51922-5 (96906)												N / I	
	5940-113-9826	2-TERMINAL MS25036-114 (96906)												N / I	
	5970-433-9294	2-INSULATOR 7056633 (19207)												N / I	
		2-WASHER 138485 (21450)												N / I	
		1-TAPE, INSULATING, ELECTRICAL 875855 (21450)												N / I	
		GROUP 47—GAGES (NON-ELECTRICAL)													
		4701—INSTRUMENTS (SPEED AND DISTANCE)													
P-O	6680-882-0966	SHAFT ASSEMBLY, FLEXIBLE: tachometer drive (with casing and core) MS51071-4 (96906)	A	EA	1	*	*	*	*	*	*	4	5	309	1
P-O	5305-068-0500	SCREW, CAP, HEXAGON: clamp plate MS90725-3 (96906)	A	EA	1	*	*	*	*	*	*	6	10	309	2
X2-O		PLATE: clamp mounting 10883224 (19207)	A	EA	1	*	*	*	*	*	*			309	3
P-O	5340-282-7537	CLAMP, LOOP: tachometer shaft MS21333-41 (96906)	A	EA	1	*	*	*	*	*	*	6	10	309	4
P-O	5325-720-9054	GROMMET: tachometer and speedometer shaft MS35490-20 (96906)	A	EA	2	*	*	*	*	*	*	6	20	309	5
P-O	6680-294-6481	CORE, FLEXIBLE SHAFT: tachometer 1581351 (70040)	A	EA	1	*	*	*	*	*	*	6	10	309	6
P-O	6680-753-9689	GASKET: speedometer end 1568362 (70040)	A	EA	1	*	*	*	*	*	*	8	10	309	7
P-O	6680-825-2076	TACHOMETER, MECHANICAL: instrument cluster MS35916-2 (96906)	A	EA	1	*	*	*	*	*	*	4	10	309	8
P-O	6680-933-3599	SPEEDOMETER, MECHANICAL: MS39021-2 (96906)	A	EA	1	*	*	*	*	*	*	6	10	309	9
P-O	5305-269-2803	SCREW, CAP, HEXAGON: speedometer shaft clamp MS90726-60 (96906)	A	EA	1	*	*	*	*	*	*	6	10	309	10
P-O	6689-740-9701	SHAFT ASSEMBLY, FLEXIBLE: speedometer drive (with casing and core) 7409701 (19207)	A	EA	1	*	*	*	*	*	*	6	10	309	11
P-O	6680-528-8736	CORE, FLEXIBLE SHAFT: 1581430 (70040)	A	EA	1	*	*	*	*	*	*	6	10	309	12

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		4701—INSTRUMENTS (SPEED AND DISTANCE)—Continued													
P-O	5330-753-9688	WASHER, NON-METALLIC: adapter end 1568220 (70040)	A	EA	1	*	*	*	*	*	*	6	10	309	13
P-O	2520-715-3866	ADAPTER ASSEMBLY ANGLE DRIVE: speedometer shaft 8331043 (19207)	OB,CA,CB, BE,IA	EA	1	*	*	*	*	*	*	6	10	309	14
P-O	2520-740-9623	ADAPTER, ASSEMBLY: speedometer shaft (Use with 1100 x 20 tires) 99673R91 (31007)	BG,BF,DA,DB, EA,EB,EC,FA, FB,RA,ZA,HA,BD, IA,IB,IC,ID,FJ	EA	1	*	*	*	*	*	*	6	10	309	14
P-O	2520-740-9624	ADAPTER, ASSEMBLY: speedometer shaft 99674R91 (31007)	JA,EF	EA	1	*	*	*	*	*	*	6	10	309	14
P-O	2520-692-6185	ADAPTER ASSEMBLY: speedometer shaft (drive ratio 26 to 1) 649AH10-26-1 (31007)	LA,MA	EA	1	*	*	*	*	*	*	6	10	309	14
P-O	2520-706-5891	SHAFT, ANGLE DRIVE ADAPTER: 7065891 (19207)	A	EA	1	*	*	*	*	*	*	6	10	309	15
P-O	2520-706-5892	SLEEVE ASSEMBLY, ANGLE DRIVE: (with bearing) 7065892 (19207)	A	EA	1	*	*	*	*	*	*	6	10	309	16
P-O	5310-950-0039	NUT, SELF-LOCKING: speedometer shaft clamp MS21044N6 (96906)	A	EA	3	*	*	*	*	*	*	6	10	309	17
P-O	5340-282-7509	CLAMP, LOOP: speedometer shaft MS21333-62 (96906)	A	EA	4	*	*	*	*	*	*	6	10	309	18
P-O	5305-269-2801	SCREW CAP HEXAGON: speedometer shaft clamp MS90726-58 (96906)	A	EA	2	*	*	*	*	*	*	6	10	309	19
P-O	5305-068-0502	SCREW, CAP, HEXAGON: speedometer shaft clamp MS90725-6 (96906)	A	EA	1	*	*	*	*	*	*	6	10	309	20
P-O	5310-809-4058	WASHER, FLAT: speedometer cable clamp MS27183-10 (96906)	A	EA	1	*	*	*	*	*	*	6	10	309	21
P-O	5310-959-7600	NUT, SELF-LOCKING: speedometer and tachometer shaft clamp MS51922-5 (96906)	A	EA	2	*	*	*	*	*	*	6	10	309	22
		Non-Illustrated													
P-O	6620-084-7621	ADAPTER, TACHOMETER TAKE-OFF: 10912497 (19207)	A	EA	1	*	*	*	*	*	*	6	10		

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		4701—INSTRUMENTS (SPEED AND DISTANCE)—Continued Non-Illustrated—Continued													
P-O	2815-995-1811	ADAPTER ASSEMBLY, WITH SHAFT: right angle tachometer drive 11610078 (19207)	A	EA	1	*	*	*	*	*	*	6	10		
P-O	5330-199-5882	GASKET: gear cover to tachometer take-off adapter MS35769-26 (96906)	A	EA	1	*	*	*	*	*	*	10	20		
P-O	6680-089-2005	SHAFT ASSEMBLY, FLEXIBLE: tachometer drive (77½ inches) MS51071-9 (96906)	A	EA	1	*	*	*	*	*	*	4	5		
P-O	6680-112-0227	SHAFT ASSEMBLY, FLEXIBLE: speedometer drive (90 inches) MS51071-11 (96906)	A	EA	1	*	*	*	*	*	*	4	5		
P-O	6680-732-0561	SHAFT ASSEMBLY, FLEXIBLE: tachometer drive (62½ inches) MS51071-5 (96906)	A	EA	1	*	*	*	*	*	*	4	5		
P-O	6680-737-2727	BRACKET: tachometer and speedometer mounting 1580377 (19207)	A	EA	2	*	*	*	*	*	*	2			

Section III

SPECIAL TOOLS LIST

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 90-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		GROUP 26—TOOLS 2604—SPECIAL TOOLS													
P-F	4910-448-0254	HOISTING UNIT, AUTOMOTIVE MAINTENANCE: removing and replacing transmission 8387771 (19207)	A	EA	1	*	*	*	*	*	*	6		310	1
P-F	4910-545-8639	PAN, ENGINE: oil drip, use with stand, FSN 4910-795-0189) 8708359 (19207)	A	EA	1	*	*	*	*	*	*	6		310	2
P-F	4910-610-0919	BRACKET: adapting left side of transfer case to stand, FSN 4910-449-4196) 7010362 (19207)	A	EA	1	*	*	*	*	*	*	6		310	3
P-F	4910-610-0920	BRACKET, ANGLE: adapting right side of transfer case to stand, FSN 4910-449-4196) 7010363 (19207)	A	EA	1	*	*	*	*	*	*	6		310	4
P-F	4910-627-7043	TEST SET, POWER STEERING: checking oil pressure in steering 7010267 (19207)	A	EA	1	*	*	*	*	*	*	6		310	5
P-F	5120-795-0104	GAGE, PINION SETTING: differential 7950104 (19207)	A	EA	1	*	*	*	*	*	*	6		310	6
P-F	4910-795-0189	STAND: engine rebuild 7950189 (19207)	A	EA	1	*	*	*	*	*	*	6		310	7
P-F	4910-795-0198	CRADLE ASSEMBLY: (Used with Engine Stand, FSN 4190-795-0189) 7950198 (19207)	A	EA	1	*	*	*	*	*	*	6		310	8
P-F	4910-798-7584	SLING: power plant lifting 8715107 (19207)	A	EA	1	*	*	*	*	*	*	6		310	9
P-F	5110-795-0124	REAMER, HAND: front axle spindle bushing, use with bar, p/n 41-B-155 7950124 (19207)	A	EA	1	*	*	*	*	*	*	6		310	10
P-F	5110-795-0248	REAMER, HAND: steering gear housing bushing 7950248 (19207)	A	EA	1	*	*	*	*	*	*	6		310	11
P-F	5120-303-1195	ADAPTER, MECHANICAL: steering wheel, (Use with Puller, FSN 5120-422-8510) 8708638 (19207)	A	EA	1	*	*	*	*	*	*	6		310	12
P-F	5120-322-6223	COMPRESSOR, AIR: piston ring 8708744 (19207)	A	EA	1	*	*	*	*	*	*	6		310	13

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2604—SPECIAL TOOLS—Continued													
P-F	5120-338-6721	PULLER KIT, MECHANICAL: timing gears or companion flanges 8708724 (19207)	A	EA	1	*	*	*	*	*	*	6		310	14
P-F	5120-378-3139	WRENCH, SOCKET: wheel bearing nut 7076968 (19207)	A	EA	1	*	*	*	*	*	*	6		310	15
P-F	5120-378-4301	REMOVER, BEARING: front axle spindle inner bushing 7950127 (19207)	A	EA	1	*	*	*	*	*	*	6		310	16
P-F	5120-390-7779	WRENCH: air compressor; belt tension adjusting 8390170 (19207)	A	EA	1	*	*	*	*	*	*	6		310	17
P-F	5120-473-6511	WRENCH: cylinder head bolt 7078072 (19207)	A	EA	1	*	*	*	*	*	*	6		310	18
P-F	5120-473-7741	WRENCH: engine oil filter, seal plate bolt 7076229 (19207)	A	EA	1	*	*	*	*	*	*	6		310	19
P-F	5120-610-6719	REPLACER, OIL SEAL: air hydraulic cylinder push rod 8742053 (19207)	A	EA	1	*	*	*	*	*	*	6		310	20
P-F	5120-610-6720	REPLACER, SNAP RING: air hydraulic cylinder check valve 8642059 (19207)	A	EA	1	*	*	*	*	*	*	6		310	21
P-F	5120-707-9783	ADAPTER: steering relay pin. (Use with Puller, FSN 5120-473-6396) 7079783 (19207)	A	EA	1	*	*	*	*	*	*	6		310	22
P-F	5120-795-0079	REMOVER AND REPLACE: differential rear bearing cup 7950079 (19207)	A	EA	1	*	*	*	*	*	*	6		310	23
P-F	5120-795-0082	REPLACER, BEARING, CONE AND ROLLER: differential carrier spur pinion cage bearing cup 7950082 (19207)	A	EA	1	*	*	*	*	*	*	6		310	24
P-F	5120-795-0088	BURNISHER, SLEEVE BEARING: differential spider pinion bushing 7950088 (19207)	A	EA	1	*	*	*	*	*	*	6		310	25
P-F	5120-795-0089	REMOVER AND REPLACER: differential spider pinion bushing 7950089 (19207)	A	EA	1	*	*	*	*	*	*	6		310	26

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1-yr alw per 100 equip cnt-gry	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(10) (b) Item No.
		2604—SPECIAL TOOLS—Continued													
P-F	5120-795-0090	ADAPTER, PULLER: transfer case front drive rear bearing cone. (Use with Puller, FSN 5120-356-4544) 7950090 (19207)	A	EA	1	*	*	*	*	*	*	6		310	27
P-F	5120-795-0108	REPLACER, OIL SEAL: tachometer drive oil seal and bearing 7950108 (19207)	A	EA	1	*	*	*	*	*	*	6		310	28
P-F	5120-795-0112	ADAPTER, PULLER: differential carrier bearing. (Use with Puller, FSN 5120-356-4544) 7950112 (19207)	A	EA	1	*	*	*	*	*	*	6		310	29
P-F	5120-795-0129	REPLACER, BEARING: front axle inner spindle bushing or pitman arm shaft oil seal 7950129 (19207)	A	EA	1	*	*	*	*	*	*	6		310	30
P-F	5120-795-0130	REMOVER AND REPLACER: steering knuckle bushing or piston pin bushing 7950130 (19207)	A	EA	1	*	*	*	*	*	*	6		310	31
P-F	5120-795-0133	BURNISHER: front axle spindle bushing 7950133 (19207)	A	EA	1	*	*	*	*	*	*	6		310	32
P-F	5120-795-0134	BURNISHER, SLEEVE BEARING: steering knuckle 7950134 (19207)	A	EA	1	*	*	*	*	*	*	6		310	33
P-F	5120-795-0136	REPLACER, OIL SEAL: rear axle 7950136 (19207)	A	EA	1	*	*	*	*	*	*	6		310	34
P-F	5120-795-0137	REMOVER AND REPLACER: steering gear housing bushing 7950137 (19207)	A	EA	1	*	*	*	*	*	*	6		310	35
P-F	5120-795-0139	BURNISHER, SLEEVE BEARING: steering gear housing bushing 7950139 (19207)	A	EA	1	*	*	*	*	*	*	6		310	36
P-F	5120-795-0147	REPLACER, YOKE: transmission or transfer case companion flanges 7950147 (19207)	A	EA	1	*	*	*	*	*	*	6		310	37
P-F	5120-795-0152	REPLACER, OIL SEAL: transfer case, front drive gear 7950152 (19207)	A	EA	1	*	*	*	*	*	*	6		310	38
P-F	5120-795-0155	REPLACER, FLANGE: differential case companion 7950155 (19207)	A	EA	1	*	*	*	*	*	*	6		310	39

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cnt-gcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No.	(b) Item No.
		2604—SPECIAL TOOLS—Continued													
P-F	5120-795-0159	REMOVER AND REPLACER: differential forward bearing cage bearing cup 7950159 (19207)	A	EA	1	*	*	*	*	*	*	6		310	40
P-F	5120-836-6689	BOLT, MECHANICAL PULLER: differential helical pinion cage 8366689 (19207)	A	EA	1	*	*	*	*	*	*	6		310	41
P-F	6670-675-4966	SCALE, DIAL INDICATING: differential pinion bearing pre-load 7950157 (19207)	A	EA	1	*	*	*	*	*	*	6		310	42
P-F	6685-387-9654	GAGE, PRESSURE, DIAL, INDICATING: air brake, checking air pressure 7541305 (19207)	A	EA	1	*	*	*	*	*	*	6		310	43
		Non-Illustrated													
P-F	3443-795-0663	PLATE, SUPPLY: (piston pin bushing) 7950663 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	3443-795-0860	BROACH AND BURNISHER: tapered (piston pin bushing) 7950860 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	4910-795-0131	ARBOR, ALIGNING: aligning clutch plate 7950131 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	4910-795-0564	SLING, ENGINE: gasoline 7950564 (19207)	AA	EA	1	*	*	*	*	*	*	6			
P-F	4910-795-0630	BRACKET KIT: (engine stand cradle w / brackets, plate, beam, screws, nuts, washers and spacers) 7950630 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5110-795-0165	REFACER, WATER PUMP BUSHING: w / pilot cutters, and spacers (water pump housing bushing 7950165 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-048-7370	REMOVER AND REPLACER: torque rod ball assembly 8708220 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-092-9074	PULLER: (transmission reverse idler shaft) 8708669 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-316-9215	WRENCH, SOCKET: 7950566 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-341-4974	FIXTURE, TRANSFER CASE: removing and replacing transfer case. (use with lift, FSN 4910-422-8565) 8708898 (19207)	A	EA	1	*	*	*	*	*	*	6			

(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	Usable On Code	(4) Unit of meas	(5) Qty inc. in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		2604—SPECIAL TOOLS—Continued													
		Non-Illustrated— Continued													
P-F	5120-555-9126	WRENCH, SPANNER: 8742054 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-707-6220	REPLACER, GEAR: (crankshaft timing gear) 7076220 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-795-0081	REMOVER, OIL SEAL AND BEARING: (tachometer drive housing oil seal and bearing) 7950081 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-795-0091	REMOVER AND REPLACER, BEARING CUP: (transfer case front intermediate shaft bearing cup) 7950091 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-795-0105	REMOVER AND REPLACER, VALVE GUIDE: with stop plate 7950105 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-795-0132	REPLACER, VALVE SEAT INSERT: (used with Arbor Press) 7950132 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-795-0142	REMOVER AND REPLACER, PISTON PIN: 7950142 (19207)	A	EA	1	*	*	*	*	*	*	6			
P-F	5120-795-0163	REMOVER AND REPLACER, CAMSHAFT BUSHING, DRAW BAR TYPE: (camshaft bushings) 7950163 (19207)	A	EA	1	*	*	*	*	*	*	6			


2
3
4
12
11
10
5
6
9
7
8
AT 47142

Figure 1. Engine and container assembly.



AT 47143

Figure 2. Engine front mounts.

Figure 3. Unassigned.



AT 47145

Figure 4. Engine rear mounts.


1
2
3
4
5
6
4
7
8
9
39
38
37
36
10
7
35
4
34
9
11
4
7
12
25
29
26
27
28
27
30
31
32
33
24
17
18
16
19
15
13
14
20
21
22
23

AT 47146

Figure 5. Clutch release mechanism and linkage.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
AT 47147

Figure 6. Air cleaner assembly (diesel and multifuel).


1
2
3
4
5
6
7
8
9
10
11
12
13
6
7
8
9
10
11
14
15
14
16
17
18
19

AT 47148

Figure 7. Air cleaner assembly—gasoline.


1
2
3
4
5
6
7
8
5.1
7.1
7.2
8.1
9
10
11
10
11
12
12
11
11

Figure 8. Fuel tank assembly.


1
2
3
4
16
15
14
11
13
12
10
5
6
7
8
5
6

AT 47150

Figure 9. Anti-dieseling, choke and hand throttle controls.


1
2
3
4
6
7
8
10
9
3
2
5
11
14
10
15
7
12
9
2
8
13
16
3
17
19
16
20
13
3
2
21
7
22
23
35
32
22
34
21
24
33
32
25
28
26
31
30
27
13
22
29
AT 47151

Figure 10. Throttle linkage.


1
2
4
3
5
6
7
8
4
4
8
1
1
13
9
6
4
11
12
8
1
13
3
20
19
4
8
7
7
6
7
4
4
11
12
10
18
13
1
17
14
10
13
16
15
AT 47152

Figure 11. Exhaust pipe, muffler, and attaching parts (gasoline).


12
1
2
3
4
5
6
7
8
13
14
8
9
10
9
10
11
14
15
6
9
10
6
9
10
6
9
6
16
6
9
10

AT 47153

Figure 12. Exhaust pipes, tailpipes, and attaching parts (diesel).


16
17
1
14
17
15
19
13
20
12
17
2
18
13
17
5
3
20
11
17
10
9
8
7
6
4
3
5

AT 47154

Figure 13. Vertical exhaust stack (multifuel and diesel).


1
2
3
4
3
5
3
4
3
6
7
8
9
10
29
11
28
12
12
13
14
12
14
16
15
19
17
18
12
20
28
27
26
25
21
22
24
23

AT 47155

Figure 14. Radiator (diesel).


1
2
3
4
5
6
5
5
6
5
7
8
9
10
11
10
12
10
13
10
10
14
15
10
10
16
22
12
21
17
17
20
18
19
18
AT 47156

Figure 15. Radiator (gasoline).



AT 47157

Figure 16. Generator regulator.



AT 47158

Figure 17. Low air pressure switch.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
AT 47159

Figure 18. Instrument panel.


1
2
3
4
5
6
7
5
6
7
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

AT 47160

Figure 19. Instrument cluster.



Figure 20. Directional signal control.



AT 47162

Figure 21. Headlight beam selector switch.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
AT 47163

Figure 22. Headlight assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
AT 47164

Figure 23. Blackout headlight assembly.


1
2
3
4
5
6
7
8
9
10
11
AT 47165

Figure 24. Marker light assembly (special lighting).


1
2
3
4
5
AT 47166

Figure 25. Stoplight—taillight assembly (right).


2
3
4
5
AT 47167

Figure 26. Stoplight—taillight assembly (left).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
AT 47168

Figure 27. Turn signal and blackout marker.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
AT 47169

Figure 28. Front composite light (special lighting).


1
2
3
4
5
6
7
8
9
10

AT 47170

Figure 29. Front turn signal light (special lighting).


1
2
3
4
5
6
4
7
8
9
10
AT 47171

Figure 30. Composite taillight (special lighting).



AT 47172

Figure 31. Floodlight assembly.


1
2
3
AT 47173

Figure 32. Dome light assembly.


1
2
3
4
AT 47174

Figure 33. Fuel quantity transmitter.


1
2
3
4
5
6
7
14
7
13
12
11
10
9
8

AT 47175

Figure 34. Horn button.



AT 47176

Figure 35. Air horn assembly.


7
4
6
12
3
2
3
2
4
1
5
6
8
9
10
11
10
9
9
10
8
13
27
25
16
9
15
10
14
26
17
17
14
18
23
19
24
20
21
22

AT 47177

Figure 36. Batteries and related parts.



AT 28002

Figure 37. Receptacle assembly battery slave.


1
2
3
4
21
20
4
5
20
10
4
12
6
19
11
14
11
7
14
11
8
9
17
16
18
11
11
13
10
11
10
12

AT 47178

Figure 38. Front wiring harness.


5
7
6
2
3
4
7
8
3
7
2
9
2
11
12
11
1
10

AT 47179

Figure 39. Rear wiring harness.


1
2
3
4
5
7
8
9
10
11
12

AT 47180

Figure 40. Transmission and container assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
15
16
AT 47181

Figure 41. Transmission and container assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
8
9
AT 47182

Figure 42. Transmission case and attaching parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
15
16
15
14

AT 47183

Figure 43. Transmission countershaft and idler shaft with gears—gasoline and multifuel.


1
2
3
4
5
6
7
8
9
10
11
12
13
15
16
15
14
AT 47184

Figure 44. Transmission countershaft and idler shaft with gears—diesel.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
23
22
21
20
19
18

AT 47185

Figure 45. Transmission input shaft and main shaft with gears.


1
2
3
4
11
12
13
14
5
6
7
8
10
9

AT 47186

Figure 46. Transmission clutch housing.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
AT 47187

Figure 47. Transmission shifter housing cover and lever.


1
2
3
4
5
6
7
8
9
9
10
11
12
12
12
12
12
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

AT 47188

Figure 48. Transmission shifter housing and related parts.


1
2
3
4
5
6
7
8
9
4
10
11
12
13
14
15
4
5
6
7
8
9
16
17
16
8
4
10
11
12
13
14
15

AT 47189

Figure 49. Transmission twin poppet valve assembly.


1
2
3
4
5
6
7
8
9
10
11
12

AT 47190

Figure 50. Transfer and container assembly.


2
3
4
10
8
9
4
5
7
6
2
3
1
4
4
5
5
7
6

AT 47191

Figure 51. Transfer assembly mounting parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
AT 47192

Figure 52. Transfer case plug, covers and gaskets—front view.


1
2
3
4
5
6
7
8
9
10
11
12
13
9
14
15
16
17
18
19
20
21
22
23
24
25
26
22
20
21
27

AT 47193

Figure 53. Tra[illegible] case, covers and gaskets—rear view.


1
2
3
4
5
6
7
8
9
10
11
9
12
13
9
10
14
9
15
16
17
24
22
21
20
19
18
23
18
19
27
26
20
21
25
AT 47194

Figure 54. Transfer input and intermediate shafts.


1
2
3
4
26
5
6
7
8
9
10
11
9
8
7
12
13
12
14
15
16
18
17
25
24
23
22
21
20
19

AT 47195

Figure 55. Input and output shifter shafts.


11
4
1
2
3
5
6
7
8
9
8
10
12
13
14
15
16
14
13
12
21
21
17
18
19
20
22
23
24
25
26
27
28
AT 47196

Figure 56. Transfer output shafts and related parts.


1
2
3
4
5
1
2
3
4
15
11
4
3
6
16
4
3
15
17
12
7
8
9
10
3
11
4
12
6
13
14
AT 47197

Figure 57. Declutch control piping.


1
2
3
7
6
5
4
20
19
21
22
22
23
5
4
5
24
5
18
17
19
16
15
14
7
6
5
1
12
11
10
8
3
9
13
AT 28035

Figure 58. Transfer controls.


1
2
3
4
5
4
6
7
2
9
8
AT 47198

Figure 59. Propeller shaft, transmission to transfer.


1
2
3
4
5
6
7
8
9
8
10
11
4
2
5
3
AT 47199

Figure 60. Propeller shaft assembly transfer to front axle.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
14
22
9
8
7
6
5
3
23
24
25
26
27
28
29
30
31
32
33
AT 47200

Figure 61. Propeller shaft—transfer to center bearing assembly.


1
2
3
4
5
6
7
8
9
10
9
11
12
5
4
3
2

AT 47201

Figure 62. Propeller shaft assemblies transfer to forward rear axle and center bearing to forward rear axle.

best copy available


1
2
3
4
5
6
7
6
8
9
4
2
3
AT 47202

Figure 63. Propeller shaft assemblies—forward rear to rear rear axle.



Figure 64. Front axle assembly.


1
2
3
4
5
6
6
7
7
8
8
AT 47204

Figure 65. Front axle housing assembly.


1
2
3
4
5
AT 47208

Figure 66. Differential carrier assembly.


1
2
3
4
5
6
16
15
1
2
14
13
7
8
9
9
12
11
10

AT 47206

Figure 67. Differential carrier and covers.


1
2
3
4
5
6
7
8
6
5
4
3
2
1
13
10
11
12
9
AT 47207

Figure 68. Differential case and gears.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
5
26
27
28
1
14
AT 47208

Figure 69. Differential hypoid drive shaft and bearings.


1
2
3
4
5
6
7
8
9
10
10
9
11
12
7
13
14
15
AT 47209

Figure 70. Differential helical drive pinion and bearings.


27
29
26
28
25
24
30
23
32
31
34
33
22
35
41
36
40
42
37
38
39
43
21
20
10
15
19
16
18
14
11
9
17
1
7
5
8
4
6
34
2
3
33
35
13
12
23
44
46
45
AT 47210

Figure 71. Steering knuckle and related parts.


1
2
3
4
5
6
7
8
9
10
11
12
7
13
14
15
1

AT 47211

Figure 72. Front axle shaft with universal joint assembly.


1
2
3
4
5
6
7
8
9
9
10
AT 47232

Figure 73. Rear axle assembly.


1
2
3
4
AT 47213

Figure 74. Rear axle shaft and related parts.


1
2
3
7
6
5
4
AT 47214

Figure 75. Rear axle housing and related parts.


1
2
3
4
5
6
7
8
8
8
9
10
10
11
12
13
14
15
16
17
18
19
20
20
21
21
22
23
24
25
26
27
AT 47215

Figure 76 Parking lever assembly.


1
2
3
4
4
7
8
6
11
5
9
10
5
11
12
13
9
17
7
2
9
16
14
4
8
4
15
AT 47216

Figure 77. Parking brake cable and related parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
13
16
17
AT 47217

Figure 78. Parking brake drum and shoe.


27
26
28
3
1
2
4
5
6
7
19
18
17
16
7
20
8
9
11
21
25
24
23
9
22
10
11
12
13
15
8
14
AT 47266

Figure 79. Service brakes.


1
2
3
4
5
6
AT 47219

Figure 80. Wheel cylinder and related parts.



Figure 81. Master cylinder assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
AT 47221

Figure 82. Hydraulic air cylinder.


53
19
43
44
47
48
51
30
52
45
41
46
49
50
54
44
43
19
42
45
46
47
48
49
50
13
11
25
34
19
43
44
41
40
13
19
43
44
55
38
36
11
11
33
34
36
9
3
4
8
7
5
10
1
2
6
11
27
29
28
30
31
33
35
11
33
35
11
36
34
39
23
22
11
24
25
34
37
11
33
34
36
14
15
16
19
20
24
14
15
7
11
32
11
33
34
35
12
13
21
18
30
51
58
17
57
56
7
8
9
10
11
1
2
4
5
6
3
AT 47222

Figure 83. Hydraulic lines.


1
2
3
4
5
6
7
8
1
9
10
11
10
12
13
14
14
15
16
17
18
19
20

Figure 84. Brake pedal and linkage.


10
11
12
13
14
15
8
1
9
34
35
16
6
36
1
17
18
19
33
21
37
38
20
7
31
21
1
2
3
4
5
32
22
23
29
30
39
28
24
27
3
4
26
2
25

AT 47224

Figure 85. Front air lines.


20
21
19
22
18
23
24
2
3
25
17
16
15
14
13
26
27
2
3
6
1
2
3
4
5
2
3
6
3
12
11
10
2
7
3
6
8
2
3
6
7
9
2
3
6

AT 47225

Figure 86. Air lines (rear).



Figure 87. Air reservoir and safety valve.



Figure 88. Air compressor assembly.



AT 47228

Figure 89. Air governor assembly.


4
1
15
2
3
5
14
13
12
11
10
9
8
7
6

AT 47229

Figure 90. Trailer connections.



AT 47230

Figure 91. Trailer coupling assembly.


1
2
3
3
4
5
6
7
8
9
10
11

AT 47231

Figure 92. Trailer brake control and related parts.


1
2
3
AT 47232

Figure 93. Wheel with ring assembly.


6
10
11
13
12
12
14
15
16
17
7
8
9
1
2
3
4
5
AT 4723

Figure 94. Front wheel hub and brakedrum.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
13
15
16
17
18
19
20
21
22
23

AT 47234

Figure 95. Rear axle hub assy, drum and related parts.



AT 47235

Figure 96. Tire and inner tube, pneumatic.


1
2
3
AT 47236

Figure 97. Tire valve extension



AT 47237

Figure 98. Steering wheel.


1
2
3
4
5
6
7
13
8
13
9
9
10
11
12
11
AT 47238

Figure 99. Steering lever and bracket.


1
2
3
4
6
7
8
7
6
4
3
2
5
9
10
5
AT 47239

Figure 100. Drag link assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
AT 4724

Figure 101. Tie rod assembly.


1
2
3
AT 47241

Figure 102. Steering gear assembly (1 of 3).


4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
22
27
28
29
28
27
26
25
24
23
32
31
30

Figure 102. Steering gear assembly (2 of 3).


33
34
36
35
37
38
39
38
38
39
40
38
39
66
41
65
42
43
44
45
46
47
48
49
51
52
50
53
54
55
64
63
56
57
58
60
61
62
59

AT 47243

Figure 102. Steering gear assembly (3 of 3).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
13
16
2
3
17
21
20
19
18
22
23
AT 47244

Figure 103. Hydraulic pump assembly.


1
2
38
35
36
37
27
34
28
33
29
30
32
31
26
25
23
22
24
23
22
3
4
5
6
7
9
20
21
12
18
11
19
12
11
10
9
6
8
12
15
13
14
1
16
17
AT 47245

Figure 104. Power steering piping—diesel and multifuel.


1
8
2
3
4
5
6
7
9
10
11
12
13
14
15
16
17
18
19
21
20
AT 47246

Figure 105. Power cylinder assembly (component of figure 102).


1
2
3
4
5
6
7
8
9
10
11
12
12
13
14
15
16

AT 47247

Figure 106. Reservoir assembly and related parts.


1
2
3
4
5
6
13
14
4
12
7
8
9
10
11

AT 47248

Figure 107. Relief valve assembly (component of figure 102).


1
2
3
4
5
6
7
8
7
9
10
11
12
22
21
20
19
9
13
14
15
16
17
18
AT 47250

Figure 108. Steering gear hydraulic control valve assembly (component of figure 102).


2
6
7
6
5
2
9
8
4
2
14
12
13
3
15
2
2
16
11
10
11
1
17
23
28
2
24
18
19
27
22
25
25
24
21
20
2
AT 47251

Figure 109. Frame assembly.


1
2
1
2
3
3
4
4
6
5
5
6
7
7
7
7
8
8
9
9
9
9
10
10
11
9
9
8
8
6
9
9
6
AT 47252

Figure 110. Front lifting shackles and bumper.


1
2
3
4
5
6
7
8
9
AT 47253

Figure 111. Rear lifting shackle and bumper.


10
9
8
11
12
13
1
7
6
5
14
15
2
4
3
12
17
16
AT 47254

Figure 112. Pintle hook assembly and mounting bracket.


1
2
3
12
11
3
1
2
4
3
13
5
10
9
8
7
6
AT 28113

Figure 113. Pintle mounting installation.


1
2
3
4
5
6
4
7
8
9
10
11
13
12
4
11
12
13
21
20
19
14
15
18
17
16

AT 47255

Figure 114. Spare wheel carrier and tire lock.


2
4
5
3
2
6
14
1
7
13
13
8
9
10
3
2
11
9
10
9
9
10
10
10
12
10
10

AT 47256

Figure 115. Tire carrier.


1
2
3
2
2
4
5
6
7
1
3
8
9
10
13
14
12
13
12
11

AT 47257

Figure 116. Tire carrier.


1
2
1
3
21
20
4
5
6
7
25
20
24
23
8
20
17
9
22
10
11
21
21
12
14
13
10
20
5
21
18
15
14
19
17
16
12
6
20

AT 47258

Figure 117. Carrier and fuel tank protector decks.


1
4
5
8
7
2
3
2
1
3
1
2
1
4
8
9
10
15
15
11
11
2
1
12
11
11
13
15
14

AT 47259

Figure 118. Tire carrier.


1
1
1
2
2
3
4
3
4
4
4

AT 47260

Figure 119. Spare tire mounting.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
TA006717

Figure 120. Fifth wheel base assembly (1 of 2).


1
2
3
3
4
5
6
7
8
9
10
11
12
6
14
18
19
19
20
14
13
15
16
17
6
TA006718

Figure 120. Fifth wheel assembly—exploded view (2 of 2).



AT 47262

Figure 121. Fifth wheel approach plates.


2
3
4
1
10
8
9
7
5
6
11
12
13
14
15

AT 47263

Figure 122. Leveling jack assembly.


1
2
1
3
4
5
6
8
7
8
8
7
8
7
30
9
6
30
11
10
12
13
5
31
29
28
6
21
22
19
28
27
25
32
15
8
26
24
23
22
21
18
19
14
17
16
20
AT 47264

Figure 123. Front spring assembly and related parts.


1
12
11
2
3
10
9
8
6
15
4
14
13
5
7
AT 47265

Figure 124. Rear spring and related parts.


14
1
2
3
13
5
4
6
8
6
7
12
11
9
10

AT 28125

Figure 125. Rear spring components—exploded view.


1
2
3
4
5
6
7
8
9
10
10
11
12
13
14
15
16
17
18
AT 47267

Figure 126. Rear spring seat and bearing.


1
2
3
4
5
4
5
4
4
3
2

AT 47268

Figure 127. Shock absorbers and related parts.


1
2
3
4
5
6
7
8
9
10
11
12

AT 47269

Figure 128. Torque rod and related parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
AT 47270

Figure 129. Hood assembly and related parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
AT 47271

Figure 130. Cab door assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
AT 47272

Figure 131. Vent, cowl hook and windshield attaching parts.


1
2
7
6
5
3
4
8
9
AT 28133

Figure 132. Machine gun mounts and cap assembly.


1
7
3
4
5
8
6
9
10
11
5
3
4
2
8
25
26
28
17
16
24
23
8
18
15
22
14
27
12
8
13
14
30
29
15
16
17
19
11
12
8
11
20
19
18
8
21
8
AT 47273

Figure 133. Left running board and related parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
AT 47274

Figure 134. Right running board and related parts.

best copy available


1
8
7
5
2
9
6
2
10
14
15
11
12
13
5
2
5
16
17
2
3
4
9
41
44
13
14
18
40
42
43
12
11
19
2
8
48
47
5
39
14
38
20
21
23
22
33
34
13
13
2
14
24
4
46
37
14
26
25
13
12
13
26
30
36
13
12
13
14
27
2
6
35
6
2
34
29
30
33
32
31
29
28
AT 47275

Figure 135. Left fender assembly and related parts.


1
9
13
14
11
12
4
2
5
6
7
8
15
14
3
10
9
9
2
2
16
17
6
21
22
23
14
44
45
12
18
15
43
8
7
6
21
9
19
42
2
46
20
21
22
41
39
30
40
29
6
39
6
2
6
23
16
24
38
6
7
6
37
36
2
36
35
15
14
6
7
6
2
25
26
14
27
15
14
25
33
28
29
30
31
33
34
32
AT 47276

Figure 136. Right fender assembly and related parts.


2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
13
17
18
19
20
21
22
23
24
25
26
27

AT 47277

Figure 137. Windshield assembly.


1
2
3
4
5
6
9
6
5
9
5
7
8
6
AT 28144

Figure 138. Wheel splash guard.


6
7
5
3
1
4
3
3
2
AT 28151

Figure 139. Cab floor board.


1
2
3
4
5
6
15
7
8
9
10
11
12
13
14
AT 47278

Figure 140. Drivers seat assembly.


1
2
3
3
15
5
4
6
5
8
14
5
8
3
13
7
5
8
12
8
5
8
10
9
5
7
3
5
8
8
5
11
5
10
3

AT 47279

Figure 141. Companion and crane operator's seat.



AT 28184

Figure 142. Tool box assembly.



AT 28166

Figure 143. Bracket assembly.



AT 28166

Figure 144. Bracket pioneer tool mounting.



AT 28167

Figure 145. Bracket reinforcing pioneer.


9
5
7
8
3
6
2
4
7
8
1

AT 28158

Figure 146. Hanger frame tool box and pioneer tool bracket.


1
2
6
5
10
9
13
14
8
12
11
7
15
3
4

Figure 147. Box assembly tool.

AT 28160


1
2
3
4
5
6
7
10
11
12
13
14
15

Figure 148. Loading roller.

AT 47280


1
2
3
4
5
10
11
12
11
9
9
8
13
13
14
15
6
7
15
16
17
6
42
43
19
20
18
21
23
22
13
24
25
26
27
26
28
38
40
41
39
36
37
44
45
15
13
46
50
25
25
26
49
48
26
47
26
29
30
37
36
35
34
6
33
32
26
25
28
25
31
26

AT 47281

Figure 149. Cargo body.



AT 47282

Figure 150. Bow assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
AT 47283

Figure 151. Gate, rack and seat assembly.


1
2
2
3
3
4
5
6
7
8
9
10
11
12
13
AT 47284

Figure 152. Compartment and ladder assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
AT 47285

Figure 153. Bridge transport body back lock shaft.


1
2
3
4
12
5
6
7
11
10
8
9
19
18
17
12
16
13
15
14

AT 47286

Figure 154. Dump truck body and related parts.



AT 28164

Figure 155. Dump truck shield assembly.


1
2
3
4
3
8
5
6
7
9
19
10
11
13
18
17
16
15
14
13
12

AT 47287

Figure 156. Dump truck tailgate assembly.



AT 28167

Figure 157. Dump truck hoist assembly.


3
21
20
17
14
15
16
1
1
2
3
4
1
5
6
23
7
8
9
22
21
3
14
1
18
19
17
16
13
15
11
10
12
24
AT 28166

Figure 158. Dump truck body controls.



AT 28172

Figure 159. Cargo body taillight brackets.


1
2
3
4
3
5
6
AT 28179

Figure 160. Cargo body short frame brackets.


1
2
3
4
5
6
7
8
9
10

AT 28181

Figure 161. Cargo short body mounting brackets.


3
6
1
2
3
4
5
3
7
20
19
8
8
8
10
11
14
14
9
9
9
12
9
10
2
1
13
11
AT 47288

Figure 162. Cable reel and splash guard assembly.


1
2
3
4
4
4
4
5
6
7
7
8
9
10
11
12
12
13
14
15
16
17

AT 47289

Figure 163. Air conditioner and related parts.


1
2
3
4
5
6
4
7
8
9
8
7
10
3
11
12
13
14
15
16
AT 47290

Figure 164. Heater and exhaust system.


4
5
1
2
2
3
6
17
17
17
12
12
12
16
7
11
12
15
12
11
12
15
12
11
12
10
15
9
8
12
14
13
12
11
AT 47291

Figure 165. Heater fuel lines.


19
20
18
17
1
2
4
16
15
2
3
5
14
4
13
6
12
7
11
10
1
2
4
9
8
AT 47292

Figure 166. Right rear door assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

AT 47293

Figure 167. Left rear door assembly.


1
2
3
4
5
10
9
14
4
13
11
3
6
10
12
7
9
2
3
8
4

AT 47294

Figure 168. Side door assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
AT 47295

Figure 169. Side wall assembly.


1
2
3
2
2
4
5
6
7
8
9
10
11
12
13
10
14
5
3
21
2
2
4
20
15
15
19
16
18
17
5

AT 47296

Figure 170. Counter balance assembly.


1
2
3
3
AT 47297

Figure 171. Door assembly end panel.


1
2
3
4
5
1
6
7
1
8
AT 47298

Figure 172. Rear wall assembly.


6
6
7
8
1
2
3
4
5
7
15
14
5
9
13
5
9
10
11
10
12

AT 47299

Figure 173. Body mounting and related parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
10
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
7

AT 47300

Figure 174. Underframe and related parts.


1
2
3
4
5
6
7
8
9
10

AT 28266

Figure 175. Van body emergency lamp harness.


1
2
3
4
5
6
7
8
9
AT 28268

Figure 176. Van body battery connection cable assembly.



AT 28270

Figure 177. Van body rear wall emergency light switch and related parts.



AT 28271

Figure 178. Van body three way switch box cover and related parts.


10
9
8
1
2
3
7
6
5
4

AT 28272

Figure 179. Van body clearance light cable assembly.



AT 28278

Figure 180. Van body telephone post, box and related items.



AT 28279

Figure 181. Van body ceiling cable retaining clamp and related parts.



AT 28318

Figure 182. Van body end panel door retaining rod.



AT 28319

Figure 183. Rear wall expansible van cover.



AT 28320

Figure 184. Van body rear door bumper.


1
2
3
4
5
8
5
7
AT 28321

Figure 185. Van body lock and safety chain installation.


1
FIRE
EXT
2
AT 28323

Figure 186. Van body fire extinguisher mounting bracket.



AT 28324

Figure 187. Van body end panel and stowage retainer.



AT 28325

Figure 188. Van body lifting bracket.


1
2
3
4
3
5
6
7
8
9
10
9
11
12
13
14
15
16
17
6
5
2
7
17
18
17
19
8
9
11
12
9
16
10
20
17
9
18

AT 28329

Figure 189. Van body power gate main frame assembly, clutch assembly and related parts.


1
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

AT 28330

Figure 190. Van body power gate lifting frame assembly, cylinder assembly and related parts.


1
2
3
4
5
6
7
8
9
10
9
11
CLOSING CYLINDER
19
18
12
13
17
16
15
14

AT 28332

Figure 191. Van body lift gate closing cylinder and tubing.



AT 28333

Figure 192. Van body power gate lifting cylinder assembly.


1
2
3
4
5
6
7
8
6
9
2
11
10
12
13
14
22
21
6
16
15
6
20
19
18
17
10
11
12
13
14
AT 28334

Figure 193. Van body power gate assembly, pump and bracket assembly and related parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38

AT 28335

Figure 194. Van body power gate control, kickout valve assembly and related parts.


1
2
3
4
5
3
7
6
8
8
17
16
9
9
10
11
7
2
1
16
13
12
15
14
11

AT 28336

Figure 195. Van body hydraulic system.


14,15,16
26
27
1
2
3
4
8
11
13
17,18
19,20,21
22
23
24
25
5,6,7
9
6,10
12
8
25
18
11,35,36
18
25
18
32
31
28,29,30
32
26
26
32
33
34
53
51,52
62
50
49
48
47
46
13
22
54
55,56
23
20,21
45
22
57
26
32
44
58
60
60,61
59
59
60
27
49
47
6
64
61
63
19,20,21
1,2,3,4
32
26
65
66
67
25
40
41
38
39
37
68
70
69
22
42
43
71
AT 28337

Figure 196. Van body power gate drive, electrical drive and related parts.


13
14
13
9
12
11
10
9
8
1
2
13
15
16
11
3
4
5
6
7
6
7
17
27
19
18
20
21
18
22
21
23
18
4
24
26
25

AT 28338

Figure 197. Van body control rod assembly kickout hook and related parts.


1
2
3
5
6
7
4
8
9
10
11
12
20
16
15
14
13
19
18
16
17
21
22
23

AT 28339

Figure 198. Van body control assembly, socket assembly and related parts.


1
2
3
4
5
6
7
3
4
5
6
AT 28340

Figure 199. Van body power gate platform assembly bar and related parts.


1
2
3
4
3
4
AT 47301

Figure 200. Gondola seat assembly.



Figure 201. Wrecker truck body oil can mounting bracket.


1
2
3
4
5
6
7
7
8
8
9
9
10
11
12
13
14
15
16
AT 28387

Figure 202. Oil tank assembly, wrecker body crane.



AT 28388

Figure 203. Oil can mounting bracket, wrecker body oil reserve and related parts.


1
2
3
4
5
AT 28388

Figure 204. Rear tie down bracket assembly, left hand and right hand.



AT 28678

Figure 205. Wrecker truck body bracket assembly fire extinguisher.



AT 28390

Figure 206. Front bumper vice mounting bracket medium wrecker.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

AT 47302

Figure 207. Van electrical system.


1
2
3
4
5
6
7
4
22
21
20
19
18
8
9
17
16
15
10
11
12
13
14

AT 47303

Figure 208. Front winch assembly.


14
13
15
20
2
3
4
17
18
19
21
16
11
12
1
5
10
22
6
7
13
23
8
29
24
42
43
9
25
30
26
41
34
32
31
28
27
35
34
33
34
39
38
37
36
28
40
AT 47304

Figure 209. Front winch drum and end frame.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
41
40
4
6
5
16
17
18
2
1
19
20
21
22
26
27
28
29
30
31
32
23
24
25
33
10
34
12
39
38
37
36
35
AT 47305

Figure 210. Front winch drum shaft gear, drive worm.


7
8
9
10
11
12
5
3
2
6
14
9
10
13
1
4
22
21
2
3
14
15
14
8
9
10
12
18
20
19
17
14
16
9
13
10
11
AT 47306

Figure 211. Roller assembly and related parts.


1
2
3
8
7
4
5
6
7
8
33
34
9
10
11
12
13
14
16
17
18
19
20
15
17
21
22
17
21
16
15
19
18
17
32
3
21
17
15
16
17
18
19
20
22
21
17
15
16
31
2
23
17
21
15
16
17
18
19
32
33
24
25
26
27
28
29
30
9
AT 47307

Figure 212. Sheave and trolley assembly.


1
2
3
4
2
1
1
2
4
1
2
3
5
6
7
8
9
8
9
24
23
22
13
12
11
10
5
19
20
21
15
14
17
18
16

AT 47308

Figure 213. Front winch tension sheave frame and lever.


1
2
3
4
5
6
7
8
9
10
3
2

AT 47309

Figure 214. Front winch propeller shaft assembly.


1
2
3
4
5
6
7
20
19
18
17
16
8
9
10
12
15
11
14
12
13
AT 47310

Figure 215. Rear winch assembly.


1
2
3
4
5
6
8
9
45
32
44
7
10
43
41
42
40
39
38
37
36
9
34
35
34
33
10
11
12
13
5
14
15
16
17
18
19
20
21
22
23
32
31
26
25
24
27
28
29
30
AT 47311

Figure 216. Rear winch drum shaft gear, drive worm and gear case.


1
2
3
4
5
6
7
9
10
8
8
9
4
15
14
13
12
11
2
AT 47312

Figure 217. Rear winch drum, end frame and shaft.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
AT 47313

Figure 218. Trolley assembly.


3
4
3
4
1
2
2
5
6
17
16
17
16
14
15
14
16
15
17
16
17
12
7
8
10
9
11

AT 47314

Figure 219. Rear winch tensioner assembly.


1
2
3
4
5
6
7
8
8
5
1
10
9

AT 47315

Figure 220. Rear winch upper and lower roller.


1
2
3
4
5
6
7
8
8
6
5
9
10
9
11
12
13

AT 47316

Figure 221. Rear winch side roller.


5
1
2
3
4
6
7
8
9
10
11
12
13
14
15
10
9
8
7
6
16
17
20
19
2
18
17
16

AT 47317

Figure 222. Winch drive shaft housing.



AT 47318

Figure 223. Winch air cylinder.


3
4
5
1
2
6
7
8
9
AT 47319

Figure 224. Rear winch drive shaft pillow block.



AT 47320

Figure 225. Rotochamber assembly.



AT 47321

Figure 226. Vacuum control valve.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
12
15
16
17
18
19
20
21
22
8
7
6

AT 47322

Figure 227. Cylinder assembly.


1
2
3
4
5
6
7
13
1
1
10
12
11
10
9
8
AT 47323

Figure 228. Cylinder assembly and related parts.


1
2
3
4
5
6
7
8
9
10
11
12

AT 47324

Figure 229. Hydraulic hoist control valve adapter.


1
2
3
4
5
6
7
8
6
9
10
11
12
13
14
15
16
17
18
19
18
20
18
19
18

AT 47325

Figure 230. Hydraulic control valve.


19
2
3
4
5
6
7
9
8
1
18
17
3
10
11
16
6
5
3
12
3
13
14
15
AT 28351

Figure 231. Hydraulic hoist pump.



AT 28346

Figure 232. Dump body control rod shaft bracket.


2
3
9
6
4
5
3
1
14
2
12
21
3
8
7
20
5
4
8
11
19
15
2
23
10
16
25
22
3
17
27
26
13
24
18

AT 28347

Figure 233. Rod assembly dump control box connecting hand lever assembly and control.


10
9
3
5
6
2
7
8
9
3
6
2
5
4
2
3
1
14
11
12
13
AT 28348

Figure 234. Dump control box rod and power takeoff control and shafts.


1
2
10
9
8
7
6
5
4
3
AT 28353

Figure 235. Dump truck body and hoist assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
AT 47327

Figure 236. Boom hoist hydraulic oil motor.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
AT 47328

Figure 237. Hydraulic oil pump.

best copy available


2
1
4
18
17
3
4
4
16
5
15
6
7
8
7
8
14
13
9
10
11
12

AT 47329

Figure 238. Crane base plate.


26
25
1
2
1
2
3
7
8
9
10
4
5
6
11
12
13
14
23
24
22
16
15
15
2
2
16
17
17
18
18
21
20
19
AT 47330

Figure 239. Pivot assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

AT 47331

Figure 240. Pivot post pinion.


1
2
3
4
5
6
11
10
7
8
9
10
11
3
12
13
14
15
16
5

AT 47332

Figure 241. Pivot post drive pinion idler gear.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
AT 47333

Figure 242. Swing motor assembly.


1
2
3
3
18
17
19
20
22
21
23
28
24
25
27
26
22
13
7
6
5
11
4
5
6
7
8
9
10
9
8
16
15
14
AT 47334

Figure 243. Boom and shipper.


1
2
3
4
2
4
3
2
14
12
5
11
6
10
7
9
8
13
14
18
17
10
16
5
7
15
9
8
AT 47335

Figure 244. Boom and crane block sheaves.



AT 47336

Figure 245. Upper roller shipper assembly.


1
2
3
4
5
6
7
8
9
10
4
11
12
13
14
15
16
15
14
17
18
19
20
AT 47337

Figure 246. Boom crowd cylinder.


1
2
3
2
4
5
6
7
8
9
10
11
12
13
14
15
21
19
20
19
18
17
22
16
AT 47330

Figure 247. Boom lift cylinder.


AT 47339


1
2
3
4
5
4
6
7
8
9
10
11
12
13
14
15
16
17
18
7
19
20
21
8
22
23
24
AT 47340

Figure 249. Cable drum drive shaft and gear.


1
2
3
4
3
5
6
7
8
9
10
11
12
13
14
15
9
16
17
18
19
21
22
23
24
25
26
27
28
29
21
20

Figure 250. Cable drum housing and related parts.



AT 47342

Figure 251. Relief valve.



AT 47343

Figure 252. Swivel valve assembly.


1
2
2
3
4
5
6
7
8
9
25
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
AT 47344

Figure 253. Brake valve.


1
2
3
4
40
41
5
3
6
40
39
38
37
36
35
34
33
7
8
8
8
8
9
10
11
12
13
14
15
16
17
18
19
20
21
42
18
19
32
31
11
29
30
14
16
17
15
28
27
26
25
24
23
22
AT 47345

Figure 254. Control valve bank.


1
2
3
4
5
6
7
5
4
3
8
9
10
11
10
29
8
12
13
23
28
27
6
26
27
24
25
19
18
17
16
13
20
22
21
15
14
12

AT 47346

Figure 255. Boom assembly (partial).


1
2
2
3
2
4
5
5
13
12
11
10
9
7
8
8
9
10
11
6
14
AT 47347

Figure 256. Boom assembly (partial).


1
2
8
18
17
16
15
14
13
12
11
10
9
8
7
6
3
5
4
AT 47348

Figure 257. Boom elevating cylinder assembly.


6
4
7
5
3
3
2
1
13
12
11
8
7
3
9
5
10
3
2
1
AT 47349

Figure 258. Vehicle winch mounting.


1
2
3
5
17
21
20
6
7
8
9
10
6
11
12
13
19
18
2
14
15
16
17
22
37
17
16
14
23
24
2
18
15
25
36
35
34
33
2
32
31
26
27
30
29
28
AT 47350

Figure 259. Hoist winch.


16
15
14
3
2
1
17
11
12
13
16
10
9
8
7
6
5
4
19
3
2
1
21
20
19
7
17
15
14

AT 47351

Figure 260. Hoist winch.


1
2
3
4
5
6
7
8
9
7
6
10
11
12
13
14
15
16
17
AT 47352

Figure 261. Extension cylinder assembly.


1
4
5
2
3
25
6
7
9
8
10
11
12
13
14
15
16
13
7
15
19
17
18
24
8
23
22
14
20
15
21
20
6

AT 47353

Figure 262. Hydraulic pump assembly.


1
2
3
4
5
6
7
8
9
10
11
10
9
12
8
7
4
6
5
3
13
14
15
17
16
17
AT 47354

Figure 263. Crane swing and hoist winch motor assembly.


1
2
3
4
5
6
7
3
8
9
10
11
12
13
14
30
15
16
17
18
23
29
3
4
2
26
27
18
19
20
21
9
24
28
2
3
9
23
24
25
3
22
21
20
19

AT 47355

Figure 264. Swinger gear case assembly.


3
4
5
7
8
2
6
1
9
31
30
29
28
10
11
12
13
27
26
21
15
16
25
24
23
22
15
20
14
19
18
17

AT 28381

Figure 265. Valve bank assembly, crane.


1
2
3
4
5
6
6
7
8
9
10
11
12
13
3
14
22
15
16
19
6
21
6
9
20
15
16
18
19
17
AT 47358

Figure 266. Control box assembly.


1
2
3
4
5
4
3
6
7
8
9
11
10
11
12
11
13
14
15
16
17
24
18
19
25
50
20
21
22
23
24
49
25
26
27
28
48
29
30
31
47
32
33
34
38
35
36
25
37
22
46
39
41
42
31
32
33
43
35
34
45
37
25
41
AT 47359

Figure 267. Bevel gearcase assembly.


1
2
3
4
5
6
7
8
9
10
3
14
11
12
17
16
13
10
9
6
15
23
22
3
19
18
20
21

AT 47360

Figure 268. Drive assembly.


1
2
3
4
5
6
5
4
7
8
10
9
8
7
9
AT 47361

Figure 269. Boom roller assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
2,42,43
44
45
46
47
48
49
50
52,
51
53
54
55
AT 47362

Figure 270. Hydraulic tubing (M543).


1
4
5
6
7
8
6
9
10
3
2
15
3
14
2
3
13
9
30
11
2
3
17
32
33
34
31
5
12
13
14
3
15
3
2
12
19
21
20
19
18
17
16
5
4
3
2
30
20
6
12
27
28
23
22
AT 47340

Figure 271. Power divider assembly (1 of 3).


40
41
42
43
44
45
46
47
48
50
51
52
53
54
49
49
59
58
57
59
58
57
31
3
56
23
3
47
55
51
52
53
54
41
42
40
AT 47364

Figure 271. Power divider assembly (2 of 3).


57
61
59
62
47
23
3
63
60
47
42
41
40
52
53
54
AT 47365

Figure 271. Power divider assembly (3 of 3).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
AT 47366

Figure 272. Power divider winch governor and related parts.


5
3
4
3
2
1
AT 47367

Figure 273. Power divider shafts.


1
2
3
4
5
6
7
8
9
10
11
12
13
17
8
9
16
15
14
AT 47368

Figure 274. Transmission power takeoff assembly (1 of 3).


23
24
25
18
19
20
21
22
26
27
28
22
21
29
20
30
31
12
32
43
42
41
40
39
38
37
36
35
34
33
AT 47369

Figure 274. Transmission power takeoff assembly (2 of 3).


21
28
58
52
53
54
51
50
47
71
55
56
57
67
68
67
70
69
AT 47370

Figure 274. Transmission power takeoff assembly (3 of 3).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
37
38
39
40
41
42
43
AT 47371

Figure 275. Transfer power takeoff assembly (M62 and M543).


7
5
6
8
12
1
11
10
9
2
3
4
16
20
11
19
19
21
13
14
15
17
18
22
23
12
11
48
52
53
51
24
25
49
55
56
26
50
54
27
57
31
28
47
46
45
44
43
33
32
31
30
29
41
42
34
36
11
35
40
39
37
38

AT 47372

Figure 276. Transfer power takeoff.


5
1
4
3
2
6
7
8
46
47
43
44
45
13
5
9
10
11
12
6
13
7
15
16
14
18
10
21
20
19
9
10
14
23
9
10
11
41
13
22
25
7
42
13
7
24
13
14
13
30
22
13
14
23
10
9
34
13
24
13
24
29
24
28
27
25
26
31
39
20
35
37
38
40
36
32
13
24
14
33

AT 47373

Figure 277. Power takeoff controls.


1
2
3
4
AT 47374

Figure 278. Cargo curtain and paulin.


1
2
3
20
19
18
4
5
6
7
8
9
6
10
11
12
13
14
15
16
17
AT 47375

Figure 279. Cab top assembly.


1
2
2
2
4
3
AT 47376

Figure 280. Gondola frame and top cover.


1
2
US ARMY
AT 47377

Figure 281. Tarpaulin cover and curtain rod.


1
2
3
4
5
6
7
4
8
8
14
11
9
9
11
9
15
13
10
10
11
13
12
9
9
11
9
AT 47378

Figure 282. Windshield wiper and rear view mirror and related parts.


1
7
8
6
9
2
3
4
10
6
7
11
5
AT 47379

Figure 283. Right and left mirror assembly.


1
6
3
7
1
2
4
3
1
5
8
9
1
3
17
15
16
14
13
10
12
11

AT 47380

Figure 284. Right and left mirror assembly.



AT 47381

Figure 285. Van body reflector assembly.



AT 47382

Figure 286. Dropside cargo truck reflector assembly.


1
1
2
3
3
4
5
AT 47383

Figure 287. Bridgetruck reflector assembly.



AT 47384

Figure 288. Wrecker reflector assembly.


2
2
1
2
3
4
4
AT 47385

Figure 289. Dump truck reflector assembly.


1
2
2
1
3
4
3
5
AT 47386

Figure 290. Long cargo body truck reflector assembly.


1
2
3
1
4
3
1
2
3
3
4
1
2
2
AT 47387

Figure 291. Tractor reflector assembly.


3
1
2
3
4
5
4
6
AT 47388

Figure 292. Cargo body reflector assembly.


1
2
3
4
5
6
7
8
9

AT 47389

Figure 293. Identification and instruction plates.


1
2
3
4
5
5
6
3
2
AT 47390

Figure 294. Fuel control valve assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
AT 47391

Figure 295. Control box assembly.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
3
22
23
24
25
27
28
29
AT 47392

Figure 296. Indicator control assembly.


1
2
3
4
5
6
7
8
9
10
AT 47393

Figure 297. Fuel pump assembly.


1
2
3
4
5
AT 47394

Figure 298. Fuel filter assembly.

7


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
40
41
AT 47395

Figure 299. Personnel heater kit (hot water) gas models.


3
2
1
AT 47396

Figure 300. Battery box heater kit gas models.


1
2
3
4
5
6
7
GAS
AT 47397

Figure 301. Powerplant heater components gas models.



Figure 302. Powerplant heater cover, hood, louvre and grille canvas set.


10
19
9
11
12
13
18
20
14
15
16
1
9
17
8
21
18
7
5
6
23
22
3
4
24
25
2
26
AT-47399

Figure 303. Multifuel personnel heater (1 of 4).


27
28
29
30
43
31
44
42
41
51
45
32
40
52
33
39
50
38
34
49
47
48
46
35
37
36
AT 47400

Figure 303. Multifuel personnel heater (2 of4).


54
53
55
56
57
58
59
60
57
70
61
71
62
69
73
74
72
64
63
65
68
67
66
AT 47401

Figure 303. Multifuel personnel heater (3 of 4).


75
76
77
78
75
85
86
87
84
83
82
81
80
75
79
66
AT 47402

Figure 303. Multifuel personnel heater (4 of 4).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
AT 47403

Figure 304. Multifuel powerplant heater assembly (1 of 5).


39
40
51
52
41
50
49
48
43
42
44
45
46
47
AT 47404

Figure 304. Multifuel powerplant heater assembly (2 of 5).


53
54
55
57
58
59
60
61
62
63
64
AT 47405

Figure 304. Multifuel powerplant heater assembly (3 of 5).


65
66
67
68
69
70
AT 47406

Figure 304. Multifuel powerplant heater assembly (4 of 5).


71
72
73
74
75
76
77
78
79
80
81
82
83
AT 47407

Figure 304. Multifuel powerplant heater assembly (5 of 5).


5
4
3
1
2
6
7
8
4
10
11
7
9

AT 47408

Figure 305. Deep-water fording components air cleaner extension.



AT 47409

Figure 306. Water fording components—tail pipe extension.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
AT 47410

Figure 307. Water fording components air and vent lines.


1
2
3
14
4
15
16
13
20
12
19
18
17
5
11
10
9
8
7
6
AT 47411

Figure 308. Electric brake components.


1
2
3
4
5
22
22
21
18
20
7
6
19
18
19
17
18
10
8
9
11
18
17
12
13
14
16
15

AT 47412

Figure 309. Speedometer and tachometer shafts and related parts.


1
2
3
4
5
6
7
8
AT 47413

Figure 310. Special tools (1 of 5).


9
10
11
12
13
18
17
16
15
14
AT 47414

Figure 310. Special tools (2 of 5).


19
20
21
22
27
28
23
26
25
24
AT 47415

Figure 310. Special tools (3 of 5).


29
30
31
32
37
33
36
35
34
AT 47416

Figure 310. Special tools (4 of 5).


38
39
40
43
42
41
AT 47417

Figure 310. Special tools (5 of 5).

Section IV. FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX

Federal Stock Number Cross-Reference to Figure and Item Number

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
1015-789-7631	179	5
1015-798-2997	175	2
	176	4
1055-385-2862	69	5
1055-385-7968	2004	N / I
1450-687-9731	250	12
1560-065-7229	2210	N / I
1660-025-3493	298	1
	303	56
	304	73
2340-602-5734	2001	N / I
2350-318-0957	87	1
2510-024-1946	148	7
2510-040-2074	141	2
2510-040-2264	156	1
2510-040-2265	149	38
2510-040-2275	135	8
2510-040-2276	136	12
2510-040-2280	125	8
2510-040-2281	124	1
2510-040-2295	129	26
2510-040-2314	4	3
2510-040-2321	112	17
	113	5
2510-057-1630	130	17
2510-057-1641	130	16
2510-089-3775	19	8
2510-104-4501	1802	N / I
2510-104-8784	114	19
2510-106-2200	151	13
2510-107-4237	1802	N / I
2510-119-3903	149	41
	156	3
2510-119-3906	156	13
2510-133-9786	168	5
2510-133-9787	168	8
2510-134-4975	1810	N / I
2510-141-6119	120	12
2510-177-7799	135	10
2510-177-7883	154	4
2510-177-7893	151	4
2510-177-7903	151	9
2510-177-8232	135	31
	136	32
2510-179-5706	151	1
2510-179-5707	109	4
2510-179-6978	167	1
2510-179-7093	151	1
2510-221-4831	149	29
2510-221-9007	173	8
2510-231-0200	167	19
2510-231-0212	174	20
2510-231-7465	174	38
2510-231-7490	113	9
2510-277-9786	124	11
	125	12
2510-301-7738	120	36
2510-316-1009	124	6
2510-318-0959	124	11
2510-318-0960	124	11
2510-321-9980	148	6
2510-350-7675	120	11
2510-353-0642	120	9
2510-377-4864	148	11
2510-377-4866	148	5
2510-377-4868	153	7
2510-377-4869	153	2
2510-377-4870	153	1
2510-377-4871	153	10
2510-377-4872	153	12
2510-377-4874	153	13
2510-377-4875	153	11
2510-377-4876	152	1
2510-385-7937	123	15
2510-385-7969	1810	N / I
2510-403-0915	139	3
2510-403-0916	139	4
2510-403-0917	139	1
2510-407-5084	110	8
2510-407-5087	1501	N / I
2510-407-5089	18	43
2510-407-5093	1501	N / I
2510-407-5095	1501	N / I
2510-408-2438	155	1
2510-408-2455	159	2
2510-408-2499	18	9
2510-408-4634	138	3
2510-408-4642	1506	N / I
2510-409-4006	138	7
2510-409-4009	148	15
2510-409-4010	148	1
2510-409-4011	1810	N / I
2510-409-4012	1810	N / I
2510-409-7974	158	19
2510-409-8941	158	22
2510-417-2736	174	12
2510-418-0877	172	3
2510-419-5859	162	9
2510-420-5049	131	24
2510-420-5050	1802	N / I
2510-421-3958	58	20
2510-421-7239	168	1
2510-421-7240	170	4
2510-422-1993	153	9
2510-422-1995	153	9
2510-422-1997	153	9
2510-422-1998	153	9
2510-422-2008	158	20
2510-422-2017	1506	N / I
2510-422-2019	158	18
2510-426-8957	120	24
2510-434-5423	149	14
2510-443-4839	162	10
2510-459-3192	146	1
2510-465-1636	149	44
2510-498-2392	149	34
2510-505-6731	150	2
2510-505-6733	150	4

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2510-546-4759	131	13
2510-592-2258	99	8
2510-597-0789	135	12
	136	7
2510-650-1015	130	21
2510-654-4606	151	27
2510-654-4611	151	17
2510-664-9863	160	3
2510-674-4487	130	21
2510-679-1420	174	13
2510-679-1448	174	23
2510-679-1733	174	28
2510-693-0589	279	5
2510-693-0590	2201	N / I
2510-693-0591	279	9
2510-693-0592	279	9
2510-693-0595	135	48
2510-693-0604	130	3
2510-693-0607	131	14
2510-693-0608	137	17
2510-693-0609	137	16
2510-693-0610	137	21
2510-693-0611	0607	N / I
2510-693-0660	109	27
	133	21
2510-693-0662	134	12
2510-700-5417	137	2
2510-706-8179	120	14
2410-706-8180	120	33
2510-706-8245	120	32
2510-706-8505	120	4
2510-734-6952	124	10
	125	11
	73	2
2510-734-6998	73	3
2510-734-6999	124	1
2510-737-2711	279	15
2510-737-2712	279	15
2510-737-2713	279	3
2510-737-2739	136	18
2510-737-2767	131	19
2510-737-2770	129	18
2510-737-2776	0609	N / I
2510-737-2788	151	8
2510-737-2792	161	4
2510-737-2793	161	3
2510-737-3287	130	20
2510-737-3288	130	15
2510-737-3292	130	37
2510-737-3293	130	1
2510-737-3294	130	1
2510-737-3295	130	24
2510-737-3296	130	22
2510-737-3297	130	22
2510-737-3326	137	25
2510-737-3331	137	14
2510-737-3340	18	17
2510-737-6203	110	11
2510-737-6620	0609	N / I
	135	37
2510-737-6621	0609	N / I
	136	24
2510-738-1318	148	11
2510-740-9002	158	6
2510-740-9008	158	23
2510-740-9013	158	2
2510-740-9212	158	12
2510-740-9337	109	25
	123	2
2510-740-9338	123	15
2510-740-9339	123	15
2510-740-9340	123	18
2510-740-9341	123	18
2510-740-9344	123	12
2510-740-9345	123	15
2510-740-9391	126	16
2510-740-9508	109	16
2510-740-9514	110	5
2510-740-9516	109	28
2510-740-9518	1501	N / I
2510-740-9519	109	8
2510-740-9520	109	13
2510-740-9526	1501	N / I
2510-740-9530	117	11
2510-740-9534	115	6
	117	1
	118	4
	149	11
2510-740-9535	117	18
	118	13
	1802	N / I
2510-740-9536	118	12
2510-740-9537	115	4
	118	6
	1810	N / I
2510-740-9541	111	3
2510-740-9561	134	9
2510-740-9562	134	6
2510-740-9596	279	4
2510-740-9597	279	4
2510-740-9600	126	15
2510-740-9601	124	11
2510-740-9602	124	11
2510-740-9606	126	3
2510-740-9607	128	8
2510-740-9613	124	11
2510-740-9686	279	10
2510-740-9687	279	10
2510-740-9689	244	16
2510-740-9750	238	9
2510-740-9777	242	36
2510-740-9778	242	5
2510-740-9870	1208	N / I
2510-740-9882	218	30
2510-740-9883	121	2
2510-740-9884	121	1
2510-740-9902	120	19
2510-740-9948	219	14
2510-740-9960	212	16
	218	27
2510-741-1085	133	12
2510-741-1086	135	47
	136	19
2510-741-1110	123	15
2510-741-1111	123	15
2510-741-1112	123	15

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2510-741-1114	124	11
2510-741-1115	124	11
2510-741-1116	124	11
2510-741-2376	123	3
	99	5
2510-741-3458	117	3
2510-741-3465	1802	N / I
2510-741-3490	1208	N / I
2510-741-8773	126	9
2510-752-6596	0607	N / I
2510-752-9313	137	1
2510-753-9199	135	15
	136	4
2510-753-9213	129	P7
2510-753-9519	0607	N / I
2510-753-9543	0609	N / I
	135	28
	136	34
2510-753-9659	132	1
2510-753-9672	109	1
2510-762-4559	154	4
2510-786-4631	157	1
2510-795-1735	295	7
2510-797-5609	130	39
2510-809-7788	120	27
2510-809-7789	120	5
2510-809-7790	120	18
2510-809-7791	120	1
2510-832-7015	129	1
2510-832-7016	129	23
2410-837-8688	109	18
2510-860-0517	151	2
	1801	N / I
2510-860-0523	151	2
	1810	N / I
2510-860-7273	114	3
2510-880-4655	1802	N / I
2510-880-4657	1802	N / I
2510-880-4660	135	1
2510-895-9053	114	1
2510-918-0600	1506	N / I
2510-918-0612	136	12
	1801	N / I
2510-925-4543	136	1
2510-933-9577	109	7
2510-970-3481	135	22
	136	40
2510-970-3482	135	1
2510-970-3483	136	1
2520-030-7262	271	60
2520-033-6017	54	22
2520-035-5457	53	19
2520-039-6493	267	36
	271	4
2520-039-7131	0900	N / I
2520-040-1159	0900	N / I
2520-040-2098	2001	N / I
2520-040-2237	56	13
2520-040-2243	47	2
2520-040-2244	47	8
2520-040-2249	42	4
2520-040-2251	47	11
2520-040-2254	48	16
2520-040-2255	51	1
2520-040-2256	51	10
2520-040-2303	0607	N / I
2520-040-2304	57	5
2520-040-2311	107	8
2520-040-2318	231	1
2520-040-2331	2001	N / I
	209	15
2520-040-2334	277	1
2520-040-2338	61	28
2520-040-2341	62	1
2520-040-2342	62	1
2520-040-2349	254	2
2520-040-2350	2001	N / I
	242	1
2520-040-2351	254	42
2520-064-6372	54	14
2520-086-3375	50	2
2520-089-3773	50	1
2520-091-9767	271	28
2520-097-4893	5	25
2520-134-1122	270	5
2520-134-1204	267	42
2520-176-8384	55	14
2520-177-7906	71	20
2520-177-7907	277	41
	58	21
2520-177-8107	241	14
2520-177-9231	106	5
2520-200-1280	73	1
2520-200-1281	73	1
2520-200-1282	64	1
2520-215-7331	69	6
2520-219-5067	48	6
2520-219-8219	1002	N / I
2520-219-8221	70	6
2520-219-8223	1002	N / I
2520-219-8226	1002	N / I
2520-219-8227	68	6
2520-219-8229	68	10
2520-219-8231	68	8
2520-230-0229	58	23
2520-232-6028	276	46
2520-232-6037	276	5
2520-287-8678	222	4
2520-288-0846	222	4
2520-292-0046	53	14
2520-293-5127	214	1
2520-293-5131	2001	N / I
2520-294-6770	43	8
	44	8
2520-301-7739	231	2
2520-301-7741	56	22
2520-303-5007	68	6
2520-303-5074	68	8
2520-304-9411	254	42
2520-311-7621	101	5
2520-316-7640	2001	N / I
	246	1
2520-318-0908	274	35
2520-318-0956	2001	N / I
2520-318-0972	2001	N / I
2520-318-0978	231	9

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2520-318-0979	2001	N / I
2520-318-0982	63	1
2520-318-0983	63	1
2520-318-4310	46	4
2520-324-2682	1002	N / I
2520-324-2683	1002	N / I
2520-331-0086	69	13
2520-332-0095	228	6
2520-350-5248	222	8
2520-350-7400	222	6
2520-353-2616	67	4
2520-354-0771	274	11
	42	13
2520-358-9294	214	3
2520-378-7251	67	4
2520-378-7253	69	13
2520-383-4754	69	13
2520-392-3561	274	23
	48	21
2520-397-6542	42	6
2520-397-6543	47	15
2520-407-6750	5	39
2520-413-8953	49	4
2520-447-3406	274	10
2520-447-3406	42	12
2520-457-0447	48	9
2520-457-3453	42	11
2520-457-3523	48	5
2520-457-6660	63	8
2520-459-5248	61	16
2520-463-1638	102	4
2520-492-4348	276	25
2520-499-8944	0900	N / I
2520-509-3036	226	1
2520-511-1725	214	5
2520-512-9223	228	2
2520-518-6592	276	15
2520-521-4479	0900	N / I
2520-521-4784	274	62
2520-527-7984	271	58
2520-529-8430	67	12
2520-529-8441	69	17
2520-529-8442	69	17
2520-529-8443	69	17
2520-529-8445	69	17
2520-529-8446	69	17
2520-529-8447	69	17
2520-529-8448	69	17
2520-529-8457	1002	N / I
	1102	N / I
2520-530-1357	0900	N / I
2520-532-3606	274	14
2520-533-3389	262	16
2520-533-3390	262	21
	263	18
2520-533-3391	263	11
2520-537-2174	231	11
2520-537-9885	0704	N / I
2520-561-8623	61	9
2520-562-0430	45	16
2520-563-5521	56	14
2520-563-5523	53	17
2520-563-5524	53	23
2520-563-8309	69	3
2520-573-5549	254	8
2520-586-1761	231	6
2520-591-5827	55	20
2520-592-1147	250	3
2520-592-1150	241	7
2520-606-3047	48	4
2520-614-3903	276	13
2520-615-6756	276	29
2520-615-6763	276	45
2520-621-3005	1410	N / I
2520-630-0148	69	17
2520-656-0323	61	1
2520-661-9586	5	24
2520-663-1242	254	26
2520-675-1353	2001	N / I
2520-678-4159	1002	N / I
2520-692-6059	277	38
	5	30
2520-692-6075	47	5
2520-692-6089	55	23
2520-692-6119	69	17
2520-692-6120	69	17
2520-692-6121	69	17
2520-692-6122	69	17
2520-692-6123	69	17
2520-692-6124	69	17
2520-692-6125	69	17
2520-692-6126	69	17
2520-692-6127	69	17
2520-692-6128	274	24
2520-692-6129	222	14
2520-692-6133	79	28
2520-692-6135	237	1
2520-692-6147	2001	N / I
2520-692-6152	1414	N / I
2520-692-6153	2004	N / I
2520-692-6155	277	7
2520-692-6161	59	3
2520-692-6162	72	11
2520-692-6163	2004	N / I
2520-692-6164	2002	N / I
2520-692-6165	2001	N / I
2520-692-6179	41	2
2520-692-6180	42	1
2520-692-6181	43	3
2520-692-6183	0700	N / I
2520-692-6184	1002	N / I
2520-692-6185	309	14
2520-692-6187	2004	N / I
2520-692-6190	1412	N / I
2520-692-6362	276	32
2520-700-2402	60	10
	63	8
2520-706-1160	274	3
2520-706-1210	274	54
2520-706-1211	274	55
2520-706-1266	274	69
2520-706-1268	274	60
2520-706-1269	274	6
2520-706-1270	274	4

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2520-706-1273	274	27
2520-706-1274	274	58
2520-706-1278	274	20
2520-706-1281	274	50
2520-706-5891	309	15
2520-706-5892	309	16
2520-710-1350	214	4
2520-711-5379	2004	N / I
2520-713-8979	2004	N / I
2520-715-3866	309	14
2520-734-6730	48	8
2520-734-6731	48	10
2520-734-6732	48	20
2520-734-6734	48	14
2520-734-6735	48	13
2520-734-6740	45	17
2520-734-6741	45	15
2520-734-6742	5	23
2520-734-6748	45	14
2520-734-6749	43	7
	44	7
2520-734-6750	43	14
	44	14
2520-734-6751	52	13
2520-734-6752	52	13
2520-734-6753	52	13
2520-734-6755	54	12
2520-734-6756	53	26
	55	5
2520-734-6757	52	7
2520-734-6758	53	18
2520-734-6759	52	12
2520-734-6760	52	3
2520-734-6764	56	27
2520-734-6765	54	25
2520-734-6767	54	27
2520-734-6768	56	20
2520-734-6769	56	28
2520-734-6771	56	26
2520-734-6772	54	23
2520-734-6775	0802	N / I
2520-734-6777	43	6
2520-734-6778	43	5
2520-734-6780	45	11
2520-734-6781	45	8
2520-734-6802	54	4
	56	4
	69	28
2520-734-6803	55	2
2520-734-6805	64	1
2520-734-6806	1002	N / I
	69	21
2520-734-6818	68	1
2520-734-6820	67	3
2520-734-6821	66	1
2520-734-6824	68	7
2520-734-6825	70	6
2520-734-6876	70	8
2520-734-6877	70	13
2520-734-6879	70	7
2520-734-6881	1102	N / I
2520-734-6883	69	21
	70	2
2520-734-6887	69	12
2520-734-6892	69	20
2520-734-6895	69	25
2520-734-6897	69	4
2520-734-6899	67	13
2520-734-6951	72	16
2520-734-6959	1002	N / I
2520-734-6960	74	3
2520-734-6975	71	43
2520-734-6977	71	22
2520-734-6981	1004	N / I
2520-734-6984	72	1
2520-734-6985	72	1
2520-734-6987	72	11
2520-734-6991	71	1
2520-734-7520	43	3
2520-734-7548	67	16
2520-734-7587	45	13
2520-734-7588	45	5
2520-734-7591	42	5
2520-734-7592	42	3
2520-734-7595	45	21
	54	6
	56	6
2520-734-7596	45	20
	54	5
	56	5
	61	25
	69	2
2520-734-7598	48	7
2520-734-7599	48	11
2520-734-7712	43	16
	44	16
2520-734-7713	42	10
2520-734-7714	43	10
	44	10
2520-734-8743	5	11
2520-734-8744	5	5
2520-734-8745	2004	N / I
2520-734-8746	5	8
2520-734-8747	5	12
2520-734-8769	46	2
2520-734-8841	59	2
2520-734-8847	59	7
2520-734-8876	0900	N / I
2520-734-8878	60	4
	63	3
2520-734-8880	60	6
	63	5
2520-734-8884	61	32
	62	3
2520-734-8885	0900	N / I
2520-734-8890	62	11
2520-734-8892	62	1
2520-734-9606	276	54
2520-734-9680	276	56
2520-737-5247	0802	N / I
2520-737-5251	54	19
2520-737-5252	54	10
2520-737-5258	56	17
2520-737-5282	55	3
2520-737-5289	55	1
2520-737-6156	5	13

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2520-737-6173	47	3
2520-737-6240	109	15
2520-740-9040	228	8
2520-740-9041	228	9
2520-740-9042	228	12
2520-740-9077	229	5
2520-740-9081	230	17
2520-740-9083	230	1
2520-740-9087	230	12
2520-740-9088	230	15
2520-740-9090	266	1
2520-740-9093	266	8
2520-740-9094	266	14
2520-740-9097	266	19
2520-740-9099	266	2
2520-740-9101	266	11
2520-740-9235	230	20
2520-740-9243	2001	N / I
2520-740-9245	2001	N / I
2520-740-9281	107	10
2520-740-9290	106	1
2520-740-9408	274	31
	277	32
2520-740-9424	277	8
2520-740-9434	277	12
2520-740-9436	277	27
2520-740-9538	277	30
2520-740-9539	277	45
	58	15
2520-740-9540	277	31
2520-740-9542	277	23
	58	4
2520-740-9544	277	11
	58	2
2520-740-9546	277	18
	58	8
2520-740-9547	277	17
	58	14
2520-740-9548	2004	N / I
2520-740-9550	126	5
	71	8
	95	22
2520-740-9551	71	9
2520-740-9574	214	6
2520-740-9580	214	10
	274	42
2520-740-9581	214	4
2520-740-9585	274	38
2520-740-9586	274	68
2520-740-9587	274	51
2520-740-9588	274	1
2520-740-9589	274	1
2520-740-9592	274	26
2520-740-9593	274	36
2520-740-9594	274	47
2520-740-9623	309	14
2520-740-9624	309	14
2520-740-9631	249	14
2520-740-9634	254	4
2520-740-9635	248	20
2520-740-9643	243	23
2520-740-9645	244	4
2520-740-9662	1211	N / I
2520-740-9665	219	12
2520-740-9667	216	44
2520-740-9668	219	1
2520-740-9669	216	8
2520-740-9672	216	43
2520-740-9673	216	28
2520-740-9674	223	1
2520-740-9678	279	20
2520-740-9680	211	15
2520-740-9691	209	2
2520-740-9694	211	5
2520-740-9725	211	4
2520-740-9730	210	41
2520-740-9731	209	9
2520-740-9752	236	11
2520-740-9760	236	16
2520-740-9797	248	18
2520-740-9804	211	7
2520-740-9805	211	1
2520-740-9811	210	11
2520-740-9812	209	12
2520-740-9813	2001	N / I
2520-740-9814	209	38
2520-740-9816	210	30
	259	27
2520-740-9817	210	18
	259	25
2520-740-9818	209	43
2520-740-9851	236	10
2520-740-9855	236	26
2520-740-9871	242	1
2520-740-9892	218	17
2520-740-9897	218	20
2520-740-9908	273	1
2520-740-9910	273	5
2520-740-9911	222	15
2520-740-9923	252	1
2520-740-9930	219	6
2520-740-9932	216	30
2520-740-9935	219	11
2520-740-9939	220	7
	221	7
2520-740-9947	220	6
	221	10
2520-740-9950	218	13
2520-741-1067	53	1
2520-741-1120	213	21
2520-741-1129	61	14
2520-741-1130	61	8
2520-741-1132	61	20
2520-741-1137	61	13
2520-741-1141	73	1
2520-741-1142	74	3
2520-741-1166	213	20
2520-741-1410	233	13
2520-741-1413	233	12
2520-741-2206	275	34
2520-741-3266	276	42
2520-741-3282	276	33
2520-741-3283	275	27
	275	37
2520-741-3284	276	41
2520-742-3441	210	35

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2520-741-3551	210	15
2520-741-3946	271	17
2520-741-3947	271	27
2520-741-3950	271	1
2520-741-4251	271	50
2520-741-4252	271	25
2520-741-4253	271	63
2520-741-4255	271	34
2520-741-4258	271	49
2520-741-4259	271	18
2520-741-4260	271	43
2520-741-4261	271	30
2520-741-4262	271	55
2520-741-4263	271	8
2520-741-4265	271	35
2520-741-4386	271	52
2520-741-7085	2001	N / I
2520-741-7091	273	2
2520-741-7951	56	11
2520-741-8034	109	14
2520-741-8957	277	34
2520-745-7685	209	6
2520-752-0956	46	8
2520-752-0957	46	7
2520-752-1096	47	6
2520-753-8742	214	10
2520-753-8746	214	8
2520-767-5433	267	40
2520-769-9003	2004	N / I
2520-770-3976	271	61
2520-772-6808	0607	N / I
2520-773-5601	276	18
2520-776-5214	23	3
2520-832-7000	57	8
2520-832-7018	0802	N / I
2520-832-7019	49	11
2520-832-7103	48	25
2520-832-7113	275	6
2520-832-7114	275	5
2520-832-7115	275	3
2520-832-7122	2004	N / I
2520-832-7127	275	10
2520-832-7203	2001	N / I
2520-832-7204	2001	N / I
2520-832-7206	2001	N / I
2520-832-7774	55	12
2520-832-8235	55	11
2520-857-9659	45	10
2520-859-5967	277	46
	58	17
2520-864-3016	277	5
	58	10
2520-901-9682	60	1
2520-901-9683	63	1
2520-901-9684	63	1
2520-901-9691	59	1
2520-904-4557	61	28
2520-904-8106	62	1
2520-904-8107	61	28
2520-912-3668	0900	N / I
2520-921-0478	210	15
2520-923-4233	210	35
2520-927-9388	53	24
2520-930-7864	65	1
2520-941-5434	214	1
2520-951-7548	2210	N / I
2520-953-9907	54	13
2520-953-9908	55	25
2520-953-9909	54	11
2520-967-6281	275	1
2520-967-6282	276	1
2520-971-5015	40	2
2520-971-5016	40	1
2520-971-5017	44	6
2520-971-5019	45	3
2520-971-5020	45	8
2520-971-5021	44	5
2520-971-5022	45	11
2520-972-2636	262	17
2520-973-4086	41	1
2520-999-7808	2001	N / I
2530-040-2186	308	2
2530-040-2218	18	24
2530-033-6029	78	1
2530-040-2219	102	33
2530-040-2220	102	37
2530-040-2221	105	2
2530-040-2225	102	14
2530-040-2229	100	10
2530-040-2271	73	6
2530-040-2272	85	12
2530-040-2273	86	5
	86	27
2530-040-2293	103	1
2530-040-2315	307	9
2530-040-2401	76	1
2530-052-3683	77	17
2530-052-3687	77	16
2530-062-9719	253	1
	92	2
2530-072-4404	1411	N / I
2530-075-3329	103	1
2530-093-5597	94	10
	95	9
2530-117-9083	102	6
2530-137-9275	1202	N / I
2530-177-8051	1208	N / I
2530-177-8199	166	3
2530-179-3637	76	27
2530-179-5705	84	6
2530-179-7123	90	7
2530-204-3622	79	14
2530-211-6062	102	59
2530-211-6072	102	55
2530-211-6073	108	10
2530-211-6078	108	13
2530-211-6084	102	50
2530-211-6111	101	10
2530-211-6129	94	9
2530-213-7395	82	7
2530-213-7478	108	14
2530-219-8983	102	21
2530-219-8984	102	58
2530-219-9480	102	60
2530-232-6020	79	26
2530-235-4756	128	5

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2530-239-5663	103	1
2530-246-7003	1208	N / I
2530-264-0836	82	30
	82	58
2530-270-3878	90	5
2530-270-8830	253	12
2530-272-8106	79	7
2530-273-9281	82	79
2530-277-2689	98	2
2530-278-6555	80	5
2530-287-5701	93	1
2530-287-5702	93	1
2530-288-1889	71	34
2530-289-7207	78	31
2530-303-4923	101	10
2530-304-9412	107	1
2530-312-0539	58	1
2530-312-0808	71	32
2503-312-0812	71	32
2530-312-0815	71	32
2530-312-1583	78	6
2530-318-0912	227	16
2530-318-0949	3307	N / I
2530-318-0975	89	1
2530-318-0984	1204	N / I
2530-318-8205	103	1
2530-319-6002	85	15
2530-321-6375	78	27
2530-349-3631	306	8
2530-352-1897	82	65
2530-359-0808	82	67
2530-359-0928	82	68
2530-359-1014	82	20
2530-359-1162	94	5
	95	11
2530-367-3653	225	2
2530-367-3888	253	11
2530-367-4536	253	14
2530-367-4544	253	10
2530-367-4546	253	12
2530-367-4548	253	7
2530-392-4204	82	73
2530-394-3033	1202	N / I
2530-394-3056	108	2
2530-397-6852	105	1
2530-397-6865	102	25
2530-403-5719	84	13
2530-421-9687	80	6
2530-422-7646	82	45
2530-422-7668	82	41
2530-422-7674	89	5
2530-447-1148	2001	N / I
2530-454-5093	85	30
2530-457-1676	79	5
2530-461-3835	79	24
2530-463-1639	102	4
2530-513-1443	1002	N / I
2530-525-1350	102	1
2530-525-1351	108	1
2530-525-1352	1407	N / I
2530-534-9180	105	9
	108	6
2530-563-5531	78	2
2530-590-0230	1414	N / I
2530-591-5830	1411	N / I
2530-591-5831	1411	N / I
2530-592-5275	108	4
2530-603-5768	93	1
2530-626-3433	109	19
2530-626-8351	107	5
2530-627-9020	108	16
2530-656-4895	79	6
2530-689-9954	99	3
2530-692-6151	1414	N / I
2530-692-8405	274	63
2530-693-0581	3307	N / I
2530-693-0677	1407	N / I
2530-693-0679	78	12
2530-693-0680	78	29
2530-693-1029	94	5
	95	11
2530-693-1896	69	17
2530-699-8471	49	12
2530-705-0032	82	42
2530-708-9558	101	14
2530-711-4714	259	13
2530-734-6815	71	16
2530-734-6816	71	16
2530-734-6819	67	12
2530-734-6880	70	7
2530-734-6953	73	5
2530-734-6954	73	7
2530-734-6971	71	33
2530-734-6974	71	44
2530-734-6978	71	22
2530-734-6979	71	28
2530-734-6982	71	10
2530-734-6989	72	9
2530-734-6993	71	7
	74	4
2530-734-6997	73	1
2530-734-8877	101	1
2530-734-8894	99	9
2530-734-8897	1401	N / I
2530-734-8898	100	1
2530-734-8899	100	1
2530-735-1030	102	27
2530-735-1039	108	3
2530-735-1359	108	20
2530-735-1360	105	8
2530-735-1364	105	17
2530-735-1365	105	16
2530-735-3671	93	3
2530-735-5592	0607	N / I
2530-736-8682	78	14
2530-736-8683	78	19
2530-736-9960	99	10
2530-736-9962	102	46
2530-736-9968	105	7
2530-737-3325	137	3
2530-737-6680	82	15
2530-737-6681	82	70
2530-737-6682	82	11
2530-737-6683	82	18
2530-737-6689	82	1
2530-737-6694	82	10

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2530-737-6695	82	31
2530-737-6696	82	29
2530-737-6727	82	33
2530-737-6728	82	26
2530-737-6733	82	52
2530-737-6734	82	3
2530-737-6735	82	19
2530-737-6736	82	37
2530-737-6738	82	25
2530-737-6740	82	4
2530-737-6742	82	8
2530-737-6743	82	13
2530-737-6744	82	48
2530-737-6745	82	57
2530-737-6747	82	40
2530-737-7792	253	16
2530-738-9061	93	3
2530-738-9493	93	2
2530-740-9194	102	41
2530-740-9280	103	19
2530-740-9286	104	8
2530-740-9288	1411	N / I
2530-740-9295	103	8
2530-740-9313	81	1
2530-740-9329	1204	N / I
2530-740-9361	76	14
2530-740-9365	77	15
2530-740-9372	77	9
2530-740-9381	79	27
2530-740-9382	79	4
2530-740-9387	210	25
2530-740-9388	95	16
2530-740-9390	94	14
2530-740-9395	94	11
	95	12
2530-740-9445	90	5
2530-740-9446	85	27
2530-740-9448	5	2
	84	3
2530-740-9451	83	7
2530-740-9455	85	22
2530-740-9457	85	23
2530-740-9462	86	20
2530-740-9464	85	32
2530-740-9465	86	21
2530-740-9468	85	28
2530-740-9470	86	9
2530-740-9471	86	8
2530-740-9474	83	32
2530-740-9475	83	26
2530-740-9476	83	40
2530-740-9477	83	54
2530-740-9478	83	21
2530-740-9479	83	37
2530-740-9480	83	37
2530-740-9481	83	12
2530-740-9482	83	56
2530-740-9483	83	53
2530-740-9484	83	55
2530-740-9485	83	42
2530-740-9486	1208	N / I
2530-740-9487	85	3
2530-740-9488	85	35
2530-740-9493	85	37
2530-740-9495	85	16
2530-740-9496	85	17
2530-740-9497	86	22
2530-740-9502	86	14
2530-740-9553	126	4
	95	23
2530-740-9556	95	19
2530-740-9810	210	16
2530-741-0843	82	82
2530-741-1070	81	2
2530-741-1075	102	29
2530-741-1102	103	6
2530-741-1135	61	3
2530-741-1147	83	40
2530-741-1148	83	54
2530-741-1149	83	37
2530-741-1150	83	53
2530-741-2377	102	4
2530-741-3037	1211	N / I
2530-741-3485	77	14
2530-741-3493	83	58
2530-741-3932	225	1
2530-741-3937	1211	N / I
	2002	N / I
2530-753-3853	85	20
2530-753-9300	85	13
2530-768-4229	108	22
2530-769-6384	1407	N / I
2530-770-2383	101	3
2530-774-5285	87	2
2530-797-9224	73	10
2530-797-9339	79	21
2530-798-1210	128	2
2530-799-1277	3307	N / I
2530-832-7005	86	26
2530-832-7011	57	16
2530-832-7013	49	1
2530-832-7123	71	40
2530-844-8715	240	16
2530-854-3747	85	8
2530-854-4457	85	11
	89	1
2530-863-3155	88	1
2530-864-2990	79	8
2530-874-3284	0607	N / I
2530-886-5872	0607	N / I
2530-898-0224	1208	N / I
	1211	N / I
2530-908-8162	83	1
2530-920-7568	80	6
2530-925-0139	79	20
2530-927-9387	71	28
2530-930-0744	1407	N / I
2530-930-1543	76	18
2530-932-4994	85	33
2530-933-4941	128	5
2530-941-6215	1411	N / I
2530-964-3417	104	26
2530-971-5025	104	35
2530-971-5026	104	28
2530-971-5027	104	36
2530-999-8591	77	3

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2540-010-1851	303	38
2540-020-8591	299	25
2540-039-7804	3303	N / I
2540-039-7809	3303	N / I
2540-039-8086	304	27
2540-039-8223	303	68
2540-039-8247	295	1
2540-039-8364	303	87
2540-039-8392	3305	N / I
2540-039-8393	3305	N / I
2540-039-8394	3305	N / I
2540-039-8395	3305	N / I
2540-039-8396	3305	N / I
2540-039-8397	3305	N / I
2540-040-1968	2201	N / I
2540-040-2308	125	3
2540-047-3926	112	1
2540-049-4199	303	20
2540-050-0810	282	2
2540-052-0828	1313	N / I
2540-054-7201	282	7
2540-057-1642	18	23
2540-063-4730	200	2
2540-064-6589	1810	N / I
2540-075-2386	304	68
2540-075-2387	304	70
2540-075-2388	304	69
2540-087-3463	303	35
2540-103-5782	168	12
2540-104-2222	295	12
2540-115-2565	10	24
2540-134-5021	140	1
2540-169-5732	295	11
2540-177-7852	151	2
2540-177-7876	133	27
2540-177-8312	129	17
2540-177-9137	151	18
2540-179-3495	131	5
2540-179-5709	149	24
2540-179-7094	151	15
2540-197-5347	3305	N / I
2540-200-1296	301	2
2540-200-1911	278	2
2540-222-8992	164	16
2540-231-0213	164	15
2540-231-7481	113	12
2540-231-7487	113	1
2540-235-1841	299	38
2540-235-4379	162	15
2540-272-7965	307	3
2540-301-7269	3303	N / I
2540-312-2017	304	4
2540-318-0114	2210	N / I
2540-318-0149	3303	N / I
2540-331-0145	150	3
2540-377-4877	152	13
2540-401-1440	300	1
2540-402-2157	281	2
2540-408-4618	138	3
2540-408-4660	133	16
2540-409-8891	143	1
2540-409-8939	138	4
2540-420-5007	140	7
2540-420-5008	141	11
2540-442-5918	119	3
2540-456-1011	131	23
	149	23
2540-459-3185	284	15
2520-459-3194	18	16
2540-472-1696	146	5
2540-505-6722	278	2
2540-513-9806	140	10
2540-521-6179	151	22
2540-533-3409	130	32
2540-541-6517	271	57
2540-562-0422	130	7
2540-653-5409	3303	N / I
2540-567-3282	140	11
2540-570-1443	1810	N / I
2540-570-1468	3303	N / I
2540-570-1469	302	1
2540-592-1823	151	21
2540-604-5775	2001	N / I
2540-621-2565	130	6
2540-621-2591	131	22
2540-622-3941	131	6
2540-622-3948	141	9
2540-622-7743	141	4
2540-622-7757	151	19
2540-623-5520	140	8
2540-626-2467	274	16
2540-627-5992	141	14
2540-640-2267	282	1
2540-653-6779	140	14
2540-679-1421	168	11
2540-679-1422	166	6
	167	9
	168	6
2540-679-1444	164	9
2540-679-1445	164	1
2540-679-1446	169	13
2540-679-1447	163	9
2540-679-1449	164	8
2540-692-8819	3303	N / I
2540-692-8820	301	1
2540-692-9101	165	10
2540-693-0602	130	38
2540-693-0603	130	38
2540-693-0605	1806	N / I
2540-693-0606	1806	N / I
2540-693-0634	112	11
2540-693-0676	111	7
2540-693-3404	300	2
2540-704-4253	112	9
2540-707-0724	168	13
2540-709-5879	133	10
	135	7
	136	13
2540-715-7407	149	31
2540-730-6633	166	7
	167	15
2540-735-4014	297	1
2540-735-5715	3303	N / I
2540-735-5719	302	2
2540-737-2703	283	11
2540-737-2723	279	1

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2540-737-2790	151	23
2540-737-3265	10	18
2540-737-3276	130	36
2540-737-3277	130	36
2540-737-3283	130	9
2540-737-3286	1801	N / I
2540-737-3298	1801	N / I
2540-737-3306	140	4
2540-737-3307	141	1
2540-737-3308	140	5
2540-737-3309	140	6
2540-737-3311	141	15
2540-737-3312	141	12
2540-740-9019	255	14
2540-740-9075	229	1
2540-740-9150	208	19
	209	20
	213	17
	215	17
2540-740-9205	2001	N / I
2540-740-9215	149	1
2540-740-9423	283	1
2540-740-9443	84	7
2540-740-9529	1501	N / I
2540-740-9617	127	1
2540-740-9679	278	3
	281	1
2540-740-9681	278	2
2540-740-9718	2210	N / I
2540-740-9825	244	6
2540-740-9873	1211	N / I
2540-740-9952	218	8
2540-740-9954	215	2
2540-740-9980	215	1
2540-741-0714	130	5
2540-741-0715	130	31
2540-741-1088	214	9
2540-741-3422	10	5
2540-752-0358	304	7
2540-752-0971	5	1
	84	4
2540-752-1596	111	7
2540-752-4078	303	62
2540-752-5172	0608	N / I
2540-752-9238	10	6
2540-753-7382	3303	N / I
2540-753-8726	209	29
2540-753-9112	10	33
2540-753-9114	10	25
2540-753-9130	10	26
2540-753-9214	129	4
2540-753-9222	135	3
	136	17
2540-753-9669	129	21
2540-753-9695	18	42
2540-753-9697	282	5
2540-754-0419	130	33
2540-757-9946	3303	N / I
2540-766-3330	184	3
2540-769-8297	120	23
2540-770-0242	303	74
	3303	N / I
2540-770-0402	330	3
2540-770-3227	278	3
2540-770-3429	281	1
2540-776-1059	301	3
2540-788-5637	284	10
2540-821-2277	112	10
2540-832-7160	2001	N / I
2540-832-7162	270	41
2540-857-2755	151	28
2540-857-6332	149	28
2540-857-6344	1810	N / I
2540-860-0516	278	2
2540-860-0520	151	15
2540-860-0522	151	15
2540-860-2355	280	1
2540-860-2356	280	3
2540-860-2357	280	4
2540-860-2358	280	2
2540-891-7830	279	17
2540-914-4706	295	19
2540-921-0481	112	5
2540-924-5223	3303	N / I
2540-930-2716	150	6
2540-930-3139	150	1
2540-930-6580	2001	N / I
2540-930-9102	282	8
2540-933-6262	284	2
2540-933-6263	284	4
2540-933-6868	284	12
2540-933-6869	284	8
2540-933-6870	284	11
2540-939-7105	3303	N / I
2540-952-7034	283	5
2540-953-0110	303	42
	304	43
2540-953-0111	304	1
	304	71
2540-960-3617	303	24
2540-960-3619	304	14
2540-960-3622	303	10
2540-960-3627	303	13
2540-960-3629	303	6
2540-960-3630	303	1
2540-960-3632	3303	N / I
2540-960-4060	133	7
2540-971-1488	114	20
2540-972-2642	200	1
2540-977-2661	3305	N / I
2540-981-2758	1503	N / I
2540-999-6467	1810	N / I
2541-933-8645	281	1
2570-407-2617	159	5
2590-017-9779	0312	N / I
2590-040-2075	129	27
2590-040-2187	36	16
2590-040-2288	272	3
2590-045-4202	258	8
2590-045-4204	258	6
2590-045-4205	258	4
2590-045-4206	258	10
2590-052-0110	255	21
2590-059-5371	269	7

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2590-059-5380	255	1
2590-060-7229	2210	N / I
2590-060-7236	38	13
2590-064-3691	259	4
2590-065-9641	2210	N / I
2590-069-3047	264	22
2590-073-3163	38	1
	39	2
2590-080-7529	255	8
2590-086-7459	255	11
2590-086-7460	256	15
2590-087-9187	270	13
2590-087-9196	268	18
2590-088-4924	2210	N / I
2590-088-4925	2210	N / I
2590-088-4926	2210	N / I
2590-088-4927	2210	N / I
2590-089-4782	39	1
2590-089-6193	270	1
2590-101-5594	255	22
2590-102-9813	241	2
2590-115-4341	122	3
2590-118-5551	208	9
2590-118-5554	259	23
2590-118-8694	269	10
2590-121-0707	208	2
2590-133-0987	262	18
2590-133-0988	270	20
2590-134-1121	256	2
2590-135-6535	267	21
2590-135-6537	270	26
2590-135-6566	245	1
2590-136-4759	264	20
2590-177-7826	240	7
2590-177-7830	260	16
2590-177-8220	18	35
2590-177-9186	243	19
2596-177-9187	239	7
2590-177-9194	256	6
2590-177-9196	257	10
	261	11
2590-177-9225	239	17
2590-177-9266	264	25
2590-178-1036	28	12
	29	7
2590-179-3421	239	5
	247	21
2590-179-3540	213	6
2590-179-3541	230	7
2590-179-5581	269	1
2590-179-7053	256	1
2590-215-4048	34	3
2590-220-5106	202	1
2590-221-4824	269	6
2590-221-4825	250	4
2590-224-7969	39	1
2590-226-2347	215	18
2590-231-7484	174	29
2590-235-1895	212	1
2590-235-4362	271	42
2590-235-4400	260	18
2590-245-8143	244	12
2590-253-7229	34	4
2590-253-7230	34	12
2590-262-7572	264	11
2590-262-9929	2210	N / I
2590-282-8280	303	51
2590-287-8126	227	18
2590-287-8212	231	10
2590-287-8679	216	3
2590-291-9756	229	3
2590-322-2548	39	1
2590-333-1590	19	2
2590-338-1673	0609	N / I
	135	35
	136	28
2590-342-6535	250	2
2590-349-3652	308	4
2590-369-8869	240	2
2590-369-8871	242	33
2590-374-0826	34	5
2590-384-0570	34	2
2590-400-7052	220	4
	221	11
2590-404-0752	215	14
2590-404-5921	221	4
2590-418-0887	215	7
2590-442-5900	162	6
2590-442-5918	1810	N / I
2590-443-4847	270	40
2590-445-6635	38	13
2590-449-5059	265	31
2590-473-6331	133	1
2590-494-9520	247	14
2590-504-8913	259	9
2590-504-8923	257	12
	261	9
2590-504-8929	260	15
2590-504-8930	255	5
2590-504-8999	2001	N / I
2590-504-9030	263	1
2590-504-9033	0608	N / I
	267	9
2590-504-9035	0608	N / I
	267	12
2590-504-9037	259	22
2590-504-9038	264	15
2590-504-9039	268	15
2590-504-9060	0609	N / I
	267	11
2590-504-9066	262	1
2590-506-8450	218	6
2590-508-4592	19	10
2590-512-9224	102	9
2590-513-5786	227	1
2590-513-5787	227	11
2590-513-5788	227	19
2590-522-1174	259	7
2590-522-1175	259	10
2590-522-1177	259	19
2590-522-1216	270	19
2590-522-1447	268	4
2590-522-1449	270	14
2590-522-1467	270	25
2590-523-4235	257	8
	261	13

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2590-523-4305	257	15
	261	7
2590-533-3386	2001	N / I
2590-533-3388	268	23
2590-533-3395	263	8
2590-533-3396	270	45
2590-533-3399	262	7
2590-533-3400	2001	N / I
2590-536-4828	0608	N / I
2590-561-6104	0613	N / I
2590-561-6105	0613	N / I
2590-563-4641	230	11
2590-569-8942	216	3
2590-575-2654	293	3
2590-592-1165	293	2
2590-593-1853	231	12
2590-594-5916	293	6
2590-594-5919	293	2
2590-597-4075	227	7
2590-602-0503	267	13
2590-606-8504	0611	N / I
2590-607-3522	2210	N / I
2590-607-3523	2210	N / I
2590-607-3524	293	7
2590-608-2267	293	4
2590-608-5604	3307	N / I
2590-612-2181	34	1
2590-622-7730	136	27
2590-627-6856	247	10
2590-627-8310	149	12
2590-630-5480	293	4
2590-633-9848	293	8
2590-639-8597	2210	N / I
2590-641-6405	208	8
2590-644-7716	308	3
2590-652-5548	208	22
	209	17
	215	20
2590-659-7754	166	9
2590-678-8312	293	4
2590-678-8313	293	4
2590-678-8314	293	4
2590-678-8316	293	4
2590-678-8325	293	3
2590-678-8327	293	3
2590-678-8328	293	3
2590-678-8329	293	3
2590-678-8330	293	3
2590-678-8331	293	3
2590-678-8336	293	3
2590-679-1423	162	20
2590-679-1424	170	14
2590-679-9648	2001	N / I
2590-692-6146	240	13
2590-692-6149	237	17
2590-692-6173	2001	N / I
2590-692-6174	2001	N / I
2590-692-6175	2001	N / I
2590-692-6177	2001	N / I
2590-693-0667	9	7
2590-693-3382	3303	N / I
2590-693-3383	3303	N / I
2590-693-3384	3303	N / I
2590-693-3389	3303	N / I
2590-693-3390	3303	N / I
2590-693-3730	0608	N / I
2590-693-4173	19	15
2590-693-4176	27	3
2590-693-4180	303	77
	37	1
2590-693-4182	0608	N / I
2590-693-4185	39	1
2590-693-4186	39	1
2590-693-4187	39	1
2590-693-4188	39	1
2590-693-4189	39	1
2590-693-4191	39	1
2590-693-4192	39	1
2590-695-5164	3303	N / I
2590-695-8835	301	9
2590-706-9076	243	24
2590-711-5824	303	52
2590-729-7088	2001	N / I
2590-732-7581	247	1
2590-735-0593	0609	N / I
2590-735-1272	0611	N / I
	102	13
2590-735-5938	0613	N / I
2590-736-8523	2210	N / I
2590-737-3216	34	6
2590-737-3246	303	78
	37	2
	38	12
2590-739-7744	38	5
2590-740-0714	293	1
2590-740-9026	235	8
2590-740-9050	227	14
2590-740-9051	227	17
2590-740-9089	230	14
2590-740-9100	266	10
2590-740-9199	240	3
	242	42
2590-740-9231	229	4
2590-740-9267	9	9
2590-740-9565	210	22
	259	26
2590-740-9591	209	37
2590-740-9629	249	10
2590-740-9653	237	7
2590-740-9655	251	1
2590-740-9663	216	23
2590-740-9683	246	15
2590-740-9685	209	39
2590-740-9695	211	11
2590-740-9707	293	8
2590-740-9708	2210	N / I
2590-740-9709	293	4
2590-740-9710	293	4
2590-740-9711	293	1
2590-740-9712	293	1
2590-740-9713	293	1
2590-740-9715	293	1
2590-740-9716	293	1
2590-740-9717	293	6
2590-740-9721	2210	N / I
2590-740-9727	209	3

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2590-740-9729	211	2
2590-740-9746	242	25
2590-740-9781	242	35
2590-740-9782	243	26
2590-740-9800	209	35
2590-740-9807	211	10
	255	27
	258	3
2590-740-9821	260	6
2590-740-9823	210	33
	260	10
2590-740-9841	240	13
2590-740-9847	2001	N/I
2590-740-9868	2210	N/I
2590-740-9869	2210	N/I
2590-740-9912	273	4
2590-740-9925	216	15
2590-740-9929	212	17
	219	16
2590-740-9934	216	35
2590-740-9936	216	24
2590-740-9945	219	2
2590-740-9951	218	16
2590-740-9953	218	7
2590-741-1121	212	4
2590-741-1122	208	1
2590-741-1125	212	6
2590-741-1152	212	21
2590-741-1161	213	12
2590-741-1170	213	1
2590-741-2380	2001	N/I
2590-741-4254	271	20
2590-741-4256	271	7
2590-741-4266	271	32
2590-741-4267	271	19
2590-752-0597	9	8
2590-752-1492	34	7
2590-752-9235	10	12
2590-753-8706	208	21
	209	18
	213	19
	215	19
2590-753-8727	209	31
2590-753-8793	2210	N/I
2590-753-8794	2210	N/I
2590-753-9135	10	23
2590-753-9504	36	18
2590-753-9545	135	46
	23	9
2590-766-3327	174	35
2590-770-0353	299	31
	303	43
2590-772-8814	0608	N/I
2590-774-4284	2210	N/I
2590-786-0194	106	4
2590-786-4652	239	4
2590-790-2288	122	11
2590-790-2289	122	13
2590-790-2290	122	1
2590-790-2291	122	12
2590-790-2292	122	7
2590-790-2293	122	10
2590-794-8206	0609	N/I
2590-795-1690	3303	N/I
2590-808-6072	20	2
2590-826-5202	264	24
2590-826-5203	264	6
2590-826-5204	267	27
2590-826-5604	270	48
2590-826-5605	270	30
2590-826-5606	270	24
2590-826-5607	270	23
2590-826-5609	2001	N/I
2590-826-5630	257	9
	261	12
2590-831-6271	2210	N/I
2590-831-6273	2210	N/I
2590-832-7166	2001	N/I
2590-832-7169	2001	N/I
2590-832-7171	2001	N/I
2590-832-7175	2001	N/I
2590-832-7178	2001	N/I
2590-832-7201	2001	N/I
2590-832-7202	2001	N/I
2590-832-7205	2001	N/I
2590-832-7207	2001	N/I
2590-832-9019	270	54
2590-849-4931	293	3
2590-857-2782	255	23
2590-858-5681	2210	N/I
2590-858-5682	2210	N/I
2590-858-5683	2210	N/I
2590-860-7341	209	16
2590-860-9076	114	5
2590-860-9077	114	16
2590-860-9078	114	15
2590-870-9937	122	15
2590-893-4211	263	6
2590-895-3424	210	29
	259	29
2590-900-1640	35	2
2590-903-4809	2210	N/I
2590-911-5628	9	9
2590-911-5653	38	13
2590-911-7623	39	1
2590-912-18[illegible]	2210	N/I
2590-912-3106	2210	N/I
2590-912-3110	0312	N/I
2590-919-2915	209	34
2590-925-8003	144	1
2590-925-8151	1810	N/I
2590-930-3530	303	40
2590-930-3532	303	41
2590-930-3533	304	65
2590-930-9254	2001	N/I
2590-933-9578	267	43
2590-933-9579	255	29
2590-933-9580	229	6
2590-933-9581	267	1
2590-933-9582	267	45
2590-933-9583	267	44
	268	20
2590-933-9584	268	1
2590-933-9585	264	1
2590-933-9586	267	6
2590-933-9587	270	6

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
2590-937-0400	249	13
2590-937-0472	239	3
2590-937-0475	249	16
2590-937-1164	264	21
2590-937-8731	254	21
2590-944-6210	0312	N / I
2590-944-6252	295	10
2590-951-1850	257	4
2590-951-7547	2210	N / I
2590-951-7549	2210	N / I
2590-970-1202	238	1
2590-971-5023	0312	N / I
2590-971-5024	0312	N / I
2590-972-2614	0613	N / I
2590-972-2632	261	8
2590-972-2633	202	2
2590-972-2634	257	14
2590-972-2635	257	6
	261	15
2590-972-2637	272	5
2590-972-2638	257	1
2590-972-2639	261	1
2590-972-2640	264	27
2590-972-2641	264	17
2590-972-2643	267	48
2590-972-2644	267	30
2590-972-2649	231	4
2590-973-0705	293	9
2590-974-9670	258	11
2590-994-7495	303	70
2590-998-4711	208	14
2590-999-5434	267	2
2590-999-8590	0312	N / I
2610-051-9450	96	2
2610-051-9454	96	2
2610-051-9464	96	2
2610-051-9614	237	18
2610-204-2545	96	1
2610-262-8653	96	1
2610-540-4725	96	1
2620-051-5306	0701	N / I
2640-050-1229	96	3
2640-060-3550	96	4
2640-200-1934	97	1
2805-135-8987	2	2
2805-532-9054	231	13
2805-621-2527	307	24
2805-724-9335	1	2
2805-737-6157	3	5
2805-737-6158	3	2
2805-737-6159	3	4
2805-737-6200	15	16
	2	2
2805-741-8965	0501	N / I
2805-973-4975	1	1
2810-200-1635	166	11
	167	21
2815-045-6865	1	2
2815-239-5819	1	1
2815-457-1982	1	2
2815-781-7871	1	1
2815-937-3082	14	20
	2	2
2815-995-1811	4701	N / I
2840-806-7798	1411	N / I
2910-031-9083	298	5
2910-073-0148	8	1
2910-073-0149	8	1
2910-073-0165	0306	N / I
	303	54
2910-141-9758	8	2
2910-203-3322	298	3
2910-269-3464	0311	N / I
2910-314-0305	3303	N / I
2910-314-0306	3303	N / I
2910-314-0323	3303	N / I
2910-424-1147	166	17
	167	26
2910-532-3160	9	12
2910-569-2681	0306	N / I
2910-679-9721	297	9
2910-699-8475	9	3
2910-699-8476	10	17
	9	2
2910-719-1233	8	1
2910-735-4014	301	4
2910-737-6147	0306	N / I
	307	14
2910-740-9271	10	1
2910-740-9307	7	18
2910-740-9309	7	17
2910-740-9402	8	7
2910-740-9419	8	12
2910-740-9420	8	1
2910-741-3711	297	3
2910-741-3776	297	6
2910-741-3777	297	10
2910-741-3778	297	4
2910-752-9138	8	4
2910-753-9072	33	4
2910-753-9133	10	34
2910-753-9391	89	7
2910-773-4004	3303	N / I
2910-785-6338	172	6
2910-901-9686	8	1
2910-911-5636	0306	N / I
2910-937-5076	0311	N / I
2910-972-2612	8	1
2910-972-2613	8	1
2910-974-7581	0306	N / I
2910-974-7611	0306	N / I
2920-133-9629	0607	N / I
2920-706-1110	35	3
2920-714-6128	0607	N / I
2920-734-6802	78	7
2920-737-6366	16	3
2920-796-2655	0607	N / I
2920-800-7218	16	6
2920-952-1989	38	15
2920-965-6859	38	15
2920-972-2598	38	15
2930-021-6583	0501	N / I
2930-045-4201	136	23
2930-064-3925	14	19
2930-064-3926	14	11
2930-080-7637	0501	N / I

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	1802	N / I
2930-169-5759	14	5
2930-177-7846	0501	N / I
2930-236-0562	0501	N / I
2930-237-6154	15	14
2930-700-7965	1801	N / I
2930-737-5656	15	1
2930-737-5658	14	26
	15	21
2930-741-1061	14	1
	15	2
2930-752-1975	2004	N / I
	233	25
2930-832-7014	14	4
	15	6
2930-919-2875	0501	N / I
2930-972-2597	14	5
2930-972-2601	14	14
2930-974-7408	14	13
2940-018-5296	6	16
2940-740-8773	301	6
	303	69
2940-740-9144	7	6
2940-740-9300	7	15
2940-740-9303	7	3
2940-740-9304	7	1
2940-740-9305	7	2
2940-740-9306	7	5
2940-909-2453	6	2
2940-911-5631	6	24
2940-911-5658	6	34
2940-918-9641	6	2
2940-972-2596	6	2
2940-972-2602	6	20
2940-972-2603	6	23
2940-972-2606	6	6
2940-972-2608	6	14
2940-974-9669	6	31
2950-126-8009	274	46
2990-040-2333	11	2
2990-056-4798	12	16
2990-073-0150	0401	N / I
2990-073-0151	0401	N / I
2990-073-0152	0401	N / I
2990-121-6184	13	20
2990-131-6151	0312	N / I
2990-213-1279	294	1
2990-225-8325	0401	N / I
2990-225-8326	12	3
2990-291-7475		
	11	19
	12	11
2990-294-2257	11	20
2990-374-8308	3303	N / I
2990-374-8333	296	1
2990-385-7997	0401	N / I
2990-591-7696	11	9
2990-649-9484	0401	N / I
2990-658-9563	11	8
2990-699-8480	2004	N / I
2990-699-8482	2004	N / I
2990-734-8826	11	10
	12	9

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	12	14
2990-734-8828	11	3
2990-734-8829	11	20
2990-734-8833	11	18
2990-734-8834	11	14
2990-734-8838	11	9
2990-734-8839	11	9
2990-740-1017	3303	N / I
2990-741-1057	11	12
2990-741-1059	12	7
2990-741-1060	12	7
2990-741-1093	11	9
2990-741-1095	11	5
2990-741-1096	11	9
2990-741-3235	11	11
	12	8
2990-752-9294	15	22
2990-795-0204	296	4
2990-808-6905	272	6
2990-925-3966	13	5
2990-925-3967	13	4
2990-925-3968	13	1
2990-925-3975	13	19
2990-937-0473	240	20
2990-944-6981	13	6
2990-972-2594	12	4
2990-972-2600	6	17
2990-972-2605	12	12
2990-972-2610	12	2
2990-972-2611	12	4
2990-983-0055	304	12
3010-530-8321	2001	N / I
3020-415-1479	174	21
3020-484-5831	213	4
3020-971-5018	44	3
3030-165-5598	149	2
3040-143-6390	255	2
3040-231-0221	174	16
3040-231-7470	174	2
	174	22
3040-237-3689	277	26
3040-240-9254	76	17
3040-255-5700	258	2
3040-371-5584	10	2
3040-409-4021	158	15
3040-419-9431	174	11
3040-421-3966	162	13
3040-489-6022	266	21
3040-741-1174	2004	N / I
3110-100-0226	240	15
	241	3
3110-100-0236	249	12
3110-100-0263	69	9
3110-100-0302	240	14
	241	11
3110-100-0305	249	11
3110-100-0321	69	10
3110-100-0329	68	2
3110-100-0560	240	11
3110-100-0569	243	6
3110-100-0583	69	18
3110-100-0603	56	18
3110-100-0608	70	9

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
3110-100-0645	68	3
3110-100-0649	126	11
	94	4
	95	5
3110-100-0799	276	30
3110-100-0960	56	24
3110-100-3556	240	10
	249	17
3110-100-3566	243	5
3110-100-3568	2001	N/I
3110-100-3636	56	19
3110-100-3647	70	10
3110-100-6152	82	69
3110-100-6153	102	22
	230	4
3110-100-6155	275	28
3110-100-6158	212	26
3110-100-6159	107	7
	218	19
	227	6
3110-100-6168	236	7
3110-101-1799	239	9
3110-107-7556	250	14
3110-108-8002	271	33
3110-112-6565	43	15
	44	15
3110-114-6001	236	18
3110-117-0695	43	1
	44	1
3110-120-3326	221	8
3110-120-4367	213	3
3110-120-4371	271	21
3110-142-0231	102	16
3110-142-4364	276	31
3110-142-4390	126	10
	94	12
	95	13
3110-143-7524	56	23
3110-144-8518	274	56
3110-144-8526	237	14
3110-144-8547	56	9
3110-144-8671	271	16
3110-155-6433	45	2
3110-155-6679	259	6
3110-155-6741	43	11
	44	11
3110-155-6742	54	16
3110-155-6745	2001	N/I
3110-155-6755	54	9
3110-155-6760	45	23
3110-155-7423	262	6
	263	7
3110-156-4689	231	5
3110-157-0531	212	28
3110-158-6011	70	3
3110-159-9390	69	19
3110-183-6723	274	52
3110-183-9164	48	3
3110-186-5037	5	20
3110-195-0458	54	20
3110-195-0460	69	22
3110-198-1080	212	5
3110-198-1468	126	6

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	94	17
	95	21
3110-227-3074	274	67
3110-227-3080	239	8
3110-227-3229	218	4
3110-227-3245	212	15
	219	15
3110-227-3253	218	28
3110-227-3255	220	8
3110-227-3381	269	8
3110-227-3401	45	4
3110-227-4832	102	23
3110-277-0119	277	37
3110-277-0406	102	28
3110-277-0476	216	5
3110-278-6916	239	20
3110-278-6917	239	19
3110-294-1834	5	31
3110-350-5407	70	11
3110-350-7384	271	13
3110-516-5490	271	36
	274	34
3110-516-5491	248	16
3110-554-3411	264	13
3110-554-3468	264	9
3110-554-3899	267	28
3110-554-3929	210	6
	259	16
3110-554-5302	222	10
	236	15
	268	6
	271	6
3110-554-5719	275	11
3110-554-6149	274	41
3110-555-5337	54	7
3110-740-9809	210	3
3110-740-9896	218	18
3110-741-1123	212	25
3110-741-1133	61	7
3110-787-6523	61	15
3110-902-1686	274	44
3110-902-3757	244	3
3110-902-3777	244	13
3110-948-9796	209	4
3110-961-9033	276	27
3110-965-9908	267	20
3120-090-5968	45	7
3120-303-4977	68	5
3120-350-2603	102	51
3120-383-4792	68	12
3120-383-4793	68	5
3120-404-3206	255	4
3120-509-8270	256	10
3120-516-7516	2004	N/I
3120-537-0614	71	14
3120-661-9026	213	22
3120-662-3370	69	23
3120-726-7643	241	12
3120-735-1362	105	13
3120-736-9961	101	8
3120-737-3115	274	49
3120-740-9299	228	10
3120-740-9656	240	5

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
3120-740-9666	216	9
	217	14
3120-740-9729	256	11
3120-740-9743	247	16
3120-740-9744	243	25
3120-740-9745	243	18
3120-740-9747	240	4
	242	43
3120-740-9800	210	12
	260	7
3120-740-9904	222	5
3120-740-9949	2001	N/I
3120-740-9958	218	29
3120-740-9978	220	1
	221	5
3120-741-1156	212	13
3120-741-1164	213	7
3120-753-8656	274	66
3120-770-2941	123	13
3120-774-0722	84	10
3130-227-4054	224	6
3439-792-8204	0900	N/I
3443-795-0663	2604	N/I
3443-795-0860	2604	N/I
3805-354-8925	242	17
3805-355-2100	62	8
3810-110-9767	246	4
3810-110-9768	246	5
3810-353-1982	49	9
3810-353-1983	49	13
3810-873-4411	241	16
3810-893-6529	241	9
3820-354-9390	237	4
3820-831-4159	237	8
3830-179-6635	162	7
3830-316-7635	239	12
3830-316-7638	243	3
3830-316-7639	243	14
3830-328-8862	216	6
3830-506-8451	217	3
3830-546-4762	2001	N/I
3830-625-4460	237	10
3830-625-6281	2001	N/I
3830-625-6282	243	20
3830-625-6283	243	27
3830-679-0732	250	6
3830-699-6379	210	26
3830-710-6868	248	17
3830-740-9794	249	4
3830-740-9865	246	6
3830-832-7168	2001	N/I
3830-832-7176	2001	N/I
3830-832-7179	2001	N/I
3830-855-5761	247	3
3930-333-0039	237	12
3930-359-4748	237	21
3950-260-4071	49	6
3950-318-3084	3303	N/I
3950-623-6954	240	9
3950-706-2465	236	3
4010-129-3221	112	16
4010-129-6046	2001	N/I
4010-149-5583	149	3
4010-165-5596	149	42
4010-274-5170	2001	N/I
4010-274-6817	2001	N/I
4010-274-6840	2001	N/I
4010-285-4208	2001	N/I
4010-286-5535	2001	N/I
4020-240-2159	279	18
4030-163-0802	2001	N/I
4030-227-0445	185	5
4030-270-5436	0609	N/I
4030-350-8963	2001	N/I
4030-740-9522	110	2
	111	5
4030-740-9864	250	18
4210-293-5912	82	77
4210-933-2929	186	1
	205	1
4240-350-9056	278	4
4240-594-8032	278	4
4320-509-1936	237	11
4320-692-6188	2001	N/I
4320-692-6189	2001	N/I
4320-749-9847	237	1
4320-875-1514	236	6
4330-057-5555	202	5
4520-318-7547	296	23
4520-678-2438	164	11
4520-678-7768	304	20
4520-790-8417	303	8
4710-162-1019	110	10
	2004	N/I
4710-162-1022	2001	N/I
4710-177-8376	272	9
4710-177-8407	84	11
4710-200-0306	2004	N/I
4710-218-5691	1204	N/I
4710-245-8339	299	6
4710-277-3527	0802	N/I
4710-277-4508	1208	N/I
4710-277-4534	92	1
	92	4
	92	8
4710-277-5524	3303	N/I
	165	1
	165	3
	165	5
	165	7
	165	16
	282	12
4710-277-5526	303	75
	304	76
4710-277-5527	1208	N/I
	3305	N/I
4710-277-5529	3305	N/I
4710-277-7748	1208	N/I
4710-289-2913	0609	N/I
	2001	N/I
4710-485-9648	85	24
4710-493-9048	276	36
4710-595-1824	1411	N/I
4710-639-9879	2001	N/I
4710-899-7893	6	10
4710-900-8592	83	17

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
4720-051-0663	0501	N/I
4720-087-4172	104	7
4720-143-8901	1407	N/I
	1411	N/I
4720-177-5787	270	49
4720-189-9715	2001	N/I
4720-200-0369	3303	N/I
4720-203-1159	2001	N/I
4720-203-2668	282	11
4720-203-9515	83	3
4720-223-8735	15	11
4720-235-4125	3305	N/I
4720-235-4133	301	5
4720-238-8304	1211	N/I
4720-289-2308	104	2
4720-289-2618	2001	N/I
4720-289-4474	1411	N/I
4720-313-7556	3303	N/I
4720-318-0974	57	14
4720-319-6002	1208	N/I
4720-482-8956	165	13
4720-528-2940	2001	N/I
4720-528-2947	2001	N/I
4720-535-1994	3303	N/I
4720-535-7615	3303	N/I
4720-540-1778	3303	N/I
4720-542-4433	1411	N/I
4720-566-7145	2001	N/I
4720-692-6169	2001	N/I
4720-737-6182	15	15
4720-738-4219	3303	N/I
4720-740-3492	1204	N/I
4720-740-9283	1411	N/I
4720-740-9285	1411	N/I
4720-740-9286	1411	N/I
4720-740-9331	83	45
4720-741-3492	83	18
4720-752-0366	304	64
4720-809-2430	299	3
	303	36
4720-826-5610	270	15
4720-832-7161	2001	N/I
4720-832-7170	2001	N/I
4720-832-7172	2001	N/I
4720-832-7174	2001	N/I
4720-832-7177	2001	N/I
4720-857-7479	104	14
4720-964-3417	1407	N/I
	1411	N/I
4720-973-3994	6	18
4730-010-3867	102	53
4730-010-6644	2001	N/I
4730-011-2578	85	14
4730-011-6452	165	2
4730-012-1211	271	46
4730-013-7401	82	49
4730-013-7409	3303	N/I
4730-014-2427	1208	N/I
4730-014-2432	1208	N/I
	1411	N/I
	3303	N/I
	3305	N/I
4730-014-2433	1208	N/I
	272	12
4730-014-2435	0501	N/I
	82	51
4730-014-2437	3305	N/I
4730-014-3970	53	27
4730-014-4074	271	45
4730-014-4574	236	27
4730-018-9566	2001	N/I
	60	7
	61	4
	62	12
	82	38
4730-019-3450	2001	N/I
4730-042-6318	106	2
	209	40
4730-044-4040	307	22
4730-044-4655	270	10
	271	24
4730-044-4688	262	4
	267	46
	268	12
4730-044-4692	2001	N/I
4730-045-9769	106	9
4730-045-9771	235	10
4730-045-9835	52	16
4730-049-8126	224	3
4730-050-4203	10	10
4730-050-4208	100	7
	101	9
	112	12
	123	4
	148	4
	154	9
	211	12
	220	10
	221	9
	222	12
	228	1
	232	4
	233	16
	238	6
	239	16
	240	8
	241	1
	242	2
	243	12
	244	5
	250	10
	255	10
	257	5
	258	1
	260	17
	61	5
	61	23
	78	32
	84	8
	99	6
4730-053-8826	91	6

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
4730-057-5555	102	32
4730-069-1186	85	18
	90	1
	92	3
4730-069-1187	307	17
	49	8
	57	1
	92	11
4730-087-0313	270	16
4730-088-8665	210	10
	216	33
	428	23
	271	31
4730-090-0832	6	7
4730-090-9229	1209	N / I
4730-090-9256	1411	N / I
4730-142-1629	276	51
4730-142-3075	85	19
4730-142-3076	1211	N / I
4730-164-2038	239	~~15~~
4730-168-2028	270	33
4730-168-2029	270	37
4730-172-0028	78	28
	78	36
4730-172-0034	120	17
	213	9
	218	22
	219	3
	220	9
	222	11
	255	6
	256	13
4730-186-3026	3303	N / I
4730-187-1417	2001	N / I
4730-193-0883	270	12
4730-193-2707	303	85
4730-196-0888	1411	N / I
4730-196-0903	3303	N / I
4730-196-1468	1411	N / I
4730-196-1493	2001	N / I
4730-196-1503	3303	N / I
4730-196-1504	90	6
4730-196-1991	90	11
	91	1
4730-196-2055	1411	N / I
4730-197-6626	2001	N / I
4730-200-0515	2001	N / I
4730-200-0516	254	12
4730-202-6489	3305	N / I
4730-202-6672	2001	N / I
4730-202-9036	308	20
4730-202-9037	308	18
4730-202-9039	3303	N / I
4730-203-0030	1411	N / I
4730-203-3558	1411	N / I
4730-204-1993	307	32
4730-221-2136	303	59
4730-221-6215	82	47
4730-222-1830	3305	N / I
	1208	N / I
4730-222-1837	307	23
4730-230-1996	3303	N / I
4730-231-3014	104	27

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
4730-231-3019	265	18
	270	8
4730-231-3956	3303	N / I
4730-238-5594	261	14
4730-246-9222	237	13
4730-249-2031	2001	N / I
4730-249-3885	90	12
4730-249-4416	265	29
4730-253-4414	1411	N / I
4730-253-4415	1411	N / I
4730-261-4218	1411	N / I
4730-263-4983	2004	N / I
4730-263-4986	1208	N / I
4730-265-6907	2001	N / I
4730-266-0532	6	4
4730-266-0538	305	7
4730-270-4578	3303	N / I
4730-270-4597	3303	N / I
4730-270-4616	86	17
	92	5
4730-270-5660	120	3
4730-273-4429	1411	N / I
4730-273-7512	75	6
4730-273-8561	275	30
4730-274-7406	303	61
	304	72
4730-277-2120	3303	N / I
4730-277-2654	236	23
4730-277-5361	3303	N / I
4730-277-5552	3303	N / I
4730-277-5553	104	32
	57	13
	85	25
4730-277-5555	1208	N / I
4730-277-5684	57	7
4730-277-6851	2001	N / I
4730-277-7329	1208	N / I
4730-277-8273	307	33
4730-277-8274	272	1
4730-277-8750	6	8
4730-277-8769	3303	N / I
4730-277-9735	2001	N / I
4730-278-2062	2001	N / I
4730-278-2064	15	10
4730-278-2480	3303	N / I
4730-278-3167	1411	N / I
4730-278-3213	85	31
	86	7
4730-278-3216	85	21
4730-278-3357	42	15
4730-278-3380	209	27
	8	9
4730-278-3388	0900	N / I
4730-278-3390	1204	N / I
4730-278-3441	1211	N / I
4730-278-3676	1411	N / I
4730-278-3702	1411	N / I
4730-278-3832	57	10
4730-278-3853	303	58
	304	74
4730-278-3862	1411	N / I
4730-278-3873	3307	N / I

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
4730-278-4216	46	5
4730-278-4357	3303	N / I
4730-278-4496	165	8
4730-278-4559	3303	N / I
4730-278-4730	1208	N / I
4730-278-4822	272	7
4730-278-7746	3305	N / I
4730-278-8226	1411	N / I
4730-278-8763	3303	N / I
4730-278-8764	304	9
4730-278-8765	1208	N / I
	2001	N / I
4730-278-8767	1208	N / I
4730-278-8825	1208	N / I
	57	4
4730-278-8886	1411	N / I
4730-278-8902	1208	N / I
4730-279-0358	71	45
4730-287-1707	3305	N / I
4730-287-1766	3303	N / I
4730-287-3281	104	37
4730-287-4858	3305	N / I
4730-287-4859	3305	N / I
4730-288-8497	46	6
4730-288-8501	165	14
4730-288-8555	259	17
4730-288-9490	85	36
4730-288-9495	86	18
4730-289-0048	85	9
4730-289-0050	85	1
4730-289-0147	304	58
4730-289-1254	0311	N / I
	272	10
4730-289-2864	308	19
4730-289-3273	2001	N / I
4730-289-5176	209	22
	216	13
4730-293-7108	57	3
4730-309-0095	0900	N / I
4730-313-6438	3303	N / I
4730-334-7803	91	4
4730-335-1811	227	8
4730-335-1812	227	4
4730-335-2478	2001	N / I
4730-338-1865	2001	N / I
4730-338-1868	2001	N / I
4730-338-1869	2001	N / I
4730-338-1870	2001	N / I
4730-338-1874	2001	N / I
4730-338-1876	2001	N / I
4730-355-6302	211	18
4730-356-1085	3303	N / I
4730-359-4708	246	19
	254	13
	270	7
4730-374-1741	85	34
4730-374-6946	1411	N / I
4730-404-3205	86	19
4730-424-5871	3305	N / I
4730-426-8352	1209	N / I
4730-430-3221	224	4
4730-439-6028	270	22
4730-456-9831	270	9
4730-460-3907	86	11
4730-506-1609	211	17
	212	33
	213	8
	218	9
4730-511-1671	1208	N / I
	1211	N / I
4730-516-7419	80	1
4730-528-2743	80	3
4730-540-2576	57	9
4730-540-2612	3303	N / I
4730-541-3371	1211	N / I
4730-541-9265	214	11
4730-542-5947	303	63
4730-545-8615	2001	N / I
4730-545-8616	2001	N / I
4730-546-5902	1208	N / I
4730-575-2638	106	8
4730-590-7839	2001	N / I
4730-595-0083	91	2
4730-595-1867	307	2
4730-595-2840	308	13
4730-623-6915	230	18
4730-629-1081	3303	N / I
4730-639-9923	242	26
	267	47
4730-639-9978	2001	N / I
4730-650-4208	219	4
4730-691-1595	86	13
4730-695-8836	3303	N / I
4730-699-8472	2001	N / I
4730-701-7678	85	10
4730-704-8625	305	10
4730-708-1996	85	4
	86	15
4730-718-2621	1411	N / I
4730-720-1398	14	12
	303	27
	6	15
4730-732-6126	65	9
	75	4
4730-737-2701	282	15
4730-737-3252	83	41
4730-737-5248	42	16
4730-737-6455	82	2
4730-737-6687	82	35
4730-740-1014	3303	N / I
4730-740-9037	228	5
4730-740-9058	227	2
4730-740-9079	229	2
4730-740-9332	83	28
4730-740-9450	1204	N / I
4730-740-9844	242	31
4730-740-9845	242	18
4730-803-5693	265	22
4730-804-1931	104	24
4730-806-6233	104	25
4730-832-7012	57	15
4730-832-7107	49	17
4730-832-7150	246	20
4730-832-7152	2001	N / I
4730-832-7157	254	31

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
4730-832-7180	2001	N / I
4730-832-7181	2001	N / I
4730-832-7185	237	6
4730-832-7186	2001	N / I
4730-832-7187	2001	N / I
4730-832-7189	2001	N / I
4730-832-7199	2001	N / I
4730-836-6166	3303	N / I
4730-840-9796	2001	N / I
4730-851-0174	104	1
4730-887-1007	250	22
4730-890-2376	307	12
4730-896-0837	307	4
	86	1
4730-900-3296	3303	N / I
4730-908-3193	3303	N / I
4730-908-3194	299	37
4730-908-3195	282	9
	304	57
4730-908-6293	7	14
4730-908-6294	3303	N / I
4730-909-8627	0501	N / I
4730-912-9114	6	13
4730-915-7904	303	80
4730-917-6781	304	61
4730-924-5433	1411	N / I
4730-924-5504	104	6
4730-925-8167	104	16
4730-930-7774	303	57
	304	77
4730-933-2928	6	19
4730-943-8051	86	24
4730-943-8928	165	6
4730-950-6134	6	11
4730-954-1281	242	27
	249	6
	52	15
	65	6
4730-961-8538	1411	N / I
4730-968-6129	202	11
	65	8
4730-984-3675	1411	N / I
4730-987-9073	1208	N / I
4730-999-8582	1411	N / I
4780-050-4208	261	17
4810-791-8883	3303	N / I
4820-274-3646	303	60
	304	75
4820-287-4268	87	3
4820-287-6119	53	6
4820-350-6495	90	10
4820-361-6782	49	15
4820-377-8780	85	26
4820-461-4216	202	16
	270	28
4820-684-0880	3303	N / I
4820-726-4719	102	44
	267	49
	268	8
	271	44
	48	15
	65	3
	67	15
	75	3
4820-741-1064	0306	N / I
4820-741-6960	3303	N / I
4820-786-1579	275	24
	276	37
4820-849-1220	14	28
	15	12
4910-357-5494	1802	N / I
4910-448-0254	310	1
4910-545-8639	310	2
4910-610-0919	310	3
4910-610-0920	310	4
4910-627-7043	310	5
4910-795-0131	2604	N / I
4910-795-0189	310	7
4910-795-0198	310	8
4910-795-0564	2604	N / I
4910-795-0630	2604	N / I
4910-798-7584	310	9
5007-832-7982	120	37
5110-655-9284	215	6
5110-795-0124	310	10
5110-795-0165	2604	N / I
5110-795-0248	310	11
5120-048-7370	2604	N / I
5120-092-9074	2604	N / I
5120-231-0216	167	12
5120-303-1195	310	12
5120-316-9215	2604	N / I
5120-322-6223	310	13
5120-338-6721	310	14
5120-341-4974	2604	N / I
5120-378-3139	310	15
5120-378-4301	310	16
5120-390-7779	310	17
5120-473-6511	310	18
5120-473-7741	310	19
5120-555-9126	2604	N / I
5120-610-6719	310	20
5120-610-6720	310	21
5120-650-7830	174	26
5120-707-6220	2604	N / I
5120-707-9783	310	22
5120-795-0079	310	23
5120-795-0081	2604	N / I
5120-795-0082	310	24
5120-795-0088	310	25
5120-795-0089	310	26
5120-795-0090	310	27
5120-795-0091	2604	N / I
5120-795-0104	310	6
5120-795-0105	2604	N / I
5120-795-0108	310	28
5120-795-0112	310	29
5120-795-0129	310	30
5120-795-0130	310	31
5120-795-0132	2604	N / I
5120-795-0133	310	32
5120-795-0134	310	33
5120-795-0136	310	34
5120-795-0137	310	35
5120-795-0139	310	36

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5120-795-0142	2604	N/I
5120-795-0147	310	37
5120-795-0152	310	38
5120-795-0155	310	39
5120-795-0159	310	40
5120-795-0163	2604	N/I
5120-795-0177	275	17
5120-836-6689	310	41
5120-961-9792	201	1
5135-740-9837	243	17
5305-012-1832	27	12
	296	3
5305-013-2100	33	1
5305-013-9703	209	1
5305-015-7070	130	29
5305-016-0046	22	16
5305-016-4403	38	6
5305-016-9554	149	17
5305-018-0147	47	9
5305-022-4048	53	8
5305-042-0993	266	12
5305-042-3522	18	36
5305-042-4335	168	14
5305-042-6417	262	23
	42	8
5305-042-6958	67	11
5305-042-8997	0802	N/I
5305-044-4153	267	33
5305-044-5503	208	5
	51	8
	71	24
5305-044-5504	212	20
5305-050-9221	256	3
5305-051-0827	208	10
	211	21
	216	41
5305-052-6920	286	5
5305-052-6924	159	4
5305-052-7401	3303	N/I
5305-052-8237	207	17
5305-053-8965	102	2
	258	13
5305-053-8993	52	4
5305-054-6667	294	2
5305-054-9291	208	3
5305-057-9613	176	9
5305-059-4568	24	11
5305-068-0500	164	10
	309	2
	3303	N/I
5305-068-0501	3303	N/I
5305-068-0502	174	15
	28	11
	29	11
	309	20
5305-068-0504	129	3
	129	6
	135	32
	136	31
	23	8
	3307	N/I
5305-068-0505	1208	N/I
	129	5
	129	28
	135	5
	135	18
	136	9
	1407	N/I
	178	5
	277	4
	289	1
	291	1
	3303	N/I
	3307	N/I
	77	7
5305-068-0506	117	8
	1208	N/I
	1501	N/I
	277	47
	284	17
	38	8
	39	3
	57	11
	58	24
	6	22
	9	15
5305-068-0507	129	8
	2004	N/I
	242	38
	83	25
	86	6
5305-068-0523	201	2
5305-069-5583	231	15
5305-071-1780	265	2
5305-071-1788	52	9
	53	21
5305-071-1789	275	8
	276	53
5305-071-2072	52	11
5305-071-2231	55	16
5305-071-2234	48	22
5305-071-2237	272	14
5305-071-2240	229	8
5305-082-6717	115	9
	204	3
5305-089-1294	227	21
5305-105-6871	295	15
5305-135-3032	303	23
5305-144-1499	128	1
5305-145-0828	303	9
5305-206-0932	78	5
5305-207-4535	153	16
5305-209-2818	235	3
5305-225-3839	169	12
	3303	N/I
5305-225-3840	167	22
5305-225-8497	253	19
5305-225-8498	102	19
	141	8
	275	32
5305-225-8499	274	8
5305-226-7767	210	21
	222	1
	255	18
	259	31
5305-226-7768	1501	N/I

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5305-235-5213	61	2
5305-246-6566	99	4
5305-252-8656	120	35
5305-253-5612	2210	N / I
5305-253-5618	2210	N / I
5305-253-5626	112	14
5305-263-2807	105	6
	1506	N / I
5305-267-8183	271	40
5305-267-8973	24	9
	83	4
5305-267-8974	10	35
	1208	N / L
	162	18
	307	36
	35	4
	83	23
5305-267-8975	284	5
5305-267-8976	279	11
	86	4
5305-267-8977	90	3
5305-267-8978	272	17
5305-267-8979	157	3
	39	6
	48	23
	83	33
	86	25
5305-267-8980	104	21
	83	38
5305-267-8984	104	13
5305-269-2801	133	5
	135	40
	136	22
	138	8
	203	1
	213	15
	218	3
	220	2
	221	13
	274	18
	309	19
	76	16
	83	43
5305-269-2802	106	10
	134	1
	138	9
	144	2
	149	50
	159	6
	271	54
	7	11
5305-269-2803	10	15
	115	3
	118	2
	129	25
	133	18
	133	19
	135	44
	136	44
	14	18
	142	2
	145	2
	148	2

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	149	25
	18	10
	232	1
	233	14
	268	19
	277	44
	309	10
	3303	N / I
	38	18
	58	16
	83	20
5305-269-2804	133	23
	149	48
	271	15
5305-269-2805	110	4
	115	7
	116	5
	117	6
	117	21
	118	9
	133	30
	147	12
	149	47
	152	9
	227	13
	253	18
	255	24
	274	30
	277	24
	306	6
	58	19
	77	2
5305-269-2806	77	5
5305-269-2807	11	1
	12	13
	133	24
	149	30
	268	2
	277	29
	283	8
	306	2
	3307	N / I
	84	14
5305-269-2808	106	13
	11	13
	12	1
	12	6
	1407	N / I
	160	2
	202	12
	305	2
	5	6
	84	5
5305-269-2809	277	14
	5	9
	58	7
5305-269-2810	135	38
	136	46
	151	25
5305-269-2811	10	31
	135	25
	136	38
	268	14

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	5	36
5305-269-2813	107	3
	1407	N / I
	228	3
	84	12
5305-269-2815	135	24
	136	37
	8	10
5305-269-2816	135	17
	136	3
5305-269-2818	154	6
	210	28
	76	21
5305-269-3208	274	13
	83	9
5305-269-3209	212	3
	6	25
	67	1
5305-269-3210	1806	N / I
	200	4
	79	1
5305-269-3211	1407	N / I
	267	37
	271	2
5305-269-3212	102	30
	102	38
5305-269-3213	222	16
	271	23
	272	18
	41	3
	42	19
	48	1
5305-269-3214	162	3
5305-269-3219	103	17
	229	10
	271	56
5305-269-3220	103	2
5305-269-3223	120	6
5305-269-3228	229	11
5305-270-7328	2002	N / I
5305-270-7339	48	12
5305-273-4949	72	10
5305-274-8407	102	36
5305-275-8424	242	34
5305-276-7328	276	50
5305-282-3249	67	5
5305-282-9830	3303	N / I
5305-335-4665	36	24
5305-350-1210	137	15
5305-393-0220	111	4
5305-415-1491	174	19
5305-456-2582	303	18
5305-531-0339	130	35
5305-531-0450	295	16
5305-531-0452	282	4
5305-543-2419	275	16
	69	27
5305-550-0863	2001	N / I
5305-558-4181	53	13
	135	18
	136	43
5305-569-8941	136	5
5305-582-6638	1407	N / I
5305-590-7914	2004	N / I
5305-600-8993	7	16
5305-614-0248	131	15
	137	4
5305-614-3423	23	6
5305-638-0957	137	23
5305-695-7174	55	24
5305-696-5285	130	34
	132	3
5305-696-5294	130	4
5305-696-5300	130	40
5305-710-4190	82	5
5305-716-7454	99	13
5305-716-8156	216	21
5305-716-8173	156	4
5305-716-8174	155	3
5305-716-8176	3	1
	4	2
5305-716-8181	224	9
5305-716-8182	123	17
5305-716-8183	113	10
	222	13
	233	20
5305-716-8192	202	13
5305-717-9526	167	5
5305-724-5883	271	26
5305-724-5910	209	14
5305-724-5911	215	3
	260	20
5305-724-5913	173	6
5305-725-0140	0501	N / I
	109	17
5305-725-0168	211	8
	274	43
5305-725-0194	217	6
5305-725-4098	243	21
	243	21
5305-725-4100	221	1
5305-725-4105	148	10
	1501	N / I
	1506	N / I
	154	7
5305-725-4109	121	5
	1501	N / I
	154	11
	204	2
5305-725-4111	101	18
	71	46
5305-725-4114	254	9
5305-725-4137	2	1
5305-725-4138	188	1
5305-725-4183	111	8
	115	13
	116	9
	117	17
	118	15
	129	22
	138	2
	146	2
	155	2
	158	3
5305-725-4187	111	9
	113	13

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	117	16
	118	14
	133	29
	158	5
	206	1
	208	16
5305-726-2550	113	8
5305-727-5677	121	3
	14	22
	148	12
	15	18
	255	13
5305-727-8818	161	10
5305-728-0216	156	14
5305-734-6774	53	15
5305-734-6988	72	12
5305-735-05[illegible]	22	12
5305-737-3275	130	26
5305-737-6095	47	19
5305-740-9899	218	32
5305-741-2316	0900	N / I
5305-741-7124	4	1
5305-752-1391	55	26
5305-752-1693	71	39
5305-753-4395	184	1
5305-761-4227	110	6
	116	1
	132	5
	147	2
	149	40
	155	4
	216	18
	258	9
	259	1
	260	1
	264	7
	265	27
	61	21
5305-762-6041	113	7
5305-782-9494	173	14
	210	1
	259	18
5305-782-9495	231	17
	264	2
5305-808-9977	164	5
5305-827-2824	262	2
	263	16
5305-833-0627	180	5
5305-835-9810	262	25
	263	15
5305-836-3654	262	9
5305-836-9566	282	10
5305-838-8368	239	10
5305-851-9414	3303	N / I
5305-854-6689	165	12
5305-855-0961	2110	N / I
	2210	N / I
	293	5
5305-855-0973	3303	N / I
5305-873-6946	209	24
5305-879-7941	181	2
	279	6
5305-883-0628	162	4
	163	4
	164	7
	177	6
	180	3
5305-889-2997	296	18
5305-889-3002	19	17
5305-903-7298	215	11
	216	45
5305-926-1826	113	6
5305-937-0802	240	20
5305-937-0803	240	6
	241	5
5305-939-9204	208	13
	209	11
	211	19
	215	15
	217	9
5305-940-8838	295	17
5305-940-9517	51	2
5305-948-0803	113	4
5305-948-4043	71	42
5305-951-8261	290	1
5305-954-7341	267	8
5305-958-0589	2001	N / I
5305-958-4359	18	45
5305-958-5267	210	36
5305-958-5453	177	1
	178	1
	207	7
5305-958-8475	216	37
5305-958-9990	140	15
5305-969-6914	130	8
	131	18
	187	2
5305-978-3484	108	11
5305-978-9384	108	18
5305-984-4979	120	29
5305-984-4983	296	28
5305-984-5676	151	20
5305-984-5687	212	31
5305-984-6189	102	11
	180	6
5305-984-6192	24	10
5305-984-6193	8	5
	8	6
5305-984-6196	3303	N / I
5305-984-6208	267	16
	3303	N / I
5305-984-6209	5	18
5305-984-6211	147	8
	152	6
5303-984-6212	83	47
5305-984-6214	22	7
5305-984-6680	7	7
5305-984-7341	10	28
5305-984-7361	185	1
5305-988-1714	292	1
5305-988-1723	21	1
5305-988-1724	149	6
	286	1
	287	2
	288	1
	290	4

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	292	6
5305-988-1725	149	19
5305-988-1727	149	20
	6	1
5305-989-7434	133	28
	134	14
	22	14
5305-989-7435	18	38
	3303	N / I
5305-990-6444	183	3
5305-993-1848	3303	N / I
5305-993-1849	9	13
5305-993-1851	1411	N / I
5305-993-2461	133	25
	134	15
	135	9
	136	11
	205	3
5305-993-3555	70	12
5305-995-3442	16	1
5305-999-8691	13	15
5306-012-0231	151	26
5306-012-3798	82	39
5306-012-6291	167	28
5306-018-1610	1211	N / I
5306-018-6493	139	2
5306-018-7527	210	32
	216	27
	259	28
5306-021-3548	36	3
5306-042-3568	27	15
5306-042-5591	169	11
5306-042-5604	36	[illegible]
5306-042-5859	132	[illegible]
5306-044-0502	174	8
5306-045-1976	249	22
5306-050-1238	214	2
5306-050-1924	36	2
5306-059-4001	137	24
5306-145-1069	42	14
5306-151-5754	94	15
	95	15
5306-207-4932	87	4
5306-208-7375	53	11
5306-225-8497	276	12
5306-225-8499	164	12
	3303	N / I
	3307	N / I
5306-225-9084	1501	N / I
5306-225-9086	133	17
	135	36
	136	26
5306-225-9087	133	20
	134	3
	135	29
	136	33
	203	7
	28	1
	30	9
5306-225-9088	259	21
	36	22
	82	36
	83	51
	89	2
5306-225-9089	140	2
	141	13
	18	26
5306-225-9093	13	11
	83	27
5306-225-9095	102	8
5306-225-9096	202	7
5306-226-4826	276	35
5306-226-4827	276	21
	52	6
5306-226-9106	146	6
5306-240-0794	60	2
5306-262-9619	276	24
5306-269-4526	240	1
5306-270-7387	0900	N / I
5306-272-3747	125	2
	73	4
5306-272-3760	1002	N / I
	1102	N / I
5306-272-6558	7	4
5306-274-0955	1201	N / I
5306-317-3096	18	28
5306-359-0136	1002	N / I
	1102	N / I
5306-385-2535	1002	N / I
	1102	N / I
5306-404-0075	274	28
5306-409-4066	284	16
5306-425-0003	0900	N / I
5306-512-9218	161	2
5306-550-1503	124	4
5306-569-9018	94	15
5306-575-5420	123	10
5306-637-1862	47	17
5306-637-4914	46	9
5306-692-7171	11	6
5306-693-0635	112	15
5306-706-1326	120	20
5306-706-7974	120	10
5306-734-6817	67	10
5306-734-6822	68	13
5306-734-8887	0900	N / I
5306-737-6150	59	8
	60	5
	61	30
	62	6
	63	4
5306-737-61[illegible]	61	29
	62	5
5306-737-6152	78	37
5306-739-7754	36	25
5306-740-9347	124	4
5306-740-9370	78	25
5306-740-9376	79	3
5306-740-9389	94	16
	95	20
5306-740-9506	109	2
5306-740-9533	115	14
	117	23
	118	8
	1810	N / I
5306-740-9555	94	15

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	95	15
5306-740-9608	126	7
5306-740-9677	209	33
5306-740-9803	209	23
	210	38
5306-741-1113	124	4
5306-741-1127	61	22
5306-741-1155	212	32
5306-741-1175	2004	N / I
5306-741-1183	94	15
5306-741-7084	215	5
5306-752-1631	71	4
	74	1
5306-753-6996	151	16
5306-753-8725	209	19
5306-770-0409	304	52
5306-839-5690	227	15
5306-840-2424	123	10
5306-842-8223	2001	N / I
5306-911-5005	151	3
5306-930-5248	95	18
5306-944-6989	13	3
5306-947-2327	13	2
5307-017-9125	276	4
5307-206-1485	0700	N / I
5307-206-8483	107	6
5307-206-8510	131	3
5307-207-2642	46	14
5307-208-9245	65	4
	75	2
5307-350-5532	2004	N / I
5307-687-7328	248	21
5307-734-6811	71	17
5307-734-6900	71	21
5307-734-6980	71	29
5307-736-9966	101	7
5307-737-6343	11	17
5307-740-9590	274	17
5307-752-6594	19	4
5307-753-5226	67	6
5310-010-3030	46	12
5310-010-3325	46	13
5310-011-4777	296	14
5310-012-0361	147	10
	152	2
	183	5
5310-012-0382	153	17
5310-012-0384	147	3
	202	14
	231	18
	265	24
	71	5
5310-012-0399	7	8
5310-012-0614	0609	N / I
5310-012-1574	148	8
	215	4
	51	9
5310-012-1753	159	3
	283	3
5310-012-1983	71	12
5310-012-5250	2004	N / I
5310-012-5393	105	19
5310-013-0082	18	2

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5310-017-7587	254	41
5310-021-9760	90	15
5310-033-6007	71	15
	72	14
5310-033-6012	70	4
5310-033-6015	54	15
5310-042-6897	211	14
5310-043-1904	36	5
5310-044-6257	212	30
5310-045-1031	218	21
5310-045-1071	218	19
5310-045-1079	242	12
5310-045-1081	209	26
5310-045-3296	152	3
	16	2
	167	25
	18	39
	183	4
	22	15
	22	17
	267	15
	5	15
	83	48
5310-045-3299	19	18
5310-045-5215	253	13
5310-050-1488	1501	N / I
5310-050-3209	185	4
5310-050-3367	238	4
	239	11
5310-050-3449	131	8
5310-050-3609	173	4
5310-053-7804	94	5
5310-053-7805	1810	N / I
5310-053-7808	95	10
5310-056-3395	23	11
5310-059-4261	79	11
5310-061-0004	3303	N / I
5310-061-4650	149	13
5310-061-4650	174	18
5310-061-7325	117	5
	1501	N / I
	284	1
	289	3
	291	3
	58	18
	92	7
5310-061-7326	1411	N / I
5310-062-4945	116	3
5310-062-4953	155	6
5310-062-4954	113	2
	115	10
	116	2
	117	14
	118	11
	138	138
	1407	N / I
	15	19
	1501	N / I
	158	1
	204	4
	206	3
	233	21
	265	25

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	3	7
	4	5
5310-067-9507	109	24
	111	6
	13	14
	132	7
	224	7
	61	18
5310-070-1902	112	7
	242	19
5310-080-6004	10	22
	106	11
	135	39
	135	45
	136	20
	138	5
	14	3
	15	5
	1506	N / I
	18	11
	233	27
	259	34
	274	19
	283	6
	7	9
5310-080-9786	3303	N / I
5310-081-4219	135	30
	136	25
	140	12
	151	6
	170	15
	3307	N / I
	76	12
5310-081-8087	18	41
5310-082-1404	133	4
5310-087-7493	18	5
5310-088-0553	131	20
	133	15
	134	11
	135	26
	136	36
	140	3
	140	9
	141	10
	18	4
	36	19
	7	19
	83	30
5310-088-1251	13	13
	28	14
	286	3
	287	5
	288	3
	29	1
	290	5
	202	5
	6	5
5310-113-8409	120	31
5310-143-6456	128	12
5310-145-2085	55	15
5310-167-0680	109	21
	99	2
5310-167-0721	102	17
5310-167-0765	174	4
5310-167-0823	224	8
5310-167-0826	237	3
5310-167-0836	19	3
5310-177-7569	238	16
5310-177-7882	135	20
	136	42
5310-182-4048	212	8
5310-186-7499	147	9
5310-188-4195	55	4
5310-188-4199	54	3
	56	3
5310-193-7577	296	15
5310-194-0743	47	10
5310-194-1483	2004	N / I
5310-194-1540	307	27
5310-194-8191	295	13
5310-207-9053	123	7
5310-208-1918	174	3
5310-208-4222	1211	N / I
5310-208-5775	104	23
	1411	N / I
5310-209-0786	149	16
	21	2
	286	4
	287	4
	292	2
5310-209-0965	0900	N / I
	275	7
	276	52
	5	22
	52	5
	53	9
	53	20
	94	8
	95	7
5310-209-1761	80	2
5310-209-5116	61	19
5310-209-6189	108	21
5310-220-6848	105	10
5310-225-6408	111	2
	158	17
	2	3
5310-241-0157	1208	N / I
5310-241-6601	99	1
5310-241-6661	109	20
5310-247-4196	1208	N / I
5310-261-7340	102	39
	268	3
5310-262-6121	45	19
5310-264-4085	36	21
5310-269-1807	102	47
5310-274-7721	71	27
5310-274-8214	1002	N / I
	1102	N / I
5310-274-8891	24	8
5310-275-2049	51	6
5310-275-6635	1204	N / I
	1211	N / I
	80	4
	83	31
5310-275-8264	123	20

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5310-275-9460	79	17
5310-282-5661	69	1
5310-282-7822	104	5
5310-285-1616	19	1
5310-285-5112	294	5
5310-285-9402	68	12
5310-297-3260	101	16
5310-297-3314	1201	N / I
	78	16
5310-333-7341	295	18
5310-333-7519	78	26
5310-350-2655	23	13
5310-350-6612	253	8
5310-353-2297	126	12
	69	8
	95	3
5310-353-2427	126	14
	69	6
	94	1
	95	1
5310-359-1040	82	60
5310-374-0824	98	1
5310-374-0836	94	3
5310-383-4187	106	14
5310-407-9566	102	20
	163	14
	164	13
	253	17
	259	20
	274	9
	276	11
	46	10
	82	22
5310-422-7746	253	3
5310-450-0039	110	9
5310-481-9485	275	18
5310-492-9631	54	2
5310-492-9631	56	2
5310-492-9631	78	9
5310-512-5213	260	3
5310-521-4534	110	7
5310-527-7972	271	14
5310-529-4103	2004	N / I
5310-531-9120	51	3
5310-533-6140	82	46
5310-543-2705	148	3
	152	11
	200	3
5310-543-4385	83	10
5310-543-5060	272	15
5310-543-5101	0304	N / I
	116	6
	6	27
	61	31
5310-543-5162	170	2
5310-543-5653	77	4
5310-550-1130	108	17
	48	24
5310-550-3714	83	15
5310-558-5227	274	29
5310-559-0070	102	12
	137	8
	294	3

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	296	20
5310-576-0197	254	28
5310-576-5752	137	11
5310-579-0079	3303	N / I
5310-582-5965	108	12
	164	3
	166	13
	166	16
	167	23
	169	2
	174	37
	3303	N / I
5310-582-6714	85	5
	90	14
5310-582-8716	130	30
5310-584-5272	173	2
	208	17
	210	2
	210	20
	222	2
	255	17
	258	12
	259	2
	260	2
	262	8
	264	3
	268	13
	269	32
	269	3
	271	41
	42	9
	47	13
	52	2
	69	16
	70	14
	74	2
	95	17
5310-584-7888	120	25
	128	3
	208	12
	209	10
	211	20
	215	12
	216	32
	217	8
	79	16
5310-584-7889	216	39
	239	24
5310-594-8038	94	5
5310-595-5839	210	19
	222	3
	259	32
	267	31
	268	17
5310-595-7237	135	34
	136	29
	2004	N / I
	227	12
	79	18
	79	18
5310-595-9659	115	5
	117	4
	118	7

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	118	10
	149	8
	1802	N / I
5310-596-7797	218	11
5310-606-8281	303	15
5310-616-6354	71	13
5310-625-5756	76	25
5310-627-6128	10	19
	271	53
	36	23
5310-637-9541	102	31
	103	3
	105	5
	120	7
	1201	N / I
	135	42
	136	21
	1407	N / I
	147	13
	162	2
	212	2
	213	14
	218	2
	220	3
	221	12
	222	17
	228	4
	229	7
	23	10
	241	4
	242	37
	255	25
	266	15
	266	18
	267	25
	271	3
	272	16
	274	12
	275	15
	275	33
	277	33
	3303	N / I
	41	4
	42	18
	48	2
	62	4
	67	2
	69	26
	7	10
	78	17
	78	33
	79	2
	82	6
	82	53
	83	8
	9	6
5310-639-1497	31	2
5310-639-3363	11	15
5310-639-8062	283	9
5310-655-6687	1211	N / I
5310-655-7149	49	5
5310-655-9371	233	4
	234	6
5310-655-9375	120	30
5310-655-9497	276	8
5310-685-3228	275	42
	276	3
5310-700-7089	126	12
	69	7
	94	2
	95	2
5310-705-8965	282	3
5310-706-1325	120	21
5310-707-1097	71	37
5310-720-5999	243	1
5310-728-2044	3303	N / I
5310-732-0558	0304	N / I
	162	1
	36	26
	6	30
	77	13
5310-732-0559	10	30
	11	7
	116	11
	12	10
	135	33
	136	30
	147	14
	152	12
	2004	N / I
	266	17
	283	10
	78	11
	78	34
	79	19
5310-732-0560	0607	N / I
	147	4
	2001	N / I
	208	15
	222	18
	238	11
	277	20
	5	27
	61	17
	70	15
5310-734-6779	43	12
	44	12
5310-734-6823	68	9
5310-734-6957	125	10
	73	8
5310-734-8837	11	16
5310-734-8882	60	8
	63	6
5310-734-8891	62	10
5310-735-1273	34	11
	34	11
5310-737-2730	802	N / I
5310-737-3253	83	14
5310-737-3318	131	10
5310-737-3335	131	4
5310-737-3338	131	2
5310-737-5257	56	15
5310-737-5259	78	8
5310-737-6684	1204	N / I
	1211	N / I
5310-737-6751	82	80

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5310-737-6752	82	27
5310-740-8538	158	8
5310-740-9369	77	12
5310-740-9385	79	10
5310-740-9564	135	21
	136	41
5310-740-9579	214	7
5310-740-9615	126	1
5310-740-9652	236	5
5310-740-9728	211	9
5310-740-9858	254	25
5310-740-9860	244	2
5310-740-9861	244	14
5310-740-9878	120	13
5310-740-9894	208	20
	213	18
5310-740-9928	220	5
	221	6
5310-740-9962	218	25
5310-740-9975	219	17
5310-740-9977	216	34
	217	1
5310-740-9979	217	15
5310-740-9983	216	38
5310-741-1124	212	27
5310-741-1138	61	6
5310-741-2201	2004	N / I
5310-741-2306	59	4
	62	9
5310-741-7094	211	3
5310-752-6591	19	19
5310-752-7639	0608	N / I
5310-752-7640	0608	N / I
5310-753-8215	264	8
5310-753-8661	274	39
5310-753-9073	33	2
	8	6
	8	6
5310-761-6882	164	2
	169	3
	174	36
	3303	N / I
5310-762-6239	216	40
5310-763-8901	120	26
	212	9
5310-763-8905	101	21
	148	9
	188	4
	66	5
5310-763-8911	84	15
5310-763-8920	173	9
5310-763-8921	215	13
	217	10
5310-768-0139	82	54
5310-768-0318	265	23
5310-768-0319	157	5
	178	3
	180	7
	2004	N / I
	266	16
	283	2
5310-770-0243	303	73
5310-771-3296	0608	N / I
5310-771-4911	112	3
5310-771-6721	0608	N / I
5310-776-4909	112	4
5310-797-9322	79	13
5310-797-9421	296	17
5310-800-0695	1002	N / I
	1102	N / I
	47	18
	66	3
	71	26
5310-809-3078	6	3
5310-809-3079	13	17
5310-809-4058	104	12
	1208	N / I
	135	6
	136	15
	2004	N / I
	28	15
	284	3
	29	2
	309	21
	77	6
	83	22
5310-809-4061	133	22
	134	2
	135	13
	136	6
	1407	N / I
	141	7
	142	3
	144	4
	146	7
5310-809-4085	141	3
	231	14
	275	31
	276	39
5310-809-5997	135	11
	136	8
5310-809-5998	117	22
	129	15
	15	20
	155	5
	158	4
	216	20
	276	6
	31	3
	61	12
5310-809-8533	105	18
	116	13
	116	14
	154	15
	1810	N / I
	277	15
	58	9
5310-809-8536	120	28
	127	3
5310-813-0408	154	14
5310-814-0672	3307	N / I
5310-814-0673	163	15
5310-820-6653	1002	N / I
	101	20
	1102	N / I

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	14	21
	15	17
	173	5
	188	2
	208	6
	208	11
	209	13
	210	39
	211	22
	212	19
	216	42
	243	22
	243	22
	255	12
	260	19
	66	4
	71	23
5310-823-8803	149	36
	158	16
	262	3
	263	14
5310-832-7119	275	19
5310-832-9719	256	7
5310-833-8561	179	1
5310-833-8567	34	8
5310-834-8335	158	13
5310-834-8732	208	4
	218	33
5310-834-8734	102	42
5310-834-8734	2001	N / I
	47	12
5310-835-2037	83	11
5310-835-2140	71	30
5310-838-1702	1407	N / I
	209	28
5310-842-1490	14	24
	61	10
5310-842-7783	1810	N / I
	2001	N / I
	271	9
5310-849-6874	227	20
5310-866-4573	157	4
5310-877-5795	129	24
	133	13
	149	39
	248	1
	249	2
	250	24
	99	7
5310-877-5796	10	7
	104	11
	1208	N / I
	1209	N / I
	129	11
	3307	N / I
	35	5
5310-877-5797	10	29
	133	26
	134	13
	18	18
5310-877-5798	134	18
5310-880-2005	95	10
5310-880-7744	151	12
	2001	N / I
	208	18
	209	21
	213	16
	215	16
	3303	N / I
	3307	N / I
	71	41
5310-880-7745	254	39
	275	41
	53	10
	78	4
	94	7
	95	6
5310-880-7746	102	18
	129	13
	82	21
5310-889-2527	28	2
	30	10
5310-889-2528	178	4
	24	5
	28	16
	29	10
	295	14
	3303	N / I
5310-891-3428	78	35
5310-926-5884	125	9
5310-926-5916	276	2
5310-934-9754	18	3
5310-934-9757	3303	N / I
5310-934-9758	166	15
	167	24
	83	49
5310-935-3569	113	3
5310-935-9021	270	3
5310-950-0039	10	13
	106	12
	107	4
	11	4
	12	5
	12	15
	129	20
	133	8
	134	5
	135	14
	136	2
	14	2
	14	16
	149	26
	15	4
	151	24
	18	12
	249	8
	250	11
	270	42
	274	32
	277	13
	305	6
	306	3
	309	17
	3303	N / I
	36	14
	38	17

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	5	4
	59	9
	60	3
	61	24
	62	2
	63	2
	76	11
	76	15
	8	11
	83	19
	84	1
	87	5
5310-950-1310	184	2
5310-951-7209	161	7
5310-952-1872	13	10
5310-952-5009	1501	N / I
5310-959-1488	233	26
5310-959-7600	104	9
	129	19
	131	25
	133	11
	135	2
	136	14
	205	2
	23	12
	24	6
	272	8
	277	43
	279	16
	29	9
	307	28
	309	22
	3307	N / I
	38	7
	39	7
	57	12
	6	12
	77	8
	83	6
	86	2
	89	3
	9	11
	90	9
5310-962-4908	160	4
5310-971-7989	10	3
5310-975-2075	108	5
	14	6
	274	64
	9	5
5310-982-4903	146	3
5310-982-4908	115	1
	115	2
	117	20
	118	1
	138	6
	142	4
	144	3
	145	3
	1506	N / I
	154	10
	159	1
	202	15
	203	5
	232	3
	233	15
	235	4
	38	5
5310-982-4912	1204	N / I
	202	8
	203	3
5310-982-4947	120	8
5310-982-5009	102	3
	113	11
	154	12
	161	8
	204	5
	242	13
5310-982-5012	127	2
	161	9
5310-982-6562	212	11
5310-982-6809	120	22
	121	4
	239	26
	248	22
	254	10
5310-982-6812	255	9
5310-984-8818	256	8
5310-985-0782	254	14
5310-997-6903	102	48
5314-584-5272	216	17
5315-010-0360	53	4
5315-010-6749	276	57
5315-011-2726	170	9
5315-011-8002	43	9
	44	9
5315-012-0123	275	20
5315-012-4553	231	8
5315-012-7308	255	3
5315-013-7137	2004	N / I
5315-013-7204	170	3
5315-013-7214	242	20
	258	7
5315-013-7228	154	13
	255	20
5315-013-7308	100	5
5315-013-8082	170	8
5315-013-8085	2004	N / I
5315-014-2510	209	8
5315-018-7988	78	23
5315-032-1872	276	28
5315-033-6002	47	7
5315-033-6003	47	14
	48	19
5315-040-2246	0704	N / I
5315-042-3293	259	37
5315-042-4950	216	7
5315-050-5004	2004	N / I
5315-054-0184	69	14
5315-058-9931	259	12
5315-058-9939	211	16
	218	14
	271	51
5315-058-9949	231	3
5310-059-0184	54	1

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
	56	1
	78	10
5315-059-0187	303	72
	304	53
5315-059-0219	162	19
5315-080-6004	182	3
5315-114-1924	167	8
	168	7
5315-128-2050	119	2
	149	10
5315-167-1814	45	18
5315-185-1880	170	1
5315-187-9550	219	9
5315-187-9558	130	18
	131	11
5315-187-9567	128	7
5315-187-9591	112	2
5315-209-7273	120	15
5315-209-7979	2001	N / I
5315-234-1650	3305	N / I
5315-234-1664	243	16
5315-234-1671	101	17
	2004	N / I
5315-234-1848	112	13
5315-236-8357	9	1
5315-240-6507	243	15
5315-272-6818	101	11
5315-276-5160	10	8
5315-276-5385	70	5
5315-276-7703	55	22
5315-281-7650	210	14
5315-281-7651	264	30
5315-281-7652	210	40
	260	8
5315-281-7744	1501	N / I
	244	10
5315-282-2583	215	8
	216	1
5315-292-4731	45	9
5315-298-0995	2001	N / I
5315-298-1481	105	20
	158	9
	276	23
	71	31
5315-298-1498	43	13
	44	13
	61	27
5315-298-1499	112	6
5315-312-0831	78	21
5315-316-0992	78	18
5315-316-1006	244	6
5315-316-1014	2001	N / I
5315-325-4390	153	5
5315-338-1621	10	27
	130	13
5315-353-0632	153	6
5315-354-8859	2001	N / I
5315-415-1492	120	2
5315-453-9349	131	12
5315-471-3274	153	15
5315-562-1956	213	11
5315-597-2723	67	8
5315-616-5499	271	29
5315-616-5500	259	8
	264	23
5315-616-5501	264	29
5315-616-5513	266	6
5315-616-5520	158	21
	158	21
	231	7
5315-616-5521	209	5
5315-616-5524	213	13
5315-616-5526	277	25
	58	22
5315-616-5527	274	37
5315-616-5530	5	7
5315-694-0929	238	10
5315-696-0262	141	6
5315-696-0789	210	7
5315-699-8460	52	14
5315-735-1029	102	54
5315-735-1406	274	71
5315-737-0134	151	10
5315-737-3224	277	40
	5	33
5315-740-9017	1801	N / I
5315-740-9020	228	13
5315-740-9024	157	2
	2001	N / I
5315-740-9045	154	8
	1810	N / I
	235	5
5315-740-9157	210	13
5315-740-9379	79	9
5315-740-9609	211	13
5315-740-9619	127	5
5315-740-9826	244	17
5315-740-9828	244	15
5315-740-9829	243	28
5315-740-9839	236	12
5315-740-9840	237	20
5315-741-2924	110	1
	111	1
5315-741-4257	2002	N / I
5315-741-5746	76	22
5315-752-1651	1605	N / I
	65	5
	75	1
5315-753-3841	217	12
5315-801-1858	240	12
5315-815-8840	14	8
	15	8
	182	2
5315-816-1329	262	14
	263	3
5315-816-1794	2004	N / I
	61	11
5315-816-5491	122	5
5315-825-3753	153	14
5315-839-2325	10	21
	167	7
	168	4
	2004	N / I
5315-839-2326	274	45

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5315-839-5622	233	3
	234	3
	58	3
5315-839-5821	219	8
	238	14
5315-839-5822	14	23
	149	37
	169	7
	58	3
	215	9
	216	2
	234	3
	277	10
	233	3
	5	35
	84	17
5315-842-3044	10	32
	14	9
	15	9
	182	4
	210	8
	234	12
	276	7
	76	13
	79	22
5315-842-3154	166	5
	169	4
	233	2
	234	2
	234	14
	277	9
	5	34
	58	1
	84	18
5315-842-3651	141	5
	2004	N / I
	254	3
5315-846-0126	256	5
5315-846-1270	234	13
	254	40
5315-849-5582	219	5
	247	2
5315-849-9854	227	5
5315-849-9857	119	1
	246	11
	277	16
	58	13
5315-850-7038	54	24
	56	21
5315-889-2776	233	9
	234	9
5315-950-6109	149	35
5315-979-7732	236	20
	248	19
5316-225-9086	134	8
5320-010-4132	1501	N / I
5320-011-3326	1801	N / I
5320-013-6519	210	24
5320-018-9510	51	7
5320-058-9883	1202	N / I
5320-058-9890	78	13
5320-063-9839	1806	N / I
5320-067-5844	1501	N / I

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5320-262-6492	2001	N / I
5320-264-3169	2001	N / I
5320-286-7950	160	5
5320-709-9500	1002	N / I
5320-764-3752	210	31
5320-950-4525	133	3
5325-011-7965	9	4
5325-060-0976	9	10
5325-141-7270	303	81
	304	45
	3303	N / I
	3303	N / I
5325-202-2054	279	19
5325-276-4265	296	27
5325-276-4993	295	23
5325-276-6228	177	5
5325-276-6343	304	47
5325-281-4369	3303	N / I
5325-281-8642	279	2
5325-282-7435	279	12
5325-338-1274	0608	N / I
5325-619-6542	180	9
5325-682-1614	28	13
	29	8
5325-720-9054	309	5
5325-732-0686	27	14
5325-741-2204	275	22
	276	40
5325-752-5365	22	2
	23	2
5325-752-6002	27	5
5325-753-9255	0607	N / I
	18	8
5325-757-1963	19	16
5325-835-7289	6	9
5330-040-2253	48	17
5330-050-0036	271	37
5330-054-6865	71	3
5330-054-6894	2001	N / I
5330-057-3823	210	4
	259	14
5330-154-4163	82	81
5330-154-8447	252	2
5330-166-4333	216	10
5330-178-2191	264	14
5330-178-4669	0609	N / I
	252	3
5330-179-1430	247	13
5330-187-3638	247	8
5330-196-5314	2001	N / I
5330-196-5330	242	16
5330-196-5382	108	7
5330-198-6183	108	15
5330-198-6190	141	N / I
5330-199-5882	4701	N / I
5330-202-2252	297	5
5330-202-3705	1410	N / I
5330-227-9483	242	22
5330-231-0285	276	16
5330-235-1675	236	9
	3307	N / I
5330-236-6604	52	8
5330-250-0224	304	21

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5330-253-3931	242	30
5330-265-1089	298	4
5330-285-1346	267	50
5330-285-3649	82	34
5330-285-9495	209	7
5330-285-9842	104	4
	1411	N / I
5330-286-6815	46	11
	55	19
5330-286-7057	210	37
	260	21
5330-286-7059	72	15
5330-286-7060	216	11
5330-286-7067	250	28
5330-286-8149	210	5
	259	15
	222	9
5330-286-8150	271	12
5330-291-1654	42	7
	53	22
	69	5
5330-291-2439	227	10
5330-291-2866	2004	N / I
5330-291-5881	103	12
5330-291-7550	148	14
5330-297-7091	2004	N / I
5330-297-7106	25	4
	26	3
	27	9
5330-297-7581	3303	N / I
5330-298-1598	102	26
	102	65
5330-350-5248	267	34
	268	22
	271	5
5330-350-9013	242	32
5330-354-8822	242	6
5330-359-0442	106	7
5330-361-6780	49	10
5330-361-6781	49	7
5330-383-4655	69	11
5330-404-3210	274	15
		22
5330-419-9468	174	5
5330-419-9469	174	6
5330-462-0907	30	3
5330-463-0200	28	7
5330-470-2115	174	14
5330-483-2408	283	7
5330-514-4458	0608	N / I
5330-514-4460	0608	N / I
5330-514--4461	0608	N / I
5330-514--4462	0608	N / I
5330-530-2256	0704	N / I
5330-532-9061	42	17
5330-542-1329	2001	N / I
5330-542-3493	164	14
5330-545-1324	267	19
5330-559-8733	274	7
5330-576-0197	254	34
5330-576-3206	2001	N / I
5330-579-7914	48	26
5330-579-7916	2001	N / I
5330-579-7918	262	24
5330-579-7927	262	11
5330-582-7015	103	7
5330-584-0265	259	33
5330-584-1744	240	19
5330-584-1800	241	8
5330-585-1064	276	55
5330-585-3210	217	4
5330-599-2386	82	24
		28
5330-599-2934	216	22
5330-599-4986	275	14
5330-599-5658	14	29
	15	3
5330-612-1188	42	2
5330-618-0801	2001	N / I
5330-632-7955	249	20
5330-640-9613	210	27
	49	16
5330-641-4336	0608	N / I
5330-641-4338	0608	N / I
5330-684-2547	257	13
5330-684-7851	8	3
5330-702-5220	2001	N / I
5330-702-5643	265	28
5330-727-2240	2001	N / I
	263	5
5330-734-6814	66	2
5330-734-6878	70	7
5330-734-7590	47	16
5330-734-8846	59	5
5330-734-8881	60	9
	63	7
5330-734-8896	100	9
5330-735-1315	8	8
5330-735-1367	105	12
5330-736-8416	2004	N / I
	233	17
5330-737-6534	274	21
5330-737-6584	46	1
5330-737-6721	82	78
5330-737-6732	82	75
5330-740-9278	1407	N / I
5330-740-9312	126	2
5330-740-9613	2001	N / I
5330-740-9628	252	3
5330-740-9630	248	3
5330-740-9696	209	36
5330-740-9697	209	41
5330-740-9761	246	13
5330-740-9762	246	9
5330-740-9763	247	12
5330-740-9764	247	9
5330-740-9779	254	35
5330-740-9780	242	11
5330-740-9787	239	21
5330-740-9788	239	18
5330-740-9790	242	8
5330-740-9791	250	9
5330-740-9792	254	24
5330-740-9793	250	26
5330-740-9796	248	11
5330-740-9821	210	34

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5330-740-9850	242	10
5330-740-9867	246	8
5330-740-9933	216	36
5330-740-9940	216	4
5330-740-9956	218	12
5330-740-9959	218	26
5330-741-1154	212	7
5330-741-1159	212	29
5330-741-1160	212	14
5330-741-2203	275	40
	276	43
5330-741-3774	297	8
5330-741-4275	271	47
5330-741-7093	213	2
5330-741-8961	1407	N / I
5330-752-0346	303	7
	304	8
5330-753-9688	309	13
5330-801-3440	2001	N / I
5330-808-0794	0306	N / I
	104	22
5330-816-3546	265	12
5330-832-7118	275	12
5330-832-7140	1401	N / I
5330-839-9066	65	7
5330-839-9066	75	5
5330-855-6045	275	26
5330-899-4481	13	9
5530-899-9920	2004	N / I
5330-931-6753	1411	N / I
5330-961-3596	95	4
5330-990-2127	265	15
5240-033-6009	56	10
5340-033-6014	54	8
5340-040-2073	1810	N / I
5340-050-1588	0704	N / I
5340-050-1589	'210	17
	259	24
5340-050-1592	2001	N / I
5340-053-8994	307	29
5340-057-3030	38	10
5340-057-3036	85	7
5340-057-3039	282	14
	38	9
5340-057-3042	1208	N / I
	38	11
5340-057-3044	308	10
5340-057-3048	39	10
5340-057-3051	104	20
5340-057-3052	1209	N / I
5340-057-3057	104	10
5340-057-3060	104	19
5340-082-1748	143	3
5340-090-5426	0608	N / I
5340-141-1750	242	15
5340-152-0755	160	1
	161	5
5340-168-6714	299	26
5340-176-0868	18	33
5340-177-8053	90	4
5340-190-6783	165	11
5340-191-1164	2001	N / I
5340-200-2741	282	13
5340-200-7524	3	3
5340-237-3936	13	12
5340-238-6078	83	46
5340-276-5205	185	6
5340-281-5427	102	7
5340-282-7509	309	18
5340-282-7519	3303	N / I
5340-282-7521	77	10
5340-282-7537	309	4
5340-282-7551	83	44
5340-298-8767	1410	N / I
5340-321-6397	129	14
5340-333-6055	149	4
5340-338-1857	72	8
5340-365-7338	57	2
5340-374-3334	152	7
5340-408-8979	147	11
5340-419-9464	167	20
5340-422-2072	5	37
5340-425-0636	2001	N / I
5340-427-2282	67	7
	71	25
5340-443-9890	167	18
5340-447-4726	11	8
5340-456-1011	156	14
5340-462-2902	84	20
5340-481-2856	276	20
5340-489-0363	154	18
5340-508-4691	274	40
5340-512-1948	77	11
5340-514-4454	0608	N / I
5340-514-4455	0608	N / I
5340-514-4456	0608	N / I
5340-514-4457	0608	N / I
5340-523-2255	38	16
5340-532-3611	274	65
5340-534-8350	277	19
5340-536-2714	236	21
	237	19
5340-541-6501	216	19
5340-550-8089	5	26
5340-550-9359	254	15
5340-571-3866	150	6
5340-573-3334	209	25
5340-586-1834	27	4
5340-591-3444	1801	N / I
5340-597-0182	3303	N / I
	83	5
5340-597-0305	91	5
5340-597-2312	135	23
5340-597-2313	136	39
5340-597-7932	10	14
5340-598-0225	303	65
	304	54
5340-598-0225	3303	N / I
5340-598-1174	213	10
5340-629-7273	3303	N / I
5340-641-8645	0608	N / I
5340-664-4374	259	30
5340-679-0252	278	1
5340-679-1490	168	2
5340-679-1492	169	8

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5340-679-1494	169	14
5340-679-1495	169	14
5340-679-1496	1812	N / I
5340-682-1762	76	24
5340-692-6060	277	36
	5	29
5340-693-4174	34	10
5340-695-9727	22	13
5340-696-0264	131	1
5340-696-0265	131	1
5340-696-0266	137	26
5340-696-0411	77	1
5340-699-8459	47	4
5340-699-8463	131	17
5340-699-8483	187	1
5340-700-1765	1208	N / I
5340-704-9603	112	8
5340-706-1276	274	53
5340-724-7038	165	17
5340-727-2810	218	24
5340-732-0642	22	8
5340-734-6738	45	1
5340-734-6784	45	6
5340-734-6785	43	4
	44	4
5340-734-6786	43	2
	44	2
5340-734-6787	45	12
5340-734-6976	71	36
5340-734-6990	72	8
5340-734-6992	71	2
5340-734-8748	5	17
5340-735-0577	22	3
5340-735-1366	105	3
5340-737-3284	130	10
5340-737-3285	130	10
5340-737-3302	132	4
5340-737-3330	137	10
5340-737-5284	54	26
5340-737-5285	275	4
	54	17
5340-737-5287	56	25
5340-737-5288	56	8
5340-737-5657	14	7
	15	7
5340-737-6622	56	7
	82	76
5340-737-6725	82	59
5340-737-6726	82	66
5340-739-7542	277	39
	5	32
5340-740-9266	10	16
5340-740-9335	123	9
5340-740-9366	77	11
5340-740-9449	84	16
5340-740-9618	127	4
5340-740-9648	2001	N / I
5340-740-9651	242	29
5340-740-9740	254	5
5340-740-9767	254	6
5340-740-9853	236	19
5340-740-9859	254	36
5340-741-1068	51	4
5340-741-1087	135	41
	136	10
5340-741-1094	11	12
5340-741-3899	83	35
	86	12
5340-741-3936	253	20
5340-741-6869	31	5
5340-741-7123	4	4
5340-741-8958	277	35
5340-741-8959	2004	N / I
5340-752-0964	5	3
	84	2
5340-752-0976	46	3
5340-752-1285	78	20
5340-752-1480	18	27
5340-752-7628	0608	N / I
5340-753-3578	262	13
	263	9
5340-753-3741	143	2
5340-753-7364	3303	N / I
5340-753-9193	129	9
5340-753-9201	135	4
	136	16
5340-766-6336	166	20
	167	29
5340-772-2322	0608	N / I
5340-772-2323	0608	N / I
5340-772-2343	0608	N / I
5340-772-4765	3303	N / I
5340-772-5557	1204	N / I
5340-799-2218	174	17
5340-799-5228	14	25
5340-803-0763	241	13
5340-803-9978	262	20
	263	17
	267	17
5340-803-9981	259	11
5340-806-4636	267	29
	268	5
5340-809-1490	307	6
5340-809-1492	0306	N / I
	0608	N / I
	1208	N / I
	83	34
	86	3
	92	9
5340-809-6292	1506	N / I
5340-810-0611	48	18
5340-819-7025	122	14
5340-832-4488	2001	N / I
5340-832-4489	2001	N / I
5340-843-7825	176	7
5340-854-3089	0608	N / I
5340-854-6730	38	20
5340-896-1094	57	6
	83	24
	85	29
5340-901-8132	165	15
5340-911-5634	0501	N / I
5340-922-6300	1411	N / I
5340-922-6301	1411	N / I
	181	1

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5340-922-6302	181	1
5340-938-2046	267	23
5340-944-4911	79	12
5340-947-2396	13	7
5340-954-5267	176	8
5340-988-1162	0608	N / I
5340-993-6207	303	66
	304	78
5346-679-1493	169	8
5355-350-2457	47	1
5355-359-0405	76	2
5355-708-8745	18	37
5355-740-9732	254	1
5360-410-9791	85	3
5360-411-2511	134	17
5360-516-7466	1204	N / I
	83	2
5360-693-0615	78	3
5360-740-9447	5	38
	78	24
	84	19
5360-740-9903	120	34
5360-753-9129	10	17
5365-263-5865	102	63
5365-281-6673	106	6
5365-282-5040	241	10
5365-403-5798	230	9
5365-419-9465	162	14
5365-443-9902	162	12
5365-470-2099	163	16
5365-482-1034	276	19
5365-496-9706	83	36
5365-557-8555	270	4
5365-660-1496	250	27
5365-769-6481	274	61
5640-599-6169	3303	N / I
5720-200-0369	3303	N / I
5850-076-8992	20	1
5905-316-7760	3307	N / I
5905-316-7769	3307	N / I
5905-316-7803	3307	N / I
5905-610-3290	303	12
5905-651-7272	304	13
5905-735-4001	308	5
5905-777-8491	299	27
5910-946-0022	114	17
5920-105-9932	0311	N / I
5920-855-4260	0311	N / I
5925-553-2274	3303	N / I
5925-737-4945	0606	N / I
5925-740-1949	0613	N / I
5925-740-9996	0613	N / I
5925-741-1479	38	4
5925-752-6909	0613	N / I
5925-776-2620	18	44
5925-802-1243	296	25
5925-894-8015	0606	N / I
5930-092-9511	21	3
5930-097-4266	17	1
5930-115-0603	177	3
5930-115-0604	177	2
5930-174-6224	207	18

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5930-243-4480	1812	N / I
5930-296-6318	0607	N / I
	303	30
5930-296-6319	0607	N / I
5930-307-8856	18	1
5930-322-9441	303	17
5930-322-9444	3303	N / I
5930-322-9617	0607	N / I
5930-458-0730	1812	N / I
5930-615-7897	295	22
	296	24
	3303	N / I
5930-655-1513	299	30
5930-655-1520	3303	N / I
5930-655-1521	295	5
5930-678-1244	304	25
5930-679-1513	207	5
5930-679-1517	1812	N / I
5930-695-8838	3303	N / I
5930-699-9438	18	6
5930-776-2673	0606	N / I
	0613	N / I
5930-791-1561	0607	N / I
5930-898-0500	18	7
5935-030-1561	3303	N / I
5935-034-8000	0608	N / I
5935-244-0904	303	34
	304	66
5935-258-7192	3303	N / I
5935-259-3443	0608	N / I
5935-333-3088	0608	N / I
5935-333-9414	0608	N / I
5935-376-2241	0608	N / I
5935-390-6676	179	10
5935-396-0068	0608	N / I
5935-491-8194	0608	N / I
5935-570-1060	0608	N / I
5935-570-1380	0608	N / I
5935-572-9180	179	3
	304	67
	34	9
5935-593-6442	0608	N / I
5935-604-6847	3307	N / I
5935-629-9241	0608	N / I
5935-636-6876	0608	N / I
5935-666-1513	0608	N / I
5935-682-0568	296	16
5935-699-7827	0613	N / I
5935-752-7630	0698	N / I
5935-752-7648	0608	N / I
5935-752-7649	0608	N / I
5935-752-7651	0608	N / I
5935-752-7655	0608	N / I
5935-771-6523	0608	N / I
5935-771-6525	0608	N / I
5935-771-6526	0608	N / I
5935-772-2344	0608	N / I
5935-772-3307	0608	N / I
5935-772-3309	0608	N / I
5935-773-1428	39	5
5935-776-0598	3303	N / I
5935-776-0599	0608	N / I

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
5935-833-8561	0608	N / I
	175	4
	176	6
	179	8
	207	3
	303	33
5935-846-3884	0608	N / I
5935-900-6281	303	45
	38	3
5940-050-6208	0613	N / I
5940-050-7095	3303	N / I
5940-057-2929	0608	N / I
	179	2
	3303	N / I
5940-057-2930	0608	N / I
	3393	N / I
5940-057-2931	0608	N / I
5940-107-1481	3303	N / I
5940-113-8191	36	10
5940-113-9826	3307	N / I
	3307	N / I
5940-399-6676	0608	N / I
	0608	N / I
	207	4
	3303	N / I
5940-501-7669	3303	N / I
5940-534-0986	175	8
5940-549-6581	36	11
5940-549-6583	36	1
5940-718-9919	3303	N / I
5940-826-3705	3303	N / I
5940-833-0342	38	14
5940-892-3151	175	1
	176	1
5945-296-8464	0613	N / I
5945-504-8993	0606	N / I
5945-741-0691	35	1
5945-789-3706	20	2
5950-310-4655	294	4
5950-645-8838	294	6
5970-224-5277	0608	N / I
5970-334-7722	3307	N / I
5970-433-9294	3307	N / I
5970-705-6639	36	9
5970-833-8562	0608	N / I
	176	5
	179	9
	3303	N / I
	175	3
5975-280-3357	3303	N / I
5975-322-9865	0608	N / I
5975-335-2586	3303	N / I
5975-335-2588	1812	N / I
	3303	N / I
5975-403-9490	207	8
5975-504-8992	0613	N / I
5975-697-6991	0608	N / I
5975-697-7769	0608	N / I
5975-697-7860	0608	N / I
5975-752-7644	0608	N / I
5975-771-6634	0608	N / I
5975-952-8380	178	2
5975-964-8594	167	6
5975-964-8600	167	14
5977-504-8967	0613	N / I
5977-504-8994	0608	N / I
5977-626-1352	102	10
5999-368-4852	0608	N / I
5999-771-6524	0608	N / I
5999-771-6527	0608	N / I
6105-961-8365	303	26
6115-039-8253	295	4
6115-787-8526	304	38
6115-787-8527	3303	N / I
6115-787-8528	304	26
6115-886-1003	3303	N / I
6135-245-3880	304	48
6140-057-2554	36	17
6140-737-3211	36	20
6140-753-9506	134	7
6140-776-2737	36	13
6140-776-2738	36	7
6145-299-4411	0608	N / I
6145-538-8222	3303	N / I
6145-705-6678	3303	N / I
	3307	N / I
6145-705-6679	308	6
6145-772-0853	0608	N / I
	179	6
	3303	N / I
6145-805-3354	36	8
6150-039-8256	295	8
6150-279-6097	304	5
6210-174-1375	19	20
6210-295-0006	19	5
6210-295-1909	295	6
6210-299-5564	19	7
6210-738-4388	19	7
6210-776-0412	19	5
6210-776-0418	19	20
6220-025-3697	32	2
6220-179-4324	30	2
6220-179-4325	28	8
6220-179-4337	136	45
6220-179-4339	135	43
6220-283-9906	23	4
6220-299-7425	24	2
6220-300-9908	22	6
6220-337-6471	25	1
6220-338-1083	207	19
	32	1
6220-338-1086	207	10
	32	1
6220-353-0941	22	10
6220-447-3477	22	11
6220-500-0437	27	1
6220-500-3185	32	2
6220-512-9219	0613	N / I
	22	13
6220-538-1088	18	20
6220-545-8618	0609	N / I
	27	7
6220-577-3288	207	13
6220-577-3289	207	14
6220-577-3434	207	1
	24	1

Federal Stock Number Cross-Reference to Figure and Item Number—Continued

FEDERAL STOCK NUMBER	FIGURE NO	ITEM NO
6220-577-3435	207	2
6220-669-5623	26	1
6220-693-4175	23	7
6220-695-1107	23	5
6220-696-0324	22	1
6220-737-2775	0609	N / I
6220-738-5905	31	6
6220-752-6018	25	5
6220-752-6020	26	2
6220-752-6030	27	10
6220-753-9550	22	4
6220-776-0505	23	1
6220-832-7131	0609	N / I
6220-878-7301	31	1
6220-880-1624	28	4
6220-880-1625	30	1
6240-019-0877	19	6
	24	3
	25	3
	26	4
	27	11
	28	10
	30	4
6240-019-3093	28	6
	30	6
6240-044-6914	26	5
	27	8
	28	9
	29	4
	30	5
6240-143-3059	32	3
6240-143-3118	207	11
6240-155-8651	207	20
6240-155-8714	296	2
	3303	N / I
6240-189-2744	207	12
6240-266-9940	19	6
6240-269-0958	32	3
6240-295-2421	31	4
6240-403-0956	0609	N / I
6240-419-3185	20	1
6240-504-0981	22	5
6240-696-0249	22	5
6240-999-7805	0609	N / I
6240-999-7806	0609	N / I
6250-741-8960	0609	N / I
	18	31
6605-740-8644	249	15
6615-603-6280	18	21
6620-084-7621	4701	N / I
6620-335-9508	19	12
6620-634-8945	0610	N / I
6625-321-6365	19	13
	309	9
6670-675-4986	310	42
6675-160-7504	3303	N / I
6680-075-2392	304	19
6680-089-2005	4701	N / I
6680-112-0227	4701	N / I
6680-226-4574	0610	N / I
6680-294-6481	309	6
6680-515-3458	33	3
6680-515-4346	299	5
6680-528-8736	309	12
6680-732-0561	4701	N / I
6680-737-2727	4701	N / I
6680-740-9701	309	11
6680-753-9689	369	7
6680-825-2076	309	8
6680-882-0966	309	1
6680-933-3600	19	11
6685-335-9479	301	8
6685-387-9654	310	43
6685-515-3478	19	14
6685-814-5271	0610	N / I
6685-936-2139	19	9
6730-537-9342	114	14
7520-040-2248	5	10
7690-851-0172	2210	N / I
7690-912-3504	2210	N / I
8010-615-5370	3303	N / I
8305-170-4956	149	5
8305-264-6153	0900	N / I
8305-285-4849	218	23
9150-234-5198	0608	N / I
9320-232-2451	3303	N / I
9320-599-6405	137	19
9320-641-1119	137	20
	1801	N / I
9320-737-3300	130	25
9320-737-3301	130	28
9320-737-3317	131	16
9320-737-3337	137	22
9340-240-6239	137	9
9340-285-6777	130	27
9390-641-1119	2201	N / I
9390-737-3291	130	19
9505-191-3680	2004	N / I
9905-202-3639	149	15
	285	3
	286	2
	287	3
	288	2
	290	2
	291	2
	292	3
9905-205-2795	149	33
	285	1
	286	6
	287	1
	288	4
	289	2
	290	3
	291	4
	292	4
9905-248-4758	303	47
9905-252-5586	2210	N / I
9905-252-5587	2210	N / I
9905-282-3039	289	4
9905-410-5831	299	16
	303	48
9905-491-6845	293	3
9905-498-2423	293	3
9905-752-4649	175	7
	176	2
	179	7
9905-841-4445	175	9

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
AL1256-37	08484	274	29
ANFX2	80058	307	1
AN122586	88044	117	15
AN565C816H16	88044	67	5
AN6227-26	88044	2001	N / I
AN6227-27	88044	2001	N / I
AN6227B7		210	27
	88044	49	16
AN742-6	88044	282	13
AN924-8	88044	1411	N / I
ASF3343	04636	243	1
ASF3784	04636	240	1
AW064541	04636	247	15
AW309010	04636	248	5
AW310010	04636	248	4
AW42630	04636	243	13
AW42933	04636	250	20
AW726003	04636	242	39
AW726011	04636	238	15
AW737007	04636	246	10
AW758058	04636	238	8
AW771010	94636	238	16
AW778021	04636	250	21
		250	19
AW812002	04636	254	18
AW914010	04636	250	22
AW917151	04636	248	9
AW917157	04636	240	20
AW923007	04636	244	8
A11650G4	46522	296	23
A12876	65909	282	11
A143813	76040	78	9
A145910	19207	267	50
A161589	19207	54	9
A167419	19207	80	1
A167632	19207	47	1
A167732	19207	94	5
A16860	02248	247	8
A175415	19207	80	4
A175498	19207	249	12
A2083	80684	3303	N / I
A214774	21450	48	12
A214868	19207	276	57
A215674	19207	80	2
A2174	70230	137	1
A2233J114	78500	68	10
A225875	19207	71	19
A225876	19207	71	18
A226131	19207	274	65
A226147	21450	274	63
A22846	35351	259	6
A229587	21450	54	16
A283266	19207	2004	N / I
A2843A105	78500	271	60
A285277B	19207	276	30
A291580	29107	0900	N / I
A298428	19207	1002	N / I
A298551	19207	123	20
A30595	90280	114	21
A30623	90280	114	20
A30628	25734	114	14
A30697	58189	114	18
A3658	46522	296	22
A498844	40095	33	4
BB3338	50515	282	12
BRF976	04636	240	19
BX375467	06848	82	23
BX375479	06853	82	16
B103787	06840	271	36
		274	34
B30619	90280	114	17
B30620	90280	114	10
B30629	90280	114	3
B30630	90280	114	7
B7261583	19207	2001	N / I
B7960-2617-6	82817	19	1
CMDX2-3PT573030	19207	38	10
CMDX2-3PT573039	81348	38	9
CMDX2-3PT573048	81348	39	10
C3647G2	46522	296	1
		3303	N / I
C3657G10	46522	296	10
C3657G4	46522	296	12
C3657G5	46522	296	9
C3657G6	46522	296	7
C3657G9	46522	296	11
C3695G2	46522	296	21
C40	80064	108	15
C6052-832-27	21387	296	17
C9115-3-15	82647	0613	N / I
DAPD262TYPE1	19207	3303	N / I
DNP10672	84243	7	13
D30617	90280	114	19
D30617-12	90280	114	8
D30617-13	90280	114	6
D30617-14	90280	114	5
D30617-15	90280	114	2
D30617-16	90280	114	16
D30617-17	90280	114	15
D30617-18	90280	114	12
D30617-19	90280	114	9
D30617-20	90280	114	4
D30617-4	90280	114	11
D30617-5	90280	114	13
D30624	90280	114	1
ERLA220	81336	3303	N / I
FC602	63477	1211	N / I
FFP386	81348	10	21
FFR556	81348	1801	N / I
FFS85	81348	53	8
FO2B125V2AS	81349	0311	N / I
G1251	24617	2001	N / I
		60	7
		61	4
		82	38
G486085	57733	3303	N / I
G489424	78385	304	38
G489428	78385	304	23
G489436	78385	3303	N / I
G489439	78385	304	25
G489443	78385	304	12
G489455	78385	304	31
G489460	78385	304	26
G700308	78385	3303	N / I
G701345	78385	304	14
G701700	78385	303	10

best copy available

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
G701707	78385	303	13
HCF1113	04636	242	28
HCF11727	04636	254	21
HCF1232D	04636	244	1
HCF1234	04636	250	5
HCF12358	04636	250	4
HCF1236A	04636	250	3
HCF1257	04636	246	17
HCF1259A	04636	248	8
HCF1261C	04636	248	17
HCF1262	04636	246	3
HCF12630	04636	246	18
HCF1264	04636	248	24
HCF1266	04636	249	5
HCF1271A	04636	250	7
HCF1276B	04636	249	13
HCF1282E	04636	247	7
HCF1284A	04636	241	9
HCF1287	04636	243	9
HCF1288C	04636	239	17
HCF1292F	04636	250	23
HCF1299G	04636	238	5
HCF1301	04636	241	7
HCF1304	04636	249	21
HCF1305	04636	248	10
HCF1311	04636	239	14
HCF1316A	04636	239	5
		247	21
HCF1321	04636	248	15
HCF1322	04636	249	16
HCF1323B	04636	238	3
HCF13248	04636	238	18
HCF1328	04636	238	2
HCF1332	04636	248	21
HCF1337	04636	247	20
HCF1338	04636	248	25
HCF1339	04636	249	19
HCF1340	04636	248	13
HCF1341	04636	250	16
HCF1349A	04636	247	10
HCF1350	04636	249	7
HCF1359	04636	241	6
HCF1360	04636	241	8
HCF1398	04636	250	2
HCF1399A	04636	250	6
HCF1518	04636	240	18
HCF1531	04636	240	17
HCF1533	04636	240	16
HCF1544	04636	246	2
HCF1593	04636	246	20
HCF1712A	04636	249	24
HCF1722	06853	253	25
HCF1781	04636	244	12
HCF1785	04636	244	11
HCF1988	04636	254	33
HCF2009	04636	247	18
HCF2010A	04636	239	4
HCF2119	04636	254	32
HCF2123	04636	254	30
HCF223	04636	254	27
HCF375A	04636	254	17
HCF4414	04636	2001	N/I
HCF447	04636	246	4
HCF448	04636	246	5
HCF449-2	04636	246	7
HCG451	04636	243	11
HCF452	04636	243	4
HCF463	04636	239	7
HCF469C	04636	243	8
HCF472	04636	246	14
HCF479	04636	243	15
HCF481A	04636	239	25
HCF518	04636	240	6
		241	5
HCF520A	04636	240	7
HCF521	04636	241	15
HCF522	04636	241	13
HCF523	04636	241	14
HCF527A	04636	241	2
HCF544	04636	241	16
HCF562	04636	241	12
HCF583A	04636	254	37
HCF5889	04636	247	4
HCF6494	04636	247	14
		247	5
HCF740	04636	243	2
HCF904	04636	243	19
HCU234	04636	245	1
HCU349	04636	247	1
HCU89301	04636	254	20
HCU974	04636	247	3
HC142	04636	249	3
HC143A	04636	248	2
HC144B	04636	250	25
HC145A	04636	248	7
HC146	04636	250	12
HC147	04636	250	15
HC148C	04636	248	12
HC1498	04636	249	9
HC152A	04636	240	20
HC154E	04636	247	11
HC168A	04636	246	12
HC1698	04636	254	7
HC170	04636	254	23
HC1878	04636	254	19
HC42937	04636	250	17
HC63C	04636	239	3
HC67	04636	243	7
HC73	04636	246	16
HHP96	81348	2004	N/I
H008-0819783	19207	2001	N/I
H25-1	79470	2001	N/I
KC5417	50513	94	15
K22005	60038	250	27
		248	26
MA198	05083	6	2
MA35266-66	96906	137	4
MIL-W3912		1810	
MILC13486	81349	0608	N/I
MILC13486-1	81349	308	6
MILH13568	81349	2001	N/I
MILH7938	81349	2001	N/I
		301	5
MIL113042	81349	3303	N/I
MIL18660	81349	0608	N/I
MI3486-1-6	81349	3303	N/I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MJ12-5705	76260	60	11
		63	9
MPD9484-57-9	91340	1208	N/I
MSP4X2314	26009	55	7
MP8513	02413	1004	N/I
MS135319-6	81336	216	38
MS15001-1	96906	0900	N/I
		10	10
		214	11
MS15003-1	96906	0900	N/I
		100	7
		101	9
		112	12
		123	4
		154	9
		211	12
		211	18
		219	4
		220	10
		221	9
		222	12
		228	1
		232	4
		233	16
		238	6
		239	15
		239	16
		240	8
		241	1
		242	2
		243	12
		244	5
		250	10
		255	10
		257	5
		258	1
		260	17
		261	17
		61	23
		78	32
		148	4
	96906	84	8
	96906	99	6
MS15003-4	96906	78	28
	96906	78	36
		213	9
MS15003-6	96906	218	22
	96906	219	3
	96906	220	9
		222	11
		255	6
	96906	256	13
MS15570-1251	96906	19	6
		24	3
		25	3
		26	4
		27	11
		28	10
		30	4
MS15570-1623	96906	30	6
		28	6
MS15586-5	96906	32	3
MS15586-7	96906	207	20
MS15795-106	96906	133	4
MS15795-115	96906	133	22
		134	2
MS15795-210	96906	307	27
MS15795-212	96906	170	15
MS15795-214	96906	135	39
		135	45
		18	11
		283	6
		7	9
MS15795-215	96906	135	13
MS15795-216	96906	49	5
MS15795-218	96906	216	20
MS15795-31	96906	256	8
MS15795-615	07860	253	13
MS15795-812	96906	76	25
MS16535-235	96906	133	3
MS16536-170	96906	2001	N/I
MS16536-172	96906	1202	N/I
MS16536-92	96906	210	24
MS16536-99	96906	2001	N/I
MS16535-77	96906	262	14
		263	3
MS16624-137	96906	262	20
		263	17
MS16624-150	96906	259	11
MS16624-3100	96906	213	10
MS16625-315	96906	267	29
		268	5
MS16633-3025	96906	79	12
MS16997-124	96906	239	10
MS16997-66	96906	108	18
MS17107-8	96906	267	20
MS17131-35	96906	274	52
MS17131-51	96906	244	13
MS17131-54	96906	212	5
MS17133-1	96906	148	13
MS19055-59	96906	227	6
MS19059-50	96906	82	69
MS19059-51	96906	102	22
		230	4
MS19059-53	96906	275	28
MS19059-57	96906	212	26
MS19059-59	96906	107	7
		1410	N/I
		218	19
MS19059-63	96906	236	7
MS19059-90	96906	276	27
MS19059-96	96906	271	59
		274	25
MS19060-21	96906	277	37
MS19060-26	96906	48	3
MS19061-13	96906	209	4
MS20066-407	96906	236	20
		248	19
MS20067-270	96906	259	37
MS20067-305	96906	216	7
MS20068-277	96906	273	3
MS20365-428A	96906	1211	N/I
		129	11
MS20365-524C	96906	1211	N/I
MS20365-8200	96906	51	6
MS20365-832C	96906	24	8

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS20613-10P10	96906	1501	N/I
MS20615-483	96906	210	31
MS20659-104	96906	3303	N/I
MS20659-5	96906	3303	N/I
MS20819-3	96906	3303	N/I
MS20822-10	96906	104	27
		1411	N/I
MS20822-16	96906	265	18
		270	8
MS20822-6B	96906	1411	N/I
MS20913-1S	96906	303	59
MS20913-45	96906	242	41
MS20913-85	96906	254	11
MS20995F41-12	96906	276	49
MS20995F91-12	96906	261	3
MS21044D3	96906	134	18
MS21044N06	96906	18	41
MS21044N10	96906	120	22
		121	4
		239	26
		248	22
		254	10
MS21044N20	96906	255	9
MS21044N3	96906	10	29
		133	26
		134	13
		18	18
MS21044N4	96906	10	7
		104	11
		1208	N/I
		1209	N/I
		3307	N/I
		35	5
MS21044N5	96906	131	20
		133	15
		134	11
		135	26
		136	36
		140	3
		140	9
		141	10
		18	4
		36	19
		7	19
		83	30
MS21044N6	96906	106	12
		107	4
		11	4
		110	9
		12	5
		12	15
		129	20
		133	8
		134	5
		136	2
		14	2
		14	16
		149	26
		15	4
		151	24
		18	12
		249	8
		250	11
		270	42
		274	32
		277	13
		305	6
		306	3
		309	17
		3303	N/I
		36	14
		38	17
		5	4
		59	9
		60	3
		61	24
		62	2
		63	2
		76	11
		8	11
		83	19
		84	1
		87	5
MS21044N8	96906	129	24
		133	13
		149	39
		248	1
		249	2
		250	24
		99	7
MS210441V6	96906	10	13
MS21045-10	96906	102	3
		113	11
		1501	N/I
		154	12
		161	8
		204	5
		242	13
MS21045-12	96906	127	2
		161	9
MS21045-3	96906	1411	N/I
MS21045-4	96906	117	5
		1501	N/I
		284	1
		289	3
		291	3
		58	18
MS21045-5	96906	1204	N/I
		202	8
		203	3
MS21045-6	96906	115	2
		117	20
		118	1
		138	6
		142	4
		144	3
		145	3
		1506	N/I
		154	10
		159	1
		160	4
		202	15
		203	5
		232	3

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		233	15
		235	4
		58	5
MS21045-8	96906	113	2
		115	10
		116	2
		117	14
		118	11
		138	138
		1407	N / I
		146	3
		15	19
		1501	N / I
		155	6
		158	1
		204	4
		206	3
		233	21
		265	25
		3	7
		4	5
		13	10
MS21318-15	96906	2210	N / I
MS21318-47	96906	112	14
MS21333-100	96906	0306	N / I
		0608	N / I
		1208	N / I
		83	34
		86	3
		92	9
MS21333-113	96906	0608	N / I
MS21333-114	96906	1209	N / I
MS21333-120	96906	176	8
MS21333-124	96906	38	20
MS21333-126	96906	307	29
MS21333-34	96906	3303	N / I
MS21333-39	96906	3303	N / I
		83	5
MS21333-40	96906	77	10
MS21333-41	96906	309	4
MS21333-55	96906	83	44
MS21333-62	96906	309	18
MS21333-68	96906	176	7
MS21333-76	96906	165	17
MS21333-77	96906	1411	N / I
MS21333-79	96906	1411	N / I
		181	1
MS21333-81	96906	181	1
MS21333-84	96906	181	1
MS21333-98	96906	307	6
		3303	N / I
MS21333-99	96906	303	66
		304	78
MS21334-26	96906	165	15
MS21783-15	96906	144	4
MS21920-41	96906	6	11
MS24392-16	96906	265	22
MS24394-10	96906	104	6
		1411	N / I
MS24394-8	96906	104	25
		1411	N / I
MS24396-8	96906	104	24
		1411	N / I
MS24400-10	96906	104	5
		1411	N / I
MS24400-8	96906	104	23
MS24506-10	96906	296	25
MS24518-7	96906	304	61
MS24532-2	96906	19	13
		309	9
MS24537-1	96906	0610	N / I
MS24543-1	96906	19	9
MS24544-2	96906	19	11
MS24616-55	96906	186	2
MS24617-10	96906	130	8
		131	18
		187	2
MS24617-21	96906	177	6
		180	3
MS24617-23	96906	180	5
MS24617-30	96906	3303	N / I
MS24617-31	96906	181	2
MS24617-33	96906	165	12
MS24617-39	96906	207	17
MS24621-32	96906	176	9
MS24621-42	96906	201	2
MS24629-24	96906	3303	N / I
MS24629-35	96906	2210	N / I
		293	5
MS24629-56	96906	159	4
		286	5
MS24637-58	96906	3303	N / I
MS24649-55	96906	290	1
MS24665	96906	170	9
		170	3
MS24665-132	96906	2004	N / I
		3305	N / I
MS24665-281	96906	274	45
MS24665-283	96906	10	32
		14	9
		15	9
		182	4
		210	8
		234	12
		276	7
		76	13
		79	22
MS24665-285	96906	2004	N / I
		61	11
MS24665-295	96906	141	5
		2004	N / I
		254	3
MS24665-351	96906	219	8
		238	14
MS24665-353	96906	14	23
		149	37
		169	7
		215	9
		216	2
		233	3
		234	3
		277	10
		5	35
		58	3
		84	17
MS24665-355	96906	275	20

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS24665-357	96906	105	20
		158	9
		276	23
		71	31
MS24665-359	96906	242	20
		258	7
MS24665-360	96906	112	6
MS24665-361	96906	54	1
		56	1
		69	14
		78	10
MS24665-362	96906	43	13
		44	13
		61	27
MS24665-363	96906	303	72
		304	53
MS24665-368	96906	9	1
MS24665-419	96906	219	9
MS24665-421	96906	119	1
		246	11
		277	16
		58	13
MS24665-423	96906	154	13
		255	20
MS24665-431	96906	130	18
		131	11
MS24665-493	96906	78	23
MS24665-495	96906	243	16
MS24665-497	96906	274	70
MS24665-498	96906	227	5
MS24665-502	96906	219	5
		247	2
MS24665-625	96906	120	15
MS24665-627	96906	100	5
		255	3
MS24665-628	96906	256	5
MS24665-629	96906	112	13
MS24665-633	96906	[illegible]	17
		2004	N/I
MS24665-689	96906	112	2
MS24665-814	96906	2004	N/I
MS24667-41	96906	256	3
MS24677-48	96906	72	10
MS25036-114	96906	3307	N/I
MS25036-127	96906	36	10
MS25231-1829	96906	19	6
MS25231-1873	96906	20	1
MS25231-313	96906	296	2
		3303	N/I
MS25331-4	96906	295	6
MS27040-12	96906	120	8
MS27116-17B	96906	13	7
MS27147-1	96906	[illegible]	45
		38	3
MS27148-2	96906	0608	N/I
		3303	N/I
MS27151-28	96906	254	14
MS2718-13	96906	18	5
MS27182-23	96906	154	15
MS27183-10	96906	104	12
		1208	N/I
		135	6
		136	15
		2004	N/I
		28	15
		284	3
		29	2
		309	21
		77	6
		83	22
MS27183-11	96906	6	3
MS27183-12	96906	135	30
		136	25
		140	12
		151	6
		3307	N/I
		76	12
MS27183-14	96906	10	22
		106	11
		136	20
		138	5
		14	3
		15	5
		1506	N/I
		182	3
		233	27
		259	34
		274	19
MS27183-15	96906	136	6
		1407	N/I
		141	7
		142	3
		146	7
MS27183-16	96906	141	3
		231	14
		275	31
		276	39
MS27183-17	96906	135	11
		136	8
MS27183-18	96906	117	22
		129	15
		15	20
		155	5
		158	4
		276	6
		31	3
		61	12
MS27183-19	96906	13	17
MS27183-21	96906	149	36
		158	16
		262	3
		263	14
MS27183-22	96906	161	7
MS27183-23	96906	105	18
		116	13
		1810	N/I
		277	15
		58	9
MS27183-24	96906	120	28
		127	3
MS27183-28	96906	212	11
MS27183-4	96906	184	2
MS28740-10	96906	1411	N/I
MS28741-10-0430	96906	104	7
MS28741-12-0640	96906	104	14
MS28741-6-0180	96906	1411	N/I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS28741-6-0750	96906	104	2
MS28774-114	96906	2001	N / I
MS28774-115	96906	2001	N / I
MS28775-012	96906	259	33
MS28775-112	96906	216	22
MS28775-114	96906	2001	N / I
MS28775-115	96906	2001	N / I
MS28775-117	96906	2001	N / I
MS28775-120	96906	2001	N / I
MS28775-128	96906	265	28
MS28775-217	96906	48	26
MS28775-225	96906	262	11
MS28775-229	96906	262	24
MS28778-10	96906	104	4
		1411	N / I
MS28778-16	96906	265	15
MS28778-20	96906	265	12
MS28778-8	96906	0306	N / I
		104	22
		1411	N / I
MS29177-7	96906	1208	N / I
MS29513-20	96906	304	21
MS29561-12	96906	276	55
MS29561-229	96906	2001	N / I
		263	5
MS29561-249	96906	257	13
MS305791	96906	216	6
MS3102R16S8P	96906	296	16
MS31979-9	96906	1211	N / I
MS35000-3	96906	36	17
MS35058-21	96906	299	30
MS35058-28	96906	3303	N / I
MS35058-29	96906	295	5
MS35059-31	96906	295	22
		296	24
		3303	N / I
MS35140-4	96906	165	11
MS35190-142	96906	260	4
MS35190-176	96906	260	12
MS35190-236	96906	177	1
		178	1
		207	7
MS35190-253	96906	24	11
MS35190-343	96906	210	36
MS35191-273	96906	10	28
		267	8
MS35191-275	96906	185	1
MS35206-215	96906	296	18
MS35206-222	96906	120	29
MS35206-226	96906	296	28
MS35206-241	96906	102	11
		180	6
MS35206-242	96906	19	17
MS35206-244	96906	24	10
MS35206-245	96906	8	5
		8	6
MS35206-248	96906	3303	N / I
MS35206-261	96906	267	16
		3303	N / I
MS35206-262	96906	5	18
MS35206-264	96906	147	8
		152	6
MS35206-265	96906	83	47
MS35206-267	96906	22	7
MS35206-279	96906	21	1
MS35206-280	96906	149	6
		287	2
		290	4
		292	1
		292	6
MS35206-281	96906	149	19
		288	1
MS35206-283	96906	149	20
		6	1
MS35206-296	96906	151	20
MS35206-300	96906	7	7
MS35206-307	96906	212	31
MS35206-380	96906	286	1
MS35206-88	96906	150	5
MS35207-246	96906	18	45
MS35207-259	96906	9	13
MS35207-261	96906	183	3
MS35207-263	96906	133	28
		134	14
		22	14
MS35207-264	96906	18	38
		3303	N / I
MS35207-265	96906	3303	N / I
MS35207-267	96906	1411	N / I
MS35207-281	96906	133	25
		134	15
		135	9
		136	11
		205	3
MS35207-295	96906	140	15
MS35207-311	96906	2001	N / I
MS35208-88	96906	151	5
MS35243-1	96906	24	1
MS35265-43	96906	23	6
MS35465-83	96906	164	5
MS35266-66	96906	131	15
MS35275-294	96906	71	42
MS35289-7	96906	167	22
MS35291-166	96906	173	6
MS35291-3	96906	164	10
MS35291-59	96906	1806	N / I
MS35297-34	96906	46	9
MS35297-87	96906	47	9
MS35298-64	96906	105	6
MS35298-74	96906	259	35
MS35300-7	96906	2004	N / I
		53	16
MS35333-27	96906	2004	N / I
MS35333-36	96906	296	15
MS35333-37	96906	3303	N / I
MS35333-38	96906	102	12
		137	8
		294	3
		296	20
		3303	N / I
MS35333-40	96906	108	17
		48	24
MS35333-41	96906	102	17
MS35333-42	96906	227	12
		79	18
MS35333-43	96906	275	42

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		276	3
MS35333-46	96906	83	10
MS35333-47	96906	83	15
MS35333-49	96906	85	5
		90	14
MS35333-5	96906	137	11
MS35333-59	96906	135	34
		136	29
		2004	N / I
MS35335-19	96906	159	3
		283	3
MS35335-21	96906	10	19
		36	23
MS35335-33	96906	149	16
		21	2
		286	4
		287	4
		292	2
MS35335-35	96906	271	53
MS35335-37	96906	61	19
MS35335-38	96906	71	13
MS35335-39	96906	1002	N / I
		47	18
		66	3
		71	26
MS35336-20	96906	130	30
MS35337-21	96906	173	5
MS35337-23	96906	18	2
MS35337-24	96906	147	9
		167	25
MS35337-25	96906	164	3
		169	2
		174	37
MS35337-26	96906	163	14
		164	13
MS35337-27	96906	162	2
MS35337-29	96906	173	2
MS35338-10	96906	222	2
		255	17
		259	2
		264	3
		268	13
		269	32
		42	9
MS35338-113	96906	73	9
MS35338-12	96906	46	13
MS35338-25	96906	157	4
MS35338-46	96906	0304	N / I
		105	5
		116	6
		148	3
		152	11
		200	3
		61	31
MS35338-47	96906	47	10
		53	9
MS35338-48	96906	147	3
		1501	N / I
		202	14
		231	18
		265	24
		70	14
		71	5
MS35338-31	96906	148	8
		215	4
		51	9
MS35338-36	96906	102	47
MS35338-39	96906	272	15
MS35338-42	96906	19	18
MS35338-43	96906	0608	N / I
		152	3
		16	2
		18	39
		183	4
		22	15
		22	17
		267	15
		5	15
		83	48
MS35338-44	96906	108	12
		166	13
		166	16
		3303	N / I
MS35338-45	96906	102	20
		253	17
		259	20
		274	9
		276	11
		46	10
		82	22
MS35338-46	96906	102	31
		103	3
		120	7
		1201	N / I
		135	42
		136	21
		1407	N / I
		147	13
		212	2
		213	14
		218	2
		220	3
		221	12
		222	17
		228	4
		229	7
		23	10
		241	4
		242	37
		255	25
		266	15
		266	18
		267	25
		271	3
		272	16
		274	12
		275	15
		275	33
		277	33
		3303	N / I
		41	4
		42	18
		48	2
		62	4
		67	2
		69	26

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		7	10
		78	17
		78	33
		79	2
		82	6
		82	53
		83	8
		9	6
		0900	N/I
		275	7
		276	52
		5	22
		52	5
		53	20
		94	8
		95	7
		208	17
		210	2
		210	20
		216	17
		258	12
		260	2
		262	8
		269	3
		271	41
		47	13
		52	2
		69	16
		74	2
		95	17
MS35338-49	96906	109	21
		99	2
MS35338-50	96906	217	8
		1002	N/I
		101	20
		1102	N/I
		14	21
		15	17
		188	2
		208	6
		208	11
		209	13
		210	39
		211	22
		212	19
		216	42
		243	22
		243	22
		255	12
		260	19
		66	4
		71	23
MS35338-51	96906	120	25
		128	3
		208	12
		209	10
		211	20
		215	12
		216	32
		79	16
MS35338-53	96906	216	39
		239	24
MS35338-8	96906	102	39
		268	3
MS35339-33	96906	123	19
MS35340-33	96906	125	9
MS35387-1	96906	149	33
		285	1
		286	6
		287	1
		288	4
		289	2
		290	3
		291	4
		292	4
MS35387-2	96906	285	3
		286	2
		287	3
		288	2
		289	4
		290	2
		291	2
		292	3
MS353872	96906	149	15
MS35388-21	96906	96	1
MS35388-23	96906	96	1
MS35388-25	96906	96	1
MS35392-15	96906	96	2
MS35392-16	96906	96	2
MS35392-18	96906	96	2
MS35392-34	96906	237	18
MS35421-1	96906	24	2
MS35423-1	96906	207	1
MS35423-2	96906	207	13
MS35424-1	96906	207	2
MS35424-2	96906	207	14
MS35436-30	96906	3303	N/I
MS35436-4	96906	175	8
MS35436-9	96906	175	1
		176	1
MS35456-8	96906	58	22
MS35478-1683	96906	26	5
		27	8
		28	9
		29	4
		30	5
MS35489-23	96906	304	47
MS35489-79	96906	303	82
MS35489-9	96906	177	5
MS35490-20	96906	309	5
MS35490-6	96906	180	9
MS35490-7	96906	9	10
MS35490-75	96906	6	9
MS35490-8	96906	28	13
		29	8
MS35495-93	96906	34	14
MS35609-805	96906	173	1
MS35627--44	96906	154	3
MS35643-1	96906	8	3
		8	3
		8	2
		8	2
MS35648-3	96906	2001	N/I
		210	17
		259	24
MS35648-6	96906	48	18

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS35649-102	96906	147	10
		152	2
		183	5
MS35649-202	96906	166	15
		83	49
MS35649-2382	96906	23	11
MS35649-282	96906	3303	N/I
MS35649-7	96906	166	14
MS35650-102	96906	0609	N/I
MS35650-382	96906	18	3
MS35671-30	96906	10	8
MS35671-51	96906	228	11
MS35671-58	96906	153	14
MS35672-44	96906	233	9
MS35690-1005	96906	173	9
MS35690-1024	96906	46	12
MS51967-2	96906	164	2
	96906	169	3
MS51967-3	96906	174	36
MS51967-8	96906	162	1
MS35690-625	96906	77	4
MS35690-825	96906	233	4
		234	6
MS35691-1002	96906	215	6
MS35691-21	96906	108	5
		14	6
		274	64
		9	5
MS35691-33	96906	0704	N/I
		208	4
		218	33
MS35691-37	96906	2001	N/I
		47	12
MS35691-5	96906	10	3
MS35691-53	96906	83	11
MS35691-57	96906	1407	N/I
		209	28
MS35691-77		78	35
MS35691-822	96906	102	42
MS35691-93	96906	102	48
MS35692-1022	96906	120	30
MS35692-105	96906	158	8
MS35692-1225	96906	154	14
MS35692-1625	96906	242	19
MS35692-37	96906	14	24
		61	10
MS35692-53	96906	1810	N/I
		2001	N/I
		271	9
MS35692-69	96906	71	30
MS35692-77	96906	112	7
MS35692-825	96906	276	8
MS35692-93	96906	227	20
MS35743-76	96906	79	23
MS35743-78		161	6
MS35743-79	96906	160	5
MS35746-1	96906	91	2
MS35748-1	96906	91	7
MS35751-42	96906	151	3
MS35751-43	96906	151	16
MS35751-44	96906	151	26
MS35756-10	96906	213	13
MS35756-105	96906	54	24
		56	21
MS35756-114	96906	43	9
		44	9
MS35756-13	96906	209	5
MS35756-14	96906	158	21
		158	21
		231	7
MS35756-15	96906	5	7
MS35756-17	96906	231	8
MS35756-18	96906	274	37
MS35756-20	96906	264	29
MS35756-21	96906	259	8
		264	23
MS35756-22	96906	271	29
MS35756-7	96906	266	6
MS35756-8	96906	277	25
MS35763-1035	96906	227	15
MS35763-433	96906	2001	N/I
MS35769-21	96906	65	7
		75	5
MS35769-26	96906	4701	N/I
MS35769-9	96906	275	26
MS35782-1	96906	3303	N/I
MS35782-5	96906	14	28
		15	12
MS35784-2	96906	87	3
MS35810-34	96906	14	8
		15	8
		182	2
MS35810-35	96906	234	13
		254	40
MS35810-36	96906	166	5
		233	2
		234	2
		277	9
		5	34
		58	1
		84	18
MS35813-7	96906	158	10
MS35842-10	96906	282	9
		304	57
MS35842-11	96906	2001	N/I
		299	37
		3303	N/I
MS35842-12	96906	3303	N/I
MS35842-15	96906	7	14
MS35842-16	96906	3303	N/I
MS35842-3	96906	0501	N/I
MS35842-4	96906	0501	N/I
		305	10
MS35842-5	96906	14	12
		303	27
MS35916-2	96906	309	8
MS38206-6	96906	303	80
MS39020-1	96906	175	7
		176	2
MS39020-2	96906	175	9
MS39060-1	96906	18	7
MS39060-2	96906	18	6
MS39061-1	96906	0607	N/I
		303	30
MS39061-2	96906	0607	N/I
MS39063-1	96906	0606	N/I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS39133-2	96906	1208	N/I
MS39138-3	96906	3303	N/I
MS39139-3	96906	6	7
MS39166-3	96906	165	2
MS39177-3	96906	3303	N/I
		1208	N/I
		2001	N/I
MS39179-1	96906	6	8
MS39179-4	96906	1208	N/I
MS39179-5	96906	1208	N/I
		85	18
		90	1
		92	3
MS39179-6	96906	1204	N/I
		86	17
		92	45
MS39181-1	96906	6	19
MS39182-02	96906	86	24
MS39182-3	96096	1208	N/I
		307	17
		49	8
		57	1
		92	11
MS39182-5	96906	92	7
MS39182-6	96906	85	10
MS39184-1	96906	6	13
MS39184-3	96906	57	10
MS39186-1	96906	86	11
MS39187-2	96906	85	31
		86	7
MS39187-3	96906	85	21
MS39188-2	96906	307	4
		86	1
MS39189-2	96906	1208	N/I
MS39190-4	96906	85	39
MS39196-3	96906	1208	N/I
		57	4
MS39197-3	96906	57	3
MS39198-3	96906	165	6
MS39202-3	96906	165	8
MS39202-4	96906	303	58
		304	74
MS39203-4	96906	303	63
MS39206-4	96906	303	57
		304	77
MS39230-4	96906	1411	N/I
MS39231-5	96906	1411	N/I
MS45904-57	96906	3303	N/I
MS45904-60	96906	3303	N/I
MS45904-68	96906	178	4
		24	5
		28	16
		29	10
		295	14
		3303	N/I
MS45904-72	96906	28	2
		30	10
MS45904-73	96906	3303	N/I
MS49005-10	96906	210	10
		216	33
		248	23
		271	31
		8	9
MS49005-2	96906	5	14
MS49005-4	96906	2001	N/I
		242	27
		249	6
		52	15
		65	6
MS49005-6	96906	102	53
		102	32
		202	5
MS49005-8	96906	2001	N/I
		209	22
		216	13
MS49005-9	96906	259	17
MS49006-10	96906	202	11
		65	8
MS49006-14	96906	52	16
MS49006-6	96906	106	9
MS49006-8	96906	235	10
MS51025-56	96906	271	51
MS51025-90	96906	260	13
MS51071-11	96906	4701	N/I
MS51071-4	96906	309	1
MS51071-9	96906	4701	N/I
MS51085-1	96906	303	56
		304	73
MS51106-421	96906	51	2
MS51113-1	96906	18	1
MS51301-1	96906	35	2
MS51320-1	96906	31	1
MS51322-1	96906	88	1
MS51324-16	96906	281	2
MS51329-1	96906	26	1
MS51330-1	96906	25	1
MS51334-6	96906	38	15
MS51375-1	96906	96	4
MS51388-2	96906	283	5
MS51861-68	96906	285	2
MS51911-3-5	96906	276	17
MS51911-48-2	96906	52	8
MS51922	96906	277	43
MS51922-1	96906	13	13
		233	26
		28	14
		286	3
		287	5
		288	3
		29	1
		29	9
		290	5
		292	5
		6	5
MS51922-21	96906	1501	N/I
		253	15
MS51922-37	96906	109	24
		111	6
		13	14
		132	7
		224	7
		61	18
MS51922-5	96906	104	9
		129	19
		131	25

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		133	11
		135	2
		136	14
		205	2
		23	12
		24	6
		272	8
		279	16
		307	28
		309	22
		3307	N/I
		38	7
		39	7
		57	12
		6	12
		77	8
		83	6
		86	2
		89	3
		9	11
		90	9
MS51922-53	96906	111	2
		158	17
		2	3
MS51922-61	96906	256	7
MS51932-181	96906	119	2
		149	10
MS51943-31	96906	149	13
MS51943-35	96906	270	3
MS51943-42	96906	109	20
		99	1
MS51943-46	96906	113	3
MS51946-6	96906	94	15
		95	15
MS51952-2	96906	104	32
		1411	N/I
		57	13
		85	25
MS51953-154	96906	265	30
MS51953-52	96906	1411	N/I
MS51953-97	96906	1411	N/I
MS51955-34	96906	227	21
MS51955-77	96906	208	3
MS51957-42	96906	294	2
MS51961-15	96906	219	15
MS51961-30	96906	218	28
MS51963-102	96906	271	26
MS51963-137	96906	211	8
		274	43
MS51963-170	96906	217	6
MS51967-14	96906	265	23
MS51967-2	96906	3303	N/I
		3303	N/I
MS51967-23	96906	215	13
		217	10
MS51967-5	96906	151	12
		2001	N/I
		208	18
		209	21
		213	16
		215	16
		3303	N/I
		3307	N/I
		71	41
MS51967-523	96906	129	16
MS51967-8	96906	0304	N/I
		36	26
		6	30
		77	13
MS51968-11	96906	254	39
		275	41
		53	10
		78	4
		94	7
		95	6
MS51968-12	96906	276	2
MS51968-14	96906	0607	N/I
		147	4
		2001	N/I
		208	15
		222	18
		238	11
		277	20
		5	27
		61	17
		70	15
MS51968-17	96906	84	15
MS51968-19	96906	158	13
MS51968-2	96906	157	5
		178	3
		180	7
		2004	N/I
		266	16
		283	2
		82	54
MS51968-20	96906	101	21
		148	9
		188	4
		66	5
MS51968-23	96906	120	26
		212	9
MS51968-29	96906	216	40
MS51968-5	96906	102	18
		129	13
		82	21
MS51968-8	96906	10	30
		11	7
		116	11
		12	10
		135	33
		136	30
		147	14
		152	12
		2004	N/I
		266	17
		283	10
		78	11
		78	34
		79	19
		79	19
MS51983-2	96906	94	5
MS52000-4	96906	0608	N/I
MS52000-8	96906	0608	N/I
MS53006-1	96906	85	11
MS53015-2	96906	284	10
MS53017-1	96906	282	8

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS53044-6	96906	93	1
MS53045-3	96906	93	3
MS53045-4	96906	93	3
MS53046-3	96906	36	16
MS53047-1	96906	27	1
MS53048-12	96906	282	1
MS53052-1	96906	133	1
MS53052-1	96906	133	6
		203	2
MS53053-1	96906	143	1
MS53068-1	96906	94	5
		95	11
MS53068-2	96906	94	5
		95	11
MS53694-202	96906	167	24
MS53040-3	96906	174	4
MS70925-70	96906	103	2
MS75004-1	96906	36	11
MS75004-2	96906	36	1
MS75021-2	96906	0608	N / I
MS90707-1050	96906	265	6
MS90725-02	96906	267	24
MS90725-109	96906	267	33
MS90725-11	96906	229	8
MS90725-111	96906	231	17
		264	2
MS90725-112	96906	52	4
MS90725-113	96906	262	23
		42	8
MS90725-114	96906	173	14
		210	1
MS90725-127	96906	265	2
MS90725-14	96906	272	14
MS90725-158	96906	212	20
MS90725-160	96906	208	5
		51	8
		71	24
MS90725-162	96906	209	14
MS90725-163	96906	215	3
		260	20
MS90725-164	96906	208	10
		211	21
		216	41
MS90725-17	96906	48	22
MS90725-18	96906	229	11
MS90725-187	96906	208	13
		209	11
		211	19
		215	15
		217	9
MS90725-189	96906	215	11
		216	45
MS90725-20	96906	55	16
MS90725-211	96906	262	9
MS90725-3	96906	309	2
		3303	N / I
MS90725-32	96906	253	19
		276	12
MS90725-33	96906	102	19
		141	8
		275	32
MS90725-34	96906	164	12
		274	8
		3303	N / I
		3307	N / I
MS90725-5	96906	3303	N / I
MS90725-57	96906	274	13
		83	9
MS90725-58	96906	212	3
		6	25
		67	1
MS90725-59	96906	200	4
		79	1
MS90725-6	96906	0304	N / I
		174	15
		28	11
		29	11
		309	20
MS90725-60	96906	1407	N / I
		148	2
		267	37
		271	2
MS90725-61	96906	102	30
		102	38
MS90725-62	96906	222	16
		271	23
		272	18
		41	3
		42	19
		48	1
MS90725-64	96906	162	3
MS90725-69	96906	103	17
		229	10
		271	56
MS90725-73	96906	120	6
MS90725-8	96906	169	12
		3303	N / I
MS90725-99	96906	231	15
MS90726-10	96906	86	25
		90	3
MS90726-107	96906	202	13
MS90726-109	96906	210	21
		222	1
		255	18
		259	31
		268	16
MS90726-11	96906	279	11
		86	4
MS90726-111	96906	110	6
		116	1
		132	5
		147	2
		149	40
		155	4
		216	18
		258	9
		259	1
		260	1
		264	7
		265	27
		61	21
MS90726-112	96906	269	2
MS90726-113	96906	111	8
		116	9
		117	17
		118	15

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		129	22
		138	2
		146	2
		155	2
		158	3
MS90726-114	96906	111	9
		113	13
		117	16
		118	14
		133	29
		158	5
		206	1
		208	16
		259	18
MS90726-115	96906	115	9
		1501	N/I
		204	3
MS90726-116	96906	113	10
		222	13
		233	20
		271	40
MS90726-117	96906	123	17
MS90726-118	96906	224	9
MS90726-12	96906	272	17
MS90726-120	96906	99	4
MS90726-122	96906	3	1
		4	2
MS90726-123	96906	13	16
MS90726-124	96906	155	3
MS90726-125	96906	156	4
MS90726-128	96906	216	21
MS90726-13	96906	115	13
		157	3
		39	6
		48	23
		83	33
MS90726-139	96906	0501	N/I
MS90726-14	96906	104	21
		83	38
MS90726-160	96906	243	21
MS90726-161	96906	221	1
MS90726-162	96906	121	3
		14	22
		148	12
		15	18
		255	13
MS90726-163	96906	113	8
		121	5
		1501	N/I
		154	11
		204	2
MS90726-164	96906	148	10
		1501	N/I
		1506	N/I
		154	7
MS90726-165	96906	101	18
		71	46
MS90726-166	96906	254	9
MS90726-167	96906	102	2
		258	13
MS90726-169	96906	2	1
MS90726-17	96906	104	13
MS90726-170	96906	188	1

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS90726-190	96906	161	10
MS90726-199	96906	256	14
MS90726-235	96906	216	37
MS90726-3	96906	129	3
		129	6
		135	32
		136	31
		23	8
		3307	N/I
MS90726-31	96906	133	17
		134	8
		135	36
		136	26
MS90726-32	96906	133	20
		134	3
		135	29
		136	33
		203	7
		28	1
		30	9
MS90726-33	96906	259	21
		36	22
		82	36
		83	51
		89	2
MS90726-34	96906	140	2
		141	13
		18	26
MS90726-36	96906	1204	N/I
MS90726-38	96906	13	11
		83	27
MS90726-4	96906	24	9
		83	4
MS90726-40	96906	102	8
MS90726-41	96906	202	7
MS90726-5	96906	1208	N/I
		129	5
		129	28
		135	5
		135	18
		136	9
		1407	N/I
		178	5
		277	4
		289	1
		291	1
		3303	N/I
		3307	N/I
		77	7
MS90726-51	96906	146	6
MS90726-58	96906	133	5
		135	40
		136	22
		138	8
		203	1
		213	15
		218	3
		220	2
		221	13
		274	18
		309	19
		76	16
		83	43

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS90726-59	96906	106	10
		134	1
		138	9
		144	2
		149	50
		159	6
		271	54
		7	11
MS90726-6	96906	117	8
		1208	N / I
		1501	N / I
		277	47
		284	17
		38	8
		39	3
		57	11
		58	24
		6	22
		9	15
MS90726-60	96906	10	15
		115	3
		117	21
		118	2
		129	25
		133	18
		133	19
		135	44
		136	44
		14	18
		1407	N / I
		142	2
		145	2
		149	25
		1501	N / I
		18	10
		232	1
		233	14
		268	19
		277	44
		309	10
		3303	N / I
		38	18
		58	16
		83	20
MS90726-61	96906	133	23
		149	48
		271	15
MS90726-62	96906	110	4
		115	7
		116	5
		117	6
		118	9
		133	30
		147	12
		149	47
		152	9
		227	13
		253	18
		255	24
		274	30
		277	24
		306	6
		58	19
		77	2
MS90726-63	96906	77	5
MS90726-64	96906	11	1
		12	13
		133	24
		149	30
		1506	N / I
		268	2
		277	29
		283	8
		306	2
		3307	N / I
		84	14
MS90726-65	96906	106	13
		11	13
		12	1
		12	6
		1407	N / I
		160	2
		202	12
		305	2
		5	6
		84	5
MS90726-66	96906	277	14
		5	9
		58	7
MS90726-67	96906	10	331
		135	25
		136	38
		268	14
		5	36
MS90726-68	96906	135	38
		136	46
		151	25
MS90726-69	96906	107	3
		1407	N / I
		228	3
		84	12
MS90726-7	96906	129	8
		2004	N / I
		242	38
		83	25
		86	6
MS90726-71	96906	135	24
		136	37
		8	10
MS90726-72	96906	136	3
MS90726-74	96906	154	6
		210	28
		235	3
		76	21
MS90726-8	96906	10	35
		1208	N / I
		162	18
		307	36
		35	4
		83	23
MS90726-85	96906	82	5
MS90726-9	96906	284	5
MS90727-139	96906	109	17
MS90727-189	96906	113	7
MS90727-190	96906	113	6
MS90727-191	96906	113	4

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS90727-32	96906	214	2
MS90728-116	96906	52	11
MS90728-33	96906	276	35
MS90728-34	96906	276	21
		52	6
MS90728-59	96906	53	13
MS90728-61	96906	275	16
		69	27
MS90728-87	96906	52	9
		53	21
MS90728-88	96906	275	8
		276	53
MS90908-1	96906	8	4
M13486-1-12	81349	36	8
M13486 / 1-5	81349	175	5
		176	3
M144	24076	218	5
M20161XOH	60380	274	44
M2025601	24076	230	11
M3004	70230	137	26
M305371	24076	212	23
M305385	24076	212	12
M305639	24076	212	1
M305852	24076	220	4
		221	11
M307238	24076	212	13
M307240	24076	212	10
M307643	24076	221	3
M307644	20476	221	4
N10919C	40342	49	7
N11728AF	40342	0704	N / I
N11833	40342	49	10
N145P1708C	03538	282	10
N155-46821	81348	2001	N / I
N2352	40342	0704	N / I
PGF5523	04636	240	12
PGF7026-2	04636	242	7
PGF8243A	04636	240	2
PGF8252A	04636	242	34
PGF8439A	04636	241	10
PGF8706A	04636	250	8
PGF8708	04636	250	13
PGF8731	04636	238	13
PGF9374B	04636	249	1
PGF9619	04636	238	10
PGF9648-57	04636	247	6
PGF9769B	04636	242	21
PG1826A	04636	242	14
PG18290	04636	242	24
PL6317	76260	62	7
PS05-10234	78080	103	16
PS05-10755	46606	107	12
PT69F	30327	1208	N / I
QQW461	81348	2004	N / I
REVAPC15	80064	217	4
RIXS152	81351	250	28
RR-C271	81348	2001	N / I
RPW00410	81348	2001	N / I
RV388	78500	78	13
RZ-BA3040	83324	72	7
RZ-J31	83324	72	5
RZ-J51	83324	72	4
RZ-N52	83324	72	3

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
RZ-0J102	83324	72	2
RZ-OJ33-2	83324	72	6
R1XS152		2004	N / I
R755	70230	137	20
SA5764	70230	137	10
SC6Z3817	80063	0608	N / I
SK1031	70411	030	N / I
SP582	72540	120	34
ST2040	31007	69	9
ST897	31007	69	10
ST965	31007	243	6
ST982	31007	69	18
S1054	03487	249	15
S6192-61022-1	78286	2210	N / I
TAN6227-10	81344	242	32
TB9-2855-52	72217	3303	N / I
TD3866V568	78500	53	19
TD3875D316	81336	53	25
VVC846	81348	0608	N / I
WW-T799	81348	92	1
		92	4
		92	8
WWP404	81348	2001	N / I
WWP406	81348	2001	N / I
		2004	N / I
WWP471 TYPE 1	81348	2001	N / I
WWP471Z1•2	81348	3303	N / I
WWT799	81348	1208	N / I
XA744C	19728	2001	N / I
X5248	14351	2001	N / I
YLE1	81348	296	14
ZZH428	81348	0501	N / I
		6	18
ZZT831	81348	2001	N / I
028207	77640	108	21
032165	77640	1407	N / I
40039	77640	108	19
043001	90940	249	11
044983	77640	102	59
5-10235	78080	103	9
5-10237	78080	103	15
5-10238	78080	102	23
5-10264	78080	103	13
5-10406	78080	103	22
5-10679	78080	103	18
070011	70920	102	51
96126-34	77640	102	15
1DX506	78500	53	11
1HC100770H	31007	307	10
10-40817-10	77280	0608	N / I
10X507	78500	78	37
100033	24617	135	17
100066R91	31007	53	22
		69	5
100096R91		43	11
		44	11
100102R1	31007	43	3
10012834	19207	196	9
100360	24617	53	4
101353R1	31007	107	5
101477R1	31007	3305	N / I
T01750R91	31007	102	9
101760R91	31007	102	10

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
101771R21	31007	102	46
101892R1	31007	128	1
10203	61848	2001	N / I
102049R1	31007	15	14
102057R12	31007	214	5
102060R1	31007	15	15
102097R91	31007	95	4
102169R1	31007	108	7
102169R2	31007	141	N / I
102170R1	31007	105	9
		108	6
102181R91	19207	102	58
102231R91	31007	45	23
102413R1	31007	106	16
		107	14
102633R92	31007	0609	N / I
102735R1	31007	106	15
102955R1	31007	230	7
103 X 4	19207	2001	N / I
103001R1	31007	84	9
103415	21450	239	6
103596R11	31007	214	9
103632	21450	174	24
103646R91	31007	0613	N / I
103881	31007	42	15
103907	12204	233	19
104 X 117A	19207	2001	N / I
104029R92	31007	0609	N / I
104039	24617	5	26
104057R1	31007	0609	N / I
104132	21450	1501	N / I
104279	21450	1806	N / I
104291	21450	55	21
104443R1	31007	2001	N / I
104934R1	31007	76	19
105 X 14L	19207	2001	N / I
10515445	19207	3303	N / I
105229R1	31007	0613	N / I
105405	21450	104	33
		1411	N / I
		270	53
105497H	31007	241	11
105626R1	31007	103	12
105627R1	31007	103	11
105685	24076	222	19
105708-21	31007	293	3
105711R1	31007	293	3
105822	24076	222	20
105992R1	31007	2002	N / I
106142R91	31007	0613	N / I
106898	21450	149	22
106899	21450	279	14
106911	21450	170	19
106912	21450	170	7
106915	21450	170	12
106918	21450	170	18
107622R1	31007	15	11
108 X 14	19207	2001	N / I
108335	21450	237	2
108626	21450	268	9
10864585	19207	1802	N / I
10864801	19207	129	10
10864803	19207	129	17

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
10864804	19207	129	2
108687	21450	249	23
10869502	19207	164	14
10869575	19207	170	21
10869576	19207	170	16
		170	20
10869773	19207	170	11
10869774	19207	170	13
10871053	19207	242	3
10871054	19207	242	4
10871061	19207	242	33
10871062	19207	242	40
10871093	19207	61	1
10871218	19207	83	46
10871220	19207	149	27
10871252	19207	128	12
10871273	19207	123	14
10871338	19207	173	15
10871339	19207	173	13
10871389	19207	135	10
10871411	19207	0501	N / I
		0501	N / I
		1802	N / I
10871412	19207	1801	N / I
10871413	19207	136	23
10871414	19207	0501	N / I
10871421	19207	135	20
		136	42
		1802	N / I
10871425	19207	135	43
10871426	19207	136	45
10871433	19207	277	6
		58	12
10871438	19207	277	41
		58	21
10871440	19207	277	3
10871441	19207	277	2
10871456	19207	146	4
10871458	19207	146	1
10871462	19207	146	5
10871475	19207	133	14
10871476	19207	133	16
10871479	19207	133	9
10871484	19207	133	27
10871489	19207	5	39
10871490	19207	5	37
10871494	19207	84	11
10871495	19207	84	6
10871496	19207	84	13
10872111	19207	143	4
10872418	19207	134	7
10875171	19207	267	40
10875200	19207	2001	N / I
10875210	19207	261	1
10876128	19207	0609	N / I
10876129	19207	268	4
10876130	19207	267	27
10876131	19207	259	7
10876132	19207	264	6
10876133	19207	264	24
10876134	19207	259	10
10876135	19207	259	19
10876136	19207	0613	N / I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
10876138	19207	2001	N / I
10876139	19207	270	23
10876140	19207	270	19
10876141	19207	2001	N / I
10876142	19207	270	24
10876143	19207	270	30
10876144	19207	270	15
10876145	19207	270	14
10876146	19207	270	25
10876147	19207	270	48
10876148	19207	267	13
10876149	19207	0609	N / I
		267	11
10876150	19207	2001	N / I
10876151	19207	263	1
10876152	19207	262	1
10876153	19207	257	12
		261	9
10876154	19207	262	13
		263	9
10876157	19207	260	15
10876158	19207	255	5
10876159	19207	257	9
		261	12
10876160	19207	262	6
		263	7
10876162	19207	268	15
10876163	19207	264	15
10876164	19207	259	22
10876165	19207	0606	N / I
10876166	19207	264	8
10876167	19207	0608	N / I
		267	12
10876168	19207	0608	N / I
		267	9
10876174	19207	260	18
10876182	19207	256	15
10876186	19207	264	16
10876187	19207	202	4
10876190	19207	255	11
10876196	19207	267	1
10876197	19207	258	11
10876198	19207	264	1
10876200	19207	202	1
10876204	19207	267	26
10876205	19207	256	1
10876210	19207	257	10
10876211	19207	262	12
10876212	19207	262	19
10876213	19207	257	1
10876217	19207	263	13
10876224	19207	262	5
10876226	19207	264	5
10876227	19207	269	1
10876231	19207	269	6
10876232	19207	264	25
10876245	19207	268	7
10876246	19207	259	13
10876247	19207	259	5
10876248	19207	267	44
		268	20
10876251	19207	268	1
10876252	19207	259	3
10876253	19207	260	5
10876271	19207	267	42
10876274	19207	202	9
10876275	19207	267	2
10876276	19207	267	21
10876277	19207	2001	N / I
		202	6
10876285	19207	267	6
10876286	19207	206	2
10876288	19207	267	30
10876289	19207	267	48
10876290	19207	267	45
10876292	19207	255	29
10876305	19207	263	12
10876307	19207	261	2
10876309	19207	261	16
10876310	19207	261	11
10876311	19207	257	2
10876312	19207	257	3
10876342	19207	262	7
10876343	19207	263	8
10876355	19207	260	9
10876356	19207	260	16
10876357	19207	260	11
10876359	19207	269	7
10876360	19207	264	17
10876361	19207	264	27
10876362	19207	0608	N / I
10876364	19207	259	9
10876367	19207	0613	N / I
10876370	19207	269	10
10876382	19207	264	28
10876383	19207	256	9
10876386	19207	271	10
10876396	19207	204	1
10876397	19207	204	1
10876401	19207	200	1
10876402	19207	1806	N / I
		200	2
10876406	19207	255	1
10876412	19207	269	4
10876421	19207	268	10
10876422	19207	268	18
10876424	19207	270	54
10876426	19207	270	13
10876428	19207	270	6
10876430	19207	268	23
		270	1
10876433	19207	280	1
10876437	19207	255	23
10876442	19207	267	18
10876449	19207	257	6
		261	15
10876453	19207	261	8
10876454	19207	257	16
		261	6
10876461	19207	257	7
		261	14
10876506	19207	257	17
		261	5
10876509	19207	263	11
10876510	19207	262	21
		263	18

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
10876511	19207	2001	N / I
		262	16
10876530	19207	270	45
10876532	19207	2001	N / I
10876533	19207	2001	N / I
10876534	19207	2001	N / I
10876540	19207	272	9
10876541	19207	272	13
10876542	19207	272	11
10876549	19207	267	10
10876562	19207	2001	N / I
		202	2
10876563	19207	258	10
10876564	19207	258	8
10876565	19207	280	4
10876566	19207	280	3
10876570	19207	257	14
10883101	19207	138	3
10883102	19207	138	3
10883103	19207	138	4
10883104	19207	138	7
10883106-1	19207	1501	N / I
10883113	19207	110	8
10883114	19207	1501	N / I
10883115	19207	1501	N / I
10883116	19207	1501	N / I
10883119	19207	110	3
10883128	19207	76	20
10883129	96906	77	17
10883130	19207	77	3
10883131	19207	77	16
10883158	19207	123	6
10883202	19207	5	28
10883203	19207	124	4
10883205	19207	124	5
10883206	19207	283	4
10883212	19207	14	25
10883224	19207	309	3
10883229	19207	97	2
10883232	19207	97	3
10883234	19207	10	11
10883235	19207	10	4
10883236	19207	10	20
10883245	19207	116	4
10883271	19207	1208	N / I
10883272	19207	85	3
10883281	19207	83	1
10883282	19207	83	57
10883283	19207	83	17
10883284	19207	83	16
10883285	19207	86	23
10883303	19207	85	30
10883309	19207	18	13
10883310	19207	18	43
10883319	19207	83	36
10883328	19207	90	7
10883329	19207	90	7
10883330	19207	90	4
10883331	19207	90	13
10883334	19207	83	29
10883335	19207	1506	N / I
10883340	19207	5	16
10883341	19207	18	25
10883350	19207	106	8
10883359	19207	85	8
10883370	19207	134	10
10883371	19207	134	16
10883389	19207	5	19
10883397	19207	2210	N / I
10883443	19207	106	5
10883483	19207	0609	N / I
10883489	19207	134	4
10883494	19207	85	6
10883499	19207	85	33
10883500	19207	85	24
10883503	19207	106	3
10883507	19207	1	2
10883538	19207	86	19
10883593	19207	8	1
10885788	19207	59	1
10885798	19207	303	42
		304	43
10889768	19207	13	9
108905	21450	103	14
10896359	19207	304	62
10896364	19207	304	63
10896366	19207	304	82
10896371	19207	303	46
10896477	19207	304	83
10896487	19207	303	29
10896514	19207	304	39
10896515	19207	303	44
10896521	19207	303	31
10896726-1	19207	95	18
10896746	19207	276	25
10896749	19207	276	22
10896774	19207	185	2
10896775	19207	185	3
10899201	19207	151	2
		1810	N / I
10899202	19207	151	2
		1801	N / I
10899217	19207	151	15
		1810	N / I
10899218	19207	151	15
		1810	N / I
10899231	19207	278	2
10899301	19207	272	5
10899366	19207	255	21
10899377	19207	238	1
10899408	19207	135	22
		136	40
10899409	19207	135	1
10899410	19207	136	1
10899416	19207	203	4
10899438	19207	14	17
10899439	19207	12	4
10899440	19207	12	4
10899444	19207	0401	N / I
10899445	19207	12	2
10899797	19207	202	10
10899974	19207	255	8
10899976	19207	256	4
10899978	19207	255	19
10899979	19207	255	28
10899980	19207	255	26

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
10899983	19207	255	16
10899986	19207	256	2
10899989	19207	256	12
10899994	19207	264	21
10899996	19207	264	22
10899997	19207	2001	N / I
109 X 117	19207	2001	N / I
10900001	19207	267	5
10900002	19207	267	3
10900004	19207	269	5
10900005	19207	269	5
10900018	19207	258	2
10900021	19207	258	4
10900022	19207	258	6
10900025	19207	267	14
10900026	19207	267	7
10900042	19207	267	38
10900043	19207	267	38
10900056	19207	255	7
10900074	19207	272	4
10900080	19207	270	5
10900087	19207	262	22
10900088	19207	262	10
10900090	19207	259	4
10900096	19207	255	15
10900098	19207	267	4
10900102	19207	260	3
10900106	19207	202	3
10900108	19207	270	22
10900112	19207	270	40
10900142	19207	262	15
		263	10
10900150	19207	263	4
10900151	19207	257	18
		261	4
1090017	19207	258	5
10900172	19207	265	8
10900185	19207	202	16
		270	28
10900189	19207	264	20
10900202	19207	264	10
10900203	19207	255	2
10900204	19207	264	19
10900212	19207	264	18
10900217	19207	255	4
10900232	19207	264	12
10900242	19207	270	20
10900247	19207	256	6
10900249	19207	280	2
10900266	19207	270	9
10900283	19207	271	39
10900300	19207	257	8
		261	13
10900304	19207	257	15
		261	7
10900306	19207	262	2
		263	16
10900307	19207	262	25
		263	15
10900463	19207	263	6
10900464	19207	263	2
10900525	19207	89	1
10900574	19207	274	48
10906323	19207	270	4
10906350	19207	130	23
10906729	19207	267	23
10910298	19297	270	2
10910299	19207	270	43
10910347	19207	255	22
10910956	19207	201	1
10911094	19207	267	43
10911098	19207	262	17
10911099	19207	262	18
10911102	19207	257	4
10912497	19207	4701	N / I
10913149	19207	270	16
10913150	19207	270	37
10913151	19207	270	33
10913152	19207	270	34
10913198	19207	0607	N / I
10913199	19207	0607	N / I
10913209	19207	55	12
10914540	19207	304	1
		304	71
10917063	19207	0311	N / I
10921633	19207	270	26
10921763	19207	45	10
10921795	19207	276	36
10922134	19207	275	1
10922135	19207	276	1
10922162	19207	270	49
10923484	19207	276	46
10923528	19207	304	40
10924916	19207	186	1
		205	1
10929829	19207	2210	N / I
10929991	19207	2210	N / I
10930014	19207	2210	N / I
10930015	19207	2210	N / I
10931804	19207	2210	N / I
		293	9
10931906	19207	8	1
10931907	19207	8	1
10931908	19207	0613	N / I
10931909	19207	6	34
10931914	19207	38	13
10931919-1	19207	136	1
10931927	19207	2210	N / I
10931928	19207	2210	N / I
10931929	19207	2210	N / I
10931930	19207	2210	N / I
10931931	19207	2210	N / I
10931936	19207	2210	N / I
10931937	19207	2210	N / I
10931941	19207	14	14
10931942	19207	14	20
		2	2
10931943	19207	1802	N / I
10931948	19207	136	12
		1801	N / I
10831954-1	19207	0401	N / I
10931954-2	19207	0401	N / I
10931982	19207	104	3
10931983	19207	304	81
10931984	19207	304	79
10931985	19207	304	59

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
10931988	19207	303	70
10931990	19207	303	79
10931992	19207	304	42
10931997	19207	18	13
10932060-1	19207	303	41
10932060-2	19207	303	32
10932060-3	19207	303	39
		304	65
10932060-4	19207	303	40
10932116	19207	303	53
10933816	19207	9	9
10935265	19207	103	1
10937090	19207	183	2
10937126	19207	183	1
10937538	19207	207	6
10937539	19207	177	3
10937544	19207	207	15
10937607	19207	182	1
10937830	19207	177	2
10937878	19207	150	1
10937881	19207	150	6
10938089	19207	39	1
10938119	19207	304	69
10938122	19207	304	70
10938140-1	19207	304	44
10938204	19207	38	13
10938210	19207	18	13
10938216	19207	2210	N / I
10938230	19207	2210	N / I
10938246		2	2
10938248	19207	116	7
10938255	19207	0501	N / I
10938264	19207	12	16
10938276	19207	38	13
10938290	19207	275	35
10938299	19207	10	33
10938316-1	19207	0312	N / I
10938316-2	19207	0312	N / I
10938316-3	19207	0312	N / I
10938316-4	19207	0312	N / I
10938335	19207	6	16
10938340	19207	1411	N / I
10938346	19207	8	1
10938351	19207	0401	N / I
		12	3
10938357	19207	0312	N / I
10938367	19207	0401	N / I
10938369-2	19207	8	1
10938382	19207	39	1
10938437	19207	0312	N / I
10938439	19207	99	3
10938443-2	19207	116	12
10938449	19207	203	6
10938462	19207	0501	N / I
10938486	19207	13	15
10938489	19207	144	1
10938490	19207	13	6
10938491	19207	13	1
10938492	19207	13	12
10938495	19207	13	4
10938496	19207	13	5
10938497	19207	13	3
10938498	19207	144	1
109415	21450	10	2
109426R92	31007	110	1
		111	1
109430R11	31007	121	6
10944453-1	19207	0609	N / I
10944639-3	19207	2001	N / I
10944793	19207	2210	N / I
10945889	19207	24	7
10946886	19207	0501	N / I
		0501	N / I
10947358-3	19207	0311	N / I
109943	31007	0501	N / I
11KBAX3158	76040	40	2
11MFX1294	76040	14	13
11MFX2356	76040	14	11
11037ZH	31007	1810	N / I
110371H	31007	95	10
111001	21450	270	29
111633	21450	162	4
		163	4
		164	7
111705R1	31007	213	3
111940R91	31007	216	4
112-2102	76260	2001	N / I
112-7100	76260	0900	N / I
112-8100	76260	09000	N / I
		0900	N / I
112045R91	31007	271	21
112057R91	31007	271	33
112304	21450	3305	N / I
11237R1	31007	103	20
112465	12204	46	6
112578	21450	85	14
112726	24617	167	7
	24617	168	4
112736	21450	163	12
112782R1	31007	2001	N / I
112877	21450	3303	N / I
113-2129	76260	2001	N / I
113-2130	76260	2001	N / I
113-2131	76260	2001	N / I
113-7200	76260	0900	N / I
113-8200	76260	0900	N / I
		0900	N / I
113552R1	31007	239	18
113782	21450	269	9
114487	21450	267	22
114523H1	31007	240	14
114630	21450	304	10
114631	21450	304	9
114787	21450	169	4
114795	21450	3303	N / I
114949R1	31007	107	6
115764	80048	236	22
11593178	19207	13	2
11593179	19207	13	19
11593180	19207	1411	N / I
11593182	19207	116	3
11593184	19207	116	10
11593187	19207	116	8
11593193	19207	116	14
11593197	19207	6	35
11593201	19207	79	20

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
11593202	96906	1810	N/I
11593227	19207	293	3
11593229	19207	293	3
11593237	19207	115	12
11593242	19207	115	11
11593243	19207	115	1
11593247	19207	115	8
11593258	19207	173	7
11601640	19207	207	16
11602159	19207	253	1
		92	2
11604545	19207	7	12
11607265-4	19207	166	4
11608765	19207	13	8
11608799	19207	281	1
11608804	19207	235	2
11608806	19207	154	1
11608807	19207	235	1
11608809	19207	154	16
11608819	19207	13	20
11608820	19207	13	18
11608863	19207	1407	N/I
		1411	N/I
11608882	19207	1506	N/I
11608902	19207	1802	N/I
11608909	19207	13	6
11608912	19207	39	1
11608924	19207	284	9
11608925	19207	284	14
11608926	19207	284	8
11608927	19207	284	11
11608928	19207	284	12
11608929	19207	284	13
1160893	19207	284	16
11608933	19207	284	4
11608936	19207	284	7
11608938	19207	284	2
11610078	19207	4701	N/I
11610187	19207	1	2
11611569		135	1
11611572	19207	1802	N/I
11611574	19207	1802	N/I
11611619	19207	119	3
		1810	N/I
11613631	19207	20	2
11613632-1	19207	20	2
11614156	19207	28	4
11614157	19207	30	1
11620983	19207	29	5
11620987-1	19207	29	6
11621116	19207	265	10
11621117	19207	2001	N/I
		265	31
11621118	19207	265	9
11621119	19207	265	20
11621120	19207	265	13
11621121-1	19207	265	3
11621121-2	19207	265	7
11621122	19207	265	1
11621123	19207	265	26
11621124	19207	265	14
11621890	19207	265	21
11621891	19207	265	29
11621892	19207	265	11
11621893	19207	265	19
11621894-1	19207	265	16
11621894-2	19207	265	17
11631857	19207	16	6
116338	21450	166	11
		167	21
11639519-1	19207	28	7
11639519-2	19207	30	3
11639520	19207	30	7
11639535	19207	30	2
11639541	19207	28	5
11639546	19207	28	8
11640178	19207	0607	N/I
11640281	19207	1	2
11640317	19207	274	15
		274	22
11640318	19207	272	6
11640319	19207	14	5
11640338	19207	120	35
11640340	19207	120	31
11640341	19207	1506	N/I
11640342	19207	120	27
11640343	19207	120	5
11640351	19207	120	18
11640352	19207	120	1
11640398-1	19207	265	4
11640398-2	19207	265	5
11640446	19207	2061	N/I
11640447	19207	2001	N/I
11640923	19207	103	1
116410	21450	166	2
		167	16
		168	9
11648479	19207	132	9
11648479-1	19207	132	9
11648480	19207	132	8
11649243-1	19207	30	8
11649243-2	19207	30	8
11649244	19207	24	4
116524	21450	2001	N/I
11658678	19207	159	2
11658683-1	19207	1501	N/I
11658683-2	19207	1501	N/I
11658685	19207	159	5
11658687	19207	28	3
		29	3
11658691	19207	39	1
11658696	19207	1506	N/I
11658697	19207	1506	N/I
11663025	19207	1202	N/I
11663231	19207	1202	N/I
11663232	19207	1202	N/I
11663233	19207	1202	N/I
11663236	19207	1202	N/I
11664425	19207	284	15
11664482	19207	58	20
11664710	19207	92	4
11664711	19207	92	1
11664712	19207	92	8
11677781	19207	1202	N/I
117243	21450	0900	N/I
		62	12

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
117522	21450	236	21
		237	19
117614R1	31007	237	10
117965	24617	9	4
118125	21450	236	2
118748	21450	6	4
118752	21450	307	30
119076H	31007	0401	N / I
		12	14
119128	21450	120	16
1192542	12204	94	12
		95	13
11967	97025	2001	N / I
1199F1436	78500	95	23
119931	21450	270	52
119933	21450	307	32
12Z369-33	10001	271	16
120AX73	21450	307	25
120063	21450	270	47
120214	21450	126	17
120286	21450	307	23
120322	21450	304	58
120371	21450	125	13
120399	12204	7	8
120401	18876	3303	N / I
120520	21450	10	14
120614	21450	3303	N / I
120702	21450	270	50
1208	21760	271	6
120824R1	31007	2004	N / I
121211	19207	271	46
121222	21450	140	13
		151	11
121468	24617	95	5
121619	21450	49	3
		57	7
121637	24617	167	23
121754	21450	221	2
121830	21450	303	85
121832	31007	27	12
		296	3
121983	21450	71	12
122039	21450	128	4
122223	21450	254	38
12255305	78500	68	11
1227S305	78500	69	8
		95	3
1229H1022	78500	68	5
1229Q1031	78500	68	12
122901031	78500	68	12
123205	21450	239	23
123798	21450	82	39
1244B548	78500	71	32
		71	32
1244C549	78500	1004	N / I
		71	32
1244D550	78500	1004	N / I
		71	32
1244F551	78500	1004	N / I
		71	32
1244F552	78500	1004	N / I
		71	32
124934	21450	238	7
		238	12
125003	78500	75	4
125120R1	31007	135	16
		136	5
125250	24617	2004	N / I
125393	21450	105	19
125591	21450	172	1
125915	21450	270	12
125966	21450	149	45
126273	62983	237	11
126274	62983	237	21
1263	76894	55	4
12665R1	31007	222	4
126657R1	31007	216	3
126658R91	31007	2001	N / I
126676	80048	236	13
127748R91	31007	3305	N / I
127822	21450	276	48
127849	21450	90	8
127930	24617	104	37
127979	80048	236	17
128140	21450	1411	N / I
128151	21450	164	6
		167	3
		168	3
		174	7
128273	21450	297	7
129194	21450	210	9
129474R1	31007	70	1
129475RP	31007	69	21
129475R1	31007	69	21
13PT573060	81348	104	19
13Y4Z16	24076	212	8
13Y4210	24076	212	22
13Y4212	24076	212	34
13Y4234	24076	212	21
13Y4249	24076	212	24
131050	21450	126	8
131143	21450	214	8
131144	21450	124	13
		125	16
132100	21450	33	1
133895	62983	237	4
134023	63977	237	12
135587HA	31007	3303	N / I
137188	21450	3305	N / I
137204	21450	173	3
137218	21450	149	9
137238	21450	162	11
137273	31007	128	7
137281	63977	236	3
13732B	80048	236	8
137329	63977	236	6
137401	21450	82	49
137405	24617	3303	N / I
137407	24617	0311	N / I
		272	10
137409	12204	3303	N / I
137413	12204	1411	N / I
		307	8
137421	21450	307	33
137422	21450	165	9
137423	21450	272	1

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
137425	12204	82	47
1375	62983	2001	N / I
138082	21450	170	8
138085	21450	2004	N / I
138485	21450	3307	N / I
138489	21450	283	9
138822	21450	102	43
139239	21450	209	42
139507H	31007	7	4
139703	21450	209	1
1402867	24617	1411	N / I
140288	21450	307	34
140306	24617	2004	N / I
140899H	31007	85	26
14100216	19207	199	1
14100221	19207	199	3
14100226	19207	199	6
14100227	19207	199	7
141044H	31007	101	11
141062	21450	167	8
		168	7
141262H	31007	70	3
141377H	31007	94	4
142334	24617	68	3
142423	24617	3305	N / I
142432	21450	1208	N / I
		1411	N / I
		3303	N / I
142433	21450	1208	N / I
		272	12
142435	24617	0501	N / I
142437	24667	3305	N / I
142510	21450	209	8
142881	62983	2001	N / I
143-60110-01900	79470	83	3
143030	21450	210	6
143342	21450	253	2
143936	21450	230	19
143970	21450	53	27
144039	21450	299	39
144040	21450	104	17
144074	21450	271	45
144113	24617	1411	N / I
144119	21450	299	8
144121	21450	104	31
144130	24617	90	12
144245	79318	233	5
		234	5
		277	19
144315	24617	305	7
144574	21450	236	27
144613	21450	104	34
144700	21450	166	8
144811	21450	279	6
145183	21450	295	2
145373	21450	2210	N / I
145467	21450	167	11
		169	10
		172	2
147487	21450	253	22
14892	75198	130	31
15C2165170	80244	0608	N / I
		3303	N / I

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
15C2213-100	80244	0608	N / I
15039R	24617	3303	N / I
151510Z	24617	68	2
1517596	70040	33	3
15235	76894	54	3
		56	3
1539135	19207	10	23
1568220	70040	309	13
1568362	70040	309	7
157070	70408	130	29
1580377	19207	4701	N / I
1581351	70040	309	6
1581430	70040	309	12
1582082	24617	19	5
160046	21450	22	16
164354	21450	130	2
164403	21450	38	6
164475	21450	18	15
		282	6
1652-562392	19207	2001	N / I
1652-582007	19207	2001	N / I
1652-612176	19207	2001	N / I
1652-612668	19207	2001	N / I
1652-614087	19207	2001	N / I
1652-656845	19207	2001	N / I
1652-656846	19207	2001	N / I
1652-695008	19207	2001	N / I
1652-695009	19207	2001	N / I
1653-636228	19207	2001	N / I
1661-582515	19207	2001	N / I
169108	21450	76	4
16932R91	31007	107	2
169382	21450	170	5
169554	21450	149	17
169754	21450	18	32
169756R1	31007	2001	N / I
169757R91	31007	2001	N / I
16992R1	31007	239	22
16995R1	31007	250	1
17X36	19207	2001	N / I
17C18035-90	80244	175	6
170466	21450	3303	N / I
170677	57733	303	18
170914	57733	295	20
171104	21450	163	7
		166	17
		167	26
171140	52676	248	16
171209R91	31007	0613	N / I
171210R91	31007	0608	N / I
171211R91	31007	0613	N / I
171567R91	31007	0608	N / I
171568R91	31337	0608	N / I
171702	21450	137	18
172-0034	19207	266	13
1720028	19207	120	3
1720034	19207	120	17
172463	19207	184	1
1729H1022	78500	68	5
173105	24617	56	18
173106	24617	56	19
177587	21450	254	41
1779HB	31007	100	3

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
17796H	31007	100	4
17798H	31007	100	2
17798HA	31007	100	6
17812	19728	0613	N / I
179124	21450	275	43
179125	24617	276	4
179377	21450	171	3
180073	21450	126	18
180325	21450	236	25
181568	21450	266	3
181608	10001	7	16
181610	21450	1211	N / I
181712	21450	123	5
183GC162	89619	307	12
183712	15434	3305	N / I
186493	50513	139	2
18672	21450	303	2
187312	21450	137	12
187321	24617	3305	N / I
187343	21450	165	14
187396	21450	270	51
187527	21450	210	32
		216	27
		259	28
187541R1	31007	240	15
		241	3
187745	21450	295	15
187867	21450	270	44
187995	19207	130	34
		132	3
188002	50513	139	5
189330	21450	266	22
189510	21450	51	7
189611	21450	90	11
		91	1
19MDX327	76040	6	17
19MDX329	76040	6	20
19MDX330	76040	6	23
190922	21450	83	39
191492	21450	270	17
192065	21450	247	17
192069	21450	3303	N / I
192075	19207	1208	N / I
		90	6
192414	21450	254	22
192769	21450	18	22
193450	21450	2001	N / I
1975	71296	295	23
1988	70270	224	3
2A5988	76260	273	1
2MDX178	76040	305	3
2MDX294	76040	305	5
2W1-24-36-64	43999	31	2
20QEX1134	76040	307	19
20QEX279	76040	307	18
20X59	24076	2001	N / I
20015101	19207	190	11
20017501	19207	194	11
20020301	19207	189	16
22021003	19207	189	10
20024901	19207	197	12
20032401	19207	197	23
20032601	19207	197	25
20033401	19207	197	27
20033901	19207	194	21
20037601	19207	197	16
20037701	19207	189	8
20041801	19207	190	8
20042303	19207	194	20
20043002	19207	197	15
20044701	19207	194	5
20045501	19207	194	18
20045901	19207	194	16
20047710	19207	192	8
20048801	19207	194	35
20048803	19207	189	5
20048806	29107	194	3
20049401	19207	194	26
20052018	19207	189	20
20052020	19207	189	13
20052302	19207	189	18
20056101	19207	197	
20056401	19207	194	14
20057201	19207	197	8
20057301	19207	196	54
20057401	19207	194	4
20058001	19207	195	13
20100102	19207	189	4
20100109	19207	194	38
20100114	19207	197	2
20100115	19207	197	14
20100274	19207	198	18
20100668	19207	189	2
20100671	19207	197	1
20100682	19207	190	1
20100717	19207	197	4
20100718	19207	197	6
20100722	19207	193	1
20100723	19207	196	46
20100724	19207	197	22
20100731	19207	192	6
20100735	19207	197	7
20100739	19207	198	22
20100750	19207	198	17
20100751	19207	189	19
20100795	19207	197	24
20100900	19207	196	71
20100903	19207	196	64
20100904	19207	196	45
20100908	19207	193	22
		196	12
20100910	19207	190	20
20100913	19207	196	37
20100914	19207	196	33
20100915	19207	196	31
20100916	19207	196	67
20100918	19207	190	15
20100921	19207	190	7
20100926	19207	196	65
20100927	19207	196	66
20100933	19207	189	1
20100936	19207	198	23
20100939	19207	196	40
20100948	19207	198	21
20100950	19207	199	2
20100952	19207	198	2

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
20100954	19207	198	3
20100957	19207	198	7
20100958	19207	198	8
20100959	19207	198	12
20100961	19207	198	10
20100963	19207	198	4
20100964	19207	198	4
2013991	24076	151	10
202677	06853	1208	N / I
20309-1	43334	259	16
203252	06853	253	6
203253	06853	253	7
203256	76040	253	8
203257	06853	253	14
203265	06853	253	4
204185	06853	253	23
2054	23382	1411	N / I
2090M5	50513	85	15
21QBX155	76040	0312	N / I
21QBX156	76040	0312	N / I
21158-1821	73680	247	13
212206	06853	82	46
		82	41
2150123	24617	307	2
215305	06853	253	10
217697	06853	82	45
217849	24617	1208	N / I
218339	24617	2001	N / I
218699	21450	299	7
218709	21450	270	32
219359	21450	270	39
219760	21450	1208	N / I
		90	15
220069	21450	295	13
22088314	78500	74	4
220984	44674	71	3
221367	06853	2001	N / I
221825	06853	1209	N / I
2231319	24617	67	7
2234H190	78500	68	6
224106	06853	0613	N / I
2297564	24617	229	2
230523	62508	0802	N / I
		1208	N / I
		3305	N / I
24-129	77977	20	1
245AX12		307	16
253GC1272	70434	3305	N / I
26C29400	81337	15	11
264057R1	31007	2001	N / I
27X58	19207	2001	N / I
27W929-800	70040	14	15
272336	24617	101	16
2740226	78500	1202	N / I
2770M	50513	274	23
		48	21
2803N1470	78500	52	10
2803P1472	78500	52	10
28888	16004	275	30
29710H	31007	61	6
3C2208-1-13	81348	0608	N / I
3MFAX559	76040	14	5
3PT573039	81348	282	14
3PT573051	81348	104	20
3PT573057	81348	104	10
3X-X14315	12204	103	5
30E8	50513	131	13
3005457	24076	2001	N / I
301E8	50513	131	14
303-8	00624	1411	N / I
305580	24076	209	25
307959-1	56232	3307	N / I
31089R	24617	3303	N / I
313	13515	0613	N / I
3202J2610	78500	74	3
032200-24	*	141	N / I
32393	78640	242	16
3278F84	78500	68	8
328E8	50513	131	16
33H771	80244	3305	N / I
3326X4	79470	1208	N / I
355203R1	31007	1410	N / I
358503	19207	0608	N / I
36RUA346P6	76040	6	6
36RUA347P20	76040	305	8
36RUA348P34	76040	307	31
26RUA349P31	76040	6	14
36RUA352P20	76040	307	20
362SP79	76040	2004	N / I
362SP80	76040	2004	N / I
362SP81	76040	2004	N / I
37X5	19207	2001	N / I
373874	06848	82	73
374119	21450	1211	N / I
37419	06848	1204	N / I
3773	80201	82	81
382407	32195	244	3
3889L272A	78500	70	1
3890P354	78500	69	21
4MEX3992	76040	306	4
4MEX3993	76040	306	1
400	61864	279	2
40018	77640	102	23
414908PC40	10001	123	7
415125	77640	108	10
415131	77640	108	16
415141	77640	108	13
415180	77640	141	N / I
42-5788	76260	61	33
42C15120-215	19207	185	7
420993	21450	266	12
422B1	50513	131	10
423522	21450	18	36
423568	21450	27	15
423836	21450	308	12
424335	21450	168	14
425591	21450	169	11
425594	21450	16	5
425604	21450	36	15
425859	21450	132	2
		18	34
426271	21950	131	21
426754	21450	254	16
426897	21450	211	14
426958	21450	67	11
428997	21450	54	18

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
43-8575-045-010	81336	53	6
43C16570	10001	162	5
431904	21450	36	5
431929	21450	270	38
432449	19207	139	6
432478	21450	18	21
432769	21450	36	6
44P12-90	80244	0609	N/I
44RU1693	76040	14	27
44T5080-30	80244	3305	N/I
44T531974	80244	2004	N/I
44T5330-540	19207	2001	N/I
440502	21450	174	8
443342	21450	103	4
444012	21450	272	2
444014	21450	303	83
444020	77445	1411	N/I
444038	21450	303	71
444040	21450	307	22
444042	24617	272	7
444070	21450	1411	N/I
444120	21450	303	84
444147	21450	303	55
444598	21450	238	17
444655	24617	270	10
		271	24
444673	21450	1812	N/I
		264	4
		267	39
		268	11
		270	27
444679	24617	242	26
		267	47
444688	19207	231	4
		262	4
		267	46
		268	12
444691	21450	242	23
		254	29
444692	72582	2001	N/I
444697	21450	209	40
445612	21450	69	15
445933	21450	307	35
446212	31007	55	18
446257	21450	212	30
44697	21450	106	2
447811	21450	2001	N/I
45-1760-004-001	81336	102	45
45-2416-075-040	81336	3303	N/I
45-4250-813-020	81336	1208	N/I
45-4250-815-030	81336	308	13
45-8575-045-010	81336	102	44
		75	3
451005	21450	163	15
451011	24617	3307	N/I
451031	21450	218	21
451079	21450	242	12
451081	21450	209	26
451976	21450	249	22
451988	21450	22	5
454087	21450	1411	N/I
454112	21450	1411	N/I
455177	21450	130	4
455184	21450	130	40
455334	21450	274	46
4598J	76260	214	3
470394	57733	3303	N/I
475005	21450	304	6
475127	21450	304	28
476357	72850	297	2
48RUA297	76040	12	12
48RUX2176	76040	305	4
484105	21450	304	36
485301	57733	3303	N/I
487274	57733	295	16
		303	3
488163	21450	304	11
488164	21450	304	32
488558	21450	303	23
		304	24
488559	21450	304	22
488755	21450	304	29
488756	57733	303	15
488788	21450	304	37
488960	21450	304	34
489389	21450	304	30
489406	21450	304	2
489408	21450	304	35
489414	21450	304	17
489426	21450	304	18
489832	78385	304	13
49R285	76040	9	16
49034H	31007	1208	N/I
49418H	31007	69	17
5-70-49	78080	0900	N/I
5MDX1188	80063	305	11
5Y789	24076	222	4
5Y795	24076	216	8
500021	21450	46	11
		55	19
500094	21450	210	5
		259	15
500097	21450	271	12
500130	21450	210	37
		260	21
500135	21450	72	15
500136	21450	216	11
500169	19207	148	14
500177	21450	42	7
500333	21450	91	3
500810	19207	282	2
500821	21450	2001	N/I
50097	21450	222	9
501212	21450	104	30
501236	21450	141	N/I
501461	21450	230	10
501486	21450	278	2
501487	19207	278	2
501514	21450	216	14
501588	21450	0704	N/I
501592	21450	2001	N/I
501924	21450	36	2
502268	21450	224	8
502398	21450	264	26
		267	41
		268	21

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		75	6
502922	21450	15	10
503209	19207	185	4
503267	21450	174	18
503271	21450	124	2
503323	21450	123	1
503356	21450	55	17
503367	21450	238	4
		239	11
503409	21450	239	13
503449	21450	131	8
503609	21450	173	4
504201	21450	239	1
504202	21450	211	18
		239	15
504208	21450	239	2
504209	21450	71	45
504255	21450	85	1
504256	82722	57	2
504257	19207	85	4
		86	15
504312	19207	85	9
504327	21450	85	34
504329	21450	1208	N/I
		85	36
504337	21450	86	18
504356	21450	308	20
504365	24617	57	9
504394	21450	1211	N/I
504463	21450	207	11
50513-1017Y2		129	14
505557	21450	213	11
506208	21450	0613	N/I
506889	21450	0609	N/I
506893	19207	185	5
507506	21450	169	5
510233	12450	1414	N/I
5139123	19207	69	7
		94	2
		95	2
5141287	19207	45	19
5143782	19207	55	22
5143813	19207	54	2
		56	2
		61	26
51505A	02451	209	7
5167466	19207	1204	N/I
		83	2
5167785	19207	98	1
5168861	19207	276	28
5175261	19207	1407	N/I
5175262	19207	1407	N/I
5175415	19207	1204	N/I
5186512	19207	1407	N/I
5186592	19207	276	15
5186593	19207	276	14
5186770	19207	102	16
5188696	97907	1411	N/I
5192948	19207	276	51
51942	70270	224	4
5196397	19207	267	49
		268	8
		271	44

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		48	15
		65	3
		67	15
52016129	19207	198	11
52067316	19207	191	18
5207X1	24617	274	41
5208	21760	267	28
520828	19207	1313	N/I
5212	21335	264	13
5214324	19207	34	12
5214325	76040	34	5
5214326	19207	34	4
5214327	19207	34	3
		34	13
5214479	19207	0900	N/I
5214483	19207	0900	N/I
5214534	19207	110	7
5214539	19207	83	31
5214784	19207	274	62
5214787	19207	274	10
5214807	19207	5	21
5224006	10001	274	56
52258002	19207	191	12
5226033	19207	5	24
52301795	19207	195	9
5262172	19207	1208	N/I
5262210	19207	14	29
		15	3
5277972	19207	2001	N/I
		271	14
5277984	19207	271	58
5277992	19207	259	30
52803V	31007	106	14
5282725	19207	79	5
5282743	19207	80	3
5283021	19207	101	15
5283027	19207	101	13
5283028	19207	101	12
5283976	19207	106	7
52864V	31007	1002	N/I
		1102	N/I
5291580	19207	0900	N/I
5291610	24617	0608	N/I
5291734	19207	0900	N/I
5294507	19207	23	13
5298430	19207	67	12
5298439	19207	69	17
5298441	19207	69	17
5298442	19207	69	17
5298443	19207	69	17
5298445	19207	69	17
5298446	19207	69	17
5298447	19207	69	17
5298448	19207	69	17
5298450	19207	69	17
5298452	19207	69	5
5298455	19207	69	13
5298456	19207	69	13
5298457	19207	1002	N/I
		1102	N/I
5298458	19207	69	13
5298468	19207	1002	N/I
		1102	N/I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
5298689	19207	106	6
5301357	19207	0900	N/I
5301613	19207	60	2
5311G26A7	38443	54	7
532160	19207	9	12
5323473	19207	274	11
		42	13
5323606	19207	274	14
5328463	19207	120	9
5331179	19207	1208	N/I
5340152	19207	253	5
5340153	19207	82	40
		86	16
		92	6
537807	19207	119	4
5381088	19207	18	20
538825	21450	91	4
538826	21450	91	6
538827	21450	91	5
540404	21450	150	3
540406	21450	150	2
540411	21450	150	4
5416501	19207	216	19
5416517	19207	271	57
542973	21450	217	2
543852	21450	303	60
		304	75
545546	19207	278	4
545558	21450	150	6
54556H	31007	1002	N/I
		1102	N/I
546875	21450	105	15
		1412	N/I
546885	21450	257	11
		261	10
546887	21450	237	9
546894	21450	2001	N/I
546895	21450	236	9
		3307	N/I
547201	21450	282	7
548005	21450	166	19
		167	28
548090	21450	36	4
549187	21450	279	19
549615	19207	185	6
550026	79419	264	9
55181	50513	131	3
5701060	19207	0608	N/I
5701380	19207	0608	N/I
5701468	19207	3303	N/I
5701469	19207	302	1
5701840	19207	3305	N/I
5701841	19207	3305	N/I
5701842	19207	3305	N/I
5701843	19207	3305	N/I
5701844	19207	3305	N/I
5701845	19207	3305	N/I
5702006	19207	3303	N/I
5702401	19207	0607	N/I
5702506	19207	0611	N/I
5702528	19207	1410	N/I
5702826	19207	30	1

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
5703065	19207	40	1
5703074	19207	1810	N/I
570348	21450	9	14
5703525	19207	3305	N/I
5703526	19207	1	1
5703527	19207	41	1
5703530	19207	3303	N/I
5703535	19207	3303	N/I
5703702	19207	3305	N/I
5703706	19207	3303	N/I
5703713	19207	2001	N/I
5703995	19207	0701	N/I
5704031	19207	0311	N/I
5704120	19207	1	1
5704350	19207	1	1
570809	21450	308	18
570863	19207	85	19
571917	19207	3303	N/I
572929	19207	179	2
572930	21450	0608	N/I
		3303	N/I
573036	21450	2001	N/I
		57	6
		83	24
		85	29
573042	19207	1208	N/I
		38	11
573044	19207	308	10
573435	21450	23	4
573443	21450	3307	N/I
58182R1	31007	82	60
582947	21450	149	4
583244	21450	279	12
583552	21450	219	7
583576	21450	219	10
583594	21450	149	35
583708	21450	36	12
586452	21450	61	2
587305	21450	212	33
		213	8
		218	9
587499	21450	131	23
		149	23
587555	21450	76	24
588909	21450	174	1
589873	21450	216	26
589875	21450	209	32
589931	21450	259	12
589939	21450	211	16
		218	14
589949	19207	231	3
589965	21450	217	12
59QEA26P1	76040	104	35
59QEA26P2	76040	104	28
59QEA26P3	76040	104	36
59RUX348	76040	307	5
590185	21450	45	18
590206	21450	174	10
590219	21450	162	19
5910277	19207	1002	N/I
		1102	N/I
5910279	19207	1002	N/I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		1102	N / I
591384	21450	2001	N / I
592V1	50513	136	4
592790	21450	165	4
5939734	24617	27	3
594001	21450	137	24
594269	21450	282	4
594270	21450	130	35
594467	19207	3303	N / I
595483	21450	173	12
596449	04636	254	15
596453	21450	18	28
596550	21450	11	15
596800	21450	304	60
6-5-168X	78080	0900	N / I
6-5-58X	78080	0900	N / I
6MDX244	70434	305	9
6X216	76260	0900	N / I
6Y1127SA	24076	224	6
6Y1353SA	24706	224	1
6Y2057	24076	222	6
6Y6802	24076	224	5
6Z1667-42	80063	0608	N / I
6Z1667-4413	80063	0608	N / I
6Z1667-46	80063	0608	N / I
6Z1667-47	80063	0608	N / I
60N261700	80244	89	6
60S88	80244	89	5
605818	24617	267	19
6100F	53477	96	3
61086	12204	304	16
61404-2	65177	3303	N / I
6143903	19207	276	13
6156756	19207	276	29
6156763	19207	276	45
6156769	19207	276	26
6184126	19207	34	2
6210670	19207	267	36
		271	4
6210696	19207	267	34
		268	22
		271	5
6210708	19207	271	13
6222H	31007	2004	N / I
6244891	19207	124	4
6260226	19207	69	6
6262467	19207	274	16
6283377	19207	82	51
63AX1098	76040	307	7
63AX1214	76040	3305	N / I
63AX1221	76040	0306	N / I
63AX1740	19207	104	29
63AX376	76040	3305	N / I
63AX558	76040	3305	N / I
63AX72	76040	307	21
64F	30327	308	19
64459	12204	304	15
649AH10-26-1	31007	309	14
66032	82278	279	3
66036	82278	2201	N / I
66048	82278	279	1
67134	82278	279	20
6764618	24617	2004	N / I
6799648	19207	2001	N / I
7Y2033	24076	222	8
70-1024-6	78880	293	3
700GC19	76040	0306	N / I
7000259	19207	48	4
700079	21450	237	14
700081	21450	267	35
		268	6
700084	19207	56	9
700158	21450	304	33
7001650	19207	102	36
7001668	19207	70	12
7001893	19207	11	8
700220	78385	304	19
7002402	19207	60	10
		63	8
700245	78385	304	20
7002826	19207	207	5
700290	21450	216	5
7003615	19207	226	1
700428	21450	61	15
7005417	19207	137	2
7005602	19207	279	13
7005603	19207	279	13
7005638	19207	279	17
7005798	19207	279	17
700658	21450	2001	N / I
7007081	19207	136	39
7007089	19207	126	13
7007127	19207	124	12
		125	15
70081	21450	222	10
7010267	19207	310	5
7010362	19207	310	3
7010363	19207	310	4
701194	78385	3303	N / I
701365	21450	248	6
7014964	19207	1208	N / I
		90	10
7014965	19207	90	5
7016441	19207	295	9
701646	78385	303	26
701649	21450	303	4
701651	21450	303	14
701662	57733	303	24
701668	21450	303	19
701673	21450	303	22
701682	21450	303	5
7017002	19207	125	14
701702	21450	303	25
701704	21450	303	21
701714	21450	303	11
701716	78385	303	6
7017190	19207	209	6
701761	78385	303	9
7018085	19207	173	11
7024227	19207	293	2
70322R1	31007	44	4
		43	4
7034614	19207	100	8
7034635	19207	100	8
7035446	19207	166	1
		167	17

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		168	10
7037054	19207	2210	N / I
7037055	19207	293	7
7037056	19207	2210	N / I
7042827	19207	0900	N / I
7044248	19207	109	19
7044253	19207	112	9
7044643	19207	149	12
7045152	19207	122	11
7045796	19207	162	20
7045797	19207	164	11
7046585	19207	102	40
7046586	'19207	102	34
7046592	19207	102	52
7046593	19207	102	64
7046594	19207	105	4
7046595	19207	105	14
7046597	19207	105	21
7047097	19207	174	13
7047098	19207	174	28
7047101	19207	163	3
7048624	19207	3303	N / I
7048625	19207	6	15
7049603	19207	112	8
7050032	19207	82	42
705007	21450	2001	N / I
705022	19207	276	31
705155	12742	126	11
705475	21450	243	5
705550	21450	70	10
7056633	19207	3307	N / I
7056639	19207	36	9
7056677	19207	3303	N / I
7056678	19207	3303	N / I
		3307	N / I
7057810	19207	2001	N / I
7058176	19207	82	50
7058195	19207	82	72
7058197	19207	82	71
7058752	19207	76	15
7058965	19207	282	3
7059240	19207	180	4
7059459	19207	39	11
7059461	19207	18	33
7059462	19207	2210	N / I
7059574	19207	0401	N / I
7061093	19207	151	21
7061094	19207	151	22
7061102	19207	136	27
7061110	19207	35	3
7061160	19207	274	3
7061194	19207	274	5
7061210	19207	274	54
7061211	19207	274	55
7061265	19207	274	33
7061266	19207	274	69
7061268	19207	274	60
7061269	19207	274	6
7061270	19207	274	4
7061273	19207	274	27
7061274	19207	274	58
7061276	19207	274	53
7061277	19207	274	57
7061278	19207	274	20
7061281	19207	274	50
7061282	19207	141	9
7061283	19207	140	11
7061286	19207	140	10
7061289	19207	140	8
7061290	19207	141	14
7061295	19207	141	4
7062209	19207	102	62
7064165	19207	149	41
		156	3
7064246	19207	156	14
706430	21450	70	9
7064466	19207	78	27
7064467	19207	1201	N / I
		78	16
7064468	19207	78	26
7064469	19207	78	5
7064470	19207	78	18
7064597	19207	256	10
7065891	19207	309	15
7065892	19207	309	16
7066000	19207	293	3
7066001	19207	293	3
7066002	19207	293	3
7066003	19207	293	3
7066004	19207	293	3
7066007	19207	293	3
7066011	19207	82	44
7066437	19207	216	16
706691	12742	126	10
7067974	19207	120	10
7068179	19207	120	14
7068180	19207	120	33
7068244	19207	120	37
7068245	19207	120	32
7068505	19207	120	4
706935	21450	239	9
7071097	19207	71	37
7071436	19207	1801	N / I
7076220	19207	2604	N / I
7076229	19207	310	19
707625	21450	43	1
		44	1
7076968	19207	310	15
707728	19207	212	15
7078072	19207	310	18
7079783	19207	310	22
708242	21450	43	15
		44	15
7084725	19207	174	17
7084791	19207	168	1
7084828	19207	166	12
		167	19
7084837	19207	166	18
		167	27
7084840	19207	167	13
7084850	19207	167	14
7084857	19207	167	1
7084860	19207	167	12
7084861	19207	166	10
		167	20
7084863	19207	168	5

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7084866	19207	168	8
7084868	19207	167	6
7084892	19207	169	9
7084893	19207	169	6
7084894	19207	169	15
7084895	19207	169	1
7084923	19207	163	11
7084925	19207	163	8
7084949	19207	163	10
7084969	19207	170	4
7084988	19207	171	2
7084996	19207	169	8
7084997	19207	169	14
7085352	19207	2201	N / I
7088745	19207	18	37
7089514	19207	120	24
7089558	19207	101	14
7089590	19207	101	2
7089500	19207	101	6
7092279	19207	207	19
		32	1
7092284	19207	207	10
		32	1
7092530	19207	102	66
7092531	19207	108	2
7092532	19207	108	22
7092540	19207	102	6
7092550	19207	102	56
7092551	19207	102	57
7092559	19207	102	61
7096787	19207	2001	N / I
7099506	19207	210	26
71RUX11961	72619	3305	N / I
712148	21450	69	22
712179	21450	249	18
		56	24
712210	21450	54	21
712286	21450	126	6
712293	21450	45	2
713537	21450	69	19
7138979	19207	2004	N / I
7142305	19207	3303	N / I
714246	19207	231	5
7191233	19207	8	1
72RUX11205	76040	307	13
7205003	19207	1211	N / I
7205944	19207	271	37
7225614	19207	174	3
7253784	19207	278	1
73RUAX21403	19207	305	1
73RUX21397	76040	307	11
7308M	29337	275	11
7320561	19207	4701	N / I
7320642	19207	22	8
7320658	19207	25	4
		26	3
		27	9
7320711	19207	23	7
7322720	19207	279	8
7322721	19207	279	8
7324355	19207	303	8
7326126	19207	65	9

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7331003	19207	115	5
		117	4
		118	7
		149	8
		1802	N / I
7336048	11862	1812	N / I
7336051	19207	1812	N / I
7336054	19207	164	9
7336055	19207	164	8
7336056	19207	207	18
7336057	19207	180	8
7337351	19207	1411	N / I
7337759	19207	46	5
7339955	19207	86	13
7339985	19207	83	50
7341234	19207	83	52
7346093	19207	69	1
7346730	19207	48	8
7346731	19207	48	10
7346732	19207	48	20
7346734	19207	48	14
7346735	19207	48	13
7346737	19207	47	14
		48	19
7346738	19207	45	1
7346740	19207	45	17
7346741	19207	45	15
7346742	19207	5	23
7346744	19207	45	9
7346746	19207	45	7
7346747	19207	45	4
7346748	19207	45	14
7346749	19207	43	7
		44	7
7346750	19207	43	14
		44	14
7346751	19207	52	13
7346752	19207	52	13
7346753	19207	52	13
7346755	19207	54	12
7346756	19207	53	26
		55	5
7346758	19207	53	18
7346759	19207	52	12
7346760	19207	52	3
7346761	19207	53	12
7346764	19207	56	27
7346765	19207	54	25
7346766	19207	54	22
7346767	19207	54	27
7346768	19207	56	20
7346769	19207	56	28
7346771	19207	56	26
7346772	19207	54	23
7346774	19207	53	15
7346775	19207	0802	N / I
7346776	19207	43	8
		44	8
7346777	19207	43	6
7346778	19207	43	5
7346779	19207	43	12
		44	12

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7346780	19207	45	11
7346781	19207	45	8
7346784	19207	45	6
7346786	19207	43	2
		44	2
7346787	19207	45	12
7346802	19207	54	4
		56	4
		69	28
		78	7
7346803	19207	55	2
7346805	19207	64	1
7346806	19207	1002	N / I
		1102	N / I
7346807	19207	1002	N / I
		1102	N / I
7346810	19207	65	4
		75	2
7346811	19207	71	17
7346812	19207	71	25
7346813	19207	71	27
7346814	19207	66	2
7346815	19207	71	16
7346816	19207	71	16
7346817	19207	67	10
7346818	19207	68	1
7346819	19207	67	12
7346820	19207	67	3
7346822	19207	68	13
7346823	19207	68	9
7346824	19207	68	7
7346825	19207	70	6
7346876	19207	70	8
7346877	19207	70	13
7346878	19207	70	7
7346879	19207	70	7
7346880	19207	70	7
7346881	19207	1102	N / I
7346882	19207	70	4
7346883	19207	70	2
7346885	19207	126	14
		69	6
		94	1
7346886	19207	69	11
7346887	19207	69	12
7346888	19207	69	13
7346889	19207	69	13
7346890	19207	69	13
7346892	19207	69	20
7346894	19207	69	23
7346895	19207	69	25
7346896	19207	69	24
7346897	19207	69	4
7346898	19207	67	14
7346899	19207	67	13
7346900	19207	71	21
7346922	19207	1802	N / I
7346951	19207	72	16
7346952	19207	124	10
		125	11
7346953	19207	73	5
7346954	19207	73	7
7346956	19207	124	9
		125	2
		73	4
7346957	19207	124	7
		125	10
7346958	19207	128	11
7346959	19207	1002	N / I
		1102	N / I
7346970	19207	66	1
7346971	19207	71	33
7346972	19207	71	34
7346974	19207	71	44
7346975	19207	71	43
7346976	19207	71	36
7346977	19207	71	22
7346978	19207	71	22
7346979	19207	71	28
7346980	19207	71	29
7346982	19207	71	10
7346983	19207	71	14
7346984	19207	72	1
7346985	19207	72	1
7346986	19207	0900	N / I
		71	15
		72	14
7346987	19207	72	11
7346988	19207	72	12
7346989	19207	72	9
7346990	19207	72	8
7346991	19207	71	1
7346992	19207	71	2
7346993	19207	71	7
		74	4
7346997		73	1
7346999	19207	124	1
7347518	19207	48	5
7347520	19207	43	3
7347548	19207	67	16
7347577	19207	0608	N / I
7347587	19207	45	13
7347588	19207	45	5
7347590	19207	47	16
7347591	19207	42	5
7347592	19207	42	3
7347593	19207	42	11
7347594	19207	47	7
7347595	19207	45	21
		54	6
		56	6
7347596	19207	45	20
		54	5
		56	5
		61	25
		69	2
7347598	19207	48	7
7347599	19207	48	11
7347657	19207	52	7
7347712	19207	43	16
		44	16
7347713	19207	42	10
7347714	19207	43	10
		44	10

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7347715	19207	48	9
7347819	19207	2001	N / I
		253	12
7347820	19207	2001	N / I
		253	12
7348742	19207	5	20
7348743	19207	5	11
7348744	19207	5	5
7348745	19207	2004	N / I
7348746	19207	5	8
7348748	19207	5	17
7348769	19207	46	2
7348826	19207	11	10
		12	9
7348827	19207	0401	N / I
		11	19
		12	11
7348828	19207	11	3
7348829	19207	11	20
7348833	19207	11	18
7348834	19207	11	14
7348837	19207	11	16
7348838	19207	11	9
7348839	19207	11	9
7348841	19207	59	2
7348843	19207	0900	N / I
		59	6
7348847	19207	59	7
7348848	19207	59	5
7348887			
7348876	19207	0900	N / I
7348877	19207	101	1
7348878	19207	60	4
		63	3
7348880	19207	60	6
		63	5
7348881	19207	60	9
		63	7
7348882	19207	60	8
		63	6
7348884	19207	61	32
		62	3
7348885	19207	0900	N / I
7348886	19207	62	8
7348887	19207	0900	N / I
7348890	19207	62	11
7348891	19207	62	10
7348892	19207	62	1
7348894	19207	99	9
7348897	19207	1401	N / I
7348898	19207	100	1
7348899	19207	100	1
7349606	19207	276	54
7349680	19207	276	56
7349777	19207	253	9
735001	19207	252	2
7350577	19207	22	3
7350581	19207	22	13
7350582	19207	22	12
7350593	19207	0609	N / I
7350939	19207	1411	N / I
7350971	19207	1411	N / I
7351016	19207	18	24
7351017	19207	102	33
7351018	19207	102	7
7351020	19207	102	37
7351021	19207	105	2
7351026	19207	102	25
7351029	19207	102	54
7351030	19207	102	27
7351032	19207	102	24
7351035	19207	102	5
7351037	19207	102	14
7351038	19207	102	21
7351039	19207	108	3
7351197	19207	38	4
7351271	19207	34	1
7351272	19207	0611	N / I
		102	13
7351273	19207	34	11
7351275	19207	38	2
7351315	19207	8	8
7351359	19207	108	20
7351360	19207	105	8
7351362	19207	105	13
7351363	77640	105	1
7351364	19207	105	17
7351365	19207	105	16
7351366	19207	105	3
7351367	19207	105	12
		1412	N / I
7351406	19207	274	71
7351618	19207	3303	N / I
7353762	19207	93	1
7353765	19207	93	1
7354001	19207	308	5
7354014	19207	297	1
		301	4
7354276	19207	1810	N / I
7355562	19207	0607	N / I
7355592	19207	0607	N / I
7355713	19207	3303	N / I
7355715	19207	3303	N / I
7355719	19207	302	2
735589	21450	207	9
7355938	19207	0613	N / I
7358501	19207	0608	N / I
7358619	19207	19	20
7358622	19207	19	7
736005	21450	38	21
736008	21450	38	19
7363002	19207	18	35
7363011	19207	275	29
7363012	19207	275	24
		276	37
7367167	19207	47	15
7368415	19207	92	10
7368416	19207	2004	N / I
		233	17
7368502	19207	102	26
		102	65
7368516	19207	2210	N / I
7368523	19207	2210	N / I
7368681	19207	78	31

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7368682	19207	78	14
7368683	19207	78	19
7369959	19207	100	10
7369960	19207	99	10
7369961	19207	101	8
7369963	19207	101	10
7369964	19207	101	10
7369965	19207	101	5
7369966	19207	101	7
7369968	19207	105	7
7369969	19207	102	60
7369970	19207	102	55
7370149	19207	151	19
7370250	19207	139	1
7370252	19207	139	4
7370254	19207	139	3
7370384	19207	151	13
7371886	19207	137	13
7372701	19207	282	15
7372703	19207	283	11
7372705	19207	283	7
		284	6
7372711	19207	279	15
7372712	19207	279	15
7372716	19207	279	5
7372718	19207	279	9
7372719	19207	279	9
7372722	19207	279	7
7372730	19207	802	N / I
7372737	19207	135	48
7372739	19207	136	18
7372766	19207	36	21
7372767	19207	131	19
7372770	19207	129	18
7372775	19207	149	32
		149	46
7372776	24076	0609	N / I
7372788	19207	151	8
7372790	19207	151	23
7372792	19207	161	4
7372793	19207	161	3
7373115	19207	274	49
7373206	19207	160	3
7373207	19207	160	1
		161	5
7373211	19207	36	20
7373216	19207	34	6
7373224	19207	277	40
		5	33
7373229	19207	277	38
		5	30
7373234	19207	277	36
		5	29
7373236	19207	36	24
7373246	19207	303	78
		3303	N / I
		38	12
7373252	19207	83	41
7373253	19207	83	14
7373265	19207	10	18
7373275	19207	130	26
7373276	19207	130	36
7373277	19207	130	36
7373283	19207	130	9
7373284	19207	130	10
7373285	19207	130	10
7373286	19207	1801	N / I
7373287	19207	130	20
7373288	19207	130	15
7373289	19207	130	38
7373290	19207	130	38
7373291	19207	130	19
7373292	19207	130	37
7373293	19207	130	1
7373294	19207	130	1
7373295	19207	130	24
7373296	19207	130	22
7373297	19207	130	22
7373298	19207	1801	N / I
7373299	19207	125	5
		130	3
7373300	19207	130	25
7373301	19207	130	28
7373302	19207	132	4
7373306	19207	140	4
7373307	19207	141	1
7373308	19207	140	5
7273309	19207	140	6
7373310	19207	1806	N / I
7373311	19207	141	15
7373312	19207	141	12
7373313	19207	1806	N / I
7373314	19207	141	6
7373321	19207	131	1
7373322	19207	131	1
7373324	19207	137	17
7373325	19207	137	3
7373326	19207	137	25
7373327	19207	125	6
		137	16
7373331	19207	137	14
7373335	19207	131	4
7373336	19207	137	21
7373337	19207	137	22
7373338	19207	131	2
7373339	19207	0607	N / I
7373340	19207	18	17
7373347	19207	5	31
7374809	19207	137	15
		137	27
7374945	19207	0606	N / I
7375024	19207	22	10
7375221	19207	299	4
7375240	19207	51	5
7375245	19207	53	2
7375246	78500	53	3
7375247	19207	0802	N / I
7375248	19207	42	16
7375251	19207	54	19
7375252	19207	54	10
7375253	19207	54	8
7375254	19207	54	15

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7375257	19207	56	15
7375258	19207	56	17
7375259	19207	78	8
7375260	19207	56	10
7375261	19207	0900	N / I
		63	8
7375282	19207	55	3
7375284	19207	54	26
7375285	19207	275	4
		54	17
7375286	19207	56	14
7375287	19207	56	25
7375288	19207	56	8
7375289	19207	55	1
7375290	19207	56	13
7375291	19207	275	2
		276	47
		52	1
7375292	78500	53	17
7375293	78500	53	23
7375294	78500	53	14
7375297	19207	52	10
7375656	19207	15	1
7375657	19207	14	7
		15	7
7375658	19207	14	26
		15	21
7375699	19207	23	9
7375815	19207	3303	N / I
7376092	19207	47	2
376093	19207	47	8
7376094	19207	48	6
7376095	19207	47	19
7376096	19207	0704	N / I
7376097	19207	56	23
7376141	19207	3	3
7376142	19207	3	6
7376147	19207	0306	N / I
		307	14
		3305	N / I
7376150	19207	59	8
		60	5
		61	30
		62	6
		63	4
7376151	19207	61	29
		62	5
7376155	19207	5	10
7376156	19207	5	13
7376157	19207	3	5
7376158	19207	3	2
7376159	19207	3	4
7376161	19207	42	4
7376162	19207	47	17
7376164	19207	45	16
7376165	19207	47	11
7376172	19207	48	17
7376173	19207	47	3
7376174	19207	48	16
7376177	19207	51	1
7376178	19207	51	10

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7376183	19207	15	13
7376200	19207	15	16
7376203	19207	110	11
7376240	19207	109	15
7376263	19207	240	11
7376334	19207	109	3
7376343	19207	11	17
7376366	19207	16	3
7376455	19207	82	2
7376456	19207	82	7
7376458	19207	82	79
7376459	19207	82	17
7376471	19207	54	20
7376534	19207	274	21
7376546	19207	274	7
7376484	19207	46	1
7376620	19207	0609	N / I
		135	37
7376621	19207	0609	N / I
		136	24
7376622	19207	56	7
7376680	19207	82	15
7376681	19207	82	70
7376682	19207	82	11
7376683	19207	82	18
7376684	19207	1204	N / I
7376687	19207	82	35
7376688	19207	82	56
7376689	19207	82	1
7376690	19207	82	30
7376691	19207	82	64
7376692	19207	82	65
7376694	19207	82	10
7376695	19207	82	31
7376696	19207	82	29
7376698	19207	82	63
7376699	19207	82	67
7376720	19207	82	34
7376721	19207	82	78
7376722	19207	82	76
7376723	19207	82	14
7376724	19207	1204	N / I
7376725	19207	82	59
7376726	19207	82	66
7376727	19207	82	33
7376728	19207	82	26
7376729	19207	82	20
7376730	19207	82	24
		82	28
7376731	19207	82	55
7376732	19207	82	75
7376733	19207	82	52
7376734	19207	82	3
7376735	19207	82	58
		82	19
7376736	19207	82	37
7376737	19207	82	68
7376738	19207	82	25
7376740	19207	82	4
7376741	19207	82	61
7376742	19207	82	8

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7376743	19207	82	13
7376744	19207	82	48
7376745	19207	82	57
7376746	19207	82	62
7376748	19207	82	12
7376750	19207	82	77
7376751	19207	82	80
7376752	19207	82	27
7376753	19207	82	32
7376757	19207	82	9
7377792	19207	253	16
7378201	19207	36	3
7384219	19207	3303	N / I
7384388	19207	19	7
7384389	19207	19	15
7384392	19207	19	10
7385905	19207	31	6
738772	21450	216	31
7389493	19207	93	2
7389745	19207	303	86
7390046	19207	3303	N / I
7390367	19207	299	20
7390375	19207	299	24
7390869	19207	3303	N / I
7392022	19207	3303	N / I
7392224	19207	179	5
7392938	19207	278	3
		281	1
7397542	19207	2004	N / I
		277	39
		5	32
7397723	19207	131	12
7397729	19207	131	5
7397744	19207	38	5
7397754	19207	36	25
7397758	19207	28	12
		29	7
7397760	19207	135	31
		136	32
7397775	19207	38	1
		39	2
7397785	19207	38	16
7397794	19207	16	4
7397798	19207	10	24
7397848	19207	18	9
7397850	19207	18	16
7397851	19207	18	14
7397852	19207	130	6
7397853	19207	131	22
7397859	19207	140	1
7397931	19207	129	12
7397999	19207	149	14
7399088	19207	3303	N / I
7401014	19207	3303	N / I
7401017	19207	3303	N / I
7401666	19207	299	12
		303	28
7401999	19207	3303	N / I
7406974	19207	223	1
7408773	19207	301	6
		303	69
7409002	19207	158	6
		1810	N / I
7409008	19207	158	23
7409009	19207	158	7
7409010	19207	158	18
7409011	19207	158	20
7409012	19207	158	15
7409013	19207	158	2
		1810	N / I
7409017	19207	1801	N / I
7409019	19207	255	14
7409020	19207	228	13
7409023	19207	157	1
7409024	19207	157	2
		2001	N / I
7409025	19207	235	6
7409026	19207	235	8
7409027	19207	235	9
7409029	19207	154	17
7409030	19207	154	18
7409037	19207	228	5
7409038	19207	228	7
7409040	19207	228	8
7409041	19207	228	9
7409042	19207	228	12
7409045	19207	154	8
	19207	1810	N / I
	19207	235	5
7409050	19207	227	14
7409051	19207	227	17
7409054	19207	227	7
7409058	19207	227	2
7409073	19207	230	3
7409075	19207	229	1
7409077	19207	229	5
7409079	19207	227	22
7409080	19207	227	3
		230	6
		235	7
7409081	19207	230	17
7409082	19207	231	19
7409083	19207	230	1
7490984	19207	230	8
7490986	19207	230	5
7409087	19207	230	12
7409088	19207	230	15
7409089	19207	230	14
7409090	19207	266	1
7409091	19207	266	4
7409092	19207	266	5
7409093	19207	266	8
7409094	19207	266	14
7409095	19207	266	21
7409096	19207	266	7
7409097	19207	266	19
7409098	19207	266	20
7409099	19207	266	2
7409100	19207	266	10
7409101	19207	266	11
7409144	19207	7	6
7409150	19207	208	19
		209	20
		213	17

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		215	17
7409157	19207	210	13
7409162	19207	230	9
7409170	19207	86	9
7409171	19207	18	27
7409194	19207	102	41
7409197	19207	2001	N/I
7409199	19207	240	3
		242	42
7409205	19207	2001	N/I
7409212	19207	158	12
7409213	19207	156	1
		1810	N/I
7409215	19207	149	1
7409217	19207	149	38
7409231	19207	229	4
7409235	19207	230	20
7409237	19207	230	18
7409243	19207	2001	N/I
7409245	19207	2001	N/I
7409248	19207	266	9
7409266	19207	10	16
7409267	19207	9	9
7409271	19207	10	1
7409273	19207	10	5
7409278	19207	1407	N/I
7409280	19207	103	19
7409281	19207	107	10
7409283	19207	1411	N/I
7409285	19207	1411	N/I
7409286	19207	104	8
		1411	N/I
7409288	19207	1411	N/I
7409290	19207	106	1
7409291	19207	103	7
7409295	19207	103	8
7409299	19207	228	10
7409300	19207	7	15
7409303	19207	7	3
7409304	19207	7	1
7409305	19207	7	2
7409306	19207	7	5
7409307	19207	7	18
7409309	19207	7	17
7409312	19207	126	2
7409313	19207	81	1
7409323	19207	79	6
7409327	19207	83	13
7409329	19207	1204	N/I
7409331	19207	83	45
7409332	19207	83	28
7409335	19207	123	9
		124	3
		125	1
7409337	19207	109	25
		123	2
7409338		123	15
7409339	19207	123	15
7409340	19207	123	18
7409341	19207	123	18
7409342	19207	123	16
7409343	19207	123	11
7409344	19207	123	12
7409345	19207	123	15
7409347	19207	124	4
7409348	19207	2001	N/I
7409349	19207	95	21
		94	17
7409361	19207	76	14
7409363	19207	78	2
7409364	19207	1201	N/I
7409365	19207	77	15
7409366	19207	77	11
7409367	19207	78	1
7409369	19207	77	12
7409370	19207	78	25
7409371	19207	78	6
7409372	19207	77	9
7409375	19207	1202	N/I
7409376	19207	79	3
7409380	19207	79	8
7409381	19207	79	27
7409382	19207	79	4
7409385	19207	79	10
7409387	19207	210	25
7409389	19207	94	16
		95	20
7409390	19207	94	14
7409391	19207	126	16
7409394	19207	94	10
		95	9
7409395	19207	94	11
		95	12
7409402	19207	8	7
		8	7
7409408	19207	274	31
		277	32
7409410	19207	293	4
7409419	19207	8	12
7409420	19207	8	1
7409422	19207	33	2
		8	6
7409423	19207	283	1
7409424	19207	277	8
7409434	19207	277	12
7409436	19207	277	27
7409442	19207	84	20
7409443	19207	84	7
7409445	19207	90	5
7409446	19207	85	27
7409447	19207	5	38
		78	24
		84	19
7409448	19207	5	2
		84	3
7409449	19207	84	16
7409450	19207	1204	N/I
7409451	19207	83	7
7409452	19207	73	6
7409455	19207	85	22
7409457	19207	85	23
7409459	19207	85	12
7409460	19207	86	5
		86	27
7409462	19207	86	20
7409464	19207	85	32

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7409465	19207	86	21
7409468	19207	85	28
7409471	19207	86	8
7409474	19207	83	32
7409475	19207	83	26
7409476	19207	83	40
7409477	19207	83	54
7409478	19207	83	21
7409479	19207	83	37
7409480	19207	83	37
7409481	19207	83	12
7409482	19207	83	56
7409483	19207	83	53
7409484	19207	83	55
7409485	19207	83	42
7409486	19207	1208	N / I
7409487	19207	85	3
7409488	19207	85	35
7409491	19207	85	38
7409493	19207	85	37
7409495	19207	85	16
7409496	19207	85	17
7409497	19207	86	22
7409502	19207	86	14
7409506	19207	109	2
7409508	19207	109	16
7409512	19207	254	34
7409514	19207	110	5
		111	3
7409515	19207	1501	N / I
		244	10
7409516	19207	109	28
7409518	19207	1501	N / I
7409519	19207	109	8
7409520	19207	109	13
7409522	19207	110	2
		111	5
7409524	19207	110	10
7409526	19207	1501	N / I
7409529	19207	1501	N / I
7409533	19207	115	14
		117	23
		118	8
		1810	N / I
7409534	19207	117	1
		118	4
		149	11
7409534-1	19207	115	6
7409535	19207	117	18
		118	13
		1802	N / I
7409536	19207	117	11
		118	12
7409537	19207	115	4
		118	6
		1810	N / I
7409538	19207	227	30
		277	45
7409539	19207	58	15
7409540	19207	277	31
7409542	19207	277	23
		277	11
		58	4
7409543	19207	277	46
		58	17
7409544	19207	58	2
7409547	19207	277	17
		58	14
7409548	19207	2004	N / I
7409550	19207	126	5
7409551	19207	71	9
7409561	19207	134	9
7409562	19207	134	6
7409564	19207	135	21
		136	41
7409565	19207	210	22
		259	26
7409568	19207	131	17
7409574	19207	214	6
7409579	19207	214	7
7409580	19207	214	10
		274	42
7409581	19207	214	4
7409585	19207	274	38
7409586	19207	274	68
7409587	19207	274	51
7409588	19207	274	1
7409589	19207	274	1
7409590	19207	274	17
7409591	19207	209	37
7409592	19207	274	26
7409593	19207	274	36
7409594	19207	274	47
7409596	19207	279	4
7409597	19207	279	4
7409600	19207	126	15
7409601	19207	124	11
7409602	19207	124	11
7409603	19207	126	12
7409604	19207	125	7
7409606	19207	126	3
7409608	19207	126	7
7409609	19207	211	13
7409613	19207	124	11
7409615	19207	126	1
7409617	19207	127	1
7409618	19207	127	4
7409628	19207	252	3
7409629	19207	249	10
7409630	19207	248	3
7409631	19207	249	14
7409632	19207	248	14
7409634	19207	254	4
7409635	19207	248	20
7409641	19207	237	15
7409643	19207	243	23
7409645	19207	244	4
7409646	19207	244	18
7409649	19207	2001	N / I
7409651	19207	242	29
7409652	19207	236	5
7409653	19207	237	7

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7409655	19207	251	1
7409656	19207	240	5
7409657	19207	239	19
7409658	19207	239	8
7409662	19207	1211	N / I
7409663	19207	216	23
7409665	19207	219	12
7409666	19207	216	9
		217	14
7409667	19207	216	44
7409668	19207	219	1
7409669	19207	216	8
7409671	19207	217	7
7409672	19207	216	43
7409673	19207	216	28
7409677	19207	209	33
7409679	19207	278	3
		281	1
7409680	19207	211	15
7409681	19207	278	2
7409683	19207	246	15
7409684	19207	2001	N / I
7409685	19207	209	39
7409686	19207	279	10
7409687	19207	279	10
7409689	19207	244	16
7409691	19207	209	2
7409694	19207	211	6
		211	5
7409695	19207	211	11
7409696	19207	209	36
7409697	19207	2001	N / I
		209	41
7409701	19207	309	11
7409707	19207	293	8
7409708	19207	2210	N / I
7409709	19207	293	4
7409711	19207	293	1
7409712	19207	293	1
7409713	19207	293	1
7409714	19207	293	1
7409715	19207	293	1
7409716	19207	293	1
7409717	19207	293	6
7409718	19207	2210	N / I
7409719	19207	293	8
7409721	19207	2210	N / I
7409724	19207	240	9
7409725	19207	211	4
7409727	19207	209	3
7409728	19207	211	9
7409729	19207	211	2
		256	11
7409730	19207	210	41
7409731	19207	209	9
7409732	19207	254	1
7409733	19207	250	14
7409737	19207	237	16
7409738	19207	236	18
7409740	19207	254	5
7409741	19207	236	1
7409743	19207	247	16

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7409745	19207	243	18
		243	18
7409746	19207	242	25
7409747	19207	240	4
		242	43
7409748	19207	243	24
		243	24
		243	25
7409749	19207	243	10
7409750	19207	238	9
7409752	19207	236	11
7409759	19207	0609	N / I
		252	3
7409760	19207	236	16
7409761	19207	246	13
7409762	19207	246	9
7409763	19207	247	12
7409764	19207	247	9
7409766	19207	242	6
7409767	19207	254	6
7409777	19207	242	36
7409778	19207	242	5
7409779	19207	254	35
7409780	19207	242	11
7409781	19207	242	35
7409782	19207	243	26
7409785	19207	239	20
7409786	19207	240	10
		249	17
7409787	19207	239	21
7409790	19207	242	8
7409781	19207	250	9
7409792	19207	254	24
7409793	19207	250	26
7409794	19207	249	4
7409795	19207	249	20
7409796	19207	248	11
7409797	19207	248	18
7409798	19207	242	15
7409799	19207	242	30
7409800	19207	209	35
		210	12
		260	7
7409803	19207	209	23
		210	38
7409804	19207	211	7
7409805	19207	211	1
7409807	19207	211	10
		255	27
		258	3
7409809	19207	210	3
7409810	19207	210	16
7409811	19207	210	11
7409812	19207	209	12
7409813	19207	2001	N / I
7409814	19207	209	38
7409816	19207	210	30
		259	27
7409817	19207	210	18
		259	25
7409818	19207	209	43
7409821	19207	210	34

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		260	6
7409822	19207	210	4
		259	14
7409823	19207	210	33
		260	10
7409825	19207	244	6
7409826	19207	244	17
7409828	19207	244	15
7409829	19207	243	28
7409837	19207	243	17
7409838	19207	2001	N/I
7409839	19207	236	12
7409840	19207	237	20
7409841	19207	240	13
7409843	19207	242	17
7409844	19207	242	31
7409845	19207	242	18
7409847	19207	2001	N/I
7409849	19207	242	9
7409850	19207	242	10
7409851	19207	236	10
7409853	19207	236	19
7409855	19207	236	26
7409857	19207	254	28
7409858	19207	254	25
7409859	19207	254	36
7409860	19207	244	2
7409861	19207	244	14
7409864	19207	250	18
7409865	19207	246	6
7409867	19207	246	8
7409868	19207	2210	N/I
7409869	19207	2210	N/I
7409870	19207	1208	N/I
7409871	19207	242	1
7409873	19207	1211	N/I
7409878	19207	120	13
7409881	19207	120	11
7409882	19207	218	30
7409883	19207	121	2
7409884	19207	121	1
7409887	19207	218	4
7409891	19207	218	31
7409892	19207	218	17
7409893	19207	218	1
7409894	19207	2001	N/I
		208	20
		213	18
7409896	19207	218	18
7409897	19207	218	20
7409898	19207	218	15
7409899	19207	218	32
7409901	19207	120	12
7409902	19207	120	19
7409904	19207	222	5
7409910	19207	273	5
7409911	19207	222	15
7409912	19207	273	4
7409923	19207	252	1
7409925	19207	216	15
7409928	19207	220	5
		221	6
7409929	19207	212	17
		219	16
7409930	19207	219	6
7409931	19207	216	10
7409932	19207	216	30
7409933	19207	216	36
7409934	19207	2001	N/I
		216	35
7409935	19207	219	11
7409936	19207	216	24
7409939	19207	220	7
		221	7
7409945	19207	219	2
7409947	19207	220	6
		221	10
7409948	19207	219	14
7409949	19207	2001	N/I
7409950	19207	218	13
7409951	19207	218	16
7409952	19207	218	8
7409953	19207	218	7
7409954	19207	215	2
7409955	19207	218	11
7409956	19207	218	12
7409958	19207	218	29
7409959	19207	218	26
7409960	19207	212	16
		218	27
7409961	19207	218	24
7409962	19207	218	25
7409975	19207	2001	N/I
		219	17
7409977	19207	216	34
		217	1
7409978	19207	220	1
		221	5
7409979	19207	217	15
7409980	19207	215	1
7409990	19207	2210	N/I
7409993	19207	2210	N/I
7410065	19207	161	1
7410691	19207	35	1
7410843	19207	82	82
7410855	19207	82	74
7411006	19207	136	19
7411057	19207	11	12
7411059	19207	12	7
7411060	19207	12	7
7411061	19207	14	1
		15	2
7411064	19207	0306	N/I
7411067	19207	53	1
7411068	19207	51	4
7411070	19207	81	2
7411071	19207	80	5
7411074	19207	102	28
7411075	19207	102	29
7411085	19207	133	12
7411086	19207	135	47
7411087	19207	135	41
		136	10
7411093	19207	11	9

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7411094	19207	11	12
7411095	19207	11	5
7411096	19207	11	9
7411097	19207	11	9
7411102	19207	103	6
7411110	19207	123	15
7411111	19207	123	15
7411112	19207	123	15
7411114	19207	124	11
7411115	19207	124	11
7411116	19207	124	11
7411120	19207	213	21
7411121	19207	212	4
7411122	19207	208	1
7411123	19207	212	25
7411124	19207	212	27
7411125	19207	212	6
7411127	19207	61	22
7411129	19207	61	14
7411130	19207	61	8
7411131	19207	61	16
7411132	19207	61	20
7411133	19207	61	7
7411134	19207	61	5
7411135	19207	61	3
7411136	19207	61	9
7411137	19207	61	13
7411141	19207	73	1
7411142	19207	74	3
7411146	19207	86	10
7411148	19207	83	54
7411149	19207	83	37
7411150	19207	83	53
7411153	19207	212	18
7411154	19207	212	7
7411155	19207	212	32
7411158	19207	212	28
7411159	19207	212	29
7411160	19207	212	14
7411161	19207	213	12
7411162	19207	213	5
7411163	19207	213	22
7411164	19207	213	7
7411166	19207	213	20
7411170	19207	213	1
7411174	19207	2004	N / I
7411175	19207	2004	N / I
7411182	19207	94	15
7411183	19207	94	15
		95	15
7411387	19207	233	24
7411410	19207	233	13
7411413	19207	233	12
7411415	19207	233	23
7411147	19207	83	40
7412201	19207	2004	N / I
7412202	19207	275	23
		276	38
7412203	19207	275	40
		276	43
7412204	19207	275	22
		276	40
7412205	19207	276	5
7412206	19207	275	34
		276	34
7412211	19207	276	24
7412306	19207	59	4
		62	9
7412316	19207	0900	N / I
7412376	19207	123	3
		99	5
7412377	19207	102	4
7412378	19207	102	4
7412379	19207	102	4
7412380	19207	2001	N / I
7412382	19207	208	8
7412581	19207	2001	N / I
7412638	19207	0900	N / I
7412946	19207	27	13
7413037	19207	1208	N / I
		1211	N / I
7413235	19207	11	11
		12	8
7413266	19207	276	42
7413282	19207	276	33
7413283	19207	275	27
		275	37
7413284	19207	276	41
7413441	19207	210	35
7413445	19207	277	21
7413458	19207	117	3
7413465	19207	1802	N / I
7413485	19207	77	14
7413486	19207	79	7
7413488	19207	79	17
7413490	19207	1208	N / I
7413492	19207	1204	N / I
		83	18
7413493	19207	83	58
7413537	19207	102	63
7413551	19207	210	15
7413564	19207	304	5
7413711	19207	297	3
7413736	19207	298	5
7413773	19207	297	5
7413774	19207	297	8
7413775	19207	297	9
7413776	19207	297	6
7413777	19207	297	10
7413778	19207	297	4
7413827	19207	3303	N / I
7413899	19207	83	35
		86	12
7413932	19207	225	1
7413934	19207	225	3
7413936	19207	253	20
7413937	19207	1211	N / I
		2002	N / I
7413938	19207	253	3
7413939	19207	253	11
7413940	19207	253	24
7413942	19207	271	22
7413943	19207	271	38
7413944	19207	271	42

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7413945	19207	271	11
7413946	19207	271	17
7413947	19207	271	27
7413948	19207	271	48
7413949	19207	271	62
7413950	19207	271	1
7414251	19207	271	50
7414252	19207	271	25
7414253	19207	271	63
7414254	19207	271	20
7414255	19207	271	34
7414256	19207	271	7
7414257	19207	2002	N / I
7414258	19207	271	49
7414259	19207	271	18
7414260	19207	271	43
7414261	19207	271	30
7414262	19207	271	55
7414263	19207	271	8
7414265	19207	271	35
7414266	19207	271	32
7414267	19207	271	19
7414275	19207	271	47
7414384	19207	79	11
7414386	19207	271	52
7415746	19207	76	22
7416059	19207	5	12
7416350	19207	298	1
		301	3
7416552	19207	304	27
7416621	19207	298	2
7416869	19207	31	5
7416874	19207	31	4
7416960	19207	3303	N / I
7417084	19207	215	5
7417091	19207	273	2
7417093	19207	213	2
7417094	19207	211	3
7417123	19207	4	4
7417124	19207	4	1
7417427	19207	296	13
7417524	19207	296	6
7417951	19207	56	11
		56	16
7418034	19207	109	14
7418773	19207	126	9
7418836	19207	120	2
7418849	19207	120	36
7418957	19207	277	34
7418958	19207	2004	N / I
		277	35
7418959	19207	18	23
7418960	19207	0609	N / I
		18	31
7418961	19207	102	49
7418962	19207	51	3
7418965	19207	0501	N / I
7419110	19207	135	14
742000	12603	236	15
7422J	76260	0900	N / I
75A115V	08108	32	3
7520336	19207	294	1
7520346	19207	303	7
		304	8
7520358	19207	304	7
		3303	N / I
7520366	19207	304	64
7520367	19207	3303	N / I
7520597	19207	9	8
7520831	19207	167	5
7520956	19207	46	8
7520957	19207	46	7
		46	7
7520964	19207	5	3
		84	2
7520971	19207	5	1
		84	4
7520976	19207	46	3
7521058	19207	274	59
7521095	19207	47	4
7521096	19207	47	6
7521102	19207	47	5
7521237	19207	52	14
7521284	19207	78	3
7521285	19207	78	20
7521338	19207	0802	N / I
7521387	19207	55	23
7521390	19207	55	24
7521391	19207	55	26
7521436	19207	1810	N / I
7521442	19207	53	7
7521448	19207	78	21
7521463	19207	18	30
7521474	19207	98	2
7521477	19207	18	29
7521491	19207	34	10
7521492	19207	34	7
7521596	19207	111	7
7521631	19207	71	4
		74	1
7521651	19207	1605	N / I
		65	5
		75	1
7521693	19207	71	39
7521975	19207	2004	N / I
		233	25
7524043	19207	299	9
7524078	19207	299	33
		303	62
7524564	19207	0608	N / I
7524649	19207	179	7
7525172	19207	0608	N / I
7525365	19207	22	2
		23	2
7525936	19207	22	6
7525940	19207	23	5
7526002	19207	27	5
7526003	19207	27	6
7526006	19207	27	14
7526018	21450	25	5
7526020	19207	26	2
7526022	19207	27	4
7526030	19207	27	10
7526590	19207	19	16
7526591	19207	19	19
7526594	19207	19	4

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7526596	19207	0607	N / I
7527628	19207	0608	N / I
7527630	19207	0608	N / I
7527639	19207	0608	N / I
7527640	19207	0608	N / I
7527642	19207	0608	N / I
7527643	19207	0608	N / I
7527644	19207	0608	N / I
7527645	19207	0608	N / I
7527646	19207	0608	N / I
7527647	19207	0608	N / I
7527648	19207	0608	N / I
7527649	19207	0608	N / I
7527651	19207	0608	N / I
7527652	19207	0608	N / I
7527653	19207	0608	N / I
7527654	19207	0608	N / I
7527655	19207	0608	N / I
7529008	19207	140	14
7529028	19207	140	7
7529127	19207	307	24
7529131	19207	141	2
7529215	19207	22	9
7529235	19207	10	12
7529237	19207	10	9
7529238	19207	10	6
7529242	19207	25	2
		27	2
7529294	19207	15	22
7520295	19207	1810	N / I
7529297	19207	131	24
7529300	19207	130	32
7529301	19207	130	14
7529302	19207	130	11
7529304	19207	130	21
7529305	19207	130	21
7529309	19207	130	7
7529317	19207	131	6
7529318	19207	131	6
7529319	19207	131	7
7529320	19207	131	7
7529322	19207	137	23
7531653	19207	301	7
7531654	19207	301	2
7531676	19207	301	9
7531682	19207	300	1
7531683	19207	3303	N / I
7531690	19207	3303	N / I
7531692	19207	3303	N / I
7531701	19207	2210	N / I
7531726	19207	3303	N / I
7531727	19207	301	1
7531730	19207	3303	N / I
7531734	19207	3303	N / I
7531737	19207	3303	N / I
7531738	19207	3303	N / I
7531740	19207	3303	N / I
7531811	19207	299	5
		301	8
7533778	19207	18	8
7533853	19207	85	20
7534394	19207	122	6
7534660	19207	164	15

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7534673	19207	122	2
7534674	19207	122	4
7534675	19207	122	10
7534676	19207	122	15
7534677	19207	122	7
7534680	19207	122	13
7534682	19207	122	12
7534684	19207	122	9
7534685	19207	122	14
7534686	19207	122	8
7534687	19207	122	1
7534690	19207	122	5
7534717	19207	67	8
7534781	19207	70	5
7535048	19207	69	3
7535063	19207	70	11
7535079	19207	67	4
7535226	19207	67	6
7535567	19207	166	3
7535589	19207	179	4
7535609	19207	163	17
7535611	19207	163	5
7535612	19207	163	9
7535616	19207	122	3
7535618	19207	164	1
7535620	19207	166	20
		167	29
7535623	19207	167	10
7535631	19207	174	31
7535643	19207	184	3
7535644	19207	166	9
7537364	19207	3303	N / I
7537382	19207	3303	N / I
7537473	19207	299	13
7538656	19207	274	66
7538658	19207	274	67
7538660	19207	274	40
7538671	19207	274	35
7538681	19207	274	39
7538688	19207	264	11
7538706	19207	208	21
		209	18
		213	19
		215	19
7538725	19207	2001	N / I
		209	19
7538726	19207	209	29
7538727	19207	209	31
7538733	19207	209	24
7538742	19207	214	10
7538744	19207	214	4
7538746	19207	214	8
7538770	19207	218	10
7538793	19207	2210	N / I
7538794	19207	2210	N / I
7539107-2	19207	165	13
7539112	19207	10	33
7539114	19207	10	25
7539129	19207	10	17
7539130	19207	10	26
7539131	19207	10	27
		130	13
7539133	19207	10	34

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7539185	19207	187	1
7539199	19207	135	15
7539201	19207	135	4
		136	16
7539213	19207	129	9
		129	10
7539214	19207	129	4
7539221	19207	133	10
		135	7
		136	13
7539222	19207	135	3
		136	17
7539255	19207	0607	N / I
7539300	19207	85	13
7539391	19207	89	7
7539504	19207	36	18
7539519	19207	0607	N / I
7539543	19207	0609	N / I
		135	28
		136	34
7539545	19207	135	46
7539550	19207	22	4
7539560	19207	0609	N / I
		135	35
		136	28
7539652	19207	16	1
7539658	19207	132	6
7539659	19207	132	1
7539669	19207	129	21
7539672	19207	109	1
7539694	19207	18	40
7539695	19207	18	42
7539697	19207	282	5
7540419	19207	130	33
7541305	19207	310	43
7696384	19207	1407	N / I
7696481	19207	274	61
7698297	19207	120	23
7698438	19207	167	2
7699003	19207	2004	N / I
7700242	19207	303	74
		3303	N / I
7700243	19207	303	73
		3303	N / I
7700245	19207	303	68
7700248	19207	299	15
		303	52
7700251	19207	299	14
		303	38
7700253	19207	3303	N / I
7700264	19207	3303	N / I
7700351	19207	299	16
		303	48
7700353	19207	299	31
		303	43
7700374	19207	299	19
		303	35
7700387	19207	304	49
7700398	19207	304	41
7700402	19207	300	3
7700409	19207	304	52
		304	51
7700413	19207	304	50
7700422	19207	304	48
7700424	19207	304	80
7700444	19207	304	46
77010101	19207	193	15
77010201	19207	193	17
77010202	19207	193	18
77010203	19207	193	19
77010204	19207	193	20
77010301	19207	193	7
77010401	19207	193	11
77010501	19207	193	13
7702383	19207	101	3
7702941	19207	123	13
7703021	19207	107	13
7703976	19207	271	61
77040201	19207	193	5
77040301	19207	193	9
7704076	19207	225	2
77050101	19207	193	16
77080101	19207	193	21
7712833	19207	22	11
7714881	19207	112	11
7714911	19207	112	3
7716522	19207	0608	N / I
7716523	19207	0608	N / I
7716524	19207	0608	N / I
7716525	19207	0608	N / I
7716526	19207	0608	N / I
7716527	19207	0608	N / I
7716633	19207	0608	N / I
7716634	19207	0608	N / I
7716696	19207	0608	N / I
7716697	19207	0608	N / I
7716699	19207	0608	N / I
7716715	19207	0608	N / I
7716716	19207	0608	N / I
7716718	19207	0608	N / I
7716721	19207	0608	N / I
7717009	19207	2001	N / I
7717025	19207	2001	N / I
7718093	19207	304	4
7720853	19207	179	6
7722322	19207	0608	N / I
7722323	19207	0608	N / I
7722343	19207	0608	N / I
7723306	19207	0608	N / I
7723307	19207	0608	N / I
7723308	19207	0608	N / I
7723309	19207	0608	N / I
7724765	19207	3303	N / I
7725557	19207	1204	N / I
7725844	19207	112	15
7726808	19207	0607	N / I
7728-2-10	81336	230	2
7728482	19207	17	1
7728788	19207	21	3
7728815	19207	0608	N / I
7731421	19207	303	77
		37	1
7731427	19207	0608	N / I
7731428	19207	39	5
7734003	19207	3303	N / I
7734004	19207	3303	N / I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7733571	19207	275	9
7735601	19207	276	18
7737120	19207	6	24
7737124	19207	6	32
7737126	19207	6	28
7737127	19207	6	33
7737482	19207	6	27
		6	29
7739716	19207	2001	N/I
7739718	19207	2001	N/I
7740-38-15	81336	229	9
7740-3821	81335	230	16
7740-3828	81336	230	13
7740722	19207	84	10
7740774	19207	129	27
7744284	18207	2210	N/I
7745285	19207	87	2
7748088	19207	137	7
7748380	19207	50	2
7748385	19207	54	13
7748386	19207	55	25
7748387	19207	54	11
7748388	19207	54	14
7748663	19207	42	14
7748814	19207	0306	N/I
		303	54
7759181	19207	174	26
7759184	19207	180	2
7760412	19207	19	5
7760418	19207	19	20
7760505	19207	23	1
7760598	19207	0608	N/I
7760599	19207	0608	N/I
		3303	N/I
7761651	19207	275	39
7762603	19207	3303	N/I
7762620	19207	18	44
7762673	19207	0606	N/I
7762689	19207	0608	N/I
7762726	19207	0608	N/I
7762737	19207	36	13
7762738	19207	36	7
7764909	19207	112	4
7765214	19207	23	3
7765237	19207	3303	N/I
78MR11	21450	104	18
78080-12352		130	5
7876200		2	2
79100289	19207	191	5
79100290	19207	191	8
79100291	19207	191	3
79100292	19207	190	19
79100296	19207	190	17
79100300	19207	192	1
7932J	76260	0900	N/I
79372	21450	303	16
7950079	19207	310	23
7950081	19207	2604	N/I
7950082	19207	310	24
7950088	19207	310	25
7950089	19207	310	26
7950090	19207	310	27

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7950091	19207	2604	N/I
7950104	19207	310	6
7950105	19207	2604	N/I
7950108	19207	310	28
7950112	19207	310	29
7950124	19207	310	10
7950127	19207	310	16
7950129	19207	310	30
7950130	19207	310	31
7950131	19207	2604	N/I
7950132	19207	2604	N/I
7950133	19207	310	32
7950134	19207	310	33
7950136	19207	310	34
7950137	19207	310	35
7950139	19207	310	36
7950142	19207	2604	N/I
7950147	19207	310	37
7950152	19207	310	38
7950155	19207	310	39
7950157	19207	310	42
7950159	19207	310	40
7950163	19207	2604	N/I
7950165	19207	2604	N/I
7950189	19207	310	7
7950198	19207	310	8
7950248	19207	310	11
7950564	19207	2604	N/I
7950566	19207	2604	N/I
7950630	19207	2604	N/I
7950663	19207	2604	N/I
7950860	19207	2604	N/I
7951057	19207	299	2
7951084	19207	303	67
7951086	19207	299	11
		303	37
7951217	19207	3303	N/I
7951221	19207	295	18
7951286	19207	3303	N/I
7951428	19207	299	1
7951468	19207	299	17
		303	47
7951506	19207	299	18
7951656	19207	295	1
7951661	19207	303	51
		3303	N/I
7951690	19207	3303	N/I
7951712	19207	303	81
		304	45
		3303	N/I
7951725	19207	295	12
7951726	19207	295	4
7951727	19207	295	11
7951728	19207	295	3
7951730	19207	295	19
7951732	19207	295	10
7951734	19207	295	8
7951735	19207	295	7
7951736	19207	295	21
7951742	19207	3303	N/I
7951744	19207	3303	N/I
7951752	19207	295	17

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7951827	19207	303	61
		304	72
7954230	19207	19	12
7954452	19207	209	30
7954454	19207	209	34
7954460	19207	210	23
7954473	19207	210	15
7954475	19207	259	23
7954476	19207	210	35
7954477	19207	208	9
7954482	19207	209	16
7954483	19207	208	2
7954484	19207	259	36
7954512	19207	19	14
7954534	19207	217	13
7954539	19207	218	6
7954556	19207	216	29
7954563	19207	217	3
7954564	19207	216	25
7954568	19207	217	5
7954574	19207	215	7
7954584	19207	219	13
7954585	19207	217	11
7954588	19207	216	12
7954590	19207	215	10
7964135	19207	211	17
7971026	19207	1410	N / I
7971027	19207	1410	N / I
7971028	19207	103	1
7971324	19207	158	14
7971605	19207	19	8
7971613	19207	39	1
7971638	19207	303	12
7971642	19207	303	20
7971653	19207	161	2
7971949	19207	228	6
7973339	19207	210	29
		259	29
7974613	19207	2001	N / I
		246	1
7974676	19207	277	22
		58	6
7974710	19207	11	20
7974750	19207	239	12
7974751	19207	243	3
7974752	19207	243	14
7974883	19207	220	8
		221	8
7974962	19207	228	2
7975609	19207	130	39
7978798	19207	303	76
7978825	19207	304	68
7979170	19207	109	10
		128	2
7979224	19207	73	10
7979263	19207	95	1
7979271	19207	79	24
7979272	19207	73	2
7979286	19207	128	10
7979308	19207	94	3
7979313	19207	128	9
7979315	19207	94	9
		95	8
7979322	19207	95	19
7979323	19207	95	16
7979324	19207	94	13
		95	14
7979327	19207	73	8
7979330	19207	79	9
7979332	19207	79	13
7979334	19207	79	15
7979339	19207	79	21
7979340	19207	79	14
7979349	19207	71	8
		95	22
7979355	19207	128	8
7979363	19207	73	3
7979766	19207	126	4
7982398	19207	0608	N / I
7982404	19207	299	32
7982907	19207	303	34
		304	66
7982997	19207	175	2
		176	4
7984072	19207	0608	N / I
7986268	19207	303	64
		304	55
7991277	19207	3307	N / I
7992548	19207	123	8
7992549	19207	99	8
7992550	19207	99	11
7992551	19207	99	12
7992575	19207	71	28
7994577	19207	102	35
7994965	19207	213	24
7996977	19207	2210	N / I
7996979	19207	2210	N / I
7998644	19207	1411	N / I
7998648	19207	1411	N / I
7998650	19207	55	20
7999926	19207	308	9
7999927	19207	308	1
7999931	19207	308	3
		3307	N / I
7999932	19207	308	15
7999933	19207	308	17
8E2H97VS	18170	6	31
80MFX278	76040	14	10
801169	19203	237	3
805628	21450	242	22
8165X18	79470	2001	N / I
8175-1-1	81336	147	11
		152	10
8175-1-2	81336	147	6
		152	7
8175-1-3	31313	147	7
		152	5
819906	18876	112	16
82X3005	24706	224	2
8210708	19207	222	7
83AX222	76040	307	15
83AX579-2	76040	6	21
8327000	19207	57	8
8327005	19207	86	26

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8327007	19207	73	1
8327009	19207	55	15
8327010	19207	57	17
8327011	19207	57	16
8327012	19207	57	15
8327013	19207	49	1
8327014	19207	14	4
		15	6
8327015	19207	129	1
8327016	19207	129	23
8327018	19207	0802	N / I
8327019	19207	49	11
8327020	19207	49	9
83270209	19207	124	11
8327021	19207	49	13
8327036	19207	42	6
8327038	19207	135	8
8327039	19207	136	12
8327048	19207	87	1
8327100	19207	49	14
8327101	19207	49	15
8327103	19207	48	25
8327105	19207	49	6
8327106	19207	49	4
8327107	19207	49	17
8327108	19207	49	2
8327113	19207	275	6
8327114	19207	275	5
8327115	19207	275	3
8327116	19207	275	14
8327117	19207	275	13
8327118	19207	275	12
8327119	19207	275	19
8327120	19207	275	18
8327121	19207	275	17
8327122	19207	2004	N / I
		237	1
8327123	19207	71	40
8327127	19207	275	10
8327131	19207	0609	N / I
8327139	19207	124	11
		125	12
8327140	19207	1401	N / I
8327141	19207	254	12
8327142	19207	2001	N / I
8327144	19207	236	14
8327151	19207	246	19
8327152	19207	2001	N / I
8327153	19207	247	19
8327154	19207	237	5
8327155	19207	236	24
8327157	19207	254	31
8327159	19207	237	13
8327160	19207	2001	N / I
8327161	19207	2001	N / I
8327162	19207	2001	N / I
		270	41
8327164	19207	2001	N / I
8327166	19207	2001	N / I
8327168	19207	2001	N / I
8327169	19207	2001	N / I
8327170	19207	2001	N / I
8327171	19207	2001	N / I

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8327172	19207	2001	N / I
8327174	19207	2001	N / I
8327175	19207	2001	N / I
8327176	19207	2001	N / I
8327177	19207	2001	N / I
8327178	19207	2001	N / I
8327179	19207	2001	N / I
8327180	19207	2001	N / I
8327181	19207	2001	N / I
8327185	19207	237	6
8327186	19207	2001	N / I
8327187	19207	2001	N / I
8327189	19207	2001	N / I
8327199	19207	2001	N / I
8327201	19207	2001	N / I
8327202	19207	2001	N / I
8327203	19207	2001	N / I
8327204	19207	2001	N / I
8327205	19207	2001	N / I
8327206	19207	2001	N / I
8327207	19207	2001	N / I
8327210	19207	124	11
8327211	19207	125	4
8327212	19207	125	8
8327213	19207	124	1
8327216	19207	73	1
8327219	19207	135	27
8327220	19207	136	35
8327221	19207	135	12
		136	7
8327223	19207	135	23
8327322	19207	274	2
		42	12
8327440	19207	272	3
8327443	19207	210	14
8327444	19207	210	40
		260	8
8327473	19207	87	4
8327909	19207	1208	N / I
8327938	19207	89	4
8327979	19207	227	1
8327980	19207	227	11
8327981	19207	227	8
8327982	19207	227	4
8327983	19207	227	19
8327984	19207	227	10
8327985	19207	227	18
8327986	19207	227	16
8328007	19207	276	50
8328010	19207	2004	N / I
8328122	19207	32	2
8328151	19207	231	13
8328153	19207	2001	N / I
		231	6
8328155	19207	2001	N / I
		231	12
8328167	19207	2001	N / I
8328341	19207	264	30
8328370	19207	38	15
8328400	19207	2001	N / I
8328647	19207	298	3
8329141	19207	0610	N / I
8329525	19207	49	12

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8329538	19207	103	1
8329749	19207	102	50
8330131	19207	2001	N / I
8330173	19207	254	42
8330174	19207	236	23
8330243	19207	0607	N / I
8330245	19207	244	9
8330247	19207	107	1
8330250	19207	2001	N / I
8330259	19207	57	5
8330260	19207	57	14
8330262	19207	89	1
8330265	19207	125	3
8330268	19207	124	6
8330326	19207	107	8
8330332	19207	107	11
8330333	19207	4	3
8330334	19207	307	9
8330337	19207	39	12
8330338	19207	39	4
8330341	19207	39	9
8330342	19207	38	14
8330343	19207	39	8
8330409	19207	253	21
8330414	19207	210	19
		222	3
		259	32
		267	31
		268	17
8330478	19207	2001	N / I
		215	8
		216	1
8330480	19207	231	1
8330481	19207	231	11
8330482	19207	231	2
8330483	19207	231	10
8330484	19207	231	9
8330485	19207	2001	N / I
		231	16
8330506	19207	244	6
8330685	19207	82	43
8330742	19207	112	17
		113	5
8330743	19207	1503	N / I
		309	14
8331052	19207	108	4
8331198	19207	109	7
8331200	19207	113	12
8331201	19207	64	1
8331202	19207	2001	N / I
		209	15
8331478	19207	1208	N / I
		1211	N / I
8331549	19207	69	17
8331550	19207	69	17
8331551	19207	69	17
8331552	19207	69	17
8331553	19207	69	17
8331554	19207	69	17
8331555	19207	69	17
8331556	19207	69	17
8331557	19207	69	17
8331564	19207	109	27
8331588	19207	274	24
8331869	19207	229	3
8331881	19207	2001	N / I
8331882	19207	243	20
		243	20
8331883	19207	243	27
8331938	19207	222	14
8331956	19207	11	2
8332093	19207	2001	N / I
8332127	19207	22	1
8332227	19207	277	1
8332229	19207	277	28
8332233	19207	227	18
		58	8
8332234	19207	277	26
8332237	19207	277	5
		58	10
8332238	19207	61	28
8332246	19207	62	1
8332247	19207	62	1
8332248	19207	0900	N / I
		63	1
8332249	19207	0900	N / I
		63	1
8332451	19207	214	1
8332452	19207	254	26
8332472	19207	254	2
8332477	19207	113	1
8332478	19207	113	9
8332523	19207	109	23
8332548	19207	1208	N / I
8332554	19207	56	22
8332557	19207	79	28
8332591	19207	237	1
8332609	19207	240	13
8332610	19207	2001	N / I
8332611	19207	2001	N / I
		242	1
8332613	19207	237	17
8332616	19207	254	42
8332623	19207	0900	N / I
8332651	19207	1414	N / I
8332652	19207	1414	N / I
8332653	19207	2004	N / I
8332654	19207	277	42
		58	23
8332655	19207	277	7
		58	11
8332661	19207	59	3
8332666	19207	108	14
8332668	19207	9	7
8332669	19207	9	3
8332670	19207	10	17
		9	2
8332701	19207	72	8
8332702	19207	72	11
8332741	19207	11	6
8333013	19207	77	1
8333063	19207	2004	N / I
		276	32
8333064	19207	135	19
		136	43
8333071	19207	2001	N / I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8333092	19207	308	2
8333099	19207	2002	N / I
8333100	19207	2004	N / I
8333102	19207	2004	N / I
8333103	19207	276	9
8333247	19207	39	1
8333248	19207	39	1
8333249	19207	39	1
8333250	19207	39	1
8333251	19207	39	1
8333253	19207	39	1
8333254	19207	39	1
8333276	19207	97	1
8333329	19207	111	7
8333343	19207	2001	N / I
8333346	19207	2001	N / I
8333347	19207	2001	N / I
8333348	19207	2001	N / I
8333349	19207	2001	N / I
8333350	19207	2001	N / I
8333351	19207	2001	N / I
8333354	19207	2001	N / I
8333355	19207	2001	N / I
8333356	19207	2001	N / I
8333358	19207	2001	N / I
8333404	19207	0704	N / I
8333477	19207	1209	N / I
8333605	19207	41	2
8333613	19207	42	1
8333622	19207	43	3
		45	3
8333623	19207	46	4
8333624	19207	42	17
8333625	19207	46	14
8333626-2	19207	0700	N / I
8333631	19207	1407	N / I
8333698	19207	1411	N / I
8333711	19207	0700	N / I
8333753	19207	1002	N / I
		1102	N / I
8333791	19207	2004	N / I
8333792	19207	2001	N / I
8333793	19207	2001	N / I
8333796	19207	1412	N / I
8333797	19207	1414	N / I
8333868	19207	271	28
8333870	19207	1204	N / I
8334000	19207	2001	N / I
8334009	19207	22	5
8334012	19207	42	2
833624	19207	42	17
8337110	19207	308	11
8338561	19207	0608	N / I
		175	4
		176	6
		179	8
		207	3
		303	33
		3303	N / I
8338562	19207	0608	N / I
		175	3
		176	5
		179	9
		3303	N / I
8338564	19207	0608	N / I
		179	10
		207	4
		3303	N / I
8338565	19207	0608	N / I
8338566	19207	179	3
		304	67
		34	9
8338567	19207	179	1
		34	8
8340111	19207	307	3
8342288	19207	1812	N / I
8342289	19207	178	2
8342290	19207	207	8
8342292	19207	170	14
8343624	19207	76	2
8343628	19207	76	7
8343629	19207	76	5
8343630	19207	76	10
8343631	19207	76	17
8343634	19207	76	26
8243635	19207	76	9
8343637	19207	76	27
8344234	19207	208	7
8344235	19207	2210	N / I
8344240	19207	215	18
8344242	19207	260	14
8344248	19207	213	6
8344250	19207	213	4
8344506	19207	213	23
8347009	19207	308	14
8347011	19207	308	4
		3307	N / I
8347013	19207	308	7
8347014	19207	308	16
8359586	19207	299	28
		303	49
8359600	19207	303	17
8359613	19207	294	6
8359617	19207	294	4
8359678	19207	294	5
8359820	19207	3303	N / I
8359927	19207	303	50
8359969	19207	207	12
8364020	19207	303	1
83656	46522	296	26
8365663	19207	76	1
8366166	19207	3303	N / I
8366689	19207	310	41
8366733	19207	3303	N / I
8366735	19207	300	2
8366977	19207	296	5
8366978	19207	296	19
8366984	19207	296	4
837060	19207	137	9
8370841	19207	303	87
		3303	N / I
8374950	19207	76	6
8374951	19207	76	18
8374952	19207	76	8
8374954	19207	76	3
8375957	19207	296	8

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8376101	19207	3303	N / I
8376125	19207	1812	N / I
		3303	N / I
8376141	19207	304	56
8376209	19207	0613	N / I
8376299	19207	165	10
8376311	19207	85	2
		90	2
8376369	19207	27	7
8376371	19207	106	4
8376484	19207	18	19
8376491	19207	0610	N / I
8376501	19207	19	2
8376532	19207	308	8
8376583	19207	105	10
8376760	19207	168	12
8376915	19207	299	41
8380413	19207	167	18
8380420	19207	171	1
8380467	19207	169	14
8380468	19207	169	8
8380491	19207	168	11
8380492	19207	166	6
		167	9
		168	6
8380493	19207	168	13
8380499	19207	188	3
8380558	19207	78	12
8380559	19207	78	29
8380651	19207	299	25
8380700	19207	0607	N / I
8383070	19207	3303	N / I
8383072	19207	3303	N / I
8386434	19207	299	23
8387771	19207	310	1
8390170	19207	310	17
839615	21450	3303	N / I
8402437	19207	123	15
8402911	19207	2004	N / I
8402917	19207	1810	N / I
8402971	19207	2004	N / I
8404205	19207	0401	N / I
8405X8X8	79470	3307	N / I
8408438	19207	11	8
8408442	19207	111	4
8409570	19207	70	6
8409574	19207	1002	N / I
		1102	N / I
8409575	19207	1002	N / I
		1102	N / I
8409576	19207	67	4
8409578	19207	1002	N / I
		1102	N / I
8409579	19207	68	6
8409581	19207	68	10
8409583	19207	68	8
8410623	19204	3303	N / I
8420424	19207	123	10
8421875	19207	1002	N / I
		1102	N / I
848B1	50513	120	21
851B1	50513	120	20
85725	80048	236	4

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8606	71294	296	27
861672	12603	237	8
8625-1	82815	3303	N / I
8635932	19207	130	27
8642059	19207	310	21
865779	19207	6	10
8686996	19207	137	6
8687079	19207	0607	N / I
8687080	19207	0607	N / I
8688995	19207	137	5
8689206	19207	165	1
		165	3
		165	5
		165	7
		165	16
8689207	19207	303	75
		304	76
8689211	19207	1208	N / I
8689342	19207	3307	N / I
8690463	19207	143	2
8690466	19207	143	3
8690527	19207	133	7
		133	2
8690884	19207	208	14
8690891	19207	215	14
8698430	19207	1812	N / I
8698434	19207	169	13
8698436	19207	168	2
8698437	19207	167	4
8698440	19207	174	19
8698441	19207	166	7
		167	15
8701439	19207	76	23
8707521	19207	299	26
8707524	19207	303	65
		304	54
8707871	19207	299	6
8708220	19207	2604	N / I
8708359	19207	310	2
8708638	19207	310	12
8708669	19207	2604	N / I
8708724	19207	310	14
8708744	19207	310	13
8708898	19207	2604	N / I
8710560	19207	299	10
8710562	19207	3303	N / I
8710563	19207	3303	N / I
8710612	19207	299	29
8710613	19207	299	22
8710615	19207	299	21
8710626	19207	112	5
8710627	19207	112	10
8710630	19207	112	1
8710633	19207	299	38
8710637	19207	299	36
8710638	19207	299	35
8710639	19207	299	34
8710670	19207	299	40
8710856	19207	299	27
		3303	N / I
		299	3
		303	36
8711323	19207	1002	N / I

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		1102	N / I
8711338	19207	45	22
8712057	19207	6	2
8712064-1	19207	1503	N / I
8712087	19207	2001	N / I
8712094-2	19207	62	1
8712094-3	19207	61	28
8712095-1	19207	60	1
8712095-2	19207	63	1
8712095-3	19207	63	1
8712096	19207	214	1
8712097	19207	61	28
8712140	19207	14	19
8712206	19207	45	11
8712207	19207	44	3
8712208	19207	45	3
8712209	19207	44	5
8712210	19207	45	8
8712211	19207	44	6
8713604	19207	3307	N / I
8713606	19207	3307	N / I
8713636	19207	3307	N / I
8713641	19207	3307	N / I
8713975	19207	105	11
8715107	19207	310	9
8720190	19207	0607	N / I
8720300	19207	254	8
8720306	19207	1411	N / I
8720827	19207	156	2
8720828	19207	156	8
8720848	19207	156	16
8720944	19207	227	9
8723828	19207	210	7
8724357	19207	2210	N / I
8724381	19207	278	4
8724456	19207	1801	N / I
		2201	N / I
8724785	19207	3303	N / I
8724787	19207	3303	N / I
8728126	19207	128	5
8728128	19207	128	5
8728192	19207	275	36
8728230	19207	102	1
8728231	19207	108	1
8728232	19207	1407	N / I
8728234	19207	1407	N / I
8728235	19207	1407	N / I
8728239	19207	1407	N / I
8728289	19207	104	26
		1407	N / I
		1411	N / I
8734960	19207	162	6
8734961	19207	162	7
8734990	19207	174	38
8735018	19207	174	9
8735022	19207	174	21
8735023	19207	174	2
		174	22
8735024	19207	174	33
8735025	19207	174	32
8735026	19207	174	30
8735028	19207	174	27
8735029	19207	174	16
8735030	19207	174	11
8735031	19207	174	25
8735033	19207	174	12
8735034	19207	174	5
8735035	19207	174	14
8735036	19207	174	6
8735037	19207	162	9
8735040	19207	174	34
8735050	19207	162	14
8735051	19207	162	12
8735054	19207	174	23
8735056	19207	174	20
8735057	19207	174	35
8735059	19207	162	13
8735060	19207	162	10
8735061	19207	162	16
8735063	19207	162	17
8735071	19207	162	15
8735074	19207	174	29
8735075	19207	173	8
8735128	19207	173	10
8735129	19207	172	8
8735153	19207	172	7
8735154	19207	172	6
		172	3
		172	4
8735157	19207	172	5
8735235	19207	163	2
8735239	19207	163	13
8735248	19207	163	6
8735318	19207	164	16
8735329	19207	163	1
8735334	19207	164	4
8735426	19207	163	16
8735431	19207	180	1
8735505	19207	5	25
8735566	19207	77	11
8735610	19207	22	13
8735846	19207	293	6
8735849	19207	293	2
8735862	19207	293	4
8735863	19207	293	4
8735864	19207	293	4
8735865	19207	293	4
8735867	19207	293	4
8735973	19207	2001	N / I
8737816	19207	0306	N / I
8737966	19207	0501	N / I
8741540	19207	123	10
8741683	19207	156	9
8741684	19207	156	7
8741686	19207	156	19
8741687	19207	156	17
8741688	19207	156	18
8741689	19207	156	11
8741690	19207	156	5
8741692	19207	156	15
87416921	19207	156	10
8741701	19207	293	4
8741768	19207	208	22
		209	17
		215	20
8741896	19207	156	6

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8742053	19207	310	20
8742054	19207	2604	N/1
8742718	19207	1506	N/1
8743871	19207	177	4
8743911	19207	130	12
8744043	19207	307	26
8744222	19207	275	25
8747887	19207	1208	N/1
875J61	19207	160	6
8757686	19207	276	16
8757706	19207	78	30
8757707	19207	78	15
8757709	19207	78	22
8757719	19207	233	22
8757842	19207	130	16
8757843	19207	130	17
8757920	19207	141	11
8758038	19207	149	34
8758064	19207	151	27
8758082	19207	151	28
8758097	19207	149	44
8785101		149	18
8758106	19207	156	13
8758121	19207	149	43
8758122	19207	149	43
8758124	19207	151	1
8758125	19207	151	15
8758126	19207	151	18
8758127	19207	151	17
8758128	19207	151	2
8758129	19207	151	9
8758131	19207	118	5
8758132	19207	151	14
8758136	19207	151	7
8758137	19207	151	4
8758138	19207	151	1
8758142	19207	142	1
8758148	19207	118	10
8758149	19207	149	49
8758150	19207	149	29
8758151	19207	149	24
8758157	19207	149	31
8758158	19207	1810	N/1
8758160	19207	149	28
8758164	21450	149	21
8758168	19207	149	7
8758181	19207	160	6
8758183	19207	118	3
8758194	19207	117	24
8758195	19207	117	2
8758197	19207	117	13
8758198	19207	117	7
8758249	19207	67	9
8758252	19207	68	4
8758253	19207	71	35
8758255	19207	80	6
8758259	19207	80	6
8758265-1	19207	71	38
8758266	19207	1311	N/1
8758276	19207	71	11
8758278	19207	71	6
8758286	19207	53	5
8758290	19207	56	12

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8758291	19207	55	8
8758292	19207	55	13
8758293	19207	55	9
8758294	19207	55	11
8758295	19207	55	10
8758296	19207	55	6
8758298	19207	55	14
8758301	19207	275	21
8758304	19207	276	44
8758306	19207	276	20
8758307	19207	276	19
8758308	19207	276	10
8758316	19207	79	25
8758323	19207	101	4
8758324	19207	53	24
8758325	19207	101	19
8758332	19207	94	6
8758343	19207	65	2
8758344	19207	75	7
8758345	19207	65	1
8758348	19207	72	13
8758352	19207	71	20
8758357	19207	79	26
8758371	19207	104	15
8758375	19207	155	7
8758394	19207	229	6
8758397	19207	229	12
8758401	19207	109	5
8758402	19207	109	26
8758403	19207	109	22
8758404	19207	109	4
8758405	19207	109	18
8758407	19207	109	11
8758408	19207	109	9
8758409	19207	109	6
8758412	19207	109	12
8758434	19207	145	1
8758435	19207	145	1
8758436	19207	142	1
8758441	19207	117	19
8758442	19207	117	10
8758443	19207	117	25
8758444	19207	117	9
8758461	19207	117	12
8758466	19207	99	13
875855	21450	3307	N/1
8758598	19207	158	19
8758599	19207	158	22
8758628	19207	154	4
8758629	19207	154	4
8758667	19207	155	1
		156	12
8758686	19207	233	18
8758687	19207	234	11
8758688	19207	234	14
8758690	19207	234	7
8758691	19207	234	1
8758692	19207	234	4
8758694	19207	233	1
8758695	19207	233	6
8758697	19207	233	8
8758698	19207	232	2
8758699	19207	233	7

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8758700	19207	234	8
8758701	19207	234	10
8758702	19207	233	10
8758703	19207	233	11
8758705	19207	154	5
		1810	N/I
8758706	19207	154	2
8758719	19207	154	19
8758722	19207	158	11
8758988	19207	170	10
8759024	19207	170	1
8759025	19207	170	17
8759026	19207	170	6
88015H	31007	68	12
88016H	31007	68	5
881882	21450	1204	N/I
8896953	18876	19	3
89-195	46606	107	9
8902-15-1	81336	148	1
8902-16-1	81336	148	11
8902-16-2	81336	148	11
8902-16-3	81336	148	5
8902-16-4	81336	148	6
8902-16-5	81336	148	7
8902-17-1	81336	148	15
8902-23-1	81336	147	5
8902-24-15	81336	153	15
8902-25-10	81336	153	5
8902-29-1	81336	153	7
8902-29-2	81336	153	2
		153	8
8902-29-3	81336	153	1
8902-29-4	81336	153	6
8902-30-3	81336	153	9
8902-30-4	81336	153	9
8902-30-5	81336	153	9
8902-30-6	81336	153	9
8902-31-1	81336	153	10
8902-31-2	81336	153	12
8902-31-4	81336	153	13
8902-31-5	81336	153	11
8902-31-6	81336	153	4
8902-31-7	81336	153	3
8902-32-1	81336	147	1
8902-33-5	81336	147	15
8902-34-1	81336	152	1
8902-34-3	81336	152	8
8902-34-4	81336	152	4
8902-35-1	81336	152	13
8902-8-5	81336	1810	N/I
8902-8-6	81336	1810	N/I
8917J	76260	2001	N/I
8935058	19207	162	8
89985	19975	32	2
90	01292	2001	N/I
90200036	19207	196	48
90200047	19207	195	1
90200050	19207	196	70
90200056	19207	196	42
90200058	19207	195	11
		195	11
		196	23
90430045	19207	194	6

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
		194	27
90430050	19207	194	15
90690055	19207	192	4
90690081	19207	197	3
90697040	19207	194	37
		197	20
90698020	19207	196	29
90698022	19207	196	36
90708075	19207	190	4
90709255	19207	193	6
90709380	19207	196	51
90801035	19207	196	52
90801105	19207	194	8
		194	30
90802031	19207	194	1
90804028	19207	195	5
90804071	19207	196	39
90804082	19207	189	15
		190	2
90804145	19207	194	23
		194	33
9080415	19207	189	7
90804150	19207	192	3
		193	2
90804160	19207	194	32
90804185	19207	198	9
90804267	19207	196	14
90804385	19207	189	11
90804420	19207	190	12
90804485	19207	190	10
		196	19
		198	15
		199	4
90812010	19207	195	4
90813030	19207	197	1
90828047	19207	196	26
90828048	19207	196	18
90831035	19207	198	16
90831050	19207	197	11
		197	13
90831075	19207	189	9
		189	9
		190	9
90831140	19207	192	9
90834289	19207	196	32
91603022	19207	196	34
91603230	19207	195	14
		196	27
91604100	19207	196	68
91604150	19207	196	22
916042135	19207	195	17
922GC134	70434	3305	N/I
92270038	19207	196	8
92404160	19207	193	4
92404165	19207	194	19
92408022	19207	196	7
92408030	19207	190	5
92408045	19207	189	17
		190	6
		197	26
		198	20
92415008	19207	197	17
9280255	19207	198	1

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
92820345	19207	195	12
92820414	19207	196	62
92820620	19207	196	24
92821160	19207	195	2
92821190	19207	196	49
92821205	19207	196	69
92821225	19207	196	57
92821227	19207	196	43
93601305	19207	196	5
93601335	19207	196	10
94RUX235	76040	306	5
94005025	19207	193	8
9402685	19207	104	16
		1411	N/I
9402713	24617	1411	N/I
		270	36
9402714	19207	270	11
9402791	19207	270	21
9402838	19207	104	1
9402867	19207	104	38
9402909	19207	270	35
9403025	19207	270	55
9409113	19207	244	7
9409115	19207	131	9
9409170	19207	2001	N/I
9409173	19207	270	46
9409179	19207	254	13
		270	7
9409180	19207	270	31
9409188	19207	270	18
943Y2	50513	134	17
94813065	19207	196	13
950210105	19207	194	31
95205040	19207	195	16
		196	55
95205285	19207	195	8
		195	15
95210125	19207	196	15
95210245	19207	190	18
95210330	19207	189	14
		190	3
		190	3
		196	21
		198	5
		198	13
95210360	19207	190	14
95210390	19207	194	36
		197	18
		197	9
95601125	19207	192	7
95601130	19207	193	12
95620037	19207	192	5
95620085	19207	198	19
95670180	19207	196	50
96000220	19207	191	14
96002314	19207	196	47
96003820	19207	196	63
96081618	19207	191	17
96081619	19207	191	19
		195	7
96082218	19207	191	15
96082518	19207	191	13
96091104	19207	196	59
96091220	19207	196	61
96091227	19207	196	53
96091420	19207	196	58
97130402	19207	191	11
97130403	19207	191	9
97135072	19207	191	2
97140019	19207	191	4
97140023	19207	191	10
97140190	19207	191	6
9714118	19207	191	7
97175010	19207	193	14
97175020	19207	194	2
		194	12
97175025	19207	194	24
97175039	19207	189	3
97205080	19207	196	41
		196	44
97205090	19207	196	6
		196	6
97205175	19207	194	7
97205185	19207	194	29
97210135	19207	194	25
97252009	19207	197	10
97252075	19207	197	19
97252095	19207	194	9
97252200	19207	194	10
97252245	19207	194	28
97255355	19207	193	10
97255395	19207	194	17
97264002	19207	196	28
97270059	19207	196	11
97415015	19207	195	6
97415145	19207	195	10
		196	56
97431100	19207	195	3
98-195	46606	107	9
98005229	19207	196	60
98005380	19207	191	16
98045017	19207	197	5
98308R1	31007	127	5
98405076	19207	196	17
98410030	19207	197	21
98415015	19207	196	35
98415020	19207	194	13
		196	30
98415042	19207	196	20
		196	38
		198	6
		198	14
		199	5
98415045	19207	189	6
		192	2
		193	3
		194	22
98415050	19207	196	16
98415054	19207	190	16
		194	34
98415060	19207	189	12
		190	13
98430012	19207	191	1
98785R1	31007	129	26

Reference Number Cross-Reference to Figure and Item Number—Continued

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
98816R91	31007	133	21
		134	12
99-146-0	78080	103	21
99-5	78080	103	10
99381R1	31007	100	9
99610LT	24617	269	8
99673R91	31007	309	14
99674R91	31007	309	14
99777R91	31007	129	7
99802012	19207	196	25
99802217	19207	196	2
99802218	19207	196	3
99802219	19207	196	4
99802220	19207	196	1

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-38 direct and general support maintenance requirements for Truck, Cargo, 5 Ton, M41, M54, M55.

☆U.S. GOVERNMENT PRINTING OFFICE: 1991 261-872/21557

PIN: 027251-000